

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 08/31/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155156	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 08/26/2015
NAME OF PROVIDER OR SUPPLIER ARBORS AT MICHIGAN CITY			STREET ADDRESS, CITY, STATE, ZIP CODE 1101 E COOLSPRING AVE MICHIGAN CITY, IN 46360		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS This visit was for the Investigation of Complaints IN00180479, IN00180557, and IN00180666. Complaint IN00180479-Unsubstantiated due to lack of sufficient evidence. Complaint IN00180557-Substantiated. No deficiencies related to the allegations were cited. Complaint IN00180666-Substantiated. No deficiencies related to the allegations were cited. Survey Dates: August 25 & 26, 2015 Facility number: 000076 Provider number: 155156 AIM number: 100271060 Census bed type: SNF: 28 SNF/NF: 85 Total: 113 Census payor type: Medicare: 28 Medicaid: 74 Other: 11 Total: 113 Sample: 7 Arbors at Michigan City was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2-3.1 in regards to the Investigation of Complaints IN00180479, IN00180557, and IN00180666.	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.