PRINTED: 11/04/2021 FORM APPROVED

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION  A. BUILDING:			(X3) DATE SURVEY COMPLETED	
			71. BOILBING.	<del></del>		·	
		003776	B. WING		I	3/2021	
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE							
IU HEALTH WEST HOSPITAL 1111 N RONALD REAGAN PKWY							
AVON, IN 46123							
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (X5)  (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DATE  DEFICIENCY)  (X5)  COMPLETE DATE			
S 000	S 000 INITIAL COMMENTS		S 000				
	This visit was for the licensure hospital con	investigation of a State nplaint.					
	Complaint Number: IN00334815						
	Unsubstantiated: Lack of sufficient evidence.						
	Survey Date: 10/13/2021						
	Facility Number: 003776						
	IU Health West Hospital is in compliance with 410 IAC 15-1.5-6, Nursing Service, and 410 IAC 15-1.6-2, Emergency Services, Hospital Licensure Rules.						
	QA: 10/19/2021						

Indiana State Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

(X6) DATE TITLE