PRINTED: 02/11/2025 FORM APPROVED

Indiana Department of Health

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | | CONSTRUCTION | (X3) DATE SURVEY COMPLETED |
|--|--|---|---------------------|--|-------------------------------|
| | | | 71. BOILBING. | | C |
| | | 005109 | B. WING | | 01/29/2025 |
| NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE | | | | | |
| COMMUNITY HOSPITAL SOUTH 1402 E COUNTY LINE RD S | | | | | |
| INDIANAPOLIS, IN 46227 | | | | | |
| (X4) ID PREFIX TAG | (EACH DEFICIENC) | ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULING CROSS-REFERENCED TO THE APPROFE DEFICIENCY) | D BE COMPLETE |
| S 000 | 000 INITIAL COMMENTS | | S 000 | | |
| | This visit was for the i licensure hospital con | nvestigation of a State | | | |
| | Complaint Number: IN00427125 - No deficiencies related to the allegations are cited. | | | | |
| | Survey Date: 01/29/2025 | | | | |
| | Facility Number: 005109 | | | | |
| | 410 IAC 15-1.5-1, Die | South, is in compliance with etetic Services, Hospital egard to the investigation of 5. | | | |
| | QA: 2/6/2025 | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Indiana Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE