

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 08/08/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155700	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED C 08/05/2016	
NAME OF PROVIDER OR SUPPLIER CATHERINE KASPER HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 9601 S UNION RD DONALDSON, IN 46513		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F 000	<p>INITIAL COMMENTS</p> <p>This visit was for the Investigation of Complaint IN00206360.</p> <p>Complaint IN00206360 - Substantiated. No deficiencies related to the allegations were cited.</p> <p>Survey dates: August 4, 5, 2016</p> <p>Facility number: 002982 Provider number: 155700 AIM number: 200382090</p> <p>Census bed type: SNF/NF: 51 SNF: 24 Total: 75</p> <p>Census payor type: Medicare: 17 Medicaid: 23 Other: 35 Total: 75</p> <p>Sample: 6</p> <p>Catherine Kasper Home was found to be in compliance with 42 CFR 483, Subpart B and 410 IAC 16.2-3.1 in regard to the Investigation of Complaint IN00206360.</p> <p>QR was completed by 99993 on 08/05/16.</p>		F 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.