

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/31/2024  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  15G536	(X2) MULTIPLE CONSTRUCTION A. BUILDING 02  B. WING _____	(X3) DATE SURVEY COMPLETED  R 07/29/2024
NAME OF PROVIDER OR SUPPLIER  CARDINAL SERVICES INC OF INDIANA			STREET ADDRESS, CITY, STATE, ZIP CODE  1008 SHORT DRIVE KNOX, IN 46534	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
{E 000}	Initial Comments  A Post Survey Revisit (PSR) for the Emergency Preparedness Survey that exited on 06/05/24 was conducted by the Indiana Department of Health in accordance with 42 CFR 483.73  Survey Date: 07/29/24  Facility Number: 001050 Provider Number: 15G536 AIM Number: 100245380  At this Emergency Preparedness PSR, Cardinal Services Inc. of Indiana was found in compliance with Emergency Preparedness Requirements for Medicare and Medicaid Participating Providers and Suppliers, 42 CFR 483.73  The facility has 8 certified beds, with a current census of 7.	{E 000}	{K 000}	{K 000}
	Quality Review completed on 07/30/24  INITIAL COMMENTS  A Post Survey Revisit (PSR) for the Life Safety Code Recertification Survey that exited on 06/05/24 was conducted by the Indiana Department of Health in accordance with 42 CFR Subpart 483.90(a).  Survey Date: 07/29/24  Facility Number: 001050 Provider Number: 15G536 AIM Number: 100245380  At this Life Safety Code PSR, Cardinal Services Inc. of Indiana was found in compliance with			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/31/2024  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  15G536	(X2) MULTIPLE CONSTRUCTION A. BUILDING 02  B. WING _____		(X3) DATE SURVEY COMPLETED  R 07/29/2024
NAME OF PROVIDER OR SUPPLIER  CARDINAL SERVICES INC OF INDIANA		STREET ADDRESS, CITY, STATE, ZIP CODE  1008 SHORT DRIVE KNOX, IN 46534		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
{K 000}	<p>Continued From page 1</p> <p>Requirements for Participation in Medicaid, 42 CFR Subpart 483.470(j), Life Safety from Fire and the 2012 edition of the National Fire Protection Association (NFPA) 101, Life Safety Code (LSC), Chapter 32, New Residential Board and Care Occupancies.</p> <p>The one story facility was fully sprinklered. The facility has a fire alarm system with smoke detection in the corridors, sleeping rooms and common living areas and heat detection in the attic. The facility has a capacity of 8 and had a census of 7 at the time of this survey.</p> <p>Quality Review completed on 07/30/24</p>	{K 000}		