

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/03/2022  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>15G482</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>R-C</b> <b>02/22/2022</b>
NAME OF PROVIDER OR SUPPLIER  <b>DAMAR SERVICES INC--CAMBY RD</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>10600 E CR 700 S</b> <b>CAMBY, IN 46113</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{W 000}	<p>INITIAL COMMENTS</p> <p>This visit was for a PCR (Post Certification Revisit) to the investigation of complaint #IN00344871 completed on 12/8/21.</p> <p>This visit was done in conjunction with the PCR to the pre-determined full annual recertification and state licensure survey.</p> <p>Complaint #IN00344871: Corrected.</p> <p>Dates of Survey: 2/21/22 and 2/22/22</p> <p>Facility Number: 000996 Provider Number: 15G482 AIMS Number: 100235460</p> <p>Damar Services Inc. was found to be in compliance with 42 CFR Part 483, Subpart I and 460 IAC 9 in regard to the PCR to the investigation of complaint #IN00344871. Quality Review of this report completed by #15068 on 3/2/22.</p>	{W 000}			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.