

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/21/2025  
FORM APPROVED  
OMB NO. 0938-0391

|   |  |  |  |   |  |  |                            |
|---|--|--|--|---|--|--|----------------------------|
| STATEMENT OF DEFICIENCIES<br>AND PLAN OF CORRECTION                         |  | (X1) PROVIDER/SUPPLIER/CLIA<br>IDENTIFICATION NUMBER:<br><br><b>155272</b> |  | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING _____<br><br>B. WING _____                                |  | (X3) DATE SURVEY<br>COMPLETED<br><br><b>R-C</b><br><b>05/21/2025</b> |                            |
| NAME OF PROVIDER OR SUPPLIER<br><br><b>ALLISON POINTE HEALTHCARE CENTER</b> |  |  |  | STREET ADDRESS, CITY, STATE, ZIP CODE<br><b>5226 E 82ND STREET</b><br><b>INDIANAPOLIS, IN 46250</b> |  |  |                            |
| (X4) ID<br>PREFIX<br>TAG  | SUMMARY STATEMENT OF DEFICIENCIES<br>(EACH DEFICIENCY MUST BE PRECEDED BY FULL<br>REGULATORY OR LSC IDENTIFYING INFORMATION)   |  |  | ID<br>PREFIX<br>TAG   | PROVIDER'S PLAN OF CORRECTION<br>(EACH CORRECTIVE ACTION SHOULD BE<br>CROSS-REFERENCED TO THE APPROPRIATE<br>DEFICIENCY) |  | (X5)<br>COMPLETION<br>DATE |
| F 000   | INITIAL COMMENTS<br><br>Paper compliance to the Investigation of<br>Complaints IN00455778 and IN00456573<br>completed on April 4, 2025.<br><br>Complaint IN00455778 - Corrected.<br><br>Complaint IN00456573 - Corrected.<br><br>Review Date: May 21, 2025<br><br>Facility Number: 000172<br>Provider Number: 155272<br>AIM Number: 100267130<br><br>Allison Pointe Healthcare Center was found to be<br>in compliance with 42 CFR Part 483, Subpart B<br>and 410 IAC 16.2-3.1, in regard to the paper<br>review to the Investigation of Complaints<br>IN00455778 and IN00456573.<br><br>Quality review completed on May 21, 2025. |  |  | F 000   |  |  |                            |
| LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE       |  |  |  | TITLE   |  | (X6) DATE  |                            |

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.