

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/22/2023  
FORM APPROVED  
OMB NO. 0938-0391

|  |   |  |  |  |  |  |                            |
|--|---|--|--|--|--|--|----------------------------|
| STATEMENT OF DEFICIENCIES<br>AND PLAN OF CORRECTION                    |   | (X1) PROVIDER/SUPPLIER/CLIA<br>IDENTIFICATION NUMBER:<br><br><b>155265</b> |  | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING _____<br><br>B. WING _____                           |  | (X3) DATE SURVEY<br>COMPLETED<br><br><b>C</b><br><b>12/20/2023</b> |                            |
| NAME OF PROVIDER OR SUPPLIER<br><br><b>WEDGEWOOD HEALTHCARE CENTER</b> |   |  |  | STREET ADDRESS, CITY, STATE, ZIP CODE<br><b>101 POTTERS LN</b><br><b>CLARKSVILLE, IN 47129</b> |  |  |                            |
| (X4) ID<br>PREFIX<br>TAG   | SUMMARY STATEMENT OF DEFICIENCIES<br>(EACH DEFICIENCY MUST BE PRECEDED BY FULL<br>REGULATORY OR LSC IDENTIFYING INFORMATION)  |  |  | ID<br>PREFIX<br>TAG  | PROVIDER'S PLAN OF CORRECTION<br>(EACH CORRECTIVE ACTION SHOULD BE<br>CROSS-REFERENCED TO THE APPROPRIATE<br>DEFICIENCY) |  | (X5)<br>COMPLETION<br>DATE |
| F 000  | <p>INITIAL COMMENTS</p> <p>This visit was for the Investigation of Complaint IN00421305.</p> <p>Complaint IN00421305 - No deficiencies related to the allegations are cited.</p> <p>Survey date: December 20, 2023</p> <p>Facility number: 000166<br/>Provider number: 155265<br/>AIM number: 100267080</p> <p>Census Bed Type:<br/>SNF/NF: 108<br/>Total: 108</p> <p>Census Payor Type:<br/>Medicare: 5<br/>Medicaid: 81<br/>Other: 22<br/>Total: 108</p> <p>Wedgewood Healthcare Center was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2-3.1 in regard to the Investigation of Complaint.</p> <p>Quality review completed on December 21, 2023.</p> |  |  | F 000  |  |  |                            |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.