	OF DEFICIENCIES	MEDICAID SERVICES (X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIP	LE CONSTRUCTION		O. 0938-039	
AND PLAN OF CORRECTION		DENTIFICATION NUMBER:	A. BUILDING			IPLETED	
		155780			C 08/17/2021		
NAME OF PROVIDER OR SUPPLIER			STREET ADDRESS, CITY, STATE, ZIP CODE			00/1//2021	
				7465 MADISON AVE			
HOMESTE	AD HEALTHCARE CEN	TER		INDIANAPOLIS, IN 46227			
(X4) ID			ID	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CC		(X5) COMPLETIC	
PREFIX TAG		Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	PREFIX TAG	CROSS-REFERENCED TO THE A DEFICIENCY)		DATE	
F 000	INITIAL COMMENTS	3	F 00	ю			
	This visit was for the Investigation of Complaints IN00359761 and IN00360251.						
	Complaint IN00360251 - Substantiated. No deficiencies related to the allegations are cited. Complaint IN00359761 - Unsubstantiated due to lack of evidence.						
	Survey dates: Augus	t 16 and 17, 2021					
	Facility number: 0122 Provider number: 158 AIM number: 200983	5780					
	Census Bed Type: SNF/NF: 71 Total: 71						
	Census Payor Type: Medicaid: 66 Other: 5 Total: 71						
	compliance with 42 C 410 IAC 16.2-3.1 in r	re Center was found to be in CFR Part 483, Subpart B and egard to the Investigation of 761 and IN00360251.					
	Quality Review comp	eleted on August 19, 2021.					
		SUPPLIER REPRESENTATIVE'S SIGNATUF		TITLE		(X6) DATE	

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

PRINTED: 08/20/2021