

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 003282	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED C 05/08/2023
NAME OF PROVIDER OR SUPPLIER RITTENHOUSE VILLAGE AT NORTHSIDE		STREET ADDRESS, CITY, STATE, ZIP CODE 1251 W 96TH ST INDIANAPOLIS, IN 46260		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)
R 000	INITIAL COMMENTS This visit was for the Investigation of Complaint IN00407559. Complaint IN00407559 - No deficiencies related to the allegations are cited. Survey date: May 8, 2023 Facility number: 003282 Residential Census: 80 Rittenhouse Village at Northside was found to be in compliance with 410 IAC 16.2-5 in regard to the Investigation of Complaint IN00407559. Quality review was completed on May 12, 2023.		R 000	

Indiana State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE