PRINTED: 09/20/2022 FORM APPROVED

Indiana State Department of Health

| STATEMENT OF DEFICIENCIES<br>AND PLAN OF CORRECTION                |  | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | (X2) MULTIPLE CONSTRUCTION |   | (X3) DATE SURVEY<br>COMPLETED |
|--|--|--|----------------------------|---|-------------------------------|
| ANDILAN  | or contribution  | IDENTIFICATION NOMBER.                             | A. BUILDING: _             |   |                               |
|  |  | 014094   | B. WING                    |   | C<br>09/14/2022               |
| NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE |  |  |                            |   |                               |
| WICKSHIRE WEST LAFAYETTE  WEST LAFAYETTE, IN 47906                 |  |  |                            |   |                               |
|  |  |  |                            |   |                               |
| (X4) ID<br>PREFIX<br>TAG   | (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)   |  | ID<br>PREFIX<br>TAG        | (EACH CORRECTIVE ACTION SHOULD BE COMPLETE CROSS-REFERENCED TO THE APPROPRIATE DATE DEFICIENCY) |                               |
| R 000  | 000 INITIAL COMMENTS   |  | R 000                      |   |                               |
|  | This visit was for the IN00389818.   | Investigation of Complaint                         |                            |   |                               |
|  | Complaint IN00389818 - Substantiated. No deficiencies related to the allegations are cited.  |  |                            |   |                               |
|  | Survey dates: September 13 and 14, 2022  |  |                            |   |                               |
|  | Facility number: 014094  |  |                            |   |                               |
|  | Residential Census: 6  | 61   |                            |   |                               |
|  | Wickshire West Lafayette was found to be in compliance with 410 IAC 16.2-5 in regard to the Investigation of Complaint IN00389818. |  |                            |   |                               |
|  | Quality review was completed on September 19, 2022.  |  |                            |   |                               |
|  |  |  |                            |   |                               |
|  |  |  |                            |   |                               |
|  |  |  |                            |   |                               |
|  |  |  |                            |   |                               |
|  |  |  |                            |   |                               |
|  |  |  |                            |   |                               |
|  |  |  |                            |   |                               |
|  |  |  |                            |   |                               |
|  |  |  |                            |   |                               |

Indiana State Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE