PRINTED: 05/30/2025 FORM APPROVED

Indiana Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED
		012129	B. WING		C 05/27/2025
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE					
CROWNPOINTE OF ANDERSON 2727 CROWNPOINTE CIRCLE ANDERSON, IN 46012					
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPF DEFICIENCY)	BE COMPLETE
R 000	00 INITIAL COMMENTS		R 000		
	This visit was for the Investigation of Complaints IN00458992 and IN00459679.				
	Complaint IN00458992 - No deficiencies related to the allegations are cited.				
	Complaint IN00459679 - No deficiencies related to the allegations are cited.				
	Survey date: May 27, 2025				
	Facility number: 012129				
	Residential Census: 43				
	Crownpointe of Anderson was found to be in compliance with 410 IAC 16.2-5 in regard to the Investigation of Complaints IN00458992 and IN00459679.				
	Quality review completed May 29, 2025.				

Indiana Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE