

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 11/29/2023  
FORM APPROVED  
OMB NO. 0938-0391

|  |   |   |   |                      |   |
|--|---|---|---|----------------------|---|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION   |   | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:<br><br><b>155120</b> | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING _____<br><br>B. WING _____  |                      | (X3) DATE SURVEY COMPLETED<br><br><b>C</b><br><b>11/21/2023</b> |
| NAME OF PROVIDER OR SUPPLIER<br><br><b>BRICKYARD HEALTHCARE - BRANDYWINE CARE CENTER</b> |   |   | STREET ADDRESS, CITY, STATE, ZIP CODE<br><b>745 N SWOPE ST</b><br><b>GREENFIELD, IN 46140</b>                   |                      |   |
| (X4) ID PREFIX TAG   | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)  | ID PREFIX TAG   | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |   |
| F 000  | <p>INITIAL COMMENTS</p> <p>This visit was for the Investigation of Complaints IN00421539 and IN00421666.</p> <p>Complaint IN00421539 - No deficiencies related to the allegations are cited.</p> <p>Complaint IN00421666 - No deficiencies related to the allegations are cited.</p> <p>Survey dates: November 20 and 21, 2023</p> <p>Facility number: 000050<br/>Provider number: 155120<br/>AIM number: 100266170</p> <p>Census Bed Type:<br/>SNF/NF: 96<br/>Total: 96</p> <p>Census Payor Type:<br/>Medicare: 2<br/>Medicaid: 60<br/>Other: 34<br/>Total: 96</p> <p>Brickyard Healthcare - Brandywine Care Center was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2-3.1 in regards to the Investigation of Complaints IN00421539 and IN00421666.</p> <p>Quality review completed on November 28, 2023</p> | F 000   |   |                      |   |
| LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE                    |   |   | TITLE   |                      | (X6) DATE   |

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.