

Indiana Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 001128	(X2) MULTIPLE CONSTRUCTION A. BUILDING: 01 B. WING _____	(X3) DATE SURVEY COMPLETED 06/13/2025
NAME OF PROVIDER OR SUPPLIER FRIENDS FELLOWSHIP COMMUNITY		STREET ADDRESS, CITY, STATE, ZIP CODE 2030 CHESTER BLVD RICHMOND, IN 47374		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
K 000	<p>INITIAL COMMENTS</p> <p>A Preoccupancy Survey for State Licensure survey was conducted by the Indiana Department of Health.</p> <p>The Preoccupancy Survey is for the relocation of 24 NCC beds from rooms 10-28 and 40-44 (going from 2 beds per room to 1 bed per room) to rooms 70-81 (going from 0 beds to 2 beds per room) in Courtyard I.</p> <p>Survey Date: 06/13/25</p> <p>Facility Number: 001128 Provider Number: NA AIM Number: NA</p> <p>At this Preoccupancy survey, Friends Fellowship Community was found in compliance with Requirements of the 2000 edition of the National Fire Protection Association (NFPA) 101, Life Safety Code (LSC), Chapter 19, Existing Health Care Occupancies and 410 IAC 16.2.</p> <p>This one story facility with a basement was determined to be of Type V (111) construction and fully sprinkled. The facility has a fire alarm system with smoke detection on all levels including the basement, the corridors, spaces open to the corridors and hard wired smoke detectors in the 24 Courtyard Hall resident rooms and battery operated smoke detectors in the 35 Health Center Hall resident rooms. The facility has a capacity of 92 and had a census of 37 at the time of this visit.</p> <p>All areas where residents have customary access were sprinkled and all areas providing facility services were sprinkled.</p>	K 000		

Indiana Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Indiana Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 001128	(X2) MULTIPLE CONSTRUCTION A. BUILDING: 01 B. WING _____	(X3) DATE SURVEY COMPLETED 06/13/2025
NAME OF PROVIDER OR SUPPLIER FRIENDS FELLOWSHIP COMMUNITY		STREET ADDRESS, CITY, STATE, ZIP CODE 2030 CHESTER BLVD RICHMOND, IN 47374		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
K 000	Continued From page 1 Quality Review completed on 06/16/25	K 000		