

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>155837</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>R-C</b> <b>11/07/2024</b>
NAME OF PROVIDER OR SUPPLIER  <b>VILLAGES AT OAK RIDGE, THE</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>1694 TROY ROAD</b> <b>WASHINGTON, IN 47501</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{F 000}	<p>INITIAL COMMENTS</p> <p>Paper compliance survey for the Investigation of Complaints IN00441261 and IN00442088 Survey ending on September 20, 2024.</p> <p>Review date: November 7, 2024</p> <p>Facility number: 013332 Provider Number: 155837 AIM number: 201305040</p> <p>The Villages of Oak Ridge was found to be in compliance with 42 CFR Part 483 subpart B and 410 IAC 16.2-3.1 in regards to the paper compliance review to the Investigation of Complaints IN00441261, IN00442088 and the unrelated deficiency cited on the Survey.</p>	{F 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients . (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.