Indiana Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION			(X3) DATE SURVEY COMPLETED	
			A. BUILDING: _				
		011799	B. WING			, 4/2024	
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE							
GREENBRIAR VILLAGE 8800 SPOON DR INDIANAPOLIS, IN 46219							
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECT (EACH CORRECTIVE ACTION SHOU CROSS-REFERENCED TO THE APPRO	PROVIDER'S PLAN OF CORRECTION (X5) (EACH CORRECTIVE ACTION SHOULD BE COMPLETE CROSS-REFERENCED TO THE APPROPRIATE DATE DEFICIENCY)		
R 000	00 INITIAL COMMENTS		R 000				
	IN00439868.	Investigation of Complaint					
	Complaint IN00439868 No deficiencies related to the allegations are cited.						
	Survey date: August 14, 2024						
	Facility number: 011799						
	Residential Census: 99						
	Greenbriar Village was found to be in compliance with 410 IAC 16.2-5 in regard to the Investigation of Complaint IN00439868.						
	Quality review completed on August 16, 2024.						

Indiana Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE