

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155059		(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R-C 07/26/2024	
NAME OF PROVIDER OR SUPPLIER WATERS OF HUNTINGTON SKILLED NURSING FACILITY, THE				STREET ADDRESS, CITY, STATE, ZIP CODE 1500 GRANT ST HUNTINGTON, IN 46750			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{F 000}	INITIAL COMMENTS Paper compliance to the Annual Recertification and State Licensure review and Investigation of Complaint IN00432578 completed on June 7, 2024. Review Date: July 26, 2024 Facility number: 000020 Provider number: 155059 AIM number: 100288690 The Waters of Huntington Skilled Nursing Facility was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2-3.1, in regard to the paper review to the Recertification and State Licensure survey and the Investigation of Complaint IN00432578.			{F 000}			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE				TITLE		(X6) DATE	

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients . (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.