

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/04/2023  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>155390</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>R-C</b> <b>05/03/2023</b>
NAME OF PROVIDER OR SUPPLIER  <b>BRICKYARD HEALTHCARE - WOODBRIDGE CARE CENTER</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>816 N FIRST AVE</b> <b>EVANSVILLE, IN 47710</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{F 000}	<p>INITIAL COMMENTS</p> <p>Paper compliance to the Investigation of Complaint IN00402007, IN00403051 and IN00403048 with an unrelated deficiency cited on March 10, 2023.</p> <p>Review date: May 3, 2023</p> <p>Facility number: 000438 Provider number: 155390 AIM number: 100274170</p> <p>Brickyard HealthCare -Woodbridge Care Center was found to be in compliance with 42 CFR Part 483 Subpart B and 410 IAC 16.2-3.1 in regard to the paper compliance review to the Investigation of Complaint IN00402007, IN00403051 and IN00403048 and the unrelated deficiency.</p>	{F 000}			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.