

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 09/12/2019
FORM APPROVED
OMB NO. 0938-0391

| | | | | | |
|---|---|--|--|----------------------------|--|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155616 | (X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____ | | (X3) DATE SURVEY COMPLETED R-C 09/04/2019 |
| NAME OF PROVIDER OR SUPPLIER NEW ALBANY NURSING AND REHABILITATION CENTER | | | STREET ADDRESS, CITY, STATE, ZIP CODE 201 E ELM ST NEW ALBANY, IN 47150 | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE | |
| {F 000} | <p>INITIAL COMMENTS</p> <p>This visit was for a Post Survey Revisit (PSR) to the Investigation of Complaint IN00303502 completed on 8/19/2019.</p> <p>This visit was in conjunction with the PSRs to the Recertification and State Licensure Survey, the State Residential Licensure Survey, and the Investigation of Complaint IN00295667 completed on 6/5/19, the Investigation of Complaint IN00297536 completed on 6/20/2019, and the Investigation of Complaint IN00301128 completed on 7/19/2019.</p> <p>Complaint IN00301128 - Corrected</p> <p>Complaint IN00297536 - Corrected.</p> <p>Complaint IN00295667 - Corrected</p> <p>Complaint IN00303502 - Corrected</p> <p>Survey dates: September 3 and 4, 2019</p> <p>Facility number: 001145 Provider number: 155616 AIM number: 200120200</p> <p>Census Bed Type: SNF/NF: 78 Residential: 9 Total: 87</p> <p>Census Payor Type: Medicare: 3 Medicaid: 65 Other: 10 Total: 78</p> | {F 000} | | | |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 09/12/2019
FORM APPROVED
OMB NO. 0938-0391

| | | | | | |
|---|---|--|--|----------------------------|--|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155616 | (X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____ | | (X3) DATE SURVEY COMPLETED R-C 09/04/2019 |
| NAME OF PROVIDER OR SUPPLIER NEW ALBANY NURSING AND REHABILITATION CENTER | | | STREET ADDRESS, CITY, STATE, ZIP CODE 201 E ELM ST NEW ALBANY, IN 47150 | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE | |
| {F 000} | Continued From page 1 New Albany Nursing and Rehabilitation Center was found to be in compliance with 42 CFR Part 483 Subpart B and 410 IAC 16.2-3.1 in regard to the PSR to the Investigation of Complaint IN00303502. Quality review completed on September 11, 2019. | {F 000} | | | |