

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/21/2023  
FORM APPROVED  
OMB NO. 0938-0391

|                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                            |  |                                                                                                 |                                                                                                                          |                                                                        |                            |
|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|----------------------------|
| STATEMENT OF DEFICIENCIES<br>AND PLAN OF CORRECTION                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | (X1) PROVIDER/SUPPLIER/CLIA<br>IDENTIFICATION NUMBER:<br><br><b>155532</b> |  | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING <b>01</b><br><br>B. WING _____                        |                                                                                                                          | (X3) DATE SURVEY<br>COMPLETED<br><br><b>R</b><br><br><b>02/16/2023</b> |                            |
| NAME OF PROVIDER OR SUPPLIER<br><br><b>BLOOMINGTON NURSING AND REHABILITATION CENTER</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                            |  | STREET ADDRESS, CITY, STATE, ZIP CODE<br><b>120 E MILLER DR</b><br><b>BLOOMINGTON, IN 47401</b> |                                                                                                                          |                                                                        |                            |
| (X4) ID<br>PREFIX<br>TAG                                                                 | SUMMARY STATEMENT OF DEFICIENCIES<br>(EACH DEFICIENCY MUST BE PRECEDED BY FULL<br>REGULATORY OR LSC IDENTIFYING INFORMATION)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                            |  | ID<br>PREFIX<br>TAG                                                                             | PROVIDER'S PLAN OF CORRECTION<br>(EACH CORRECTIVE ACTION SHOULD BE<br>CROSS-REFERENCED TO THE APPROPRIATE<br>DEFICIENCY) |                                                                        | (X5)<br>COMPLETION<br>DATE |
| {E 000}                                                                                  | <p>Initial Comments</p> <p>A Post-Survey Revisit (PSR) to the Emergency Preparedness Survey conducted on 01/04/23 was conducted by the Indiana Department of Health in accordance with 42 CFR 483.73.</p> <p>Survey Date: 02/16/23</p> <p>Facility Number: 000460<br/>Provider Number: 155532<br/>AIM Number: 100290620</p> <p>At this PSR survey, Bloomington Nursing and Rehabilitation Center was found in compliance with Emergency Preparedness Requirements for Medicare and Medicaid Participating Providers and Suppliers, 42 CFR 483.73</p> <p>The facility has a capacity of 38 certified beds and had a census of 26 at the time of this visit.</p> |                                                                            |  | {E 000}                                                                                         |                                                                                                                          |                                                                        |                            |
| {K 000}                                                                                  | <p>Quality Review completed on 02/20/23</p> <p>INITIAL COMMENTS</p> <p>A Post Survey Revisit (PSR) to the Life Safety Code Recertification and State Licensure Survey conducted on 01/04/23 was conducted by the Indiana Department of Health in accordance with 42 CFR 483.90(a).</p> <p>Survey Date: 02/16/23</p> <p>Facility Number: 000460<br/>Provider Number: 155532<br/>AIM Number: 100290620</p> <p>At this PSR survey, Bloomington Nursing and Rehabilitation Center was found in compliance</p>                                                                                                                                                      |                                                                            |  | {K 000}                                                                                         |                                                                                                                          |                                                                        |                            |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/21/2023  
FORM APPROVED  
OMB NO. 0938-0391

|                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                            |                                                                                                                          |                            |                                                                    |
|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|----------------------------|--------------------------------------------------------------------|
| STATEMENT OF DEFICIENCIES<br>AND PLAN OF CORRECTION                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | (X1) PROVIDER/SUPPLIER/CLIA<br>IDENTIFICATION NUMBER:<br><br><b>155532</b> | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING <b>01</b><br><br>B. WING _____                                                 |                            | (X3) DATE SURVEY<br>COMPLETED<br><br><b>R</b><br><b>02/16/2023</b> |
| NAME OF PROVIDER OR SUPPLIER<br><br><b>BLOOMINGTON NURSING AND REHABILITATION CENTER</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                            | STREET ADDRESS, CITY, STATE, ZIP CODE<br><b>120 E MILLER DR</b><br><b>BLOOMINGTON, IN 47401</b>                          |                            |                                                                    |
| (X4) ID<br>PREFIX<br>TAG                                                                 | SUMMARY STATEMENT OF DEFICIENCIES<br>(EACH DEFICIENCY MUST BE PRECEDED BY FULL<br>REGULATORY OR LSC IDENTIFYING INFORMATION)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | ID<br>PREFIX<br>TAG                                                        | PROVIDER'S PLAN OF CORRECTION<br>(EACH CORRECTIVE ACTION SHOULD BE<br>CROSS-REFERENCED TO THE APPROPRIATE<br>DEFICIENCY) | (X5)<br>COMPLETION<br>DATE |                                                                    |
| {K 000}                                                                                  | <p>Continued From page 1</p> <p>with Requirements for Participation in Medicare/Medicaid, 42 CFR Subpart 483.90(a), Life Safety from Fire and the 2012 edition of the National Fire Protection Association (NFPA) 101, Life Safety Code (LSC), Chapter 19, Existing Health Care Occupancies and 410 IAC 16.2.</p> <p>This one story facility was determined to be of Type II (111) construction and was fully sprinklered. The facility has a fire alarm system with hard wired smoke detectors in the corridors and spaces open to the corridors, plus battery operated smoke alarms in all resident sleeping rooms. The facility has a capacity of 38 and had a census of 26 at the time of this survey.</p> <p>All areas where residents have customary access were sprinklered and all areas providing facility services were sprinklered, except two detached sheds used for facility storage.</p> <p>Quality Review completed on 02/20/23</p> | {K 000}                                                                    |                                                                                                                          |                            |                                                                    |