

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/20/2023
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155064	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED R 10/19/2023
NAME OF PROVIDER OR SUPPLIER APERION CARE KOKOMO			STREET ADDRESS, CITY, STATE, ZIP CODE 3518 S LAFOUNTAIN ST KOKOMO, IN 46902		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{E 000}	Initial Comments Paper compliance to the Post Survey Revisit (PSR) conducted on 09/25/23 for the Emergency Preparedness Survey conducted on 08/18/23 was completed on 10/19/23. Review Date: 10/19/23 Facility Number: 000025 Provider Number: 155064 AIM Number: 100274850 Aperion Care Kokomo was found in compliance with Requirements for Participation in Medicare/Medicaid, 42 CFR Subpart 483.73, Emergency Preparedness Requirements for Medicare and Medicaid Participating Providers and Suppliers.	{E 000}			
{K 000}	INITIAL COMMENTS Paper compliance to the Post Survey Revisit (PSR) conducted on 09/25/23 for the Life Safety Code Recertification and State Licensure Survey conducted on 08/18/23 was completed on 10/19/23. Review Date: 10/19/23 Facility Number: 000025 Provider Number: 155064 AIM Number: 100274850 Aperion Care Kokomo was found in compliance with Requirements for Participation in Medicare/Medicaid, 42 CFR Subpart 483.90(a), Life Safety from Fire and the 2012 Edition of the National Fire Protection Association (NFPA) 101, Life Safety Code (LSC), Chapter 19, Existing	{K 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/20/2023
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155064	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED R 10/19/2023
NAME OF PROVIDER OR SUPPLIER APERION CARE KOKOMO		STREET ADDRESS, CITY, STATE, ZIP CODE 3518 S LAFOUNTAIN ST KOKOMO, IN 46902		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
{K 000}	Continued From page 1 Health Care Occupancies and 410 IAC 16.2.	{K 000}		