

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/24/2023
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155128	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 10/20/2023
NAME OF PROVIDER OR SUPPLIER MILLER'S AT OAK POINTE			STREET ADDRESS, CITY, STATE, ZIP CODE 411 N WOLF RD COLUMBIA CITY, IN 46725		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS This visit was for the Investigation of Complaint IN00418654. Complaint IN00418654 - No deficiencies related to the allegations are cited. Survey date: October 20, 2023 Facility number: 000055 Provider number: 155128 AIM number: 100288410 Census Bed Type: SNF: 6 SNF/NF: 44 Total: 50 Census Payor Type: Medicare: 4 Medicaid: 20 Private: 26 Total: 50 Miller's at Oak Pointe was found to be in compliance with 410 IAC 16.2-5 in regard to the Investigation of Complaint IN00418654. Quality review completed October 23, 2023	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.