

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155430	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 07/05/2024
NAME OF PROVIDER OR SUPPLIER HICKORY CREEK AT ROCHESTER			STREET ADDRESS, CITY, STATE, ZIP CODE 340 E 18TH STREET ROCHESTER, IN 46975		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{F 000}	INITIAL COMMENTS Paper compliance to the Recertification and State Licensure Survey completed on June 10, 2024. Review date: July 5, 2024. Facility number: 000326 Provider number: 155430 AIM number: 100290770 Hickory Creek at Rochester was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2-3.1, in regard to the Paper Compliance Review to the Recertification and State Licensure Survey. Quality Review completed on 7/5/2024.	{F 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients . (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.