

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 08/01/2022  
FORM APPROVED  
OMB NO. 0938-0391

| STATEMENT OF DEFICIENCIES<br>AND PLAN OF CORRECTION         |  | (X1) PROVIDER/SUPPLIER/CLIA<br>IDENTIFICATION NUMBER:<br><br><b>155756</b> | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING _____<br><br>B. WING _____   | (X3) DATE SURVEY<br>COMPLETED<br><br><b>C<br/>07/28/2022</b> |
|---|--|--|--|--|
| NAME OF PROVIDER OR SUPPLIER<br><br><b>COVENTRY MEADOWS</b> |  |  | STREET ADDRESS, CITY, STATE, ZIP CODE<br><br><b>7843 W JEFFERSON BLVD<br/>FORT WAYNE, IN 46804</b>                       |  |
| (X4) ID<br>PREFIX<br>TAG                                    | SUMMARY STATEMENT OF DEFICIENCIES<br>(EACH DEFICIENCY MUST BE PRECEDED BY FULL<br>REGULATORY OR LSC IDENTIFYING INFORMATION)   | ID<br>PREFIX<br>TAG  | PROVIDER'S PLAN OF CORRECTION<br>(EACH CORRECTIVE ACTION SHOULD BE<br>CROSS-REFERENCED TO THE APPROPRIATE<br>DEFICIENCY) | (X5)<br>COMPLETION<br>DATE                                   |
| F 000   | <p>INITIAL COMMENTS</p> <p>This visit was for the Investigation of Complaint IN00385157.</p> <p>Complaint IN00385157 - Substantiated. No deficiencies related to the allegations are cited.</p> <p>Survey date: July 28, 2022</p> <p>Facility number: 004945<br/>Provider number: 155756<br/>AIM number: 200814400</p> <p>Census Bed Type:<br/>SNF/NF: 94<br/>SNF: 20<br/>Total: 114</p> <p>Census Payor Type:<br/>Medicare: 12<br/>Medicaid: 64<br/>Other: 38<br/>Total: 114</p> <p>Coventry Meadows was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2-3.1 in regard to the Investigation of Complaint IN00385157.</p> <p>Quality review completed July 29, 2022</p> | F 000  |  |  |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.