

Indiana Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 004419	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED C 07/09/2025
NAME OF PROVIDER OR SUPPLIER WHITLOCK PLACE		STREET ADDRESS, CITY, STATE, ZIP CODE 1719 S ELM ST CRAWFORDSVILLE, IN 47933		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
R 000	<p>INITIAL COMMENTS</p> <p>This visit was for the Investigation of Complaint IN00460377.</p> <p>Complaint IN00460377 - No deficiencies related to the allegations are cited.</p> <p>Survey date: July 9, 2025</p> <p>Facility number: 004419</p> <p>Residential Census: 58</p> <p>Whitlock Place was found to be in compliance with 410 IAC 16.2-5 in regard to the Investigation of Complaint IN00460377.</p> <p>Quality review completed on July 14, 2025.</p>	R 000		

Indiana Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE