

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/14/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155214		(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 12/10/2015	
NAME OF PROVIDER OR SUPPLIER ST ANTHONY HOME - CROWN POINT				STREET ADDRESS, CITY, STATE, ZIP CODE 203 FRANCISCAN DR CROWN POINT, IN 46307			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
F 000	INITIAL COMMENTS This visit was for the Investigation of Complaints IN00186429 and IN00187416. Complaint IN00186429 - Substantiated. No deficiencies related to the allegations are cited. Complaint IN00187416 - Substantiated. No deficiencies related to the allegations are cited. Survey date: December 9 & 10, 2015 Facility number: 000120 Provider number: 155214 AIM number: 100274780 Census bed type: SNF: 13 SNF/NF: 142 NCC: 3 Total: 158 Census Payor type: Medicare: 16 Medicaid: 114 Other: 28 Total: 158 Sample: 8 St. Anthony Home-Crown Point was found to be in compliance with 42 CFR Part 483, subpart B and 410 IAC 16.2-3.1 in regard to the Investigation of Complaints IN00186429 and IN00187416. Quality review completed by 26143, on December 11, 2015.			F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/14/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155214	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 12/10/2015
NAME OF PROVIDER OR SUPPLIER ST ANTHONY HOME - CROWN POINT			STREET ADDRESS, CITY, STATE, ZIP CODE 203 FRANCISCAN DR CROWN POINT, IN 46307		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	