



## INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

100 N. Senate Avenue • Indianapolis, IN 46204

(800) 451-6027 • (317) 232-8603 • [www.idem.IN.gov](http://www.idem.IN.gov)

Eric J. Holcomb  
Governor

Brian C. Rockensuess  
Commissioner

June 29, 2023

Ms. Elizabeth Murphy, Section Chief  
Water Enforcement & Compliance Assurance Branch  
U.S. EPA, Region 5  
77 W. Jackson Blvd.  
Mail Code ECW-15J  
Chicago, IL 60604-3590

Dear Ms. Murphy:

RE: Indiana 2022 Annual Compliance Report

The Drinking Water Branch of the Indiana Department of Environmental Management, Office of Water Management is pleased to submit the “2022 Annual Compliance Report for Indiana Public Water Supply Systems.” This report serves to fulfill the annual report requirements outlined in Section 1414 (c)(3)(A)(i) of the 1996 Amendments to the Safe Drinking Water Act.

The report was created using the data supplied from the SDWIS/FED database, and every effort has been made to reconcile our summary table numbers with the numbers from SDWIS/FED. The summary report for public use does not include a list of public water systems that have violations. However, “Appendix A-List of Systems with MCL Violations, Appendix B-List of Systems with TT Violations, Appendix C-List of Systems with CCR Violations, Appendix D-List of Systems with M/R Violations” are included with this report and are available to the public upon request.

If you have any questions concerning this report, please contact Mr. Anthony Tobias of my staff at 317/234-7445 or [atobias@idem.in.gov](mailto:atobias@idem.in.gov).

Sincerely,

Matthew Prater, Branch Chief  
Drinking Water Branch  
Office of Water Quality

MP:AT  
Enclosure



# Indiana Department of Environmental Management

## 2022 Annual Compliance Report

### for Indiana Public Water Supply Systems

IDEM Drinking Water Branch


June 2023

## Introduction

The 1996 Amendments to the Safe Drinking Water Act require each state to prepare an annual report of violations of the national primary drinking water regulations for public water supplies. The annual reports are intended to provide a summary of violations of maximum contaminant levels (MCL's), treatment techniques, variances and exemptions<sup>1</sup>, and monitoring and reporting violations (M&R). This report includes information for the time period January 1, 2022 through December 31, 2022.

## Public Water Supply Information

**Graph 1. Number and Type of Public Water Systems in Indiana**



Approximately 3,942 active public water systems supply water in Indiana. Graph 1 shows the distribution of public water systems by the system type. Drinking water in Indiana comes from ground water sources via wells or surface water sources such as lakes and rivers. Some public water systems purchase water from other public water supplies and distribute the water to their customers. Ninety-seven percent (97%) of all public water systems are served by ground water systems. However, only fifty-six percent (56%) of the total population is served by systems utilizing ground water.

<sup>1</sup> IDEM did not issue any variances or exemptions in 2022; therefore there are no violations for variances and exemptions to address in this summary report.

## Drinking Water Monitoring Requirements

The Safe Drinking Water Act and the Indiana Public Water Supply Supervision Program mandate the monitoring and reporting of various bacteriological and chemical contaminants that may be found in drinking water. The contaminants are categorized as total coliform, nitrate (NO<sub>3</sub>), inorganic chemicals (IOCs), volatile organic compounds (VOCs), synthetic organic compounds (SOCs), radionuclides (Rads), lead and copper (Pb/Cu), and Stage 1 and Stage 2 disinfectants/disinfection byproducts (D/DBPs) Rules. The levels of these contaminants in drinking water are compared to maximum contaminant levels (MCLs) which are set by the Environmental Protection Agency (EPA) and adopted by the State, to ensure that water is safe for human consumption. In addition, compliance results may trigger additional actions, such as source water monitoring under the Ground Water Rule (GWR) or public education for lead. See Table 2 on page 5 for a list of MCLs and action levels for all of the regulated contaminants.

Surface water systems are also required to comply with additional provisions of the Safe Drinking Water Act which deal with surface water treatment. These regulations pertain to treatment techniques that require systems to properly treat their water. When a surface water PWS fails to properly treat its water or cannot control the levels of such contaminants as turbidity, bacteria, viruses, or parasitic microorganisms the system has violated the provisions of the Safe Drinking Water Act and is assigned a treatment technique (TT) violation. Surface water systems are also required to sample for *Cryptosporidium* and/or *E. coli* under the Long Term 2 Enhanced Surface Water Treatment Rule (LT2) to determine if additional treatment is required to remove *Cryptosporidium*.

If a system has an MCL or TT violation, that system becomes a priority for follow-up by the Drinking Water Branch to ensure the violation is corrected.

## Violation Summary

Table 1 provides a summary of the number of MCL, M&R, and TT violations for all of the regulated drinking water contaminants for the 2022 calendar year (January 1, 2022 - December 31, 2022). The table also provides a summary of the number of systems in violation for each contaminant group.

**Table 1. 2022 Violations Summary for Indiana Public Water Supplies**

		MCL		Treatment Technique		Monitoring & Reporting		Consumer Confidence Report	
		Violations	Systems In Violation	Violations	Systems in Violation	Violations	Systems In Violation	Violations	Systems in violation
CCR	CWS							70	64
Pb/Cu	CWS			8	7	84	69		
	NTNC			7	5	97	78		
SWTR	CWS			0	0	0	0	2	2
	NTNC			0	0	0	0	0	0
	TNC			0	0	0	0	5	5
VOC	CWS	0	0			42	2		
	NTNC	0	0			126	6		
IOC	CWS	9	3			19	19		
	NTNC	7	5			45	22		
	TNC	31	25			249	234		
SOC	CWS	0	0			287	11		
	NTNC	0	0			28	1		
GWR	CWS			24	9	9	7	3	3
	NTNC			0	0	10	9	0	0
	TNC			33	24	248	180	13	13
TCR/ RTCR	CWS	0	0	3	3	71	33		
	NTNC	3	3	10	6	67	48		
	TNC	20	20	195	165	1294	675		
Rads	CWS	0	0			33	11		
DBP	CWS	13	5	1	1	56	27		
	NTNC	0	0	0	0	2	1		
	TNC	0	0	0	0	0	0		
Totals*	CWS	22	8	36	21	601	137		
	NTNC	10	8	17	11	375	126		
	TNC	51	45	228	185	1791	873		

Total Number of Systems in Violation*	CWS	243	Total Number Of Violations	CWS	734
	NTNC	162		NTNC	402
	TNC	1033		TNC	2088
	Total	1438		Total	3224



**LEGEND**

MCL=Maximum Contaminant Level Violation	IOC=Inorganic Chemicals (10-12 Chemicals)	VOC=Volatile Organic Compounds (21 Chemicals)	NO3=Nitrate
Pb/Cu=Lead and Copper	SOC=Synthetic Organic Compounds (27-30 Chemicals)	TCR=Total Coliform Rule	Rads=Radionuclides
DBP=Disinfection By-Products	SWTR=Surface Water Treatment Rule	CCR=Consumer Confidence Report	
TNC=Transient Noncommunity	NTNC=Nontransient Noncommunity Water System	CWS=Community Water System	


\* This number represents the total number of systems in violations for 2022. However, this number includes some systems with multiple violations across contaminant groups.

An evaluation of the data in 2022 Annual Compliance Report (ACR) shows the in-compliance rates at about seventy-one percent (71%) for monitoring and reporting (M/R) violations, ninety-eight percent (98%) for MCLs, and ninety-four percent (94%) for TT violations. The majority of violations are related to failing to collect and/or report samples. Approximately twenty-nine percent (29%) of the total number of active water systems have sampling (M/R) violations for at least one contaminant, but the majority of those systems (59%) are transient public water systems with M/R violations for TCR/RTCR.

The total number of systems with violations continued to decrease in 2022 due to IDEM's mandated electronic submission of sample results and continued focus on improving compliance statewide. Regarding specific violation types, only slight increases occurred in Pb/Cu by 17 violations and Rads by 26 violations from the previous year. Rads showed the greatest increase due to a change in reporting from group to individual analytes of Gross Alpha, Radium-226, and Radium-228, which multiplied the number of violations by 3 in comparison to previous years<sup>2</sup>. RTCR violations make up the majority of all violations due to having the most frequent monitoring frequency. The following charts illustrate these trends:



Continuous educational outreach and concentrated compliance assistance efforts made by IDEM staff have resulted in the decreased amount of RTCR violations as illustrated here:



A key indicator of the quality of the drinking water is the Community Water Systems' (CWSs) populations meeting current health-based standards. IDEM and EPA Region 5 agreed on a strategic plan with shared goals including tracking the percentage of population served by CWSs that meets current health-based standards. During 2022, the percentage was measured quarterly and the average for the four (4) quarterly results was ninety-eight and fifty-seven hundredths percent (98.57%) of the population served by CWSs in Indiana meets all health standards.

## Consumer Confidence Reports

All community public water systems are required to develop and distribute to their customers a brief annual water quality report called a consumer confidence report (CCR). The community water system is required to deliver a copy of the CCR to its consumers by July 1<sup>st</sup>. The purpose of the report is to inform and educate customers on the status and quality of their public water supply. The report contains information on the sources of drinking water, the levels of any detected contaminants, and educational information regarding drinking water.

## Compliance Assistance Efforts

The Drinking Water Branch currently assists public water supply owners and operators to promote compliance with the drinking water regulations. Assistance is provided

<sup>2</sup> IDEM previously reported Rads violations by group prior to 2022 and is now reporting violations per individual analyte (Gross Alpha, Radium-226, and Radium-228).

through several activities, namely: site visits, correspondence, telephone contact (including the use of interactive voice response (IVR) and regular phone calls), e-mails, educational presentations and materials, and implementation of the small system laboratory assistance program (SSLAP) where IDEM provides free sampling for very small, nonprofit systems serving a population of one hundred (100) or less. Additionally, with RTCR, field staff are handling all the Level 2 Assessments and Capacity Development staff are helping systems with the Level 1 Assessments. Another way IDEM reduces sampling violations is by reminding all public water systems of their required monthly, quarterly, semi-annual, or annual sampling by utilizing the IVR system, which leaves automated messages indicating when their sampling requirements are due. Further, IDEM also uses e-mails (when available) as another way to notify systems of when sampling is due.

The following is a summary of the number of site visits and assistance efforts that were conducted in 2022 by the Drinking Water Branch staff:

<b>Sanitary Surveys</b>	<b>1053</b>
<b>Well Site Surveys</b>	<b>78</b>
<b>Technical Assistance Visits</b>	<b>209</b>
<b>Cap. Dev. Assistance Interactions</b>	<b>1649</b>
<b>IVR Calls &amp; E-mails</b>	<b>28,156</b>

The Drinking Water Branch continues to provide assistance to all public water systems as a means to ensure drinking water is protective of human health.

## **For More Information**

If you have any questions concerning this report or would like the lists of public water supplies that had violations in 2021, please contact the Drinking Water Branch at (317) 234-7430. Additional copies of this report are available on the Indiana Department of Environmental Management, Office of Water Quality, Drinking Water Branch web-site at: <http://www.in.gov/idem/cleanwater/2579.htm> or by calling the Drinking Water Branch at (317) 234-7430.

Additional information regarding the quality of your drinking water may be obtained by contacting your local public water supplier. Please contact your local public water supply for a copy of their latest consumer confidence report (CCR).

For more information regarding all aspects of the environment in Indiana, visit IDEM's website at: <http://www.in.gov/idem/>. Also, for general information regarding drinking water, you may contact the EPA Safe Drinking Water Hotline by calling (800) 426-4791.

**TABLE 2**  
**REGULATED CHEMICAL DRINKING WATER CONTAMINANTS**  
**MAXIMUM CONTAMINANT LEVELS**

Contaminant	MCL	Contaminant	MCL	Contaminant	MCL
Inorganic Chemicals (IOCs)	mg/l	Volatile Organic Compounds (VOCs)	ug/l	Synthetic Organic Compounds (SOCs)	ug/l
Antimony	0.006	1,1-Dichloroethylene	7	2,4-D	70
Arsenic	0.01	1,1,1-Trichloroethane	200	2,4,5-TP (Silvex)	50
Barium	2	1,1,2-Trichloroethane	5	Alachlor	2
Beryllium	0.004	1,2-Dichloroethane	5	Atrazine	3
Cadmium	0.005	1,2-Dichloropropane	5	Benzo(a)pyrene	0.2
Chromium	0.1	1,2,4-Trichlorobenzene	70	Carbofuran	40
Cyanide (free)	0.2	Benzene	5	Chlordane	2
Fluoride (Adjusted) *	2	Carbon Tetrachloride	5	Dalapon	200
Fluoride (Natural) *	4	Cis-1,2-Dichloroethylene	70	Di(2-ethylhexyl)adipate	400
Mercury	0.002	Dichloromethane	5	Di(2-ethylhexyl)phthalate	6
Nickel	---	Ethylbenzene	700	Dibromochloropropane (DBCP)	0.2
Selenium	0.05	Monochlorobenzene	100	Dinoseb	7
Thallium	0.002	o-Dichlorobenzene	600	Dioxin (2,3,7,8-TCDD)	3X10-5
Nitrate	10	p-Dichlorobenzene	75	Diquat	20
Nitrite	1	Styrene	100	Endothall	100
Total Nitrate & Nitrite	10	Tetrachloroethylene	5	Endrin	2
		Toluene	1000	Ethylene Dibromide (EDB)	0.05
Sodium *	No MCL	Trans-1,2-Dichloroethylene	100	Glyphosate	700
		Trichloroethylene	5	Heptachlor	0.4
<b>Asbestos</b>		Vinyl Chloride	2	Heptachlor epoxide	0.2
Asbestos	7 MFL**	Xylenes (total)	10,000	Hexachlorobenzene	1
				Hexachlorocyclopentadiene	50
				Lindane	0.2
				Methoxychlor	40
<b>Lead &amp; Copper</b>		<b>Disinfection Byproducts</b>		Oxamyl (Vydate)	200
Lead Action Level	0.015	Total Trihalomethanes ****	80	PCBs	0.5
Copper Action Level	1.3	Haloacetic Acids 5*****	60	Pentachlorophenol	1
				Picloram	500
<b>Radionuclides *</b>	<b>PCi/l</b>			Simazine	4
Gross Alpha	15			Toxaphene	3
Gross Alpha Action Level	5				
Radium-226 Action Level	3				
Radium-226 & Radium-228 (combined)	5				
Manmade	***				

\* Community Water Systems Only

\*\* MFL=million fibers/liter > 10 micron

\*\*\* The average annual concentration of beta particle and photon radioactivity from manmade radionuclides in drinking water shall not produce an annual dose equivalent to the total body or any internal organ greater than four (4) millirem per year.

\*\*\*\* The sum of the concentrations of bromodichloromethane, dibromochloromethane, tribromomethane (bromoform), and trichloromethane (chloroform).

\*\*\*\*\*The sum of the concentrations of monochloroacetic acid, dichloroacetic acid, trichloroacetic acid, bromoacetic acid, and dibromoacetic acid.

<b>Code Type</b>	<b>-</b>	<b>Description</b>
01	-	MCL, Single Sample
02	-	MCL, Average
03	-	Monitoring, Regular
1A	-	MCL, E.Coli, Pos E Coli (RTCR)
2A	-	Level 1 Assessment Treatment Technique (RTCR)
2B	-	Level 2 Assessment Treatment Technique (RTCR)
2D	-	Startup Procedures Treatment Technique (RTCR)
21	-	MCL, Acute (TCR)
22	-	MCL, Monthly (TCR)
23	-	Monitoring, Routine Major (TCR)
24	-	Monitoring, Routine Minor (TCR)
25	-	Monitoring, Repeat Major (TCR)
26	-	Monitoring, Repeat Minor (TCR)
27	-	Monitoring, Major (DBP)
3A	-	Monitoring, Routine Major (RTCR)
3B	-	Monitoring, Additional Routine Major (RTCR)
34	-	Monitoring, GWR Triggered/Additional Major
38	-	Monitoring, Major (Surface Water)
41, 44	-	Treatment Techniques (Surface Water)
51	-	Initial Tap Sampling (Lead and Copper)
52	-	Follow Up or Routine Tap (Lead and Copper)
65	-	Public Education (LCR)
66	-	Lead Consumer Notice (LCR)
71	-	Consumer Confidence Report
C	-	Community Water System
NTNC	-	Non-Transient Non-Community Water System
NC	-	Transient Water System
GW	-	Ground Water System
GWP	-	Ground Water Purchased System
SW	-	Surface Water System
SWP	-	Surface Water Purchased System

## PWS with MCL violations

<u>PWSID</u>	System Name	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
<u>IN2010032</u>	CURVE CREEK AMISH SCHOOL			NC	GW 58
1A	E. COLI			11/1/2022	11/30/2022
<u>IN2010844</u>	CLEARVIEW AMISH SCHOOL			NC	GW 25
1A	E. COLI			8/1/2022	8/31/2022
<u>IN2020858</u>	COUNTY LINE CH OF GOD-AUDITORIUM/SCH			NC	GW 1168
02	ARSENIC			1/1/2022	3/31/2022
02	ARSENIC			4/1/2022	6/30/2022
02	ARSENIC			7/1/2022	9/30/2022
02	ARSENIC			10/1/2022	12/31/2022
<u>IN2030165</u>	JONESVILLE CHRISTIAN CHURCH			NC	GW 100
02	NITRATE			1/1/2022	12/31/2022
<u>IN2160001</u>	THORNTREE LAKE MHP & CAMPGROUND LL			NC	GW 38
1A	E. COLI			11/1/2022	11/30/2022
<u>IN2160079</u>	CLARKSBURG COVENANT CHURCH			NC	GW 53
1A	E. COLI			10/1/2022	10/31/2022
<u>IN2200147</u>	ROCK RUN YOUTH			NC	GW 75
01	NITRATE			1/1/2022	12/31/2022
<u>IN2200254</u>	NAPPANEE MISSIONARY CHURCH - WELL #2			NTNC	GW 2545
02	ARSENIC			7/1/2022	9/30/2022
<u>IN2200596</u>	SMOKER CRAFT BLDG. #23			NTNC	GW 50
1A	E. COLI			8/1/2022	8/31/2022
<u>IN2200898</u>	ROLLING ACRES AMISH SCHOOL			NC	GW 30
02	NITRATE			1/1/2022	12/31/2022
<u>IN2290024</u>	WESTFIELD STEEL, INC. - OFFICE			NC	GW 25
1A	E. COLI			10/1/2022	10/31/2022
<u>IN2420825</u>	MCKINLEY ORCHARD			NC	GW 31
01	NITRATE			1/1/2022	12/31/2022
<u>IN2430023</u>	J.C. MANUFACTURING, INC.			NTNC	GW 35
1A	E. COLI			8/1/2022	8/31/2022
<u>IN2430184</u>	WONGS RESTAURANT			NC	GW 111

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
1A	<i>E. COLI</i>	10/1/2022	10/31/2022		
<u>IN2430192</u>	<b>BARBEE HOTEL AND RESTAURANT</b>		NC	<b>GW</b>	<b>205</b>
1A	<i>E. COLI</i>	9/1/2022	9/30/2022		
<u>IN2431051</u>	<b>LAKE CITY CROSSING</b>		NC	<b>GW</b>	<b>50</b>
1A	<i>E. COLI</i>	7/1/2022	7/31/2022		
<u>IN2431150</u>	<b>LEESBURG STOP N GO</b>		NC	<b>GW</b>	<b>903</b>
1A	<i>E. COLI</i>	1/1/2022	1/31/2022		
<u>IN2431153</u>	<b>NORTH WEBSTER MEDICAL CLINIC</b>		NC	<b>GW</b>	<b>84</b>
1A	<i>E. COLI</i>	9/1/2022	9/30/2022		
<u>IN2431159</u>	<b>KALORAMA POINT, LLC</b>		NC	<b>GW</b>	<b>59</b>
02	<i>NITRATE</i>	1/1/2022	12/31/2022		
<u>IN2440028</u>	<b>ROCK RUN AMISH SCHOOL</b>		NC	<b>GW</b>	<b>46</b>
01	<i>NITRATE</i>	1/1/2022	12/31/2022		
<u>IN2440084</u>	<b>DOLLAR GENERAL #12780 - HOWE</b>		NC	<b>GW</b>	<b>203</b>
01	<i>NITRATE</i>	1/1/2022	12/31/2022		
<u>IN2440100</u>	<b>VAN BUREN HILLS AMISH SCHOOL #2</b>		NC	<b>GW</b>	<b>35</b>
01	<i>NITRATE</i>	1/1/2022	3/31/2022		
<u>IN2440814</u>	<b>TOWNLINE MENNONITE CHURCH</b>		NC	<b>GW</b>	<b>110</b>
01	<i>NITRATE</i>	1/1/2022	12/31/2022		
<u>IN2440826</u>	<b>HOWE BP</b>		NC	<b>GW</b>	<b>100</b>
01	<i>NITRATE</i>	1/1/2022	12/31/2022		
<u>IN2440827</u>	<b>HOWE FAMILY PANTRY</b>		NC	<b>GW</b>	<b>30</b>
02	<i>NITRATE</i>	1/1/2022	12/31/2022		
<u>IN2440859</u>	<b>NORTHSIDE AMISH SCHOOL</b>		NC	<b>GW</b>	<b>40</b>
02	<i>NITRATE</i>	1/1/2022	12/31/2022		
<u>IN2440864</u>	<b>SUNNY RIDGE AMISH SCHOOL</b>		NC	<b>GW</b>	<b>38</b>
01	<i>NITRATE</i>	1/1/2022	12/31/2022		
<u>IN2441004</u>	<b>SUNNYSIDE AMISH SCHOOL</b>		NC	<b>GW</b>	<b>53</b>
01	<i>NITRATE</i>	1/1/2022	12/31/2022		
<u>IN2441007</u>	<b>MEADOW VIEW AMISH SCHOOL</b>		NC	<b>GW</b>	<b>46</b>
01	<i>NITRATE</i>	1/1/2022	12/31/2022		

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
02	NITRATE			1/1/2022	12/31/2022	
<u>IN2450841</u>	<b>BUCKLEY HOMESTEAD - 1910 FARM</b>			NC	<b>GW</b>	<b>25</b>
1A	E. COLI			7/1/2022	7/31/2022	
<u>IN2460096</u>	<b>DOLLAR GENERAL - KINGSBURY</b>			NC	<b>GW</b>	<b>25</b>
1A	E. COLI			1/1/2022	1/31/2022	
<u>IN2460881</u>	<b>PRAIRIE VIEW ELEMENTARY SCHOOL</b>			NTNC	<b>GW</b>	<b>370</b>
01	NITRATE			4/1/2022	6/30/2022	
01	NITRATE			10/1/2022	12/31/2022	
<u>IN2460882</u>	<b>CRAFT STATION</b>			NC	<b>GW</b>	<b>405</b>
01	NITRATE			10/1/2022	12/31/2022	
<u>IN2480124</u>	<b>AIRPORT RESTAURANT, INC.</b>			NC	<b>GW</b>	<b>99</b>
1A	E. COLI			8/1/2022	8/31/2022	
<u>IN2490015</u>	<b>THE BLENDED CHURCH</b>			NC	<b>GW</b>	<b>1300</b>
1A	E. COLI			7/1/2022	7/31/2022	
<u>IN2500047</u>	<b>BORKHOLDER BUILDING</b>			NTNC	<b>GW</b>	<b>60</b>
02	ARSENIC			1/1/2022	3/31/2022	
02	ARSENIC			4/1/2022	6/30/2022	
<u>IN2500858</u>	<b>LAKESIDE CAMPGROUND (HOUSE)</b>			NC	<b>GW</b>	<b>25</b>
01	NITRATE			1/1/2022	12/31/2022	
<u>IN2520141</u>	<b>NORTH GROVE CHURCH</b>			NC	<b>GW</b>	<b>30</b>
1A	E. COLI			9/1/2022	9/30/2022	
<u>IN2600013</u>	<b>INDIAN OAKS CAMPGROUND - PLAYGROUND</b>			NC	<b>GW</b>	<b>45</b>
1A	E. COLI			8/1/2022	8/31/2022	
<u>IN2640066</u>	<b>COURTS OF NORTHWEST INDIANA - TENNIS</b>			NC	<b>GW</b>	<b>128</b>
1A	E. COLI			7/1/2022	7/31/2022	
<u>IN2660857</u>	<b>TIPPECANOE STATE PARK/OFFICE</b>			NC	<b>GW</b>	<b>25</b>
1A	E. COLI			7/1/2022	7/31/2022	
<u>IN2710184</u>	<b>GRACE CHURCH</b>			NC	<b>GW</b>	<b>400</b>
02	NITRATE			1/1/2022	12/31/2022	
<u>IN2710422</u>	<b>STELLAS CRUMSTOWN TAVERN</b>			NC	<b>GW</b>	<b>40</b>
02	NITRATE			7/1/2022	9/30/2022	
02	NITRATE			10/1/2022	12/31/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u>IN2710936</u>	<b>GRANGER CHRISTIAN SCHOOL</b>			NTNC	<b>GW</b>	<b>280</b>
02	NITRATE	1/1/2022		12/31/2022		
<u>IN2710941</u>	<b>SACRED HEART OF JESUS CHRIST CATHOLIC</b>			NC	<b>GW</b>	<b>127</b>
02	NITRATE	1/1/2022		12/31/2022		
<u>IN2750039</u>	<b>ST. LUKE COMMUNITY CHURCH</b>			NC	<b>GW</b>	<b>51</b>
01	NITRATE	1/1/2022		12/31/2022		
<u>IN2760918</u>	<b>WALDEN WOODS COMM. ASSOC. (WELL 2)-BR</b>			NC	<b>GW</b>	<b>200</b>
01	NITRATE	1/1/2022		12/31/2022		
<u>IN2760968</u>	<b>LAKEWOOD MOBILE HOME COURT LOTS 1-15</b>			NC	<b>GW</b>	<b>465</b>
1A	E. COLI	4/1/2022		4/30/2022		
<u>IN2760999</u>	<b>YB JELLYSTONE-BARTON LAKE-RANGER STA</b>			NC	<b>GW</b>	<b>350</b>
1A	E. COLI	4/1/2022		4/30/2022		
<u>IN2770002</u>	<b>CARDINAL PRODUCE HOUSING</b>			NC	<b>GW</b>	<b>71</b>
02	NITRATE	1/1/2022		12/31/2022		
<u>IN2810824</u>	<b>LIBERTY COUNTRY CLUB- HOUSING DEVELO</b>			NTNC	<b>GW</b>	<b>35</b>
1A	E. COLI	7/1/2022		7/31/2022		
<u>IN2900010</u>	<b>SOUTHERN WELLS JR./SR. HIGH &amp; ELEMENTA</b>			NTNC	<b>GW</b>	<b>980</b>
02	ARSENIC	7/1/2022		9/30/2022		
<u>IN2910937</u>	<b>TALL OAKS CAMPGROUND CORP.</b>			NC	<b>GW</b>	<b>50</b>
01	NITRATE	1/1/2022		12/31/2022		
02	NITRATE	1/1/2022		12/31/2022		
<u>IN5216002</u>	<b>GREENSBURG MUNICIPAL WATER WORKS</b>			C	<b>SW</b>	<b>11250</b>
02	TTHM	1/1/2022		3/31/2022		
<u>IN5216005</u>	<b>WESTPORT WATER COMPANY</b>			C	<b>SW</b>	<b>1610</b>
02	TTHM	10/1/2022		12/31/2022		
<u>IN5223004</u>	<b>KINGMAN WATER WORKS</b>			C	<b>GW</b>	<b>510</b>
02	ARSENIC	1/1/2022		3/31/2022		
02	ARSENIC	4/1/2022		6/30/2022		
02	ARSENIC	7/1/2022		9/30/2022		
<u>IN5235005</u>	<b>HUNTINGTON WATER DEPARTMENT</b>			C	<b>GW</b>	<b>17300</b>
02	TTHM	1/1/2022		3/31/2022		

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
<u>IN5253006</u>	<b>SALT CREEK SERVICES, INC.</b>			<b>C</b>	<b>SW</b>
02	TTHM	1/1/2022	3/31/2022		90
02	TTHM	4/1/2022	6/30/2022		
02	TTHM	7/1/2022	9/30/2022		
02	TTHM	10/1/2022	12/31/2022		
<u>IN5255018</u>	<b>TALL OAKS LAKE CORPORATION</b>			<b>C</b>	<b>SW</b>
02	TTHM	1/1/2022	3/31/2022		54
02	TOTAL HALOACETIC ACIDS (HAA)	1/1/2022	3/31/2022		
02	TTHM	4/1/2022	6/30/2022		
02	TOTAL HALOACETIC ACIDS (HAA)	4/1/2022	6/30/2022		
02	TTHM	7/1/2022	9/30/2022		
02	TOTAL HALOACETIC ACIDS (HAA)	7/1/2022	9/30/2022		
<u>IN5261005</u>	<b>MONTEZUMA MUNICIPAL UTILITY</b>			<b>C</b>	<b>GW</b>
01	NITRATE	1/1/2022	3/31/2022		1022
01	NITRATE	4/1/2022	6/30/2022		
<u>IN5265008</u>	<b>POSEYVILLE MUNICIPAL WATER DEPARTME</b>			<b>C</b>	<b>GW</b>
01	NITRATE	1/1/2022	3/31/2022		1400
01	NITRATE	4/1/2022	6/30/2022		
01	NITRATE	7/1/2022	9/30/2022		
01	NITRATE	10/1/2022	12/31/2022		

## **PWS with Treatment Technique violations**

<b>PWSID</b>	<b>System Name</b>	<b>System Type Source Population</b>			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
<u><a href="#">IN2010029</a></u>	<b>PINE LAKE</b>			NC	<b>GW</b>
2D	REVISED TOTAL COLIFORM RUL	8/5/2021		6/14/2022	
<u><a href="#">IN2010829</a></u>	<b>AMISHVILLE U.S.A.</b>			NC	<b>GW</b>
2D	REVISED TOTAL COLIFORM RUL	5/9/2022		5/27/2022	
<u><a href="#">IN2020919</a></u>	<b>POND-A-RIVER GOLF COURSE</b>			NC	<b>GW</b>
45	GROUNDWATER RULE	10/13/2022		11/15/2022	
45	GROUNDWATER RULE	10/13/2022		11/15/2022	
<u><a href="#">IN2080088</a></u>	<b>HOLLOW ACRES GOLF CENTER</b>			NC	<b>GW</b>
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			28
<u><a href="#">IN2090834</a></u>	<b>US 24 SPEEDWAY</b>			NC	<b>GW</b>
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			65
<u><a href="#">IN2090850</a></u>	<b>FRANCE PARK</b>			NC	<b>GW</b>
2D	REVISED TOTAL COLIFORM RUL	6/8/2022			506
<u><a href="#">IN2110825</a></u>	<b>DIETZ RECREATION PARK, INC.</b>			NC	<b>GW</b>
2D	REVISED TOTAL COLIFORM RUL	6/8/2022		8/3/2022	
<u><a href="#">IN2120006</a></u>	<b>THE CROSSING - FRANKFORT</b>			NTNC	<b>GW</b>
2A	REVISED TOTAL COLIFORM RUL	12/19/2022		3/20/2023	
<u><a href="#">IN2170003</a></u>	<b>TWILIGHT INN</b>			NC	<b>GW</b>
2A	REVISED TOTAL COLIFORM RUL	8/27/2021		1/5/2022	
<u><a href="#">IN2170854</a></u>	<b>FIRESIDE RESORT</b>			NC	<b>GW</b>
2A	REVISED TOTAL COLIFORM RUL	3/4/2022		3/30/2022	
<u><a href="#">IN2180038</a></u>	<b>WATER BOWL</b>			NC	<b>GW</b>
2D	REVISED TOTAL COLIFORM RUL	7/9/2022			300
<u><a href="#">IN2180201</a></u>	<b>TABOR CHURCH</b>			NC	<b>GW</b>
2C	REVISED TOTAL COLIFORM RUL	10/30/2021		1/28/2022	
<u><a href="#">IN2180805</a></u>	<b>TRACTOR SUPPLY CO. - STORE #623</b>			NC	<b>GW</b>
45	GROUNDWATER RULE	1/12/2022		2/1/2022	
45	GROUNDWATER RULE	1/12/2022		2/1/2022	
<u><a href="#">IN2180887</a></u>	<b>PRAIRIE CREEK PARK BEACH AREA</b>			NC	<b>GW</b>
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			308

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
<u>IN2180904</u>	<b>MPLX TERMINALS LLC - MUNCIE TERMINAL</b>	NC	GW	50	
2C	REVISED TOTAL COLIFORM RUL	12/16/2021		11/16/2022	
<u>IN2180913</u>	<b>ADMIRAL PETROLEUM #5390</b>	NC	GW	1000	
45	GROUNDWATER RULE	2/22/2022			
45	GROUNDWATER RULE	2/22/2022			
45	GROUNDWATER RULE	2/22/2022			
<u>IN2200066</u>	<b>GOSHEN FAMILY RESTAURANT</b>	NC	GW	108	
2A	REVISED TOTAL COLIFORM RUL	7/30/2020		8/5/2022	
2A	REVISED TOTAL COLIFORM RUL	7/29/2021		8/5/2022	
<u>IN2200075</u>	<b>HOOVER FIELD</b>	NC	GW	65	
2D	REVISED TOTAL COLIFORM RUL	6/8/2022			
<u>IN2200121</u>	<b>CHURCH OF GOD</b>	NC	GW	304	
2A	REVISED TOTAL COLIFORM RUL	7/28/2022		2/9/2023	
<u>IN2200135</u>	<b>ARBY'S - UNIT 608</b>	NC	GW	210	
45	GROUNDWATER RULE	10/7/2021		3/23/2022	
<u>IN2200143</u>	<b>NEW TESTAMENT BIBLE CHURCH</b>	NC	GW	80	
2A	REVISED TOTAL COLIFORM RUL	8/21/2022		12/29/2022	
<u>IN2200496</u>	<b>BONNEYVILLE MENNONITE CHURCH</b>	NC	GW	100	
2A	REVISED TOTAL COLIFORM RUL	11/21/2022		12/29/2022	
<u>IN2200529</u>	<b>BIBLE WAY APOSTOLIC</b>	NC	GW	45	
2A	REVISED TOTAL COLIFORM RUL	11/20/2022			
<u>IN2200577</u>	<b>NAPPANEE RACEWAY</b>	NC	GW	75	
2D	REVISED TOTAL COLIFORM RUL	6/8/2021		9/21/2022	
2D	REVISED TOTAL COLIFORM RUL	6/8/2022		9/21/2022	
<u>IN2200943</u>	<b>THERMO DYNE</b>	NTNC	GW	47	
65	LEAD & COPPER RULE	1/1/2018		2/23/2023	
<u>IN2201059</u>	<b>JIMTOWN BASEBALL AND SOFTBALL COMPL</b>	NC	GW	300	
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			
<u>IN2201109</u>	<b>NEW PARIS STOP &amp; GO</b>	NC	GW	36	
2A	REVISED TOTAL COLIFORM RUL	8/25/2019		2/23/2023	
<u>IN2230008</u>	<b>MUSTANG CORRAL, LLC/MARATHON</b>	NC	GW	150	
2A	REVISED TOTAL COLIFORM RUL	1/7/2022		1/27/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2270034</u>	<b>MAR BROOK CAMPGROUND</b>			NC	GW 25
2D	REVISED TOTAL COLIFORM RUL	5/9/2022	6/16/2022		
<u>IN2270812</u>	<b>BUDDYS MART</b>			NC	GW 549
45	GROUNDWATER RULE	2/13/2022			
<u>IN2270852</u>	<b>SPORTS LAKE</b>			NC	GW 77
2D	REVISED TOTAL COLIFORM RUL	6/8/2022	8/14/2022		
<u>IN2300024</u>	<b>WILD HEART RESORT, LLC - KOA CAMPGROU</b>			NC	GW 200
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			
<u>IN2300851</u>	<b>S &amp; H CAMPGROUND (SUMMER/CREEKSIDE-L</b>			NC	GW 500
2A	REVISED TOTAL COLIFORM RUL	12/4/2022	3/29/2023		
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			
<u>IN2300852</u>	<b>S &amp; H CAMPGROUND (WINTER WELL - LOT 13</b>			NC	GW 500
2A	REVISED TOTAL COLIFORM RUL	12/4/2022	3/29/2023		
<u>IN2300854</u>	<b>MOHAWK CAMPGROUND</b>			NC	GW 31
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			
<u>IN2320038</u>	<b>BREW LINK BREWERY/OAK TREE GOLF COU</b>			NC	GW 110
2D	REVISED TOTAL COLIFORM RUL	5/8/2022			
<u>IN2320905</u>	<b>RACEWAY PARK (OVAL RESTROOMS)</b>			NC	GW 50
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			
<u>IN2330874</u>	<b>SPRING VALLEY CAMPGROUND INC.</b>			NC	GW 46
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			
<u>IN2340003</u>	<b>PILGRIM HOLINESS CHURCH</b>			NC	GW 200
2A	REVISED TOTAL COLIFORM RUL	10/16/2020	2/14/2022		
<u>IN2370050</u>	<b>FAMILY EXPRESS #35 - I-65 &amp; SR 114</b>			NC	GW 1205
45	GROUNDWATER RULE	9/26/2021	2/17/2022		
<u>IN2380058</u>	<b>UNION CHAPEL CHURCH</b>			NC	GW 100
2A	REVISED TOTAL COLIFORM RUL	9/23/2022	11/21/2022		
<u>IN2410964</u>	<b>LOVES TRAVEL STOP #451</b>			NTNC	GW 290
2A	REVISED TOTAL COLIFORM RUL	10/17/2019	1/10/2022		
<u>IN2430055</u>	<b>NEW LIFE CHRISTIAN CHUR &amp; WORLD OUTR</b>			NC	GW 508
45	GROUNDWATER RULE	1/17/2022			

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		45	GROUNDWATER RULE	1/17/2022		
<u>IN2430082</u>	<b>THE MOORINGS CAMPGROUND, LLC</b>			NC	<b>GW</b>	<b>29</b>
		2D	REVISED TOTAL COLIFORM RUL	6/8/2022		8/8/2022
<u>IN2430131</u>	<b>AMERICAN LEGION POST 253</b>			NC	<b>GW</b>	<b>68</b>
		45	GROUNDWATER RULE	8/14/2020		9/27/2022
		45	GROUNDWATER RULE	8/14/2020		9/27/2022
<u>IN2430150</u>	<b>K &amp; M ENTERPRISES - COSMO AND COMPANY</b>			NC	<b>GW</b>	<b>48</b>
		2A	REVISED TOTAL COLIFORM RUL	10/4/2021		1/5/2023
<u>IN2430184</u>	<b>WONGS RESTAURANT</b>			NC	<b>GW</b>	<b>111</b>
		2C	REVISED TOTAL COLIFORM RUL	12/21/2022		2/20/2023
<u>IN2430192</u>	<b>BARBEE HOTEL AND RESTAURANT</b>			NC	<b>GW</b>	<b>205</b>
		2C	REVISED TOTAL COLIFORM RUL	11/11/2022		1/31/2023
		2C	REVISED TOTAL COLIFORM RUL	11/11/2022		1/31/2023
<u>IN2430302</u>	<b>CALVARY BAPTIST CHURCH</b>			NC	<b>GW</b>	<b>230</b>
		45	GROUNDWATER RULE	4/13/2021		10/21/2022
<u>IN2430808</u>	<b>YMCA CAMP CROSLEY-NORTH VILLAGE</b>			NC	<b>GW</b>	<b>75</b>
		45	GROUNDWATER RULE	8/20/2018		12/5/2022
<u>IN2430809</u>	<b>NAOMIS LAKE BREEZE CAMPGROUND</b>			NC	<b>GW</b>	<b>50</b>
		2A	REVISED TOTAL COLIFORM RUL	8/15/2022		
<u>IN2430931</u>	<b>YMCA CAMP CROSLEY - DINING ROOM</b>			NC	<b>GW</b>	<b>150</b>
		2A	REVISED TOTAL COLIFORM RUL	9/11/2020		12/1/2022
<u>IN2430958</u>	<b>CROWLS HOMESTEAD RESORT-WEST</b>			NC	<b>GW</b>	<b>25</b>
		2D	REVISED TOTAL COLIFORM RUL	6/8/2022		
<u>IN2431032</u>	<b>CAMP MOLLENHOUR</b>			NC	<b>GW</b>	<b>100</b>
		2D	REVISED TOTAL COLIFORM RUL	6/9/2022		
<u>IN2431080</u>	<b>LITTLE NEW YORK</b>			NC	<b>GW</b>	<b>45</b>
		45	GROUNDWATER RULE	12/13/2019		2/23/2022
<u>IN2431092</u>	<b>TIPPECANOE VALLEY MIDDLE SCHOOL</b>			NTNC	<b>GW</b>	<b>474</b>
		57	LEAD & COPPER RULE	1/1/2022		
		57	LEAD & COPPER RULE	8/1/2022		
		65	LEAD & COPPER RULE	8/7/2022		3/29/2023
<u>IN2431093</u>	<b>TIPPECANOE VALLEY HIGH SCHOOL</b>			NTNC	<b>GW</b>	<b>611</b>

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
		57	LEAD & COPPER RULE	1/1/2022	
<u>IN2431102</u>	<b>YMCA CAMP CROSLEY/SHOWERHOUSE</b>			NC	GW 35
		2A	REVISED TOTAL COLIFORM RUL	8/23/2021	12/1/2022
		45	GROUNDWATER RULE	8/17/2018	8/10/2022
<u>IN2431129</u>	<b>JOYLAND TRAILER PARK</b>			NC	GW 100
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022	7/7/2022
<u>IN2431143</u>	<b>WARSAW TENNIS AND FITNESS CLUB</b>			NC	GW 47
		2A	REVISED TOTAL COLIFORM RUL	6/29/2021	1/17/2023
		2A	REVISED TOTAL COLIFORM RUL	11/21/2022	1/17/2023
<u>IN2431160</u>	<b>JTS LAKESIDE CAMPGROUND - WELL 1</b>			NC	GW 150
		2D	REVISED TOTAL COLIFORM RUL	6/9/2020	4/7/2022
<u>IN2431164</u>	<b>HILL LAKE RESORT</b>			NC	GW 77
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022	
<u>IN2440028</u>	<b>ROCK RUN AMISH SCHOOL</b>			NC	GW 46
		45	GROUNDWATER RULE	3/1/2022	4/21/2023
		45	GROUNDWATER RULE	3/1/2022	
<u>IN2440042</u>	<b>FOXWOOD HILLS COMMUNITY ASSOC.-#1</b>			NC	GW 47
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022	6/21/2022
<u>IN2440044</u>	<b>FOXWOOD HILLS COMMUNITY ASSOCIATION</b>			NC	GW 47
		2A	REVISED TOTAL COLIFORM RUL	5/2/2022	6/30/2022
		2B	REVISED TOTAL COLIFORM RUL	5/2/2022	6/30/2022
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022	6/16/2022
<u>IN2440045</u>	<b>FOXWOOD HILLS COMMUNITY ASSOCIATION</b>			NC	GW 47
		2A	REVISED TOTAL COLIFORM RUL	5/2/2022	8/16/2022
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022	6/16/2022
<u>IN2440110</u>	<b>TIMBER EDGE AMISH SCHOOL</b>			NC	GW 25
		2A	REVISED TOTAL COLIFORM RUL	11/6/2022	12/13/2022
<u>IN2440114</u>	<b>DUTCH CREEK FARM ANIMAL PARK</b>			NC	GW 70
		2D	REVISED TOTAL COLIFORM RUL	6/8/2022	
<u>IN2440800</u>	<b>CHURCH OF CHRIST OF S. MILFORD</b>			NC	GW 254
		2A	REVISED TOTAL COLIFORM RUL	10/1/2022	10/28/2022
<u>IN2440825</u>	<b>CEDAR LAKE GOLF COURSE</b>			NC	GW 100

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		2D	REVISED TOTAL COLIFORM RUL	5/9/2020		3/21/2022
<u>IN2440835</u>	<b>GRANDVIEW BEND COMMUNITY ASSOCIATIO</b>			NC	<b>GW</b>	<b>60</b>
		2A	REVISED TOTAL COLIFORM RUL	8/7/2020		9/23/2022
<u>IN2440991</u>	<b>DELT CHURCH PARK</b>			NC	<b>GW</b>	<b>25</b>
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022		
		48	GROUNDWATER RULE	1/24/2022		5/9/2023
<u>IN2441026</u>	<b>HACKENBURG HOME OWNERS ASSOCIATION</b>			NC	<b>GW</b>	<b>100</b>
		2B	REVISED TOTAL COLIFORM RUL	5/1/2022		
<u>IN2441074</u>	<b>COMMUNITY BAPTIST CHURCH</b>			NC	<b>GW</b>	<b>61</b>
		2A	REVISED TOTAL COLIFORM RUL	9/23/2022		10/20/2022
<u>IN2450020</u>	<b>THE HARBOR</b>			NC	<b>GW</b>	<b>50</b>
		2D	REVISED TOTAL COLIFORM RUL	6/9/2020		6/9/2022
<u>IN2450029</u>	<b>LAKE DALE ALE LLC</b>			NC	<b>GW</b>	<b>31</b>
		2B	REVISED TOTAL COLIFORM RUL	8/20/2022		10/7/2022
<u>IN2450036</u>	<b>INDIAN RIDGE GOLF COURSE</b>			NC	<b>GW</b>	<b>106</b>
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022		10/7/2022
<u>IN2450063</u>	<b>LIGHTHOUSE RESTAURANT AT PARADISE CO</b>			NC	<b>GW</b>	<b>275</b>
		2A	REVISED TOTAL COLIFORM RUL	10/22/2022		12/27/2022
<u>IN2450065</u>	<b>BRUNO ENTERPRISES, INC.</b>			NC	<b>GW</b>	<b>326</b>
		2A	REVISED TOTAL COLIFORM RUL	12/18/2021		7/8/2022
<u>IN2450074</u>	<b>MEYERS CASTLE</b>			NC	<b>GW</b>	<b>25</b>
		2A	REVISED TOTAL COLIFORM RUL	11/14/2021		7/27/2022
		2A	REVISED TOTAL COLIFORM RUL	11/27/2022		1/12/2023
<u>IN2450153</u>	<b>SUMMER TREE RESTAURANT</b>			NC	<b>GW</b>	<b>120</b>
		2D	REVISED TOTAL COLIFORM RUL	4/8/2022		
<u>IN2450855</u>	<b>CONNECT CHRISTIAN CAMP</b>			NC	<b>GW</b>	<b>150</b>
		2D	REVISED TOTAL COLIFORM RUL	5/8/2022		
<u>IN2450877</u>	<b>DEEP RIVER COUNTY PARK - OUTDOOR UNIT</b>			NC	<b>GW</b>	<b>25</b>
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022		
<u>IN2460026</u>	<b>KINGSBURY ELEMENTARY SCHOOL</b>			NTNC	<b>GW</b>	<b>400</b>
57	LEAD & COPPER RULE			1/1/2022		

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
<u>IN2460032</u>	<b>LIFE TEMPLE CHURCH OF GOD IN CHRIST</b>			NC	GW	75
2A	REVISED TOTAL COLIFORM RUL	1/17/2022		3/2/2022		
<u>IN2460096</u>	<b>DOLLAR GENERAL - KINGSBURY</b>			NC	GW	25
2C	REVISED TOTAL COLIFORM RUL	3/30/2022				
2C	REVISED TOTAL COLIFORM RUL	3/30/2022				
<u>IN2460879</u>	<b>DWK INC D/B/A WHITE HORSE SALOON</b>			NC	GW	38
2A	REVISED TOTAL COLIFORM RUL	1/12/2021		2/14/2023		
2A	REVISED TOTAL COLIFORM RUL	10/21/2022		2/14/2023		
<u>IN2464087</u>	<b>KINGSFORD EXPO 66</b>			NC	GW	503
45	GROUNDWATER RULE	7/3/2021		11/15/2022		
<u>IN2464106</u>	<b>BLUHM COUNTY PARK</b>			NC	GW	51
2D	REVISED TOTAL COLIFORM RUL	5/9/2022				
<u>IN2490027</u>	<b>NOW THATS BAR-B-QUE</b>			NC	GW	56
2A	REVISED TOTAL COLIFORM RUL	7/16/2022				
<u>IN2490050</u>	<b>RESTORATION INTERNATIONAL CHRISTIAN</b>			NC	GW	73
2A	REVISED TOTAL COLIFORM RUL	10/29/2020		8/24/2022		
<u>IN2490767</u>	<b>THE CHRISTIAN CENTER</b>			NC	GW	25
45	GROUNDWATER RULE	12/8/2020		1/14/2022		
<u>IN2492839</u>	<b>BREWSKIES PUB AND EATERY</b>			NC	GW	60
2A	REVISED TOTAL COLIFORM RUL	10/8/2021		3/7/2023		
<u>IN2492840</u>	<b>FRANKLIN TOWNSHIP LITTLE LEAGUE</b>			NC	GW	30
2D	REVISED TOTAL COLIFORM RUL	5/9/2022		6/16/2022		
<u>IN2492844</u>	<b>MADHAR PETROLEUM</b>			NC	GW	602
45	GROUNDWATER RULE	9/9/2021		1/10/2022		
<u>IN2493112</u>	<b>CAMP SERTOMA</b>			NC	GW	25
2A	REVISED TOTAL COLIFORM RUL	7/15/2022		10/27/2022		
<u>IN2500012</u>	<b>TRI-WAY THEATER</b>			NC	GW	60
2D	REVISED TOTAL COLIFORM RUL	5/9/2022				
<u>IN2520023</u>	<b>LOS PRIMOS GRILL AND BAR</b>			NC	GW	75
2A	REVISED TOTAL COLIFORM RUL	2/19/2019		4/29/2022		
<u>IN2520843</u>	<b>MISSISSINEWA LAKE - MIAMI CAMPGROUND</b>			NC	GW	1000

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022		7/13/2022
<u>IN2540937</u>	<b>LAKE WAVELAND PARK - BOAT LAUNCH</b>			NC	<b>GW</b>	<b>30</b>
		2A	REVISED TOTAL COLIFORM RUL	9/13/2022		
<u>IN2550147</u>	<b>ZION BAPTIST FELLOWSHIP CHURCH</b>			NC	<b>GW</b>	<b>61</b>
		2A	REVISED TOTAL COLIFORM RUL	11/28/2021		7/29/2022
		45	GROUNDWATER RULE	12/7/2022		
<u>IN2560018</u>	<b>MI TIERRA</b>			NC	<b>GW</b>	<b>28</b>
		2A	REVISED TOTAL COLIFORM RUL	7/22/2022		12/15/2022
<u>IN2560829</u>	<b>SUN AURA - POOL</b>			NC	<b>GW</b>	<b>25</b>
		2A	REVISED TOTAL COLIFORM RUL	5/1/2022		8/10/2022
		2D	REVISED TOTAL COLIFORM RUL	5/9/2021		8/4/2022
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022		8/4/2022
<u>IN2570003</u>	<b>PHILS ONE STOP #12</b>			NC	<b>GW</b>	<b>698</b>
		2A	REVISED TOTAL COLIFORM RUL	5/28/2020		3/23/2022
<u>IN2570023</u>	<b>MAX STOP AND GO</b>			NC	<b>GW</b>	<b>200</b>
		2A	REVISED TOTAL COLIFORM RUL	7/17/2021		4/27/2022
<u>IN2570024</u>	<b>STRONG TOWER WORSHIP CENTER</b>			NC	<b>GW</b>	<b>180</b>
		2B	REVISED TOTAL COLIFORM RUL	1/29/2022		2/14/2022
<u>IN2570027</u>	<b>WOLF LAKE VFW 4717 AUXILIARY</b>			NC	<b>GW</b>	<b>51</b>
		2A	REVISED TOTAL COLIFORM RUL	8/8/2022		
<u>IN2570029</u>	<b>NEW BEGINNINGS INTERNATIONAL MINISTRI</b>			NC	<b>GW</b>	<b>75</b>
		2A	REVISED TOTAL COLIFORM RUL	10/24/2022		
<u>IN2570079</u>	<b>DOLLAR GENERAL-KENDALLVILLE</b>			NC	<b>GW</b>	<b>25</b>
		2A	REVISED TOTAL COLIFORM RUL	5/22/2022		6/23/2022
<u>IN2570945</u>	<b>SHULL BROTHERS CAMPGROUND/ MHP</b>			NC	<b>GW</b>	<b>225</b>
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022		
<u>IN2570956</u>	<b>SHADY HAVEN RESORT</b>			NC	<b>GW</b>	<b>77</b>
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022		
<u>IN2600013</u>	<b>INDIAN OAKS CAMPGROUND - PLAYGROUND</b>			NC	<b>GW</b>	<b>45</b>
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022		
<u>IN2600014</u>	<b>INDIAN OAKS CAMPGROUND-NEW WELL</b>			NC	<b>GW</b>	<b>45</b>
		2D	REVISED TOTAL COLIFORM RUL	6/11/2022		

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u>IN2600832</u>	<b>HICKORY HILLS CAMPGROUND</b>			NC	<b>GW</b>	<b>75</b>
2D	REVISED TOTAL COLIFORM RUL	5/9/2022		8/1/2022		
<u>IN2600835</u>	<b>INDIAN OAKS CAMPGROUND - OFFICE</b>			NC	<b>GW</b>	<b>45</b>
2D	REVISED TOTAL COLIFORM RUL	5/9/2022				
<u>IN2610005</u>	<b>AI CAMPS</b>			NC	<b>GW</b>	<b>105</b>
2D	REVISED TOTAL COLIFORM RUL	6/9/2020		6/1/2022		
2D	REVISED TOTAL COLIFORM RUL	6/8/2021		6/1/2022		
<u>IN2610015</u>	<b>BRIDGETON MILL</b>			NC	<b>GW</b>	<b>30</b>
2D	REVISED TOTAL COLIFORM RUL	5/9/2022		6/16/2022		
<u>IN2610835</u>	<b>HARTMANS TRAILER CAMP</b>			NC	<b>GW</b>	<b>60</b>
2D	REVISED TOTAL COLIFORM RUL	5/9/2022				
<u>IN2610836</u>	<b>TURKEY RUN CAMPGROUND</b>			NC	<b>GW</b>	<b>28</b>
2D	REVISED TOTAL COLIFORM RUL	5/9/2022				
<u>IN2640022</u>	<b>BRUMMITT ELEMENTARY SCHOOL</b>			NTNC	<b>GW</b>	<b>390</b>
2A	REVISED TOTAL COLIFORM RUL	9/23/2022		10/24/2022		
<u>IN2640049</u>	<b>IGLESIA EVANGELICA DE CRISTO</b>			NC	<b>GW</b>	<b>45</b>
2A	REVISED TOTAL COLIFORM RUL	1/30/2022		11/17/2022		
<u>IN2640068</u>	<b>FOUR CORNERS WINERY, LLC</b>			NC	<b>GW</b>	<b>50</b>
2A	REVISED TOTAL COLIFORM RUL	12/29/2022		1/9/2023		
<u>IN2640126</u>	<b>ICEHOUSE BAR AND GRILL</b>			NC	<b>GW</b>	<b>265</b>
2A	REVISED TOTAL COLIFORM RUL	8/13/2021		5/9/2022		
<u>IN2670011</u>	<b>WALNUT RIDGE PARK</b>			NC	<b>GW</b>	<b>37</b>
2A	REVISED TOTAL COLIFORM RUL	7/11/2022		9/9/2022		
<u>IN2680004</u>	<b>WINCHESTER SPEEDWAY (HOSPITALITY HOU</b>			NC	<b>GW</b>	<b>555</b>
2A	REVISED TOTAL COLIFORM RUL	12/19/2021		10/5/2022		
<u>IN2680005</u>	<b>WINCHESTER SPEEDWAY (INFIELD)</b>			NC	<b>GW</b>	<b>554</b>
2A	REVISED TOTAL COLIFORM RUL	5/2/2022		10/13/2022		
<u>IN2680006</u>	<b>FORMERLY CAMP SLINGSHOT</b>			NC	<b>GW</b>	<b>25</b>
2D	REVISED TOTAL COLIFORM RUL	5/9/2022		6/30/2022		
<u>IN2710007</u>	<b>RELAX INN</b>			NC	<b>GW</b>	<b>43</b>
2A	REVISED TOTAL COLIFORM RUL	12/23/2021		3/1/2022		

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2710104</u>	<b>MIDWEST EYE CONSULTANTS</b>			<b>NC</b>	<b>GW</b>
	2A	REVISED TOTAL COLIFORM RUL		11/21/2020	9/2/2022
	2B	REVISED TOTAL COLIFORM RUL		8/29/2021	9/2/2022
	2B	REVISED TOTAL COLIFORM RUL		9/10/2021	9/2/2022
	2B	REVISED TOTAL COLIFORM RUL		10/21/2021	9/2/2022
	2B	REVISED TOTAL COLIFORM RUL		11/28/2021	9/2/2022
<u>IN2710105</u>	<b>HANNAH &amp; FRIENDS</b>			<b>NC</b>	<b>GW</b>
	2A	REVISED TOTAL COLIFORM RUL		2/5/2022	5/23/2022
	2B	REVISED TOTAL COLIFORM RUL		8/14/2022	9/27/2022
<u>IN2710158</u>	<b>ROYAL INN</b>			<b>NC</b>	<b>GW</b>
	2A	REVISED TOTAL COLIFORM RUL		1/15/2022	
<u>IN2710414</u>	<b>PEJZAS LYDICK TAVERN</b>			<b>NC</b>	<b>GW</b>
	2A	REVISED TOTAL COLIFORM RUL		8/7/2022	
<u>IN2710497</u>	<b>NEW BEGINNINGS COMM. FELLOWSHIP CHU</b>			<b>NC</b>	<b>GW</b>
	45	GROUNDWATER RULE		10/7/2022	10/11/2022
	45	GROUNDWATER RULE		10/7/2022	10/11/2022
<u>IN2710533</u>	<b>FAITH CHRISTIAN CHAPEL</b>			<b>NC</b>	<b>GW</b>
	2A	REVISED TOTAL COLIFORM RUL		9/2/2022	10/25/2022
<u>IN2710638</u>	<b>MINI MOUNTAIN CAMPGROUND - NORTH</b>			<b>NC</b>	<b>GW</b>
	2D	REVISED TOTAL COLIFORM RUL		5/9/2022	
<u>IN2710815</u>	<b>LAVILLE JR. &amp; SR. HIGH SCHOOL</b>			<b>NTNC</b>	<b>GW</b>
	57	LEAD & COPPER RULE		7/1/2022	8/5/2022
<u>IN2710865</u>	<b>ELKHART RV RESORT, LLC</b>			<b>NC</b>	<b>GW</b>
	2D	REVISED TOTAL COLIFORM RUL		5/9/2022	
<u>IN2710866</u>	<b>UNIFRAX CORPORATION</b>			<b>NTNC</b>	<b>GW</b>
	2B	REVISED TOTAL COLIFORM RUL		1/23/2022	2/24/2022
<u>IN2710873</u>	<b>SEVEN-ELEVEN #32578</b>			<b>NC</b>	<b>GW</b>
	2C	REVISED TOTAL COLIFORM RUL		4/9/2022	10/18/2022
	2C	REVISED TOTAL COLIFORM RUL		4/9/2022	10/18/2022
<u>IN2710913</u>	<b>JUDAY CREEK GOLF COURSE</b>			<b>NC</b>	<b>GW</b>
	45	GROUNDWATER RULE		2/25/2022	
	45	GROUNDWATER RULE		2/25/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u>IN2730855</u>	<b>SHELBYVILLE COMMUNITY CHURCH</b>			<b>NTNC</b>	<b>GW</b>	<b>565</b>
	2C	REVISED TOTAL COLIFORM RUL		4/16/2022	5/17/2022	
	2C	REVISED TOTAL COLIFORM RUL		4/16/2022	5/17/2022	
	2C	REVISED TOTAL COLIFORM RUL		4/16/2022	5/17/2022	
<u>IN2740801</u>	<b>OAKRIDGE CAMPGROUND/PARK</b>			<b>NC</b>	<b>GW</b>	<b>93</b>
	2D	REVISED TOTAL COLIFORM RUL		6/11/2022	8/8/2022	
<u>IN2750001</u>	<b>ECONOMY INN</b>			<b>NC</b>	<b>GW</b>	<b>47</b>
	2A	REVISED TOTAL COLIFORM RUL		9/2/2022	1/10/2023	
<u>IN2750037</u>	<b>BADELL DENTAL CLINIC</b>			<b>NC</b>	<b>GW</b>	<b>65</b>
	2A	REVISED TOTAL COLIFORM RUL		9/18/2022	11/15/2022	
<u>IN2750087</u>	<b>KNOLL BROTHERS RETAIL</b>			<b>NC</b>	<b>GW</b>	<b>506</b>
	2A	REVISED TOTAL COLIFORM RUL		12/9/2021	1/13/2022	
<u>IN2750114</u>	<b>HICKORY HILLS CAMPGROUND - WELL #1</b>			<b>NC</b>	<b>GW</b>	<b>82</b>
	2D	REVISED TOTAL COLIFORM RUL		6/9/2016	8/3/2022	
	2D	REVISED TOTAL COLIFORM RUL		6/9/2017	8/3/2022	
	2D	REVISED TOTAL COLIFORM RUL		6/9/2018	8/3/2022	
	2D	REVISED TOTAL COLIFORM RUL		6/9/2019	8/3/2022	
	2D	REVISED TOTAL COLIFORM RUL		6/9/2020	8/3/2022	
	2D	REVISED TOTAL COLIFORM RUL		6/8/2021	8/3/2022	
	2D	REVISED TOTAL COLIFORM RUL		6/8/2022	8/3/2022	
<u>IN2760003</u>	<b>ANGOLA ONE STOP</b>			<b>NC</b>	<b>GW</b>	<b>204</b>
	45	GROUNDWATER RULE		2/7/2022		
<u>IN2760072</u>	<b>ANGOLA/HOGBACK LAKE - E SECTION</b>			<b>NC</b>	<b>GW</b>	<b>143</b>
	2D	REVISED TOTAL COLIFORM RUL		5/9/2020	4/15/2022	
<u>IN2760074</u>	<b>YB JELLYSTONE-BARTON LAKE-POOL WELL</b>			<b>NC</b>	<b>GW</b>	<b>350</b>
	2D	REVISED TOTAL COLIFORM RUL		5/9/2022		
<u>IN2760075</u>	<b>YB JELLYSTONE-BARTON LAKE-NEW WELL #</b>			<b>NC</b>	<b>GW</b>	<b>150</b>
	2D	REVISED TOTAL COLIFORM RUL		5/9/2022		
<u>IN2760845</u>	<b>PARADISE EXPRESS</b>			<b>NC</b>	<b>GW</b>	<b>154</b>
	45	GROUNDWATER RULE		2/15/2022		
<u>IN2760849</u>	<b>AMERICAN INN</b>			<b>NC</b>	<b>GW</b>	<b>37</b>
	2A	REVISED TOTAL COLIFORM RUL		7/24/2022	10/12/2022	

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		2B	REVISED TOTAL COLIFORM RUL	8/21/2022	10/12/2022	
<u>IN2760890</u>	<b>YB JELLYSTONE-BARTON LAKE-WOODS WEL</b>			NC	GW	350
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022		
<u>IN2760891</u>	<b>YB JELLYSTONE-BARTON LAKE-HILL WELL #</b>			NC	GW	350
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022		
<u>IN2760913</u>	<b>MANAPOGO PARK-FISH HOUSE (BACKUP)</b>			NC	GW	200
		2D	REVISED TOTAL COLIFORM RUL	6/8/2022	7/22/2022	
<u>IN2760918</u>	<b>WALDEN WOODS COMM. ASSOC. (WELL 2)-BR</b>			NC	GW	200
		2D	REVISED TOTAL COLIFORM RUL	6/9/2022	8/1/2022	
<u>IN2760939</u>	<b>WAGGONERS R.V. PARK</b>			NC	GW	40
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022		
<u>IN2760951</u>	<b>METZ CHRISTIAN CHURCH</b>			NC	GW	40
		2A	REVISED TOTAL COLIFORM RUL	8/20/2022	10/28/2022	
<u>IN2760958</u>	<b>MARATHON GAS</b>			NC	GW	305
		48	GROUNDWATER RULE	1/19/2022	9/12/2022	
<u>IN2760960</u>	<b>VALLEY OF THE PINES - CAMPGROUND</b>			NC	GW	220
		2A	REVISED TOTAL COLIFORM RUL	11/17/2020	3/23/2022	
<u>IN2760970</u>	<b>THE ROAD HOUSE BAR AND GRILL</b>			NC	GW	85
		2A	REVISED TOTAL COLIFORM RUL	10/1/2021	11/21/2022	
<u>IN2760991</u>	<b>THE BACKYARD CREAMERY &amp; MINI GOLF</b>			NC	GW	32
		2D	REVISED TOTAL COLIFORM RUL	7/9/2022		
<u>IN2790015</u>	<b>KEN DO FISHING LAKE</b>			NC	GW	26
		2D	REVISED TOTAL COLIFORM RUL	5/9/2022		
<u>IN2790051</u>	<b>THE BARN</b>			NC	GW	300
		2A	REVISED TOTAL COLIFORM RUL	5/1/2022	6/2/2022	
<u>IN2810824</u>	<b>LIBERTY COUNTRY CLUB- HOUSING DEVELO</b>			NTNC	GW	35
		2C	REVISED TOTAL COLIFORM RUL	9/17/2022	11/17/2022	
		2C	REVISED TOTAL COLIFORM RUL	9/17/2022	2/28/2023	
		2C	REVISED TOTAL COLIFORM RUL	9/17/2022	1/10/2023	
<u>IN2820002</u>	<b>OUTBOARD BOATING CLUB OF EVANSVILLE</b>			NC	GW	25
		2D	REVISED TOTAL COLIFORM RUL	7/9/2019	6/6/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u><a href="#">IN2820021</a></u>	<b>NU PLAZA YACHT CLUB</b>			NC	GW 25
2A	REVISED TOTAL COLIFORM RUL	9/23/2022			
<u><a href="#">IN2840030</a></u>	<b>ANGELS WATCHING OVER YOU</b>			NC	GW 30
2A	REVISED TOTAL COLIFORM RUL	8/8/2021	3/22/2022		
<u><a href="#">IN2840807</a></u>	<b>RIO GRANDE BAPTIST CHURCH</b>			NC	GW 50
2A	REVISED TOTAL COLIFORM RUL	2/6/2021	8/18/2022		
<u><a href="#">IN2840903</a></u>	<b>WABASH VALLEY GIRLS SOFTBALL LEAGUE</b>			NC	GW 50
2A	REVISED TOTAL COLIFORM RUL	5/1/2022	2/16/2023		
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			
<u><a href="#">IN2850801</a></u>	<b>SALAMONIE LAKE-RESERVOIR COE</b>			NC	GW 90
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			
<u><a href="#">IN2850850</a></u>	<b>MISSISSINEWA - RED BRIDGE BOAT RAMP</b>			NC	GW 900
2D	REVISED TOTAL COLIFORM RUL	5/9/2022	7/6/2022		
<u><a href="#">IN2850852</a></u>	<b>COCOJOS - A ZOOMERS RV RESORT-CAMPGR</b>			NC	GW 410
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			
<u><a href="#">IN2860826</a></u>	<b>PINE CREEK UMC - CAMPSITE B (TIMBERS)</b>			NC	GW 60
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			
<u><a href="#">IN2860827</a></u>	<b>PINE CREEK UMC - CAMPSITE A (GROVES)</b>			NC	GW 25
2D	REVISED TOTAL COLIFORM RUL	6/8/2022			
<u><a href="#">IN2860843</a></u>	<b>PINE CREEK UMC -CAMPSITE E (FAMILY CAM</b>			NC	GW 60
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			
<u><a href="#">IN2860844</a></u>	<b>PINE CREEK UMC - CAMPSITE F (POOL)</b>			NC	GW 98
2D	REVISED TOTAL COLIFORM RUL	6/8/2022			
<u><a href="#">IN2890803</a></u>	<b>GREENSFORK ALIGNMENT &amp; SERVICE</b>			NC	GW 25
2A	REVISED TOTAL COLIFORM RUL	9/5/2020	3/13/2023		
<u><a href="#">IN2910023</a></u>	<b>ELSONS PONDEROSA CAMPGROUND INC.</b>			NC	GW 100
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			
<u><a href="#">IN2910024</a></u>	<b>HILLCREST CAMPGROUND</b>			NC	GW 74
2D	REVISED TOTAL COLIFORM RUL	5/9/2022			
<u><a href="#">IN2910046</a></u>	<b>ANCHOR BAY RESORT</b>			NC	GW 30
2D	REVISED TOTAL COLIFORM RUL	6/8/2022	8/1/2022		

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u><a href="#">IN2910091</a></u>	<b>CLEARVIEW OF LYNN HILL COURT</b>			NC	<b>GW</b>	<b>200</b>
2D	REVISED TOTAL COLIFORM RUL	6/8/2022		8/10/2022		
<u><a href="#">IN2910164</a></u>	<b>BLUE BIRD BAY RESORT</b>			NC	<b>GW</b>	<b>48</b>
2D	REVISED TOTAL COLIFORM RUL	6/8/2022				
<u><a href="#">IN2910167</a></u>	<b>OUTRIGGER - NORTH</b>			NC	<b>GW</b>	<b>27</b>
2D	REVISED TOTAL COLIFORM RUL	6/8/2022				
<u><a href="#">IN2910811</a></u>	<b>LAKEWOOD RESORT - SEASONAL CAMPGROU</b>			NC	<b>GW</b>	<b>121</b>
2D	REVISED TOTAL COLIFORM RUL	5/9/2022		8/10/2022		
<u><a href="#">IN2910816</a></u>	<b>OUTRIGGER - SOUTH</b>			NC	<b>GW</b>	<b>25</b>
2D	REVISED TOTAL COLIFORM RUL	6/8/2021		6/21/2022		
2D	REVISED TOTAL COLIFORM RUL	6/8/2022				
<u><a href="#">IN2910931</a></u>	<b>CAMP BUFFALO - POOL</b>			NC	<b>GW</b>	<b>41</b>
2A	REVISED TOTAL COLIFORM RUL	10/1/2022				
2D	REVISED TOTAL COLIFORM RUL	6/8/2022				
<u><a href="#">IN2910932</a></u>	<b>CAMP BUFFALO (PINES WELL)</b>			NC	<b>GW</b>	<b>100</b>
2D	REVISED TOTAL COLIFORM RUL	6/8/2022				
<u><a href="#">IN2910933</a></u>	<b>CAMP BUFFALO (MIAMI WELL)</b>			NC	<b>GW</b>	<b>100</b>
2D	REVISED TOTAL COLIFORM RUL	6/8/2022				
<u><a href="#">IN2910938</a></u>	<b>LAKESIDE RESORT</b>			NC	<b>GW</b>	<b>25</b>
2D	REVISED TOTAL COLIFORM RUL	5/9/2022		8/10/2022		
45	GROUNDWATER RULE	8/21/2020		1/28/2022		
<u><a href="#">IN2910944</a></u>	<b>RIVIERA COMPLEX</b>			NC	<b>GW</b>	<b>73</b>
2D	REVISED TOTAL COLIFORM RUL	6/8/2021		6/7/2022		
<u><a href="#">IN2910945</a></u>	<b>SUMMER HAVEN RESORT</b>			NC	<b>GW</b>	<b>46</b>
2C	REVISED TOTAL COLIFORM RUL	9/21/2019		4/27/2023		
<u><a href="#">IN2910952</a></u>	<b>CAMP BUFFALO (DINING HALL)</b>			NC	<b>GW</b>	<b>41</b>
2D	REVISED TOTAL COLIFORM RUL	6/8/2022				
<u><a href="#">IN2920007</a></u>	<b>BLUE LAKE CAMPGROUND</b>			NC	<b>GW</b>	<b>255</b>
2D	REVISED TOTAL COLIFORM RUL	5/9/2022				
<u><a href="#">IN2920155</a></u>	<b>OTTOS CAMPGROUND</b>			NC	<b>GW</b>	<b>70</b>
2D	REVISED TOTAL COLIFORM RUL	5/9/2022				

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2920831</u>	<b>CAMP WHITLEY, INC.</b>			NC	GW 600
2D	REVISED TOTAL COLIFORM RUL			5/9/2022	
<u>IN5201006</u>	<b>RIVERBEND ESTATES</b>			C	GW 50
45	GROUNDWATER RULE			1/21/2022	3/3/2023
45	GROUNDWATER RULE			1/21/2022	3/3/2023
45	GROUNDWATER RULE			1/21/2022	3/3/2023
<u>IN5201023</u>	<b>COUNTRY ACRES AND ASSOCIATION LLC</b>			C	GW 25
45	GROUNDWATER RULE			10/13/2022	
45	GROUNDWATER RULE			10/13/2022	
45	GROUNDWATER RULE			10/13/2022	
45	GROUNDWATER RULE			10/13/2022	
<u>IN5202020</u>	<b>FORT WAYNE - 3 RIVERS FILTRATION PLANT</b>			C	SW 266000
57	LEAD & COPPER RULE			1/1/2022	7/6/2022
<u>IN5208012</u>	<b>BURLINGTON APARTMENTS</b>			C	GW 18
57	LEAD & COPPER RULE			1/1/2022	
<u>IN5210002</u>	<b>BORDEN TRI-COUNTY REGION</b>			C	SW 11637
46	CARBON, TOTAL			10/1/2022	12/31/2022
<u>IN5215006</u>	<b>LAWRENCEBURG MUNICIPAL UTILITIES</b>			C	GW 5000
45	GROUNDWATER RULE			1/21/2022	7/27/2022
<u>IN5218004</u>	<b>COUNTRY SQUIRE MOBILE HOME PARK, INC.</b>			C	GW 25
57	LEAD & COPPER RULE			1/1/2022	
<u>IN5235012</u>	<b>WARREN MUNICIPAL WATER WORKS</b>			C	GW 1237
45	GROUNDWATER RULE			1/21/2022	5/17/2022
<u>IN5237004</u>	<b>REMINGTON WATER WORKS</b>			C	GW 1182
57	LEAD & COPPER RULE			1/1/2022	5/26/2022
<u>IN5240008</u>	<b>NORTH VERNON WATER DEPARTMENT</b>			C	SW 6500
45	GROUNDWATER RULE			1/21/2022	9/6/2022
45	GROUNDWATER RULE			1/21/2022	9/6/2022
45	GROUNDWATER RULE			1/21/2022	9/6/2022
45	GROUNDWATER RULE			1/21/2022	4/4/2022
45	GROUNDWATER RULE			1/21/2022	9/6/2022
<u>IN5245029</u>	<b>INDIANA AMERICAN WATER - LOWELL</b>			C	GU 10653

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	41	CHLORINE	12/1/2022		12/31/2022
<u>IN5246026</u>	<b>SPRINGHILL MOBILE HOME COURT</b>		C	GW	92
	45	GROUNDWATER RULE	1/26/2022		
	45	GROUNDWATER RULE	1/26/2022		
	45	GROUNDWATER RULE	1/26/2022		
	45	GROUNDWATER RULE	1/26/2022		
<u>IN5248007</u>	<b>ELWOOD WATER &amp; SEWAGE</b>		C	GW	8586
	45	GROUNDWATER RULE	1/21/2022		2/1/2022
	45	GROUNDWATER RULE	1/21/2022		2/1/2022
<u>IN5252007</u>	<b>DEER CREEK ESTATES HOME WATER ASSOC.</b>		C	GW	265
	2A	REVISED TOTAL COLIFORM RUL	9/11/2020		4/26/2022
<u>IN5252010</u>	<b>WILLOW SPRINGS MHP</b>		C	GW	25
	2A	REVISED TOTAL COLIFORM RUL	9/20/2022		
	45	GROUNDWATER RULE	6/7/2022		
	45	GROUNDWATER RULE	6/7/2022		7/17/2022
	45	GROUNDWATER RULE	6/7/2022		
<u>IN5254009</u>	<b>NEW RICHMOND WATER WORKS</b>		C	GW	330
	45	GROUNDWATER RULE	1/21/2022		
<u>IN5276013</u>	<b>MOBIL-RAMA</b>		C	GW	30
	57	LEAD & COPPER RULE	1/1/2022		
	65	LEAD & COPPER RULE	11/14/2021		2/10/2022
<u>IN5279026</u>	<b>WILDCAT HIGHLANDS</b>		C	GW	360
	57	LEAD & COPPER RULE	1/1/2022		
<u>IN5284019</u>	<b>LEISURE ACRES MOBILE HOME PARK</b>		C	GW	49
	2A	REVISED TOTAL COLIFORM RUL	12/15/2022		
<u>IN5285006</u>	<b>LAKE VIEW MOBILE HOME PARK</b>		C	GW	90
	57	LEAD & COPPER RULE	1/1/2022		
<u>IN5288005</u>	<b>SALEM WATER WORKS</b>		C	SW	8200
	07	FREE RESIDUAL CHLORINE	8/1/2022		8/31/2022

## PWS with CCR violations

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u>IN5201023</u>	<b>COUNTRY ACRES AND ASSOCIATION LLC</b>			C	<b>GW</b>	<b>25</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022				
<u>IN5202010</u>	<b>MILL ROAD ESTATES</b>			C	<b>GW</b>	<b>150</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022	10/3/2022			
<u>IN5202018</u>	<b>SUNNYMEDE COMMUNITY ASSOCIATION WA</b>			C	<b>SWP</b>	<b>473</b>
71	CONSUMER CONFIDENCE RULE	7/1/2021	6/27/2022			
<u>IN5206002</u>	<b>ZIONSVILLE MHP TRUST</b>			C	<b>GW</b>	<b>57</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022	9/21/2022			
<u>IN5209003</u>	<b>GALVESTON WATER WORKS</b>			C	<b>GW</b>	<b>1258</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022	10/4/2022			
<u>IN5210012</u>	<b>SUNFLOWER VALLEY WATER CO, INC.</b>			C	<b>GWP</b>	<b>75</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022				
<u>IN5213002</u>	<b>ENGLISH WATER WORKS</b>			C	<b>SWP</b>	<b>886</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022	8/22/2022			
<u>IN5213003</u>	<b>GRANTSBURG RURAL WATER COMPANY</b>			C	<b>SWP</b>	<b>250</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022	8/18/2022			
<u>IN5213007</u>	<b>PATOKA WATER COMPANY, INC.</b>			C	<b>SWP</b>	<b>1038</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022				
<u>IN5226002</u>	<b>FRANCISCO WATER DEPARTMENT</b>			C	<b>SWP</b>	<b>900</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022	8/9/2022			
<u>IN5227010</u>	<b>JONESBORO WATER DEPARTMENT</b>			C	<b>GW</b>	<b>2034</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022				
<u>IN5229002</u>	<b>ATLANTA WATER DEPARTMENT</b>			C	<b>GW</b>	<b>735</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022				
<u>IN5229004</u>	<b>CARMEL WATER DEPARTMENT</b>			C	<b>GU</b>	<b>90434</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022	8/9/2022			
<u>IN5229024</u>	<b>CARMEL CLAY WATER</b>			C	<b>SWP</b>	<b>462</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022	8/9/2022			
<u>IN5231007</u>	<b>TOWN OF ELIZABETH</b>			C	<b>GW</b>	<b>4450</b>

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		71	CONSUMER CONFIDENCE RULE	7/1/2021		6/22/2022
<u>IN5233005</u>	<b>KNIGHTSTOWN WATER UTILITY</b>			C	<b>GW</b>	<b>2182</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2021		6/29/2022
<u>IN5235001</u>	<b>ANDREWS WATER DEPARTMENT</b>			C	<b>GW</b>	<b>1149</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		
<u>IN5236009</u>	<b>NATURAL PUBLIC SUPPLY, INC.</b>			C	<b>GW</b>	<b>1560</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		8/17/2022
<u>IN5237004</u>	<b>REMINGTON WATER WORKS</b>			C	<b>GW</b>	<b>1182</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		
<u>IN5238001</u>	<b>DUNKIRK WATER DEPARTMENT</b>			C	<b>GW</b>	<b>2305</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		9/22/2022
<u>IN5239001</u>	<b>CANAAN UTILITIES</b>			C	<b>GWP</b>	<b>4428</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		8/10/2022
<u>IN5239003</u>	<b>HANOVER WATER DEPARTMENT</b>			C	<b>GWP</b>	<b>2597</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		8/10/2022
<u>IN5240004</u>	<b>DUPONT WATER COMPANY</b>			C	<b>GWP</b>	<b>3865</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		8/22/2022
<u>IN5240005</u>	<b>HAYDEN WATER ASSOCIATION</b>			C	<b>GWP</b>	<b>2395</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		
<u>IN5240012</u>	<b>HICKORY MANOR MOBILE HOME PARK</b>			C	<b>SWP</b>	<b>250</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		
<u>IN5243063</u>	<b>RILEY RESORT LAND TRUST</b>			C	<b>GW</b>	<b>39</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2021		1/7/2022
		71	CONSUMER CONFIDENCE RULE	7/1/2022		
<u>IN5244005</u>	<b>LAKE OF THE WOODS MHP</b>			C	<b>GW</b>	<b>46</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		9/26/2022
<u>IN5245009</u>	<b>FAIRWAY REGIONAL WATER DISTRICT</b>			C	<b>GW</b>	<b>210</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		8/17/2022
<u>IN5245012</u>	<b>EAST CHICAGO WATER WORKS</b>			C	<b>SW</b>	<b>29500</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		8/15/2022
<u>IN5245052</u>	<b>SURPRISE PARK WATER ASSOCIATION</b>			C	<b>GW</b>	<b>29</b>

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		71	CONSUMER CONFIDENCE RULE	7/1/2022		
<u>IN5246026</u>	<b>SPRINGHILL MOBILE HOME COURT</b>			C	<b>GW</b>	<b>92</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2020	4/26/2023	
		71	CONSUMER CONFIDENCE RULE	7/1/2021	4/26/2023	
		71	CONSUMER CONFIDENCE RULE	7/1/2022	4/26/2023	
<u>IN5248013</u>	<b>LAPEL MUNICIPAL WATER COMPANY</b>			C	<b>GW</b>	<b>2442</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2021	7/7/2022	
<u>IN5250008</u>	<b>MAPLE LEAF MOBILE HOME PARK</b>			C	<b>GW</b>	<b>23</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		
<u>IN5251002</u>	<b>CRANE WATER WORKS</b>			C	<b>GWP</b>	<b>293</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		
<u>IN5251007</u>	<b>SHOALS WATER COMPANY</b>			C	<b>GW</b>	<b>1296</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022	8/5/2022	
<u>IN5253006</u>	<b>SALT CREEK SERVICES, INC.</b>			C	<b>SW</b>	<b>90</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022	8/11/2022	
<u>IN5253008</u>	<b>VAN BUREN WATER, INC.</b>			C	<b>SWP</b>	<b>6670</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022	8/15/2022	
<u>IN5254008</u>	<b>NEW MARKET WATER WORKS</b>			C	<b>GW</b>	<b>765</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2021	12/5/2022	
<u>IN5256008</u>	<b>TEN OAKS MHP</b>			C	<b>GW</b>	<b>270</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		
<u>IN5256014</u>	<b>GEORGE ADE MEMORIAL HEALTH CARE CEN</b>			C	<b>GW</b>	<b>140</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022	8/5/2022	
<u>IN5261001</u>	<b>BLOOMINGDALE WATER WORKS</b>			C	<b>GW</b>	<b>500</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		
<u>IN5263006</u>	<b>WINSLOW WATER WORKS</b>			C	<b>GWP</b>	<b>1010</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		
<u>IN5264040</u>	<b>OGDEN DUNES WATER</b>			C	<b>SWP</b>	<b>1110</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2021	10/3/2022	
		71	CONSUMER CONFIDENCE RULE	7/1/2022	10/3/2022	
<u>IN5268008</u>	<b>RIDGEVILLE WATER DEPARTMENT</b>			C	<b>GW</b>	<b>890</b>
		71	CONSUMER CONFIDENCE RULE	7/1/2022		

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u>IN5269005</u>	<b>SUNMAN WATER WORKS</b>			C	<b>GW</b>	<b>1058</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022		10/5/2022		
<u>IN5271016</u>	<b>SUNSET VILLAGE &amp; RV PARK</b>			C	<b>GW</b>	<b>25</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022				
<u>IN5274004</u>	<b>GENTRYVILLE WATER UTILITY</b>			C	<b>SWP</b>	<b>1625</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022		8/22/2022		
<u>IN5276006</u>	<b>FREMONT WATER DEPARTMENT</b>			C	<b>GW</b>	<b>2138</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022		8/11/2022		
<u>IN5276013</u>	<b>MOBIL-RAMA</b>			C	<b>GW</b>	<b>30</b>
71	CONSUMER CONFIDENCE RULE	7/1/2021		3/28/2022		
<u>IN5276024</u>	<b>LINDA ANN MOBILE HOME PARK</b>			C	<b>GW</b>	<b>30</b>
71	CONSUMER CONFIDENCE RULE	7/1/2021		3/28/2022		
<u>IN5276025</u>	<b>LEISURE LAKES MOBILE HOME COURT</b>			C	<b>GW</b>	<b>27</b>
71	CONSUMER CONFIDENCE RULE	7/1/2021		3/28/2022		
<u>IN5276026</u>	<b>HOLIDAY WOODS SUBDIVISION</b>			C	<b>GW</b>	<b>200</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022		8/24/2022		
<u>IN5279006</u>	<b>CLARKS HILL WATER WORKS</b>			C	<b>GW</b>	<b>660</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022				
<u>IN5283005</u>	<b>DANA WATER WORKS</b>			C	<b>GW</b>	<b>660</b>
71	CONSUMER CONFIDENCE RULE	7/1/2021		6/28/2022		
<u>IN5283009</u>	<b>PERRYSVILLE WATER WORKS</b>			C	<b>GW</b>	<b>470</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022		9/29/2022		
<u>IN5285006</u>	<b>LAKE VIEW MOBILE HOME PARK</b>			C	<b>GW</b>	<b>90</b>
71	CONSUMER CONFIDENCE RULE	7/1/2021		12/5/2022		
71	CONSUMER CONFIDENCE RULE	7/1/2022		12/5/2022		
<u>IN5285011</u>	<b>RHOADES MHP, LLC</b>			C	<b>GW</b>	<b>60</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022		4/4/2023		
<u>IN5285019</u>	<b>CARRIAGE HOUSE ESTATES</b>			C	<b>GW</b>	<b>25</b>
71	CONSUMER CONFIDENCE RULE	7/1/2021		6/22/2022		
<u>IN5286002</u>	<b>PENCE WATER WORKS</b>			C	<b>GW</b>	<b>37</b>
71	CONSUMER CONFIDENCE RULE	7/1/2021		1/7/2022		

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
71	CONSUMER CONFIDENCE RULE	7/1/2022			
<u>IN5290003</u>	<b>STONEY CREEK ESTATES MHC, LLC</b>		C	<b>GW</b>	<b>45</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022		8/10/2022	
<u>IN5291006</u>	<b>CLEARVIEW RESORT</b>		C	<b>GW</b>	<b>25</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022			
<u>IN5291008</u>	<b>LAZY OAKS</b>		C	<b>GW</b>	<b>48</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022		1/5/2023	
<u>IN5291009</u>	<b>LYNN HILL COURT &amp; CHARLES MANOR</b>		C	<b>GW</b>	<b>44</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022			
<u>IN5291012</u>	<b>LAKWOOD MOBILE HOME PARK</b>		C	<b>GW</b>	<b>25</b>
71	CONSUMER CONFIDENCE RULE	7/1/2022			

## **PWS with Monitoring and Reporting violations**

<b>PWSID</b>	<b>System Name</b>	<b>System Type</b> <b>Source</b> <b>Population</b>			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
<b><u>IN2010007</u></b>	<b>SPRINGHILL PAROCHIAL AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022
	3A	<i>E. COLI</i>		12/1/2022	12/31/2022
<b><u>IN2010009</u></b>	<b>WINCHESTER AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022
<b><u>IN2010010</u></b>	<b>SWISS VALLEY AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		1/1/2022	1/31/2022
<b><u>IN2010014</u></b>	<b>OAK GROVE AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		1/1/2022	3/31/2022
<b><u>IN2010029</u></b>	<b>PINE LAKE</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022
	3A	<i>E. COLI</i>		8/1/2022	8/31/2022
<b><u>IN2010032</u></b>	<b>CURVE CREEK AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		12/1/2022	12/31/2022
<b><u>IN2010033</u></b>	<b>SALEM AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
	3A	<i>E. COLI</i>		1/1/2022	3/31/2022
<b><u>IN2010035</u></b>	<b>SWISS MEADOWS AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		1/1/2022	1/31/2022
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022
<b><u>IN2010037</u></b>	<b>TWIN OAK AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
<b><u>IN2010039</u></b>	<b>COTTONWOOD LANE AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		1/1/2022	1/31/2022
<b><u>IN2010046</u></b>	<b>HARTFORD VALLEY AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	3B	<i>E. COLI</i>		1/1/2022	1/31/2022
<b><u>IN2010049</u></b>	<b>COUNTRY VIEW AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		7/1/2022	9/30/2022
<b><u>IN2010050</u></b>	<b>COUNTRY VALLEY AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
					<b>50</b>

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		3A	<i>E. COLI</i>	8/1/2022		8/31/2022
<u>IN2010052</u>	<b>HIDDEN VALLEY AMISH SCHOOL</b>			NC	<b>GW</b>	<b>47</b>
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
<u>IN2010104</u>	<b>SALEM MAGLEY CHURCH</b>			NC	<b>GW</b>	<b>100</b>
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
<u>IN2010809</u>	<b>RED GOLD INC. - GENEVA</b>			NTNC	<b>GW</b>	<b>260</b>
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2010811</u>	<b>ENGLE CREEK AMISH SCHOOL</b>			NC	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
<u>IN2010844</u>	<b>CLEARVIEW AMISH SCHOOL</b>			NC	<b>GW</b>	<b>25</b>
		34	<i>E. COLI</i>	9/14/2022		12/15/2022
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2010846</u>	<b>ST. PETER IMMANUEL LUTHERAN SCHOOL</b>			NTNC	<b>GW</b>	<b>79</b>
		03	<i>ARSENIC</i>	4/1/2022		6/30/2022
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
<u>IN2020010</u>	<b>FOX ISLAND COUNTY PARK BEACH</b>			NC	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022
<u>IN2020027</u>	<b>OAK PARK CHURCH</b>			NC	<b>GW</b>	<b>100</b>
		34	<i>E. COLI</i>	10/3/2022		
		3B	<i>E. COLI</i>	6/1/2022		6/30/2022
<u>IN2020037</u>	<b>EDGERTON WESLEYAN CHURCH</b>			NC	<b>GW</b>	<b>75</b>
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2020054</u>	<b>CAMPBELL AMISH SCHOOL</b>			NC	<b>GW</b>	<b>160</b>
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
<u>IN2020057</u>	<b>CAMP RED CEDAR - OFFICE</b>			NC	<b>GW</b>	<b>43</b>
		34	<i>E. COLI</i>	9/28/2022		10/11/2022
		34	<i>E. COLI</i>	12/20/2022		
<u>IN2020097</u>	<b>LEO CAFE</b>			NC	<b>GW</b>	<b>70</b>
		3A	<i>E. COLI</i>	2/1/2022		2/28/2022
		3A	<i>E. COLI</i>	3/1/2022		3/31/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
<u>IN2020184</u>	<b>HI HO AGAIN</b>			<b>NC</b>	<b>GW</b> <b>90</b>
		34	<i>E. COLI</i>	3/24/2022	5/3/2022
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022
		3A	<i>E. COLI</i>	12/1/2022	12/31/2022
<u>IN2020220</u>	<b>TRINITY PRESBYTERIAN CHURCH</b>			<b>NC</b>	<b>GW</b> <b>60</b>
		34	<i>E. COLI</i>	7/5/2022	8/17/2022
		34	<i>E. COLI</i>	8/2/2022	8/17/2022
<u>IN2020236</u>	<b>NORTH LEO MENNONITE CHURCH</b>			<b>NC</b>	<b>GW</b> <b>120</b>
		3A	<i>E. COLI</i>	10/1/2022	12/31/2022
<u>IN2020265</u>	<b>IZAAK WALTON LEAGUE - FORT WAYNE</b>			<b>NC</b>	<b>GW</b> <b>25</b>
		3B	<i>E. COLI</i>	8/1/2022	8/31/2022
<u>IN2020804</u>	<b>LIVING FAITH</b>			<b>NC</b>	<b>GW</b> <b>90</b>
		34	<i>E. COLI</i>	1/4/2022	8/10/2022
		34	<i>E. COLI</i>	8/9/2022	8/10/2022
		34	<i>E. COLI</i>	9/30/2022	10/27/2022
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022
<u>IN2020818</u>	<b>COLONIAL GOLF COURSE</b>			<b>NC</b>	<b>GW</b> <b>134</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
<u>IN2020831</u>	<b>ST. JOSEPH HESSEN CASSEL CATHOLIC SCHO</b>			<b>NTNC</b>	<b>GW</b> <b>416</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
<u>IN2020843</u>	<b>ST. ALOYSIUS CATHOLIC SCHOOL</b>			<b>NTNC</b>	<b>GW</b> <b>100</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
<u>IN2020919</u>	<b>POND-A-RIVER GOLF COURSE</b>			<b>NC</b>	<b>GW</b> <b>177</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
3A	<i>E. COLI</i>	9/1/2022	9/30/2022			
<u>IN2020965</u>	<b>HOAGLAND PIZZA</b>			<b>NC</b>	<b>GW</b>	<b>25</b>
03	<i>NITRATE</i>	1/1/2022	12/31/2022			
3A	<i>E. COLI</i>	7/1/2022	7/31/2022			
<u>IN2020975</u>	<b>HOPE UNITED METHODIST CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>50</b>
3A	<i>E. COLI</i>	10/1/2022	12/31/2022			
<u>IN2030154</u>	<b>OLD UNION UNITED CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>25</b>
3A	<i>E. COLI</i>	10/1/2022	12/31/2022			
<u>IN2030822</u>	<b>FIRST METALS &amp; PLASTICS</b>			<b>NTNC</b>	<b>GW</b>	<b>30</b>
3A	<i>E. COLI</i>	7/1/2022	9/30/2022			
52	<i>LEAD &amp; COPPER RULE</i>	10/1/2021	10/28/2022			
52	<i>LEAD &amp; COPPER RULE</i>	10/1/2022				
<u>IN2040802</u>	<b>BENTON CENTRAL JR./SR. HIGH SCHOOL</b>			<b>NTNC</b>	<b>GW</b>	<b>1376</b>
03	<i>NITRATE</i>	1/1/2022	12/31/2022			
<u>IN2050069</u>	<b>PLEASANTDALE UNITED METHODIST</b>			<b>NC</b>	<b>GW</b>	<b>101</b>
3A	<i>E. COLI</i>	1/1/2022	1/31/2022			
3A	<i>E. COLI</i>	2/1/2022	2/28/2022			
3A	<i>E. COLI</i>	3/1/2022	3/31/2022			
3A	<i>E. COLI</i>	4/1/2022	4/30/2022			
3A	<i>E. COLI</i>	5/1/2022	5/31/2022			
3A	<i>E. COLI</i>	6/1/2022	6/30/2022			
3A	<i>E. COLI</i>	7/1/2022	7/31/2022			
3A	<i>E. COLI</i>	8/1/2022	8/31/2022			
3A	<i>E. COLI</i>	9/1/2022	9/30/2022			
3A	<i>E. COLI</i>	11/1/2022	11/30/2022			
<u>IN2050810</u>	<b>BLACKFORD BAPTIST TEMPLE</b>			<b>NC</b>	<b>GW</b>	<b>80</b>
3A	<i>E. COLI</i>	2/1/2022	2/28/2022			
<u>IN2050821</u>	<b>GRACE COMMUNITY CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>49</b>
34	<i>E. COLI</i>	6/11/2022	6/14/2022			
<u>IN2050842</u>	<b>BLACKFORD COUNTY SECURITY CENTER</b>			<b>NTNC</b>	<b>GW</b>	<b>84</b>
52	<i>LEAD &amp; COPPER RULE</i>	10/1/2022				
<u>IN2050843</u>	<b>THE OLD COUNTRY CHURCH HARVEST CENT</b>			<b>NC</b>	<b>GW</b>	<b>40</b>

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		34	<i>E. COLI</i>	10/26/2022		
		3B	<i>E. COLI</i>	11/1/2022		11/30/2022
<u>IN2060001</u>	<b>ZIONSVILLE YOUTH SOCCER ASSOCIATION</b>			<b>NC</b>	<b>GW</b>	<b>505</b>
		34	<i>E. COLI</i>	10/6/2022		10/31/2022
		34	<i>E. COLI</i>	12/30/2022		
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
		3A	<i>E. COLI</i>	11/1/2022		11/30/2022
<u>IN2060012</u>	<b>AMERICAN LEGION #79</b>			<b>NC</b>	<b>GW</b>	<b>112</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2060017</u>	<b>J.L. FOOD MART</b>			<b>NC</b>	<b>GW</b>	<b>200</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		34	<i>E. COLI</i>	10/15/2022		
<u>IN2060018</u>	<b>HARVESTIME FELLOWSHIP CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>150</b>
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2060022</u>	<b>AGRELIANT GENETICS, LLC</b>			<b>NC</b>	<b>GW</b>	<b>31</b>
		34	<i>E. COLI</i>	6/22/2022		7/6/2022
<u>IN2060025</u>	<b>LEBANON FIRST BAPTIST CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>150</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2060027</u>	<b>MOUNT RUNN BAPTIST CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>150</b>
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
<u>IN2060032</u>	<b>SIXPENCE EVENT CENTER</b>			<b>NC</b>	<b>GW</b>	<b>100</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2080003</u>	<b>LIVING FAITH CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>45</b>
		3A	<i>E. COLI</i>	2/1/2022		2/28/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2080088</u>	<b>HOLLOW ACRES GOLF CENTER</b>			<b>NC</b>	<b>GW</b>	<b>28</b>
		3A	<i>E. COLI</i>	4/1/2022		4/30/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022
<u><a href="#">IN2080804</a></u>	<b>OAKDALE BAR &amp; GRILL</b>			NC	<b>GW</b>	<b>208</b>
		3A	<i>E. COLI</i>	1/1/2022		1/31/2022
		3A	<i>E. COLI</i>	2/1/2022		2/28/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u><a href="#">IN2080809</a></u>	<b>SPORTSMAN INN, INC.</b>			NC	<b>GW</b>	<b>400</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u><a href="#">IN2080834</a></u>	<b>CAMP TECUMSEH - RIVER VILLAGE</b>			NC	<b>GW</b>	<b>525</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u><a href="#">IN2080844</a></u>	<b>BURLINGTON FIRST BRETHREN CHURCH</b>			NC	<b>GW</b>	<b>50</b>
		34	<i>E. COLI</i>	9/14/2021		1/24/2022
		34	<i>E. COLI</i>	12/6/2022		
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
<u><a href="#">IN2080845</a></u>	<b>FAITH LUTHERAN CHURCH</b>			NC	<b>GW</b>	<b>100</b>
		3A	<i>E. COLI</i>	2/1/2022		2/28/2022
<u><a href="#">IN2090014</a></u>	<b>HEARTLAND, LLC</b>			NC	<b>GW</b>	<b>174</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u><a href="#">IN2090018</a></u>	<b>PISGAH CHRISTIAN CHURCH</b>			NC	<b>GW</b>	<b>90</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u><a href="#">IN2090021</a></u>	<b>CASS COUNTY 4H PARK-MERCHANTS &amp; AG B</b>			NC	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	4/1/2022		4/30/2022
<u><a href="#">IN2090834</a></u>	<b>US 24 SPEEDWAY</b>			NC	<b>GW</b>	<b>65</b>
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
<u><a href="#">IN2090853</a></u>	<b>NIPSCO-ROYAL CENTER STORAGE</b>			NTNC	<b>GW</b>	<b>26</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u><a href="#">IN2090856</a></u>	<b>LOGAN ROLLER RINK</b>			NC	<b>GW</b>	<b>78</b>
		03	<i>NITRATE</i>	4/1/2022		6/30/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
<u>IN2090859</u>	<b>BETHLEHEM UNITED METHODIST CHURCH</b>			NC	<b>GW</b>	<b>60</b>
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
		3A	<i>E. COLI</i>	10/1/2022		12/31/2022
<u>IN2090870</u>	<b>LUCERNE CHRISTIAN CHURCH</b>			NC	<b>GW</b>	<b>80</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
<u>IN2110838</u>	<b>IZAAK WALTON LEAGUE - TERRE HAUTE</b>			NC	<b>GW</b>	<b>60</b>
		34	<i>E. COLI</i>	9/22/2022		10/17/2022
<u>IN2120016</u>	<b>OLD GRAY BARN - MITCHELLS RED CEDAR F</b>			NC	<b>GW</b>	<b>240</b>
		3A	<i>E. COLI</i>	1/1/2022		1/31/2022
<u>IN2120802</u>	<b>MICHIGANTOWN CHRISTIAN CHURCH</b>			NC	<b>GW</b>	<b>35</b>
		3A	<i>E. COLI</i>	1/1/2022		3/31/2022
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2120809</u>	<b>BAUER HEAD START</b>			NTNC	<b>GW</b>	<b>65</b>
		3A	<i>E. COLI</i>	10/1/2022		12/31/2022
<u>IN2120837</u>	<b>PREP N GO (FORMER BULLDOG CAFE)</b>			NC	<b>GW</b>	<b>28</b>
		3A	<i>E. COLI</i>	1/1/2022		3/31/2022
<u>IN2120844</u>	<b>HERITAGE CHILDCARE MINISTRY</b>			NTNC	<b>GW</b>	<b>65</b>
		52	<i>LEAD &amp; COPPER RULE</i>	10/1/2022		
<u>IN2120847</u>	<b>COLFAX WESLEYAN CHURCH</b>			NC	<b>GW</b>	<b>100</b>
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2140037</u>	<b>PLAINVILLE FOOD MART</b>			NC	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2160071</u>	<b>SARDINIA BAPTIST CHURCH</b>			NC	<b>GW</b>	<b>60</b>
		34	<i>E. COLI</i>	3/15/2022		7/21/2022
		3A	<i>E. COLI</i>	3/1/2022		3/31/2022
		3A	<i>E. COLI</i>	4/1/2022		4/30/2022
<u>IN2160079</u>	<b>CLARKSBURG COVENANT CHURCH</b>			NC	<b>GW</b>	<b>53</b>
		34	<i>E. COLI</i>	12/23/2020		2/1/2022
		34	<i>E. COLI</i>	10/26/2022		10/31/2022
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
<u>IN2160092</u>	<b>SPRINGHILL UNITED PRESBYTERIAN</b>			NC	<b>GW</b>	<b>70</b>
	34	<i>E. COLI</i>		8/3/2022		
	3B	<i>E. COLI</i>		8/1/2022		8/31/2022
<u>IN2160106</u>	<b>LIONS CAMP WOODSMOKE</b>			NC	<b>GW</b>	<b>500</b>
	3A	<i>E. COLI</i>		1/1/2022		3/31/2022
<u>IN2160108</u>	<b>YMCA FLATROCK CAMP</b>			NC	<b>GW</b>	<b>150</b>
	3B	<i>E. COLI</i>		9/1/2022		9/30/2022
<u>IN2170003</u>	<b>TWILIGHT INN</b>			NC	<b>GW</b>	<b>25</b>
	34	<i>E. COLI</i>		12/15/2021		1/4/2022
	3A	<i>E. COLI</i>		2/1/2022		2/28/2022
	3A	<i>E. COLI</i>		4/1/2022		4/30/2022
<u>IN2170027</u>	<b>ALL AMERICAN STORES - LAOTTO</b>			NC	<b>GW</b>	<b>404</b>
	3A	<i>E. COLI</i>		2/1/2022		2/28/2022
<u>IN2170040</u>	<b>HEIDTMAN STEEL PRODUCTS - WEST</b>			NTNC	<b>GW</b>	<b>87</b>
	52	<i>LEAD &amp; COPPER RULE</i>		10/1/2021		10/5/2022
<u>IN2170854</u>	<b>FIRESIDE RESORT</b>			NC	<b>GW</b>	<b>81</b>
	34	<i>E. COLI</i>		11/3/2021		2/22/2022
	3A	<i>E. COLI</i>		9/1/2022		9/30/2022
	3A	<i>E. COLI</i>		10/1/2022		10/31/2022
<u>IN2170858</u>	<b>STORY LAKE RSRT-WELL 7-MAIN &amp; 11-HELPE</b>			NC	<b>GW</b>	<b>120</b>
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
	3A	<i>E. COLI</i>		4/1/2022		4/30/2022
<u>IN2170861</u>	<b>STORY LAKE RESORT - WELL #14 - ENTRANCE</b>			NC	<b>GW</b>	<b>29</b>
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
	3A	<i>E. COLI</i>		4/1/2022		4/30/2022
<u>IN2170865</u>	<b>CEDAR LAKE CHURCH OF CHRIST</b>			NC	<b>GW</b>	<b>55</b>
	3A	<i>E. COLI</i>		4/1/2022		6/30/2022
<u>IN2170866</u>	<b>COBURN CORNERS CHURCH OF CHRIST</b>			NC	<b>GW</b>	<b>60</b>
	3B	<i>E. COLI</i>		2/1/2022		2/28/2022
<u>IN2180007</u>	<b>DAIRY DREAM OF ALBANY INC.</b>			NC	<b>GW</b>	<b>99</b>
	3A	<i>E. COLI</i>		5/1/2022		5/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u>IN2180018</u>	<b>HARRIS CHAPEL</b>			NC	<b>GW</b>	<b>164</b>
		3A	<i>E. COLI</i>	3/1/2022		3/31/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
<u>IN2180031</u>	<b>MUNCIE ALLIANCE CHURCH</b>			NC	<b>GW</b>	<b>128</b>
		3A	<i>E. COLI</i>	10/1/2022		12/31/2022
<u>IN2180038</u>	<b>WATER BOWL</b>			NC	<b>GW</b>	<b>300</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
		3A	<i>E. COLI</i>	8/1/2022		8/31/2022
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022
<u>IN2180201</u>	<b>TABOR CHURCH</b>			NC	<b>GW</b>	<b>180</b>
		34	<i>E. COLI</i>	9/25/2021		1/28/2022
		34	<i>E. COLI</i>	11/6/2021		4/29/2022
		34	<i>E. COLI</i>	7/8/2022		8/1/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
<u>IN2180805</u>	<b>TRACTOR SUPPLY CO. - STORE #623</b>			NC	<b>GW</b>	<b>53</b>
		34	<i>E. COLI</i>	12/12/2019		10/14/2022
<u>IN2180808</u>	<b>DESOTO UNITED METHODIST CHURCH</b>			NC	<b>GW</b>	<b>154</b>
		3A	<i>E. COLI</i>	1/1/2022		3/31/2022
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
		3A	<i>E. COLI</i>	11/1/2022		11/30/2022
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2180866</u>	<b>FIRST BRETHREN CHURCH OF OAKVILLE</b>			NC	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	1/1/2022		3/31/2022
<u>IN2180907</u>	<b>TABERNACLE OF PRAISE</b>			NTNC	<b>GW</b>	<b>120</b>
		51	<i>LEAD &amp; COPPER RULE</i>	7/1/2022		8/11/2022
		66	<i>LEAD &amp; COPPER RULE</i>	1/1/2022		
<u>IN2180930</u>	<b>PETRO PLUS</b>			NC	<b>GW</b>	<b>25</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2200018</u>	<b>JOURNEY WORSHIP CENTER</b>			NC	<b>GW</b>	<b>150</b>

<u>PWSID</u>	<u>System Name</u>	System Type Source Population					
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>		
		3A	E. COLI	5/1/2022		5/31/2022	
<u>IN2200021</u>	<b>SUNRISE ORCHARD MIGRANT LABOR</b>			NC	<b>GW</b>	<b>30</b>	
		3A	E. COLI	12/1/2022		12/31/2022	
<u>IN2200030</u>	<b>NAPPANEE MISSIONARY CHURCH</b>			NTNC	<b>GW</b>	<b>2545</b>	
		03	ARSENIC	1/1/2022		3/31/2022	
		66	LEAD & COPPER RULE	1/1/2022			
<u>IN2200032</u>	<b>GRACE BIBLE BAPTIST CHURCH</b>			NTNC	<b>GW</b>	<b>158</b>	
		34	E. COLI	8/12/2022		8/16/2022	
		51	LEAD & COPPER RULE	7/1/2022		12/22/2022	
<u>IN2200043</u>	<b>JEFFERSON ELEMENTARY SCHOOL</b>			NTNC	<b>GW</b>	<b>496</b>	
		52	LEAD & COPPER RULE	10/1/2021		1/27/2022	
<u>IN2200053</u>	<b>FOREST RIVER INC. - PLANT 6</b>			NTNC	<b>GW</b>	<b>120</b>	
		3A	E. COLI	9/1/2022		9/30/2022	
		52	LEAD & COPPER RULE	10/1/2021		10/28/2022	
		52	LEAD & COPPER RULE	10/1/2022			
<u>IN2200066</u>	<b>GOSHEN FAMILY RESTAURANT</b>			NC	<b>GW</b>	<b>108</b>	
		34	E. COLI	7/13/2017		8/12/2022	
		34	E. COLI	6/29/2020		8/12/2022	
		34	E. COLI	6/24/2021		8/12/2022	
		34	E. COLI	7/22/2022		8/12/2022	
		3A	E. COLI	1/1/2022		1/31/2022	
		3A	E. COLI	2/1/2022		2/28/2022	
		3A	E. COLI	5/1/2022		5/31/2022	
<u>IN2200073</u>	<b>UNITED TRAILERS, INC.</b>			NTNC	<b>GW</b>	<b>45</b>	
		03	NITRATE	1/1/2022		12/31/2022	
<u>IN2200078</u>	<b>PLEASANT RIDGE CHRISTIAN FELLOWSHIP</b>			NC	<b>GW</b>	<b>70</b>	
		34	E. COLI	8/2/2022		9/12/2022	
		3B	E. COLI	8/1/2022		8/31/2022	
<u>IN2200101</u>	<b>GRAND DESIGN RV - CORPORATE OFFICE</b>			NTNC	<b>GW</b>	<b>100</b>	
		52	LEAD & COPPER RULE	10/1/2022		10/20/2022	
<u>IN2200102</u>	<b>GRAND DESIGN RV - BUILDING 1</b>			NTNC	<b>GW</b>	<b>200</b>	
		52	LEAD & COPPER RULE	10/1/2022		10/20/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u>IN2200103</u>	<b>GRAND DESIGN RV - BUILDING 2</b>			NTNC	<b>GW</b>	<b>175</b>
52	LEAD & COPPER RULE			10/1/2022		10/18/2022
<u>IN2200104</u>	<b>KESSINGTON MACHINE</b>			NTNC	<b>GW</b>	<b>125</b>
34	E. COLI			11/5/2021		1/3/2022
34	E. COLI			12/31/2021		1/5/2022
<u>IN2200107</u>	<b>MULLETS DINING</b>			NC	<b>GW</b>	<b>62</b>
3A	E. COLI			6/1/2022		6/30/2022
3A	E. COLI			10/1/2022		10/31/2022
<u>IN2200120</u>	<b>COMUNIDAD CRISTIANA ADULAM</b>			NC	<b>GW</b>	<b>75</b>
03	NITRATE			1/1/2022		12/31/2022
34	E. COLI			2/19/2022		
34	E. COLI			4/12/2022		
3A	E. COLI			2/1/2022		2/28/2022
3A	E. COLI			5/1/2022		5/31/2022
3A	E. COLI			8/1/2022		8/31/2022
3A	E. COLI			10/1/2022		10/31/2022
3A	E. COLI			11/1/2022		11/30/2022
<u>IN2200121</u>	<b>CHURCH OF GOD</b>			NC	<b>GW</b>	<b>304</b>
3A	E. COLI			1/1/2022		3/31/2022
3A	E. COLI			8/1/2022		8/31/2022
3A	E. COLI			9/1/2022		9/30/2022
<u>IN2200125</u>	<b>CREEKSIDER CHURCH OF THE BRETHREN</b>			NC	<b>GW</b>	<b>82</b>
3A	E. COLI			4/1/2022		6/30/2022
<u>IN2200127</u>	<b>ZION COMUNIDAD CRISTIANA</b>			NC	<b>GW</b>	<b>80</b>
3A	E. COLI			7/1/2022		7/31/2022
<u>IN2200135</u>	<b>ARBY'S - UNIT 608</b>			NC	<b>GW</b>	<b>210</b>
34	E. COLI			7/10/2020		3/29/2022
34	E. COLI			8/4/2020		3/29/2022
34	E. COLI			10/24/2020		3/29/2022
34	E. COLI			8/28/2021		3/29/2022
<u>IN2200143</u>	<b>NEW TESTAMENT BIBLE CHURCH</b>			NC	<b>GW</b>	<b>80</b>
34	E. COLI			7/14/2022		1/6/2023

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	3A	<i>E. COLI</i>		2/1/2022	2/28/2022	
	3A	<i>E. COLI</i>		3/1/2022	3/31/2022	
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022	
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022	
	3A	<i>E. COLI</i>		8/1/2022	8/31/2022	
<u>IN2200145</u>	<b>ELKHART COUNTY PARKS - COBUS CREEK PA</b>		NC	<b>GW</b>	<b>50</b>	
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022	
<u>IN2200156</u>	<b>HANDY SPOT</b>		NC	<b>GW</b>	<b>54</b>	
	34	<i>E. COLI</i>		12/20/2022		
<u>IN2200159</u>	<b>ST. MARYS ORTHODOX CHURCH - GOSHEN</b>		NC	<b>GW</b>	<b>60</b>	
	34	<i>E. COLI</i>		7/12/2022	7/20/2022	
<u>IN2200160</u>	<b>SUNNYSIDE PARK - NEW PARIS</b>		NC	<b>GW</b>	<b>25</b>	
	03	<i>NITRATE</i>		1/1/2022	12/31/2022	
	3A	<i>E. COLI</i>		4/1/2022	6/30/2022	
<u>IN2200168</u>	<b>COUNTRY MEADOWS AMISH SCHOOL</b>		NC	<b>GW</b>	<b>29</b>	
	3A	<i>E. COLI</i>		4/1/2022	6/30/2022	
<u>IN2200171</u>	<b>SPRING VALLEY PAROCHIAL AMISH SCHOOL</b>		NC	<b>GW</b>	<b>32</b>	
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022	
<u>IN2200175</u>	<b>FIRST BRETHREN CHURCH OF ELKHART</b>		NC	<b>GW</b>	<b>100</b>	
	3A	<i>E. COLI</i>		3/1/2022	3/31/2022	
<u>IN2200176</u>	<b>PINE VIEW PAROCHIAL AMISH SCHOOL</b>		NC	<b>GW</b>	<b>35</b>	
	3A	<i>E. COLI</i>		10/1/2022	12/31/2022	
<u>IN2200178</u>	<b>HOLY VIRGIN PROTECTION ORTHODOX CHU</b>		NC	<b>GW</b>	<b>40</b>	
	3A	<i>E. COLI</i>		1/1/2022	3/31/2022	
<u>IN2200179</u>	<b>SINGING HILLS AMISH SCHOOL</b>		NC	<b>GW</b>	<b>36</b>	
	34	<i>E. COLI</i>		9/1/2021	1/18/2022	
	3A	<i>E. COLI</i>		2/1/2022	2/28/2022	
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022	
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022	
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022	
	3A	<i>E. COLI</i>		9/1/2022	9/30/2022	
	3A	<i>E. COLI</i>		11/1/2022	11/30/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		3A	E. COLI	12/1/2022		12/31/2022
<u>IN2200181</u>	<b>RISE AND ROLL - NAPPANEE</b>			NC	<b>GW</b>	<b>108</b>
		3A	E. COLI	10/1/2022		12/31/2022
<u>IN2200192</u>	<b>PHYLS CORNER</b>			NC	<b>GW</b>	<b>25</b>
		3A	E. COLI	4/1/2022		4/30/2022
		3A	E. COLI	7/1/2022		7/31/2022
		3A	E. COLI	11/1/2022		11/30/2022
		3A	E. COLI	12/1/2022		12/31/2022
<u>IN2200197</u>	<b>MOBILE CLIMATE CONTROL CORP.</b>			NTNC	<b>GW</b>	<b>85</b>
		03	1,2-DIBROMO-3-CHLOROPROPAN	1/1/2022		12/31/2022
		03	HEXACHLOROCYCLOPENTADIEN	1/1/2022		12/31/2022
		03	PENTACHLOROPHENOL	1/1/2022		12/31/2022
		03	HEPTACHLOR	1/1/2022		12/31/2022
		03	HEPTACHLOR EPOXIDE	1/1/2022		12/31/2022
		03	LASSO	1/1/2022		12/31/2022
		03	GLYPHOSATE	1/1/2022		12/31/2022
		03	ENDOTHALL	1/1/2022		12/31/2022
		03	DINOSEB	1/1/2022		12/31/2022
		03	CARBOFURAN	1/1/2022		12/31/2022
		03	BHC-GAMMA	1/1/2022		12/31/2022
		03	CHLORDANE	1/1/2022		12/31/2022
		03	DIQUAT	1/1/2022		12/31/2022
		03	ENDRIN	1/1/2022		12/31/2022
		03	OXAMYL	1/1/2022		12/31/2022
		03	DI(2-ETHYLHEXYL) ADIPATE	1/1/2022		12/31/2022
		03	2,4,5-TP	1/1/2022		12/31/2022
		03	ETHYLENE DIBROMIDE	1/1/2022		12/31/2022
		03	2,4-D	1/1/2022		12/31/2022
		03	BENZO(A)PYRENE	1/1/2022		12/31/2022
		03	DALAPON	1/1/2022		12/31/2022
		03	DI(2-ETHYLHEXYL) PHTHALATE	1/1/2022		12/31/2022
		03	TOXAPHENE	1/1/2022		12/31/2022
		03	ATRAZINE	1/1/2022		12/31/2022
		03	METHOXYCHLOR	1/1/2022		12/31/2022

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	03	PICLORAM	1/1/2022	12/31/2022	
	03	HEXACHLOROBENZENE	1/1/2022	12/31/2022	
	03	SIMAZINE	1/1/2022	12/31/2022	
	3A	E. COLI	7/1/2022	7/31/2022	
	3A	E. COLI	8/1/2022	8/31/2022	
	3A	E. COLI	9/1/2022	9/30/2022	
	3A	E. COLI	10/1/2022	10/31/2022	
	3A	E. COLI	11/1/2022	11/30/2022	
	52	LEAD & COPPER RULE	10/1/2022		
<b><u>IN2200199</u></b>	<b>ELKHART COUNTY COMMUNITY BAPTIST CH</b>			<b>NC</b>	<b>GW</b>
	03	NITRATE	1/1/2022	12/31/2022	
<b><u>IN2200202</u></b>	<b>MY DADS PLACE</b>			<b>NC</b>	<b>GW</b>
	34	E. COLI	1/18/2022	1/26/2022	
	34	E. COLI	4/27/2022	5/3/2022	
<b><u>IN2200210</u></b>	<b>GRACE UNITED METHODIST CHURCH</b>			<b>NC</b>	<b>GW</b>
	3A	E. COLI	4/1/2022	6/30/2022	
<b><u>IN2200215</u></b>	<b>BIRDSONG ECHOES AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	03	NITRATE	1/1/2022	12/31/2022	
	3A	E. COLI	2/1/2022	2/28/2022	
	3A	E. COLI	4/1/2022	4/30/2022	
	3A	E. COLI	5/1/2022	5/31/2022	
<b><u>IN2200228</u></b>	<b>THE COUNTRY WOODSHOP - NEW BUILDING</b>			<b>NTNC</b>	<b>GW</b>
	66	LEAD & COPPER RULE	1/1/2022	12/19/2022	
<b><u>IN2200230</u></b>	<b>ROTATIONAL MOLDING TECHNOLOGIES- WE</b>			<b>NTNC</b>	<b>GW</b>
	03	NITRATE	1/1/2022	3/31/2022	
<b><u>IN2200239</u></b>	<b>WEST PINE AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	03	NITRATE	1/1/2022	12/31/2022	
	3A	E. COLI	10/1/2022	12/31/2022	
<b><u>IN2200254</u></b>	<b>NAPPANEE MISSIONARY CHURCH - WELL #2</b>			<b>NTNC</b>	<b>GW</b>
	34	E. COLI	10/14/2022	2/2/2023	
<b><u>IN2200257</u></b>	<b>GLORY CHURCH</b>			<b>NC</b>	<b>GW</b>
	34	E. COLI	6/21/2022	8/3/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2200259</u>	<b>PINE RIDGE BIBLE CHURCH</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022
		3A	<i>E. COLI</i>	7/1/2022	9/30/2022
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
<u>IN2200260</u>	<b>LAS ADELITAS RESTAURANT</b>			<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022
<u>IN2200263</u>	<b>CHURCH OF GOD IN CHRIST MENNONITE</b>			<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
<u>IN2200386</u>	<b>SIMONTON LAKE TAVERN</b>			<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
<u>IN2200480</u>	<b>NORTHWOOD CHAPEL</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022
<u>IN2200485</u>	<b>SAINT DAVIDS EPISCOPAL CHURCH</b>			<b>NC</b>	<b>GW</b>
		34	<i>E. COLI</i>	7/26/2022	8/8/2022
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022
<u>IN2200496</u>	<b>BONNEYVILLE MENNONITE CHURCH</b>			<b>NC</b>	<b>GW</b>
		34	<i>E. COLI</i>	9/28/2022	
		3B	<i>E. COLI</i>	10/1/2022	10/31/2022
<u>IN2200504</u>	<b>BRISTOL CONGREGATION JEHOVAHS WITNE</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	10/1/2022	12/31/2022
<u>IN2200507</u>	<b>GOSHEN CHURCH OF CHRIST</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
<u>IN2200529</u>	<b>BIBLE WAY APOSTOLIC</b>			<b>NC</b>	<b>GW</b>
		34	<i>E. COLI</i>	10/12/2022	
		3A	<i>E. COLI</i>	1/1/2022	1/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
		3A	<i>E. COLI</i>	12/1/2022	12/31/2022
<u>IN2200551</u>	<b>GRINER MENNONITE CHURCH</b>			<b>NC</b>	<b>GW</b> <b>350</b>
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022
<u>IN2200562</u>	<b>FOUNDATION COMMUNITY CHURCH</b>			<b>NC</b>	<b>GW</b> <b>50</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022
<u>IN2200564</u>	<b>VEADA INDUSTRIES, INC/DIPS &amp; DOGS</b>			<b>NTNC</b>	<b>GW</b> <b>79</b>
		66	<i>LEAD &amp; COPPER RULE</i>	1/1/2021	2/7/2022
<u>IN2200583</u>	<b>NICKELL MOULDING CO., INC.</b>			<b>NTNC</b>	<b>GW</b> <b>80</b>
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022
		52	<i>LEAD &amp; COPPER RULE</i>	10/1/2022	10/24/2022
<u>IN2200584</u>	<b>OLD BRETHREN CHRISTIAN SCHOOL</b>			<b>NC</b>	<b>GW</b> <b>80</b>
		3A	<i>E. COLI</i>	7/1/2022	9/30/2022
<u>IN2200595</u>	<b>WORLD MISSIONARY PRESS</b>			<b>NTNC</b>	<b>GW</b> <b>80</b>
		52	<i>LEAD &amp; COPPER RULE</i>	10/1/2021	9/4/2022
		56	<i>LEAD &amp; COPPER RULE</i>	7/1/2022	12/31/2022
<u>IN2200806</u>	<b>GRACE BAPTIST</b>			<b>NC</b>	<b>GW</b> <b>50</b>
		3A	<i>E. COLI</i>	10/1/2022	12/31/2022
<u>IN2200816</u>	<b>SB21, INC.</b>			<b>NC</b>	<b>GW</b> <b>100</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022
		3A	<i>E. COLI</i>	10/1/2022	12/31/2022
<u>IN2200837</u>	<b>ELKHART COUNTY PARKS - BARN/MILL</b>			<b>NC</b>	<b>GW</b> <b>40</b>
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2200855</u>	<b>ELKHART COUNTY PARKS - FISHERMAN OBP</b>			<b>NC</b>	<b>GW</b>
3A	E. COLI	1/1/2022	3/31/2022		30
<u>IN2200859</u>	<b>ELKHART COUNTY PARKS - OX BOW HAUS</b>			<b>NC</b>	<b>GW</b>
3A	E. COLI	9/1/2022	9/30/2022		30
<u>IN2200863</u>	<b>ELKHART CO PARKS-OX BOW PARK SERVICE</b>			<b>NC</b>	<b>GW</b>
34	E. COLI	8/5/2021	4/18/2022		40
34	E. COLI	8/26/2021	4/18/2022		
<u>IN2200898</u>	<b>ROLLING ACRES AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
34	E. COLI	9/9/2022	9/15/2022		30
34	E. COLI	10/12/2022	11/3/2022		
34	E. COLI	10/25/2022	11/3/2022		
3A	E. COLI	12/1/2022	12/31/2022		
<u>IN2200931</u>	<b>NEW PARIS CHURCH OF THE BRETHREN</b>			<b>NC</b>	<b>GW</b>
3A	E. COLI	7/1/2022	9/30/2022		30
<u>IN2200940</u>	<b>FULL GOSPEL COMMUNITY CHURCH</b>			<b>NC</b>	<b>GW</b>
3A	E. COLI	7/1/2022	9/30/2022		40
<u>IN2200943</u>	<b>THERMO DYNE</b>			<b>NTNC</b>	<b>GW</b>
52	LEAD & COPPER RULE	10/1/2021	7/7/2022		47
<u>IN2200945</u>	<b>TRUCK ACCESSORIES GROUP, LLC. MP #1</b>			<b>NTNC</b>	<b>GW</b>
03	TOLUENE	4/1/2022	6/30/2022		180
03	1,1-DICHLOROETHYLENE	4/1/2022	6/30/2022		
03	CHLOROBENZENE	4/1/2022	6/30/2022		
03	1,2,4-TRICHLOROBENZENE	4/1/2022	6/30/2022		
03	STYRENE	4/1/2022	6/30/2022		
03	1,2-DICHLOROETHANE	4/1/2022	6/30/2022		
03	XYLENES, TOTAL	4/1/2022	6/30/2022		
03	VINYL CHLORIDE	4/1/2022	6/30/2022		
03	1,1,2-TRICHLOROETHANE	4/1/2022	6/30/2022		
03	TRICHLOROETHYLENE	4/1/2022	6/30/2022		
03	P-DICHLOROBENZENE	4/1/2022	6/30/2022		
03	O-DICHLOROBENZENE	4/1/2022	6/30/2022		
03	TETRACHLOROETHYLENE	4/1/2022	6/30/2022		
03	CIS-1,2-DICHLOROETHYLENE	4/1/2022	6/30/2022		

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	03	CARBON TETRACHLORIDE	4/1/2022	6/30/2022	
	03	TRANS-1,2-DICHLOROETHYLENE	4/1/2022	6/30/2022	
	03	BENZENE	4/1/2022	6/30/2022	
	03	1,2-DICHLOROPROPANE	4/1/2022	6/30/2022	
	03	DICHLOROMETHANE	4/1/2022	6/30/2022	
	03	ETHYLBENZENE	4/1/2022	6/30/2022	
	03	1,1,1-TRICHLOROETHANE	4/1/2022	6/30/2022	
<u>IN2200946</u>	<b>TRUCK ACCESSORIES GROUP, LLC. MP #2</b>		<b>NTNC</b>	<b>GW</b>	<b>30</b>
	34	<i>E. COLI</i>	9/30/2021	6/10/2022	
	52	<i>LEAD &amp; COPPER RULE</i>	10/1/2021	9/9/2022	
<u>IN2201007</u>	<b>NEW HOPE UNITED METHODIST CHURCH</b>		<b>NC</b>	<b>GW</b>	<b>152</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<u>IN2201011</u>	<b>20TH CENTURY RESTAURANT</b>		<b>NC</b>	<b>GW</b>	<b>115</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
	3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
	3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
	3A	<i>E. COLI</i>	12/1/2022	12/31/2022	
<u>IN2201028</u>	<b>STONEY CREEK AMISH SCHOOL</b>		<b>NC</b>	<b>GW</b>	<b>41</b>
	3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
<u>IN2201045</u>	<b>FAITH UNITED METHODIST/KIDS DAYCARE</b>		<b>NTNC</b>	<b>GW</b>	<b>788</b>
	52	<i>LEAD &amp; COPPER RULE</i>	10/1/2022		
<u>IN2201046</u>	<b>CULVER DUCK FARMS, INC.</b>		<b>NTNC</b>	<b>GW</b>	<b>241</b>
	3A	<i>E. COLI</i>	7/1/2022	9/30/2022	
<u>IN2201058</u>	<b>BEER AND SLABAUGH INC.</b>		<b>NC</b>	<b>GW</b>	<b>46</b>
	3A	<i>E. COLI</i>	1/1/2022	1/31/2022	
	3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
<u>IN2201059</u>	<b>JIMTOWN BASEBALL AND SOFTBALL COMPL</b>		<b>NC</b>	<b>GW</b>	<b>300</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	3A	<i>E. COLI</i>	4/1/2022	4/30/2022	
	3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
	3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
	3A	<i>E. COLI</i>	7/1/2022	7/31/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u>IN2201063</u>	<b>CONTINENTAL INDUSTRIES, INC.</b>			<b>NTNC</b>	<b>GW</b>	<b>85</b>
66	<i>LEAD &amp; COPPER RULE</i>	1/1/2021		6/8/2022		
<u>IN2201069</u>	<b>INDUSTRIAL AXLE COMPANY, LLC.</b>			<b>NTNC</b>	<b>GW</b>	<b>190</b>
34	<i>E. COLI</i>	11/25/2022		12/19/2022		
<u>IN2201075</u>	<b>KAMPCO STEEL PRODUCTS INC.</b>			<b>NTNC</b>	<b>GW</b>	<b>50</b>
52	<i>LEAD &amp; COPPER RULE</i>	10/1/2022				
<u>IN2201083</u>	<b>NEW PARIS MEDICAL CLINIC</b>			<b>NC</b>	<b>GW</b>	<b>30</b>
3A	<i>E. COLI</i>	11/1/2022		11/30/2022		
<u>IN2201104</u>	<b>COUNTRY LANE AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>	<b>35</b>
34	<i>E. COLI</i>	4/22/2022		5/10/2022		
<u>IN2201107</u>	<b>DEEP FOOD MART</b>			<b>NC</b>	<b>GW</b>	<b>35</b>
3A	<i>E. COLI</i>	4/1/2022		6/30/2022		
<u>IN2201115</u>	<b>AMERICAN CARGO GROUP TRAILERS, LLC</b>			<b>NTNC</b>	<b>GW</b>	<b>79</b>
52	<i>LEAD &amp; COPPER RULE</i>	10/1/2020		6/12/2022		
<u>IN2210014</u>	<b>BEAR CREEK YOUTH CAMP</b>			<b>NC</b>	<b>GW</b>	<b>99</b>
34	<i>E. COLI</i>	1/19/2022		2/23/2022		
<u>IN2230008</u>	<b>MUSTANG CORRAL, LLC/MARATHON</b>			<b>NC</b>	<b>GW</b>	<b>150</b>
34	<i>E. COLI</i>	4/6/2022				
<u>IN2230032</u>	<b>COVINGTON MARATHON</b>			<b>NC</b>	<b>GW</b>	<b>100</b>
03	<i>NITRATE</i>	1/1/2022		12/31/2022		
34	<i>E. COLI</i>	11/15/2022		12/14/2022		
<u>IN2230836</u>	<b>TWIN LAKES CAMPGROUND - LODGE</b>			<b>NC</b>	<b>GW</b>	<b>86</b>
03	<i>NITRATE</i>	1/1/2022		12/31/2022		
34	<i>E. COLI</i>	11/30/2022		12/20/2022		
<u>IN2230839</u>	<b>TWIN LAKES CAMPGROUND - BATH HOUSE</b>			<b>NC</b>	<b>GW</b>	<b>40</b>
03	<i>NITRATE</i>	1/1/2022		12/31/2022		
<u>IN2230843</u>	<b>TWIN LAKES CAMPGROUND - CARLSON CENT</b>			<b>NC</b>	<b>GW</b>	<b>86</b>
03	<i>NITRATE</i>	1/1/2022		12/31/2022		
34	<i>E. COLI</i>	11/30/2022		12/20/2022		
<u>IN2240004</u>	<b>METAMORA CHURCH OF GOD</b>			<b>NC</b>	<b>GW</b>	<b>100</b>
34	<i>E. COLI</i>	12/14/2021		7/28/2022		
34	<i>E. COLI</i>	12/31/2021		7/28/2022		

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		34	<i>E. COLI</i>	6/4/2022		6/22/2022
		34	<i>E. COLI</i>	7/7/2022		7/19/2022
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022
<u>IN2250002</u>	<b>L &amp; B COUNTRY OASIS</b>			<b>NC</b>	<b>GW</b>	<b>96</b>
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
		3A	<i>E. COLI</i>	10/1/2022		12/31/2022
<u>IN2250014</u>	<b>TRI EAGLE PROVISIONS LLC</b>			<b>NTNC</b>	<b>GW</b>	<b>44</b>
		66	<i>LEAD &amp; COPPER RULE</i>	1/1/2022		10/21/2022
<u>IN2250022</u>	<b>FULTON COMMUNITY BUILDING</b>			<b>NC</b>	<b>GW</b>	<b>75</b>
		34	<i>E. COLI</i>	12/28/2021		1/7/2022
<u>IN2250100</u>	<b>LEITERS FORD TAVERN</b>			<b>NC</b>	<b>GW</b>	<b>52</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2250127</u>	<b>WHIPPOORWILL CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>99</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2250129</u>	<b>TIPPECANOE RIVER RUN</b>			<b>NC</b>	<b>GW</b>	<b>60</b>
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
<u>IN2250811</u>	<b>FULTON COUNTY HISTORICAL SOCIETY- MUS</b>			<b>NC</b>	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	10/1/2022		10/31/2022
<u>IN2250854</u>	<b>COUNTRY LANES</b>			<b>NC</b>	<b>GW</b>	<b>170</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2260002</u>	<b>CARSONS CORNER RESTAURANT</b>			<b>NC</b>	<b>GW</b>	<b>25</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2270006</u>	<b>MARION CHURCH OF THE BRETHREN</b>			<b>NC</b>	<b>GW</b>	<b>50</b>
		3A	<i>E. COLI</i>	1/1/2022		1/31/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
<u>IN2270009</u>	<b>MAPLE RUN CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>80</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2270011</u>	<b>SWEETSER CAFE</b>			<b>NC</b>	<b>GW</b>	<b>82</b>
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2270013</u>	<b>JENNERJAHN MACHINE</b>			<b>NTNC</b>	<b>GW</b>	<b>46</b>
		3A	<i>E. COLI</i>	10/1/2022		12/31/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
<u>IN2270034</u>	<b>MAR BROOK CAMPGROUND</b>			NC	<b>GW</b>	<b>25</b>
3A	<i>E. COLI</i>			9/1/2022		9/30/2022
<u>IN2270812</u>	<b>BUDDYS MART</b>			NC	<b>GW</b>	<b>549</b>
03	<i>NITRATE</i>			1/1/2022		12/31/2022
3A	<i>E. COLI</i>			3/1/2022		3/31/2022
3A	<i>E. COLI</i>			7/1/2022		7/31/2022
3A	<i>E. COLI</i>			9/1/2022		9/30/2022
3A	<i>E. COLI</i>			10/1/2022		10/31/2022
<u>IN2270852</u>	<b>SPORTS LAKE</b>			NC	<b>GW</b>	<b>77</b>
03	<i>NITRATE</i>			1/1/2022		12/31/2022
3A	<i>E. COLI</i>			5/1/2022		5/31/2022
<u>IN2270854</u>	<b>LAKEVIEW WESLEYAN CHURCH &amp; ELEMENT</b>			NTNC	<b>GW</b>	<b>750</b>
3A	<i>E. COLI</i>			7/1/2022		9/30/2022
<u>IN2270869</u>	<b>IDYL WYLD ROLLER PALACE</b>			NC	<b>GW</b>	<b>27</b>
3A	<i>E. COLI</i>			1/1/2022		1/31/2022
<u>IN2270879</u>	<b>SUITE LIVING LLC</b>			NTNC	<b>GW</b>	<b>90</b>
3A	<i>E. COLI</i>			10/1/2022		10/31/2022
<u>IN2280002</u>	<b>CAMP OLIVET</b>			NC	<b>GW</b>	<b>60</b>
34	<i>E. COLI</i>			10/21/2022		11/10/2022
<u>IN2290020</u>	<b>EMMANUEL UNITED METHODIST CHURCH</b>			NTNC	<b>GW</b>	<b>450</b>
51	<i>LEAD &amp; COPPER RULE</i>			7/1/2020		7/19/2022
66	<i>LEAD &amp; COPPER RULE</i>			1/1/2022		
<u>IN2290023</u>	<b>EAGLES LODGE #450</b>			NC	<b>GW</b>	<b>33</b>
3A	<i>E. COLI</i>			1/1/2022		1/31/2022
3A	<i>E. COLI</i>			5/1/2022		5/31/2022
3A	<i>E. COLI</i>			6/1/2022		6/30/2022
3A	<i>E. COLI</i>			7/1/2022		7/31/2022
<u>IN2290027</u>	<b>MCGREGOR PARK</b>			NC	<b>GW</b>	<b>26</b>
03	<i>NITRATE</i>			1/1/2022		12/31/2022
3A	<i>E. COLI</i>			1/1/2022		1/31/2022
<u>IN2290028</u>	<b>SHERIDAN SIX POINTS WESLEYAN</b>			NC	<b>GW</b>	<b>210</b>
3A	<i>E. COLI</i>			7/1/2022		9/30/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
<u>IN2290041</u>	<b>RITZ CHARLES</b>			NTNC	<b>GW</b>	<b>390</b>
	03	ARSENIC		4/1/2022	6/30/2022	
	52	LEAD & COPPER RULE		10/1/2022	10/18/2022	
<u>IN2290045</u>	<b>RITCHIE WOODS NATURE PRESERVE</b>			NC	<b>GW</b>	<b>25</b>
	3A	E. COLI		6/1/2022	6/30/2022	
	3A	E. COLI		7/1/2022	7/31/2022	
	3A	E. COLI		9/1/2022	9/30/2022	
<u>IN2290050</u>	<b>MARTIN MARIETTA - NOBLESVILLE STONE</b>			NTNC	<b>GW</b>	<b>35</b>
	52	LEAD & COPPER RULE		10/1/2021	8/12/2022	
<u>IN2290051</u>	<b>HINKLE CREEK FRIENDS CHURCH</b>			NC	<b>GW</b>	<b>35</b>
	03	NITRATE		1/1/2022	12/31/2022	
<u>IN2290055</u>	<b>UNITED ANIMAL HEALTH</b>			NTNC	<b>GW</b>	<b>42</b>
	3A	E. COLI		10/1/2022	12/31/2022	
<u>IN2290063</u>	<b>GURDWARA GURU NANAK DARBAR LTD</b>			NC	<b>GW</b>	<b>27</b>
	3A	E. COLI		1/1/2022	3/31/2022	
<u>IN2290843</u>	<b>DIABETES YOUTH FOUNDATION</b>			NC	<b>GW</b>	<b>86</b>
	34	E. COLI		8/13/2022	8/22/2022	
<u>IN2290858</u>	<b>RUOFF MUSIC CENTER</b>			NC	<b>GW</b>	<b>2000</b>
	03	NITRATE		1/1/2022	12/31/2022	
<u>IN2290894</u>	<b>OPEN DOOR FREE METHODIST CHURCH</b>			NC	<b>GW</b>	<b>65</b>
	3A	E. COLI		4/1/2022	6/30/2022	
<u>IN2300019</u>	<b>NEW PALESTINE CHRISTIAN CHURCH</b>			NC	<b>GW</b>	<b>40</b>
	3A	E. COLI		7/1/2022	9/30/2022	
<u>IN2300043</u>	<b>VICTOR BORING PLAZA - PRESCHOOL</b>			NC	<b>GW</b>	<b>25</b>
	3A	E. COLI		1/1/2022	3/31/2022	
<u>IN2300090</u>	<b>HAWKS TAIL</b>			NC	<b>GW</b>	<b>150</b>
	3A	E. COLI		12/1/2022	12/31/2022	
<u>IN2300802</u>	<b>ECONOMY MOTEL</b>			NC	<b>GW</b>	<b>30</b>
	3A	E. COLI		10/1/2022	12/31/2022	
<u>IN2300807</u>	<b>STATE ARMORY BOARD - CAMPGROUND</b>			NC	<b>GW</b>	<b>25</b>
	3A	E. COLI		11/1/2022	11/30/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2300827</u>	<b>SUGAR CREEK BAPTIST CHURCH</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	3/1/2022	3/31/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
<u>IN2300829</u>	<b>NEW PALESTINE PLAZA</b>			<b>NTNC</b>	<b>GW</b>
		03	<i>ARSENIC</i>	4/1/2022	6/30/2022
		03	<i>ARSENIC</i>	7/1/2022	9/30/2022
		03	<i>ARSENIC</i>	10/1/2022	12/31/2022
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022
		51	<i>LEAD &amp; COPPER RULE</i>	7/1/2022	
<u>IN2300847</u>	<b>GREENFIELD CONSERVATION CLUB-BINGO H</b>			<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		34	<i>E. COLI</i>	12/27/2022	
<u>IN2300848</u>	<b>GREENFIELD CONSERVATION CLUB-CAMPGR</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
<u>IN2300854</u>	<b>MOHAWK CAMPGROUND</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022
<u>IN2300868</u>	<b>TUTTLE ORCHARDS INC.</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022
<u>IN2300869</u>	<b>MAJESTIC CARE OF MCCORDSVILLE</b>			<b>NTNC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022
<u>IN2300883</u>	<b>GURU GRANTH SIKH SOCIETY</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2300908</u>	<b>MOZZIS PIZZA</b>			NC	<b>GW</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022
<u>IN2300928</u>	<b>VICTORY INDEPENDENT BAPTIST CHURCH</b>			NC	<b>GW</b>
	34	<i>E. COLI</i>		7/8/2022	7/18/2022
<u>IN2300941</u>	<b>CHRIST PRESBYTERIAN CHURCH</b>			NC	<b>GW</b>
	3A	<i>E. COLI</i>		4/1/2022	6/30/2022
<u>IN2320013</u>	<b>ST. MALACHY CATHOLIC PARISH - SCHOOL</b>			NTNC	<b>GW</b>
	3A	<i>E. COLI</i>		10/1/2022	12/31/2022
<u>IN2320038</u>	<b>BREW LINK BREWERY/OAK TREE GOLF COU</b>			NC	<b>GW</b>
	3A	<i>E. COLI</i>		3/1/2022	3/31/2022
<u>IN2320044</u>	<b>PARK 36 LLC</b>			NC	<b>GW</b>
	3A	<i>E. COLI</i>		7/1/2022	9/30/2022
<u>IN2320045</u>	<b>FAIRFIELD FRIENDS MEETING</b>			NC	<b>GW</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
<u>IN2320047</u>	<b>FAITH LUTHERAN CHURCH</b>			NC	<b>GW</b>
	34	<i>E. COLI</i>		9/10/2022	9/16/2022
<u>IN2320053</u>	<b>LASPADAS PIZZERIA</b>			NC	<b>GW</b>
	3A	<i>E. COLI</i>		1/1/2022	1/31/2022
	3A	<i>E. COLI</i>		2/1/2022	2/28/2022
	3A	<i>E. COLI</i>		3/1/2022	3/31/2022
	3A	<i>E. COLI</i>		4/1/2022	4/30/2022
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022
<u>IN2320057</u>	<b>ST. MALACHY CATHOLIC PARISH - CHURCH</b>			NC	<b>GW</b>
	3A	<i>E. COLI</i>		10/1/2022	12/31/2022
<u>IN2320060</u>	<b>DAWNNS DINER</b>			NC	<b>GW</b>
	3A	<i>E. COLI</i>		4/1/2022	6/30/2022
	3A	<i>E. COLI</i>		7/1/2022	9/30/2022
<u>IN2320061</u>	<b>LIZTON LODGE LLC</b>			NC	<b>GW</b>
	3A	<i>E. COLI</i>		10/1/2022	12/31/2022
<u>IN2320151</u>	<b>1ST BAPTIST CHURCH OF AMO</b>			NC	<b>GW</b>
					35

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
<u>IN2320176</u>	<b>LIGHTHOUSE CHRISTIAN FELLOWSHIP</b>			NC	<b>GW</b>	<b>115</b>
		3A	<i>E. COLI</i>	7/1/2022	9/30/2022	
<u>IN2320193</u>	<b>STILESVILLE CHRISTIAN CHURCH</b>			NC	<b>GW</b>	<b>50</b>
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022	
<u>IN2320846</u>	<b>COATESVILLE FOOD STORE</b>			NC	<b>GW</b>	<b>42</b>
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022	
<u>IN2320880</u>	<b>WHitestone Christian Church</b>			NC	<b>GW</b>	<b>60</b>
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022	
<u>IN2320925</u>	<b>CLAYTON/LIBERTY TOWNSHIP PUBLIC LIBRA</b>			NC	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	7/1/2022	9/30/2022	
<u>IN2329874</u>	<b>BEASLEY ORCHARD</b>			NC	<b>GW</b>	<b>106</b>
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
<u>IN2329875</u>	<b>AMERICAN LEGION POST 118</b>			NC	<b>GW</b>	<b>100</b>
		3A	<i>E. COLI</i>	3/1/2022	3/31/2022	
<u>IN2330013</u>	<b>LOCUST GROVE AMISH PAROCHIAL SCHOOL</b>			NC	<b>GW</b>	<b>32</b>
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
<u>IN2330021</u>	<b>CHRIST FELLOWSHIP CHURCH</b>			NC	<b>GW</b>	<b>91</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<u>IN2330026</u>	<b>ALL MY FAMILY &amp; FRIENDS CAMPGROUND-F</b>			NC	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022	
		3A	<i>E. COLI</i>	10/1/2022	12/31/2022	
<u>IN2330029</u>	<b>GRILLT LLC</b>			NC	<b>GW</b>	<b>27</b>
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022	
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
<u>IN2330031</u>	<b>HEARTLAND CHRISTIAN SCHOOL</b>			NTNC	<b>GW</b>	<b>204</b>
		51	<i>LEAD &amp; COPPER RULE</i>	7/1/2022		
		66	<i>LEAD &amp; COPPER RULE</i>	1/1/2021	2/14/2022	
<u>IN2330224</u>	<b>MOORELAND FRIENDS CHURCH</b>			NC	<b>GW</b>	<b>70</b>
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022	
<u>IN2330808</u>	<b>ROYAL HYLANDS GOLF COURSE</b>			NC	<b>GW</b>	<b>32</b>

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		03	NITRATE	1/1/2022		12/31/2022
<u>IN2330838</u>	<b>MOORELAND PIZZA KING</b>			NC	<b>GW</b>	<b>30</b>
		03	NITRATE	1/1/2022		12/31/2022
		3A	E. COLI	7/1/2022		9/30/2022
<u>IN2330841</u>	<b>MILK BARN/GAS BARN</b>			NC	<b>GW</b>	<b>502</b>
		3A	E. COLI	4/1/2022		6/30/2022
<u>IN2330871</u>	<b>TRI-COUNTY GOLF CLUB RESTAURANT</b>			NC	<b>GW</b>	<b>200</b>
		3A	E. COLI	5/1/2022		5/31/2022
<u>IN2330874</u>	<b>SPRING VALLEY CAMPGROUND INC.</b>			NC	<b>GW</b>	<b>46</b>
		3A	E. COLI	5/1/2022		5/31/2022
<u>IN2330900</u>	<b>ALL MY FAMILY &amp; FRIENDS CAMPGROUND-B</b>			NC	<b>GW</b>	<b>33</b>
		3A	E. COLI	5/1/2022		5/31/2022
		3A	E. COLI	12/1/2022		12/31/2022
<u>IN2330902</u>	<b>CAMP ADA</b>			NC	<b>GW</b>	<b>26</b>
		03	NITRATE	1/1/2022		12/31/2022
<u>IN2340003</u>	<b>PILGRIM HOLINESS CHURCH</b>			NC	<b>GW</b>	<b>200</b>
		3A	E. COLI	1/1/2022		1/31/2022
		3A	E. COLI	6/1/2022		6/30/2022
<u>IN2340009</u>	<b>OAKLAND CHRISTIAN CHURCH</b>			NC	<b>GW</b>	<b>89</b>
		3A	E. COLI	6/1/2022		6/30/2022
<u>IN2340023</u>	<b>CHRISTIAN HERITAGE WORSHIP CENTER</b>			NC	<b>GW</b>	<b>175</b>
		03	NITRATE	1/1/2022		12/31/2022
		3A	E. COLI	12/1/2022		12/31/2022
<u>IN2340027</u>	<b>HOWARD COUNTY IZAAK LEAGUE</b>			NC	<b>GW</b>	<b>25</b>
		3A	E. COLI	4/1/2022		6/30/2022
<u>IN2340030</u>	<b>MCGONIGAL BUICK GMC</b>			NTNC	<b>GW</b>	<b>65</b>
		03	NITRATE	1/1/2022		12/31/2022
		3A	E. COLI	10/1/2022		12/31/2022
<u>IN2340279</u>	<b>CHAPEL HILL CHRISTIAN CHURCH</b>			NTNC	<b>GW</b>	<b>695</b>
		66	LEAD & COPPER RULE	1/1/2022		
<u>IN2340350</u>	<b>MT. GILEAD BAPTIST CHURCH</b>			NC	<b>GW</b>	<b>45</b>
		3A	E. COLI	8/1/2022		8/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2340807</u>	<b>BEAVER POINT CAMPGROUNDS</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
	3A	<i>E. COLI</i>		8/1/2022	8/31/2022
<u>IN2340834</u>	<b>MORNING STAR CHURCH</b>			<b>NC</b>	<b>GW</b>
	66	<i>LEAD &amp; COPPER RULE</i>		1/1/2017	5/12/2022
	66	<i>LEAD &amp; COPPER RULE</i>		1/1/2018	5/12/2022
	66	<i>LEAD &amp; COPPER RULE</i>		1/1/2019	5/12/2022
	66	<i>LEAD &amp; COPPER RULE</i>		1/1/2021	5/12/2022
<u>IN2340851</u>	<b>MORE FARM STORES</b>			<b>NC</b>	<b>GW</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022
	3A	<i>E. COLI</i>		12/1/2022	12/31/2022
<u>IN2350001</u>	<b>MASHIANA BP</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		1/1/2022	3/31/2022
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022
<u>IN2350009</u>	<b>HUNTINGTON AIRPORT</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022
<u>IN2360004</u>	<b>LIVING WORD BAPTIST CHURCH</b>			<b>NC</b>	<b>GW</b>
	34	<i>E. COLI</i>		12/22/2022	1/23/2023
<u>IN2360158</u>	<b>RATCLIFF GROVE CHRISTIAN CHURCH</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		4/1/2022	4/30/2022
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022
<u>IN2370006</u>	<b>WHEATFIELD ELEMENTARY SCHOOL</b>			<b>NTNC</b>	<b>GW</b>
	56	<i>LEAD &amp; COPPER RULE</i>		7/1/2022	12/31/2022
<u>IN2370029</u>	<b>BETHANY EVANGELICAL FREE CHURCH</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		4/1/2022	6/30/2022
<u>IN2370030</u>	<b>SCHOOL CROSSINGS MARKETPLACE</b>			<b>NTNC</b>	<b>GW</b>
	03	<i>CHLOROBENZENE</i>		1/1/2022	12/31/2022
	03	<i>1,1,1-TRICHLOROETHANE</i>		1/1/2022	12/31/2022
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
	03	<i>ETHYLBENZENE</i>		1/1/2022	12/31/2022

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	03	DICHLOROMETHANE	1/1/2022	12/31/2022	
	03	CHROMIUM	1/1/2022	12/31/2022	
	03	TOLUENE	1/1/2022	12/31/2022	
	03	BENZENE	1/1/2022	12/31/2022	
	03	SELENIUM	1/1/2022	12/31/2022	
	03	CARBON TETRACHLORIDE	1/1/2022	12/31/2022	
	03	O-DICHLOROBENZENE	1/1/2022	12/31/2022	
	03	TRANS-1,2-DICHLOROETHYLENE	1/1/2022	12/31/2022	
	03	1,1-DICHLOROETHYLENE	1/1/2022	12/31/2022	
	03	1,2-DICHLOROPROPANE	1/1/2022	12/31/2022	
	03	MERCURY	1/1/2022	12/31/2022	
	03	NICKEL	1/1/2022	12/31/2022	
	03	1,2-DICHLOROETHANE	1/1/2022	12/31/2022	
	03	TETRACHLOROETHYLENE	1/1/2022	12/31/2022	
	03	BERYLLIUM, TOTAL	1/1/2022	12/31/2022	
	03	THALLIUM, TOTAL	1/1/2022	12/31/2022	
	03	VINYL CHLORIDE	1/1/2022	12/31/2022	
	03	CIS-1,2-DICHLOROETHYLENE	1/1/2022	12/31/2022	
	03	P-DICHLOROBENZENE	1/1/2022	12/31/2022	
	03	CADMIUM	1/1/2022	12/31/2022	
	03	TRICHLOROETHYLENE	1/1/2022	12/31/2022	
	03	BARIUM	1/1/2022	12/31/2022	
	03	STYRENE	1/1/2022	12/31/2022	
	03	XYLENES, TOTAL	1/1/2022	12/31/2022	
	03	ARSENIC	1/1/2022	12/31/2022	
	03	1,2,4-TRICHLOROBENZENE	1/1/2022	12/31/2022	
	03	CYANIDE	1/1/2022	12/31/2022	
	03	1,1,2-TRICHLOROETHANE	1/1/2022	12/31/2022	
	03	ANTIMONY, TOTAL	1/1/2022	12/31/2022	
	3A	E. COLI	7/1/2022	9/30/2022	
<u>IN2370034</u>	CASTONGIAS INC.		NC	<b>GW</b>	<b>25</b>
	03	NITRATE	1/1/2022	12/31/2022	
	3A	E. COLI	4/1/2022	4/30/2022	
	3A	E. COLI	6/1/2022	6/30/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
3A	<i>E. COLI</i>	7/1/2022	7/31/2022			
<u>IN2370047</u>	<b>WHEATFIELD LANES</b>			<b>NC</b>	<b>GW</b>	<b>25</b>
03	<i>NITRATE</i>	1/1/2022	12/31/2022			
3A	<i>E. COLI</i>	9/1/2022	9/30/2022			
3A	<i>E. COLI</i>	10/1/2022	10/31/2022			
3A	<i>E. COLI</i>	11/1/2022	11/30/2022			
3A	<i>E. COLI</i>	12/1/2022	12/31/2022			
<u>IN2370049</u>	<b>KROL FAMILY MEDICINE</b>			<b>NC</b>	<b>GW</b>	<b>33</b>
3A	<i>E. COLI</i>	7/1/2022	9/30/2022			
<u>IN2370052</u>	<b>T-MART</b>			<b>NC</b>	<b>GW</b>	<b>27</b>
3A	<i>E. COLI</i>	8/1/2022	8/31/2022			
3A	<i>E. COLI</i>	9/1/2022	9/30/2022			
3A	<i>E. COLI</i>	10/1/2022	10/31/2022			
3A	<i>E. COLI</i>	12/1/2022	12/31/2022			
<u>IN2370055</u>	<b>DEMOTTE MEDICAL CENTER</b>			<b>NC</b>	<b>GW</b>	<b>30</b>
3A	<i>E. COLI</i>	1/1/2022	3/31/2022			
3A	<i>E. COLI</i>	5/1/2022	5/31/2022			
<u>IN2370069</u>	<b>STEVES GRILL</b>			<b>NC</b>	<b>GW</b>	<b>88</b>
34	<i>E. COLI</i>	12/28/2021	1/10/2022			
<u>IN2370074</u>	<b>FIRST CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>718</b>
3A	<i>E. COLI</i>	4/1/2022	6/30/2022			
3A	<i>E. COLI</i>	10/1/2022	12/31/2022			
<u>IN2370093</u>	<b>PORTER PHYSICIAN SERVICES</b>			<b>NC</b>	<b>GW</b>	<b>60</b>
3A	<i>E. COLI</i>	4/1/2022	4/30/2022			
3A	<i>E. COLI</i>	10/1/2022	10/31/2022			
3A	<i>E. COLI</i>	11/1/2022	11/30/2022			
3A	<i>E. COLI</i>	12/1/2022	12/31/2022			
<u>IN2370094</u>	<b>FAMILY DOLLAR</b>			<b>NC</b>	<b>GW</b>	<b>25</b>
03	<i>NITRATE</i>	1/1/2022	12/31/2022			
3A	<i>E. COLI</i>	7/1/2022	9/30/2022			
<u>IN2370106</u>	<b>KNIMAN BAR &amp; GRILL, INC.</b>			<b>NC</b>	<b>GW</b>	<b>30</b>
03	<i>NITRATE</i>	1/1/2022	12/31/2022			

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
	3A	<i>E. COLI</i>	2/1/2022		2/28/2022
	3A	<i>E. COLI</i>	3/1/2022		3/31/2022
	3A	<i>E. COLI</i>	4/1/2022		4/30/2022
	3A	<i>E. COLI</i>	5/1/2022		5/31/2022
	3A	<i>E. COLI</i>	6/1/2022		6/30/2022
	3A	<i>E. COLI</i>	7/1/2022		7/31/2022
	3A	<i>E. COLI</i>	8/1/2022		8/31/2022
	3A	<i>E. COLI</i>	9/1/2022		9/30/2022
	3A	<i>E. COLI</i>	10/1/2022		10/31/2022
<u>IN2370114</u>	<b>SORROWFUL MOTHER CHURCH</b>		<b>NC</b>	<b>GW</b>	<b>100</b>
	34	<i>E. COLI</i>	7/29/2022		8/11/2022
<u>IN2370121</u>	<b>UNITED METHODIST CHURCH</b>		<b>NC</b>	<b>GW</b>	<b>100</b>
	3A	<i>E. COLI</i>	4/1/2022		6/30/2022
<u>IN2370122</u>	<b>IMMANUEL UNITED REFORMED CHURCH</b>		<b>NC</b>	<b>GW</b>	<b>150</b>
	03	<i>NITRATE</i>	1/1/2022		12/31/2022
	3A	<i>E. COLI</i>	1/1/2022		3/31/2022
<u>IN2370801</u>	<b>HOLLEY'S RESTAURANT &amp; LOUNGE</b>		<b>NC</b>	<b>GW</b>	<b>200</b>
	03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2370834</u>	<b>TALBERT MFG., INC.</b>		<b>NTNC</b>	<b>GW</b>	<b>150</b>
	52	<i>LEAD &amp; COPPER RULE</i>	10/1/2021		10/16/2022
<u>IN2370852</u>	<b>SANDY PINES GOLF COURSE</b>		<b>NC</b>	<b>GW</b>	<b>152</b>
	03	<i>NITRATE</i>	1/1/2022		12/31/2022
	3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2370871</u>	<b>REMINGTON TRUCK PLAZA</b>		<b>NC</b>	<b>GW</b>	<b>107</b>
	3A	<i>E. COLI</i>	1/1/2022		3/31/2022
<u>IN2370872</u>	<b>TRAVELCENTERS OF AMERICA</b>		<b>NTNC</b>	<b>GW</b>	<b>1275</b>
	3A	<i>E. COLI</i>	9/1/2022		9/30/2022
	3A	<i>E. COLI</i>	10/1/2022		10/31/2022
	3A	<i>E. COLI</i>	11/1/2022		11/30/2022
	52	<i>LEAD &amp; COPPER RULE</i>	10/1/2022		
<u>IN2370876</u>	<b>JC COUNTRY STORE &amp; RUSTY TRACTOR CAF</b>		<b>NC</b>	<b>GW</b>	<b>31</b>
	3A	<i>E. COLI</i>	7/1/2022		9/30/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
<u>IN2370881</u>	<b>ROBERT FASE SENIOR CENTER</b>			<b>NTNC</b>	<b>GW</b> 69
3A	<i>E. COLI</i>	5/1/2022		5/31/2022	
<u>IN2380006</u>	<b>BEARCREEK PAROCHIAL AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b> 45
3A	<i>E. COLI</i>	7/1/2022		9/30/2022	
<u>IN2380009</u>	<b>JAY CO. SCOUT FACILITY INC.</b>			<b>NC</b>	<b>GW</b> 35
3A	<i>E. COLI</i>	8/1/2022		8/31/2022	
<u>IN2380010</u>	<b>FELLOWSHIP BAPTIST CHURCH</b>			<b>NTNC</b>	<b>GW</b> 294
03	<i>NITRATE</i>	1/1/2022		12/31/2022	
34	<i>E. COLI</i>	1/5/2022			
52	<i>LEAD &amp; COPPER RULE</i>	10/1/2019		1/10/2022	
52	<i>LEAD &amp; COPPER RULE</i>	10/1/2022			
<u>IN2380014</u>	<b>FOX LAKE OUTDOOR VENTURES</b>			<b>NC</b>	<b>GW</b> 30
03	<i>NITRATE</i>	1/1/2022		12/31/2022	
3A	<i>E. COLI</i>	4/1/2022		4/30/2022	
3A	<i>E. COLI</i>	5/1/2022		5/31/2022	
3A	<i>E. COLI</i>	7/1/2022		7/31/2022	
3A	<i>E. COLI</i>	8/1/2022		8/31/2022	
3A	<i>E. COLI</i>	9/1/2022		9/30/2022	
<u>IN2380017</u>	<b>JAY CREEK AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b> 50
03	<i>NITRATE</i>	1/1/2022		12/31/2022	
3A	<i>E. COLI</i>	4/1/2022		6/30/2022	
<u>IN2380058</u>	<b>UNION CHAPEL CHURCH</b>			<b>NC</b>	<b>GW</b> 100
34	<i>E. COLI</i>	8/17/2022		11/21/2022	
3B	<i>E. COLI</i>	9/1/2022		9/30/2022	
<u>IN2380835</u>	<b>PAK A SAK #85</b>			<b>NC</b>	<b>GW</b> 101
03	<i>NITRATE</i>	1/1/2022		12/31/2022	
<u>IN2380840</u>	<b>IU HEALTH BALL MEMORIAL HOSPITAL</b>			<b>NC</b>	<b>GW</b> 25
03	<i>NITRATE</i>	1/1/2022		12/31/2022	
3A	<i>E. COLI</i>	1/1/2022		1/31/2022	
3A	<i>E. COLI</i>	2/1/2022		2/28/2022	
3A	<i>E. COLI</i>	6/1/2022		6/30/2022	
3A	<i>E. COLI</i>	7/1/2022		7/31/2022	

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
	3A	<i>E. COLI</i>	12/1/2022	12/31/2022	
<u>IN2380849</u>	<b>LIMBERLOST AMISH SCHOOL</b>		<b>NC</b>	<b>GW</b>	<b>45</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	3A	<i>E. COLI</i>	7/1/2022	9/30/2022	
<u>IN2380850</u>	<b>FAITH EVANGELICAL CHURCH</b>		<b>NC</b>	<b>GW</b>	<b>25</b>
	34	<i>E. COLI</i>	7/30/2022	8/8/2022	
<u>IN2410002</u>	<b>APOSTOLIC GOSPEL CHURCH</b>		<b>NC</b>	<b>GW</b>	<b>100</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<u>IN2410021</u>	<b>L&amp;E ENGINEERING</b>		<b>NTNC</b>	<b>GW</b>	<b>52</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	34	<i>E. COLI</i>	9/1/2022	9/20/2022	
	3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
	3A	<i>E. COLI</i>	12/1/2022	12/31/2022	
<u>IN2410127</u>	<b>AMITY BAPTIST CHURCH</b>		<b>NC</b>	<b>GW</b>	<b>77</b>
	3A	<i>E. COLI</i>	7/1/2022	9/30/2022	
<u>IN2410144</u>	<b>HURRICANE COMMUNITY CHURCH</b>		<b>NC</b>	<b>GW</b>	<b>200</b>
	3A	<i>E. COLI</i>	7/1/2022	9/30/2022	
<u>IN2410905</u>	<b>JOHNSON COUNTY SALE PAVILLION</b>		<b>NC</b>	<b>GW</b>	<b>76</b>
	3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
	3A	<i>E. COLI</i>	8/1/2022	8/31/2022	
	3A	<i>E. COLI</i>	9/1/2022	9/30/2022	
	3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
	3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
	3A	<i>E. COLI</i>	12/1/2022	12/31/2022	
<u>IN2410919</u>	<b>SONOCO FLEXIBLE PACKAGING</b>		<b>NTNC</b>	<b>GW</b>	<b>165</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<u>IN2410963</u>	<b>CYPRESS RUN GOLF COURSE</b>		<b>NC</b>	<b>GW</b>	<b>55</b>
	3A	<i>E. COLI</i>	3/1/2022	3/31/2022	
	3A	<i>E. COLI</i>	4/1/2022	4/30/2022	
	3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
<u>IN2420005</u>	<b>DOLLS MOTEL</b>		<b>NC</b>	<b>GW</b>	<b>36</b>

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2420008</u>	<b>FELLOWSHIP BAPTIST CHURCH</b>			NC	<b>GW</b>	<b>25</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
<u>IN2430003</u>	<b>MILLERKIDS LLC DBA PINE BAY</b>			NC	<b>GW</b>	<b>94</b>
		3A	<i>E. COLI</i>	1/1/2022		3/31/2022
<u>IN2430021</u>	<b>BARTS WATER SKI CENTER, INC.</b>			NC	<b>GW</b>	<b>30</b>
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022
		3A	<i>E. COLI</i>	10/1/2022		10/31/2022
		3A	<i>E. COLI</i>	11/1/2022		11/30/2022
<u>IN2430032</u>	<b>TRANTER GRAPHICS, INC.</b>			NTNC	<b>GW</b>	<b>75</b>
		3B	<i>E. COLI</i>	7/1/2022		7/31/2022
<u>IN2430038</u>	<b>SUPERIOR WOOD PRODUCTS</b>			NTNC	<b>GW</b>	<b>37</b>
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2430049</u>	<b>CAMP ADVENTURE (ASBURY)</b>			NC	<b>GW</b>	<b>50</b>
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
<u>IN2430055</u>	<b>NEW LIFE CHRISTIAN CHUR &amp; WORLD OUTR</b>			NC	<b>GW</b>	<b>508</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		3A	<i>E. COLI</i>	1/1/2022		1/31/2022
		3A	<i>E. COLI</i>	2/1/2022		2/28/2022
		3A	<i>E. COLI</i>	3/1/2022		3/31/2022
		3A	<i>E. COLI</i>	4/1/2022		4/30/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
		3A	<i>E. COLI</i>	8/1/2022		8/31/2022
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022
		3A	<i>E. COLI</i>	10/1/2022		10/31/2022
		3A	<i>E. COLI</i>	11/1/2022		11/30/2022
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2430063</u>	<b>TIPPECANOE TOWNSHIP BLDG.</b>			NC	<b>GW</b>	<b>35</b>
		3A	<i>E. COLI</i>	3/1/2022		3/31/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022
<u>IN2430067</u>	<b>OLD 30 DELI MART</b>			<b>NC</b>	<b>GW</b> <b>200</b>
		3A	<i>E. COLI</i>	3/1/2022	3/31/2022
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
<u>IN2430070</u>	<b>VICTORY ROCK, INC.</b>			<b>NC</b>	<b>GW</b> <b>50</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
<u>IN2430075</u>	<b>TIPPECANOE LAKE COUNTRY CLUB - CLUBH</b>			<b>NC</b>	<b>GW</b> <b>150</b>
		34	<i>E. COLI</i>	8/5/2022	
<u>IN2430090</u>	<b>AVI FOOD SYSTEMS, INC.</b>			<b>NC</b>	<b>GW</b> <b>29</b>
		34	<i>E. COLI</i>	12/8/2021	1/13/2022
<u>IN2430091</u>	<b>MARIAS HOUSE OF PANCAKES - NORTH WEBS</b>			<b>NC</b>	<b>GW</b> <b>82</b>
		3A	<i>E. COLI</i>	1/1/2022	1/31/2022
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022
		3A	<i>E. COLI</i>	12/1/2022	12/31/2022
<u>IN2430097</u>	<b>BEAVER DAM UMC</b>			<b>NC</b>	<b>GW</b> <b>100</b>
		3A	<i>E. COLI</i>	10/1/2022	12/31/2022
<u>IN2430099</u>	<b>LOS TORITOS RESTAURANT</b>			<b>NC</b>	<b>GW</b> <b>25</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
<u>IN2430101</u>	<b>PURINA ANIMAL NUTRITION, LLC</b>			<b>NTNC</b>	<b>GW</b> <b>30</b>
		3A	<i>E. COLI</i>	7/1/2022	9/30/2022
		51	<i>LEAD &amp; COPPER RULE</i>	10/1/2022	
<u>IN2430102</u>	<b>SWANSONS SERVICE CENTER</b>			<b>NC</b>	<b>GW</b> <b>150</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022
<u>IN2430105</u>	<b>NEW HOPE FREEWILL BAPTIST CHURCH</b>			<b>NC</b>	<b>GW</b> <b>100</b>
		34	<i>E. COLI</i>	9/8/2022	9/19/2022
<u>IN2430128</u>	<b>CHRISTS COVENANT CHURCH</b>			<b>NC</b>	<b>GW</b> <b>560</b>
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022
<u>IN2430129</u>	<b>NORTH WEBSTER COMMUNITY CENTER</b>			<b>NC</b>	<b>GW</b> <b>113</b>

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
3A	<i>E. COLI</i>			12/1/2022		12/31/2022
<u>IN2430131</u>	<b>AMERICAN LEGION POST 253</b>				<b>NC</b>	<b>GW</b>
03	<i>NITRATE</i>			1/1/2022		12/31/2022
3A	<i>E. COLI</i>			1/1/2022		1/31/2022
3A	<i>E. COLI</i>			3/1/2022		3/31/2022
3A	<i>E. COLI</i>			8/1/2022		8/31/2022
3A	<i>E. COLI</i>			10/1/2022		10/31/2022
3A	<i>E. COLI</i>			11/1/2022		11/30/2022
<u>IN2430134</u>	<b>LOS CABRITOS</b>				<b>NC</b>	<b>GW</b>
03	<i>NITRATE</i>			1/1/2022		12/31/2022
3A	<i>E. COLI</i>			1/1/2022		1/31/2022
3A	<i>E. COLI</i>			2/1/2022		2/28/2022
3A	<i>E. COLI</i>			3/1/2022		3/31/2022
3A	<i>E. COLI</i>			4/1/2022		4/30/2022
3A	<i>E. COLI</i>			5/1/2022		5/31/2022
3A	<i>E. COLI</i>			6/1/2022		6/30/2022
3A	<i>E. COLI</i>			7/1/2022		7/31/2022
3A	<i>E. COLI</i>			8/1/2022		8/31/2022
3A	<i>E. COLI</i>			9/1/2022		9/30/2022
3A	<i>E. COLI</i>			10/1/2022		10/31/2022
3A	<i>E. COLI</i>			11/1/2022		11/30/2022
3A	<i>E. COLI</i>			12/1/2022		12/31/2022
<u>IN2430148</u>	<b>MENTONE B&amp;K</b>				<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>			9/1/2022		9/30/2022
3A	<i>E. COLI</i>			10/1/2022		10/31/2022
<u>IN2430150</u>	<b>K &amp; M ENTERPRISES - COSMO AND COMPANY</b>				<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>			10/1/2022		10/31/2022
<u>IN2430154</u>	<b>EGG INNOVATIONS</b>				<b>NTNC</b>	<b>GW</b>
52	<i>LEAD &amp; COPPER RULE</i>			10/1/2020		9/30/2022
52	<i>LEAD &amp; COPPER RULE</i>			10/1/2021		9/14/2022
<u>IN2430155</u>	<b>TOUCH OF LIFE CHURCH - WARSAW</b>				<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>			3/1/2022		3/31/2022
<u>IN2430159</u>	<b>INSTRUMENTAL MACHINE &amp; DEVELOPMENT</b>				<b>NTNC</b>	<b>GW</b>
						<b>124</b>

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
		66	LEAD & COPPER RULE	1/1/2022	
<u>IN2430168</u>	<b>BLUEBARN FARMHOUSE</b>			NC	GW
3A	<i>E. COLI</i>			4/1/2022	6/30/2022
<u>IN2430184</u>	<b>WONGS RESTAURANT</b>			NC	GW
34	<i>E. COLI</i>			10/29/2022	11/2/2022
3A	<i>E. COLI</i>			2/1/2022	2/28/2022
3A	<i>E. COLI</i>			5/1/2022	5/31/2022
<u>IN2430192</u>	<b>BARBEE HOTEL AND RESTAURANT</b>			NC	GW
34	<i>E. COLI</i>			12/8/2022	1/18/2023
<u>IN2430196</u>	<b>THE CHANNEL MARKER RESTAURANT</b>			NC	GW
03	<i>NITRATE</i>			1/1/2022	12/31/2022
<u>IN2430205</u>	<b>RICE FORD LINCOLN-MERCURY</b>			NC	GW
03	<i>NITRATE</i>			1/1/2022	12/31/2022
<u>IN2430208</u>	<b>WEBSTER PUB</b>			NC	GW
3A	<i>E. COLI</i>			7/1/2022	9/30/2022
<u>IN2430227</u>	<b>DWYERS TRAILER PARK</b>			NC	GW
34	<i>E. COLI</i>			8/13/2020	6/17/2022
<u>IN2430233</u>	<b>TRACTOR SUPPLY - WARSAW</b>			NC	GW
34	<i>E. COLI</i>			9/28/2022	10/14/2022
<u>IN2430239</u>	<b>PAULS WELDING, INC.</b>			NTNC	GW
52	<i>LEAD &amp; COPPER RULE</i>			10/1/2022	11/10/2022
<u>IN2430240</u>	<b>THE KEG TAVERN</b>			NC	GW
3A	<i>E. COLI</i>			2/1/2022	2/28/2022
3A	<i>E. COLI</i>			3/1/2022	3/31/2022
3A	<i>E. COLI</i>			5/1/2022	5/31/2022
3A	<i>E. COLI</i>			6/1/2022	6/30/2022
3A	<i>E. COLI</i>			7/1/2022	7/31/2022
3A	<i>E. COLI</i>			10/1/2022	10/31/2022
3A	<i>E. COLI</i>			11/1/2022	11/30/2022
<u>IN2430242</u>	<b>NISSAN OF WARSAW DBA TKO WARSAW LLC</b>			NC	GW
03	<i>NITRATE</i>			1/1/2022	12/31/2022
<u>IN2430253</u>	<b>G &amp; G HAULING &amp; EXCAVATING</b>			NC	GW
					77

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2430257</u>	<b>WARSAW CHURCH OF GOD</b>			NC	<b>GW</b>	<b>75</b>
		34	<i>E. COLI</i>	12/1/2022		4/10/2023
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2430260</u>	<b>DUTCHTOWN BRETHREN CHURCH</b>			NC	<b>GW</b>	<b>75</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2430271</u>	<b>PLEASANT VIEW BIBLE CHURCH/DC</b>			NTNC	<b>GW</b>	<b>597</b>
		66	<i>LEAD &amp; COPPER RULE</i>	4/6/2003		4/20/2023
<u>IN2430273</u>	<b>ECHO SPRINGS CONDO ASSOCIATION</b>			NC	<b>GW</b>	<b>53</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		3A	<i>E. COLI</i>	10/1/2022		12/31/2022
<u>IN2430276</u>	<b>TIPPECANOE LAKE COUNTRY CLUB-GOLF CO</b>			NC	<b>GW</b>	<b>150</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		34	<i>E. COLI</i>	4/16/2022		
		34	<i>E. COLI</i>	8/30/2022		
<u>IN2430281</u>	<b>MILFORD ANIMAL CLINIC</b>			NC	<b>GW</b>	<b>35</b>
		34	<i>E. COLI</i>	12/27/2022		1/16/2023
<u>IN2430287</u>	<b>BURKET BIBLE CHURCH</b>			NC	<b>GW</b>	<b>95</b>
		3A	<i>E. COLI</i>	2/1/2022		2/28/2022
		3A	<i>E. COLI</i>	3/1/2022		3/31/2022
<u>IN2430289</u>	<b>BLUE BARN BERRY FARM</b>			NC	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
<u>IN2430294</u>	<b>LAKELAND EAGLES #3760</b>			NC	<b>GW</b>	<b>27</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		3A	<i>E. COLI</i>	1/1/2022		3/31/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022
<u>IN2430301</u>	<b>EEL RIVER COMMUNITY CHURCH OF BRETH</b>			NC	<b>GW</b>	<b>50</b>
		3A	<i>E. COLI</i>	1/1/2022		1/31/2022
<u>IN2430808</u>	<b>YMCA CAMP CROSLEY-NORTH VILLAGE</b>			NC	<b>GW</b>	<b>75</b>
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
<u>IN2430809</u>	<b>NAOMIS LAKE BREEZE CAMPGROUND</b>			NC	<b>GW</b>	<b>50</b>

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		34	E. COLI	7/7/2022		7/12/2022
<u>IN2430825</u>	<b>HAPPY WOK RESTAURANT</b>			NC	<b>GW</b>	<b>54</b>
		34	E. COLI	8/4/2022		8/29/2022
<u>IN2430926</u>	<b>PAR-KAN COMPANY</b>			NTNC	<b>GW</b>	<b>85</b>
		03	ARSENIC	1/1/2022		3/31/2022
<u>IN2430975</u>	<b>CAMP LOGAN - WEBSTER UNIT</b>			NC	<b>GW</b>	<b>100</b>
		3A	E. COLI	4/1/2022		6/30/2022
<u>IN2431009</u>	<b>QUAKER HAVEN CAMP RETREAT</b>			NC	<b>GW</b>	<b>36</b>
		3A	E. COLI	4/1/2022		6/30/2022
<u>IN2431032</u>	<b>CAMP MOLLENHOUR</b>			NC	<b>GW</b>	<b>100</b>
		3A	E. COLI	7/1/2022		7/31/2022
		3A	E. COLI	9/1/2022		9/30/2022
<u>IN2431041</u>	<b>KOS CO FAIRGROUNDS WOMENS BLDG</b>			NC	<b>GW</b>	<b>60</b>
		3A	E. COLI	2/1/2022		2/28/2022
<u>IN2431054</u>	<b>COMMUNITY BIBLE CHURCH OF WARSAW</b>			NC	<b>GW</b>	<b>40</b>
		3A	E. COLI	4/1/2022		6/30/2022
<u>IN2431061</u>	<b>ROZELLA FORD GOLF CLUB</b>			NC	<b>GW</b>	<b>50</b>
		03	NITRATE	1/1/2022		12/31/2022
		3A	E. COLI	7/1/2022		7/31/2022
		3A	E. COLI	8/1/2022		8/31/2022
<u>IN2431073</u>	<b>HOPE CHURCH - ATWOOD</b>			NC	<b>GW</b>	<b>70</b>
		3A	E. COLI	4/1/2022		6/30/2022
<u>IN2431079</u>	<b>CAMP ADVENTURE-LOOKOUT LODGE</b>			NC	<b>GW</b>	<b>50</b>
		3A	E. COLI	6/1/2022		6/30/2022
		3A	E. COLI	7/1/2022		7/31/2022
<u>IN2431080</u>	<b>LITTLE NEW YORK</b>			NC	<b>GW</b>	<b>45</b>
		03	NITRATE	1/1/2022		12/31/2022
<u>IN2431084</u>	<b>SHEILAS SWEET TREATS</b>			NC	<b>GW</b>	<b>25</b>
		03	NITRATE	1/1/2022		12/31/2022
		3A	E. COLI	5/1/2022		5/31/2022
<u>IN2431088</u>	<b>GRAVELTON PAROCHIAL AMISH SCHOOL</b>			NC	<b>GW</b>	<b>43</b>
		3A	E. COLI	6/1/2022		6/30/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
<u>IN2431092</u>	<b>TIPPECANOE VALLEY MIDDLE SCHOOL</b>			<b>NTNC</b>	<b>GW</b>	<b>474</b>
	3A	<i>E. COLI</i>		1/1/2022	3/31/2022	
	66	<i>LEAD &amp; COPPER RULE</i>		1/1/2022		
<u>IN2431093</u>	<b>TIPPECANOE VALLEY HIGH SCHOOL</b>			<b>NTNC</b>	<b>GW</b>	<b>611</b>
	3A	<i>E. COLI</i>		1/1/2022	3/31/2022	
	56	<i>LEAD &amp; COPPER RULE</i>		1/1/2022		
	66	<i>LEAD &amp; COPPER RULE</i>		1/1/2022		
<u>IN2431120</u>	<b>FIRST BAPTIST CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>98</b>
	3A	<i>E. COLI</i>		4/1/2022	6/30/2022	
<u>IN2431131</u>	<b>PLAIN TOWNSHIP SERVICES FACILITY</b>			<b>NC</b>	<b>GW</b>	<b>30</b>
	3A	<i>E. COLI</i>		4/1/2022	6/30/2022	
	3A	<i>E. COLI</i>		10/1/2022	12/31/2022	
<u>IN2431137</u>	<b>CELEBRATION UMC</b>			<b>NC</b>	<b>GW</b>	<b>53</b>
	3A	<i>E. COLI</i>		2/1/2022	2/28/2022	
<u>IN2431138</u>	<b>LIVING HOPE MINISTRIES</b>			<b>NC</b>	<b>GW</b>	<b>85</b>
	34	<i>E. COLI</i>		11/17/2016	12/1/2022	
	3B	<i>E. COLI</i>		12/1/2022	12/31/2022	
<u>IN2431142</u>	<b>LAKES GRILL RESTAURANT</b>			<b>NC</b>	<b>GW</b>	<b>50</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022	
<u>IN2431143</u>	<b>WARSAW TENNIS AND FITNESS CLUB</b>			<b>NC</b>	<b>GW</b>	<b>47</b>
	34	<i>E. COLI</i>		5/26/2021	12/20/2022	
	34	<i>E. COLI</i>		8/31/2022	12/20/2022	
	34	<i>E. COLI</i>		10/19/2022	12/20/2022	
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022	
	3A	<i>E. COLI</i>		9/1/2022	9/30/2022	
	3A	<i>E. COLI</i>		11/1/2022	11/30/2022	
<u>IN2431147</u>	<b>LEESBURG GRACE BRETHREN CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>80</b>
	34	<i>E. COLI</i>		12/16/2022	1/17/2023	
	3A	<i>E. COLI</i>		2/1/2022	2/28/2022	
<u>IN2431148</u>	<b>J HAM BAR LLC, DBA LUCKYS</b>			<b>NC</b>	<b>GW</b>	<b>39</b>
	34	<i>E. COLI</i>		11/2/2022	12/5/2022	
<u>IN2431150</u>	<b>LEESBURG STOP N GO</b>			<b>NC</b>	<b>GW</b>	<b>903</b>

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022
<u>IN2431152</u>	<b>NIGHTSHIFT OF NORTH WEBSTER</b>			NC	<b>GW</b>	<b>75</b>
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
<u>IN2431154</u>	<b>NORTH WEBSTER UMC</b>			NC	<b>GW</b>	<b>200</b>
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2431156</u>	<b>GURLEEN PETROLEUM DBA ANGEL FOOD</b>			NC	<b>GW</b>	<b>108</b>
		3A	<i>E. COLI</i>	1/1/2022		1/31/2022
		3A	<i>E. COLI</i>	2/1/2022		2/28/2022
		3A	<i>E. COLI</i>	3/1/2022		3/31/2022
		3A	<i>E. COLI</i>	4/1/2022		4/30/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022
		3A	<i>E. COLI</i>	10/1/2022		10/31/2022
		3A	<i>E. COLI</i>	11/1/2022		11/30/2022
<u>IN2431163</u>	<b>SHEPHERD BY THE LAKES LUTHERAN CHURC</b>			NC	<b>GW</b>	<b>81</b>
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
<u>IN2431165</u>	<b>VINEYARD CHURCH</b>			NC	<b>GW</b>	<b>350</b>
		3A	<i>E. COLI</i>	8/1/2022		8/31/2022
<u>IN2431168</u>	<b>NEW SALEM CHURCH</b>			NC	<b>GW</b>	<b>60</b>
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
<u>IN2440030</u>	<b>NATURE VALLEY AMISH PAROCHIAL SCHOO</b>			NC	<b>GW</b>	<b>34</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
<u>IN2440037</u>	<b>EDEN MEADOW AMISH SCHOOL</b>			NC	<b>GW</b>	<b>38</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2440045</u>	<b>FOXWOOD HILLS COMMUNITY ASSOCIATION</b>			NC	<b>GW</b>	<b>47</b>
		34	<i>E. COLI</i>	10/1/2021		5/18/2022
<u>IN2440048</u>	<b>SHIPSHE MEADOWS AMISH SCHOOL</b>			NC	<b>GW</b>	<b>29</b>
		3A	<i>E. COLI</i>	10/1/2022		12/31/2022
<u>IN2440050</u>	<b>PAIGE CREEK AMISH SCHOOL</b>			NC	<b>GW</b>	<b>27</b>

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		34	<i>E. COLI</i>	9/8/2022		9/21/2022
<u>IN2440056</u>	<b>BRETHREN RETREAT CENTER</b>			NC	<b>GW</b>	<b>72</b>
		34	<i>E. COLI</i>	8/31/2022		9/28/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
<u>IN2440068</u>	<b>CHURCH OF THE STONE</b>			NC	<b>GW</b>	<b>67</b>
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2440073</u>	<b>PARKVIEW LAGRANGE HOSPITAL - EMERG W</b>			NC	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	1/1/2022		3/31/2022
<u>IN2440081</u>	<b>HONEYVILLE AMISH SCHOOL</b>			NC	<b>GW</b>	<b>45</b>
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2440083</u>	<b>CROOKED CREEK OUTPOST</b>			NC	<b>GW</b>	<b>50</b>
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
<u>IN2440085</u>	<b>HIDDEN COVE AMISH SCHOOL</b>			NC	<b>GW</b>	<b>40</b>
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
<u>IN2440089</u>	<b>ONTARIO ACRES AMISH SCHOOL</b>			NC	<b>GW</b>	<b>32</b>
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2440091</u>	<b>BLUE HERON AMISH SCHOOL</b>			NC	<b>GW</b>	<b>30</b>
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
<u>IN2440095</u>	<b>PHEASANT TRAIL AMISH SCHOOL</b>			NC	<b>GW</b>	<b>25</b>
		34	<i>E. COLI</i>	8/11/2022		8/17/2022
<u>IN2440097</u>	<b>TILFERT LAKE AMISH SCHOOL</b>			NC	<b>GW</b>	<b>30</b>
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
<u>IN2440098</u>	<b>FLY CREEK AMISH SCHOOL</b>			NC	<b>GW</b>	<b>25</b>
		34	<i>E. COLI</i>	7/7/2022		8/23/2022
<u>IN2440099</u>	<b>SEYBERT TRAIL AMISH SCHOOL</b>			NC	<b>GW</b>	<b>37</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
<u>IN2440103</u>	<b>PIGEON RIVER AMISH SCHOOL</b>			NC	<b>GW</b>	<b>27</b>
		3A	<i>E. COLI</i>	1/1/2022		1/31/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
<u>IN2440106</u>	<b>RISE &amp; SHINE MARKET PLACE</b>			NC	<b>GW</b>	<b>105</b>
		3A	<i>E. COLI</i>	10/1/2022		12/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2440109</u>	<b>ORCHARD VIEW AMISH SCHOOL</b>			NC	<b>GW</b>
3A	<i>E. COLI</i>			4/1/2022	6/30/2022
<u>IN2440110</u>	<b>TIMBER EDGE AMISH SCHOOL</b>			NC	<b>GW</b>
34	<i>E. COLI</i>			9/28/2022	10/19/2022
<u>IN2440114</u>	<b>DUTCH CREEK FARM ANIMAL PARK</b>			NC	<b>GW</b>
34	<i>E. COLI</i>			11/4/2020	3/28/2023
3A	<i>E. COLI</i>			5/1/2022	5/31/2022
3A	<i>E. COLI</i>			6/1/2022	6/30/2022
3A	<i>E. COLI</i>			7/1/2022	7/31/2022
<u>IN2440119</u>	<b>SANDY ACRES AMISH SCHOOL</b>			NC	<b>GW</b>
3A	<i>E. COLI</i>			10/1/2022	12/31/2022
<u>IN2440122</u>	<b>ATWOOD SHORES CAMPGROUND - WELL #2</b>			NC	<b>GW</b>
03	<i>NITRATE</i>			1/1/2022	12/31/2022
3A	<i>E. COLI</i>			4/1/2022	4/30/2022
3A	<i>E. COLI</i>			5/1/2022	5/31/2022
3A	<i>E. COLI</i>			6/1/2022	6/30/2022
3A	<i>E. COLI</i>			7/1/2022	7/31/2022
3A	<i>E. COLI</i>			8/1/2022	8/31/2022
3A	<i>E. COLI</i>			9/1/2022	9/30/2022
3A	<i>E. COLI</i>			10/1/2022	10/31/2022
<u>IN2440125</u>	<b>WEST ADAMS AMISH SCHOOL</b>			NC	<b>GW</b>
34	<i>E. COLI</i>			8/30/2022	9/26/2022
<u>IN2440800</u>	<b>CHURCH OF CHRIST OF S. MILFORD</b>			NC	<b>GW</b>
34	<i>E. COLI</i>			8/27/2022	9/2/2022
3A	<i>E. COLI</i>			4/1/2022	4/30/2022
3A	<i>E. COLI</i>			5/1/2022	5/31/2022
<u>IN2440813</u>	<b>EDEN WORSHIP CENTER</b>			NC	<b>GW</b>
3A	<i>E. COLI</i>			1/1/2022	3/31/2022
<u>IN2440816</u>	<b>HOWIES SIX MILE RESTAURANT</b>			NC	<b>GW</b>
3A	<i>E. COLI</i>			4/1/2022	6/30/2022
3A	<i>E. COLI</i>			9/1/2022	9/30/2022
3A	<i>E. COLI</i>			10/1/2022	10/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2440823</u>	<b>BRIGHTON CHAPEL BRETHREN CHURCH, INC</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		1/1/2022	1/31/2022
	3A	<i>E. COLI</i>		2/1/2022	2/28/2022
	3A	<i>E. COLI</i>		12/1/2022	12/31/2022
<u>IN2440825</u>	<b>CEDAR LAKE GOLF COURSE</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		8/1/2022	8/31/2022
	3A	<i>E. COLI</i>		10/1/2022	10/31/2022
<u>IN2440826</u>	<b>HOWE BP</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022
<u>IN2440827</u>	<b>HOWE FAMILY PANTRY</b>			<b>NC</b>	<b>GW</b>
	34	<i>E. COLI</i>		7/13/2022	7/19/2022
<u>IN2440828</u>	<b>HOWE RESTAURANT</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		7/1/2022	9/30/2022
<u>IN2440829</u>	<b>RED OWL LOUNGE</b>			<b>NC</b>	<b>GW</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
<u>IN2440832</u>	<b>HERON CREEK GOLF CLUB</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		7/1/2022	9/30/2022
<u>IN2440837</u>	<b>LIMA UNITED METHODIST CHURCH</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		4/1/2022	6/30/2022
<u>IN2440845</u>	<b>NEW VALENTINE AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		4/1/2022	4/30/2022
<u>IN2440862</u>	<b>COTTONWOOD GROVE AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	34	<i>E. COLI</i>		11/16/2022	12/12/2022
<u>IN2440866</u>	<b>MONGO TAVERN</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		7/1/2022	9/30/2022
	3A	<i>E. COLI</i>		10/1/2022	12/31/2022
<u>IN2440868</u>	<b>MIDDLE BARRENS AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
<u>IN2440877</u>	<b>MARION MENNONITE CHURCH</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		4/1/2022	6/30/2022
<u>IN2440882</u>	<b>EAST SPRINGFIELD UNITED METHODIST CHU</b>			<b>NC</b>	<b>GW</b>
					<b>75</b>

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
3A	<i>E. COLI</i>	4/1/2022	6/30/2022			
<u>IN2440883</u>	<b>FIVE CORNER BAPTIST CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>50</b>
03	<i>NITRATE</i>	1/1/2022	12/31/2022			
34	<i>E. COLI</i>	12/16/2017	7/18/2022			
34	<i>E. COLI</i>	2/14/2018	7/18/2022			
34	<i>E. COLI</i>	3/9/2018	7/18/2022			
34	<i>E. COLI</i>	5/12/2018	7/18/2022			
34	<i>E. COLI</i>	6/8/2018	7/18/2022			
34	<i>E. COLI</i>	6/26/2018	7/18/2022			
34	<i>E. COLI</i>	8/4/2018	7/18/2022			
34	<i>E. COLI</i>	8/2/2019	8/10/2022			
3A	<i>E. COLI</i>	6/1/2022	6/30/2022			
3A	<i>E. COLI</i>	9/1/2022	9/30/2022			
3A	<i>E. COLI</i>	12/1/2022	12/31/2022			
<u>IN2440886</u>	<b>CROSSROADS BAPTIST CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>92</b>
3A	<i>E. COLI</i>	2/1/2022	2/28/2022			
3A	<i>E. COLI</i>	8/1/2022	8/31/2022			
3A	<i>E. COLI</i>	9/1/2022	9/30/2022			
<u>IN2440890</u>	<b>WOODRUFF GROVE UNITED METHODIST CHU</b>			<b>NC</b>	<b>GW</b>	<b>70</b>
3A	<i>E. COLI</i>	1/1/2022	3/31/2022			
<u>IN2440898</u>	<b>HOWE UNITED METHODIST CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>70</b>
3A	<i>E. COLI</i>	4/1/2022	6/30/2022			
<u>IN2440899</u>	<b>GATHERING PLACE RESTAURANT, INC.</b>			<b>NC</b>	<b>GW</b>	<b>400</b>
3A	<i>E. COLI</i>	4/1/2022	6/30/2022			
<u>IN2440907</u>	<b>FAMOUS FISH OF STROH</b>			<b>NC</b>	<b>GW</b>	<b>50</b>
3A	<i>E. COLI</i>	8/1/2022	8/31/2022			
<u>IN2440919</u>	<b>FARMERS STATE BANK - STROH</b>			<b>NC</b>	<b>GW</b>	<b>35</b>
03	<i>NITRATE</i>	1/1/2022	12/31/2022			
<u>IN2440963</u>	<b>LEISURE ACRES (TWIN MILLS RESORT)</b>			<b>NC</b>	<b>GW</b>	<b>33</b>
3A	<i>E. COLI</i>	10/1/2022	10/31/2022			
<u>IN2440966</u>	<b>CAMP POTAWATOMI YMCA MAIN SHOWER</b>			<b>NC</b>	<b>GW</b>	<b>60</b>
03	<i>NITRATE</i>	1/1/2022	12/31/2022			

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
	34	<i>E. COLI</i>		8/5/2022	8/22/2022
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022
<u>IN2440984</u>	<b>CAMP POTAWATOMI YMCA SHARPLESS</b>			<b>NC</b>	<b>GW</b> <b>60</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022
<u>IN2440990</u>	<b>DALLAS LAKE PARK</b>			<b>NC</b>	<b>GW</b> <b>25</b>
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
<u>IN2440991</u>	<b>DELT CHURCH PARK</b>			<b>NC</b>	<b>GW</b> <b>25</b>
	3A	<i>E. COLI</i>		4/1/2022	4/30/2022
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
	3A	<i>E. COLI</i>		10/1/2022	10/31/2022
<u>IN2440993</u>	<b>ROGERS PARK</b>			<b>NC</b>	<b>GW</b> <b>25</b>
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
<u>IN2441002</u>	<b>SHIPSHEWANA CAMPGROUND, INC./NORTH W</b>			<b>NC</b>	<b>GW</b> <b>120</b>
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022
	3A	<i>E. COLI</i>		8/1/2022	8/31/2022
<u>IN2441030</u>	<b>CAMP POTAWATOMI YMCA ARROWHEAD LO</b>			<b>NC</b>	<b>GW</b> <b>25</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022
<u>IN2441036</u>	<b>CLAY RIDGE AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b> <b>52</b>
	34	<i>E. COLI</i>		10/5/2022	10/18/2022
<u>IN2441037</u>	<b>SHIPSHE PIZZA</b>			<b>NC</b>	<b>GW</b> <b>25</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
	3A	<i>E. COLI</i>		10/1/2022	12/31/2022
<u>IN2441050</u>	<b>B.J. BURRITOS</b>			<b>NC</b>	<b>GW</b> <b>75</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
<u>IN2441055</u>	<b>SNAPPER'S BAR AND GRILL</b>			<b>NC</b>	<b>GW</b> <b>30</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
	3A	<i>E. COLI</i>		10/1/2022	12/31/2022
<u>IN2441066</u>	<b>MEADOWVIEW ELEMENTARY SCHOOL</b>			<b>NTNC</b>	<b>GW</b> <b>411</b>
	3B	<i>E. COLI</i>		9/1/2022	9/30/2022
<u>IN2441067</u>	<b>WABASH TRAIL AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b> <b>41</b>

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
	3A	<i>E. COLI</i>		4/1/2022	6/30/2022
	3A	<i>E. COLI</i>		12/1/2022	12/31/2022
<u><a href="#">IN2441071</a></u>	<b>SHJ TOBACCO INC.</b>			<b>NC</b>	<b>GW</b> <b>160</b>
	34	<i>E. COLI</i>		11/9/2022	12/20/2022
	34	<i>E. COLI</i>		12/14/2022	12/20/2022
<u><a href="#">IN2441074</a></u>	<b>COMMUNITY BAPTIST CHURCH</b>			<b>NC</b>	<b>GW</b> <b>61</b>
	34	<i>E. COLI</i>		8/30/2022	10/4/2022
	3B	<i>E. COLI</i>		9/1/2022	9/30/2022
<u><a href="#">IN2450008</a></u>	<b>ECONOMY INN &amp; SUITES</b>			<b>NC</b>	<b>GW</b> <b>31</b>
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022
<u><a href="#">IN2450020</a></u>	<b>THE HARBOR</b>			<b>NC</b>	<b>GW</b> <b>50</b>
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022
<u><a href="#">IN2450021</a></u>	<b>CORNERSTONE COMMUNITY CHURCH</b>			<b>NC</b>	<b>GW</b> <b>78</b>
	34	<i>E. COLI</i>		8/3/2022	9/6/2022
	3A	<i>E. COLI</i>		10/1/2022	12/31/2022
<u><a href="#">IN2450029</a></u>	<b>LAKE DALE ALE LLC</b>			<b>NC</b>	<b>GW</b> <b>31</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
	34	<i>E. COLI</i>		7/13/2022	
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022
	3A	<i>E. COLI</i>		8/1/2022	8/31/2022
	3A	<i>E. COLI</i>		9/1/2022	9/30/2022
	3A	<i>E. COLI</i>		10/1/2022	10/31/2022
	3A	<i>E. COLI</i>		12/1/2022	12/31/2022
<u><a href="#">IN2450033</a></u>	<b>TOWN OF CEDAR LAKE - COMPLEX &amp; PUMPH</b>			<b>NC</b>	<b>GW</b> <b>115</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
<u><a href="#">IN2450034</a></u>	<b>NICKS TAVERN TOO</b>			<b>NC</b>	<b>GW</b> <b>55</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
	3A	<i>E. COLI</i>		10/1/2022	12/31/2022
<u><a href="#">IN2450035</a></u>	<b>AMVETS POST 15</b>			<b>NC</b>	<b>GW</b> <b>27</b>
	3A	<i>E. COLI</i>		4/1/2022	4/30/2022

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
	3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
	3A	<i>E. COLI</i>	12/1/2022	12/31/2022	
<u>IN2450036</u>	<b>INDIAN RIDGE GOLF COURSE</b>		<b>NC</b>	<b>GW</b>	<b>106</b>
	3A	<i>E. COLI</i>	1/1/2022	1/31/2022	
	3A	<i>E. COLI</i>	4/1/2022	4/30/2022	
	3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
<u>IN2450037</u>	<b>GOODFELLAS</b>		<b>NC</b>	<b>GW</b>	<b>107</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
	3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
	3A	<i>E. COLI</i>	8/1/2022	8/31/2022	
	3A	<i>E. COLI</i>	9/1/2022	9/30/2022	
	3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
	3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
	3A	<i>E. COLI</i>	12/1/2022	12/31/2022	
<u>IN2450038</u>	<b>M &amp; P DENTAL</b>		<b>NC</b>	<b>GW</b>	<b>25</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
<u>IN2450040</u>	<b>RANGE LINE PRESBYTERIAN CHURCH</b>		<b>NC</b>	<b>GW</b>	<b>58</b>
	3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
<u>IN2450044</u>	<b>CEDAR LAKE YACHT CLUB</b>		<b>NC</b>	<b>GW</b>	<b>45</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<u>IN2450056</u>	<b>CEDAR LAKE UNITED METHODIST CHURCH</b>		<b>NC</b>	<b>GW</b>	<b>61</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	34	<i>E. COLI</i>	2/8/2022	8/2/2022	
	34	<i>E. COLI</i>	3/29/2022	8/23/2022	
	3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
	3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
<u>IN2450063</u>	<b>LIGHTHOUSE RESTAURANT AT PARADISE CO</b>		<b>NC</b>	<b>GW</b>	<b>275</b>
	34	<i>E. COLI</i>	9/14/2022	12/14/2022	
	3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
	3B	<i>E. COLI</i>	9/1/2022	9/30/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2450065</u>	<b>BRUNO ENTERPRISES, INC.</b>			<b>NC</b>	<b>GW</b>
		34	<i>E. COLI</i>	11/11/2021	3/3/2022
		34	<i>E. COLI</i>	1/25/2022	3/7/2022
		3A	<i>E. COLI</i>	3/1/2022	3/31/2022
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
<u>IN2450067</u>	<b>R &amp; P DEVELOPMNT DBA COMFORT INN</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022
<u>IN2450068</u>	<b>ROSS BAPTIST CHURCH</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
<u>IN2450070</u>	<b>RIVER POINTE COUNTRY CLUB</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	12/1/2022	12/31/2022
<u>IN2450074</u>	<b>MEYERS CASTLE</b>			<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		34	<i>E. COLI</i>	10/18/2022	
		34	<i>E. COLI</i>	11/16/2022	
		3A	<i>E. COLI</i>	1/1/2022	1/31/2022
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022
		3A	<i>E. COLI</i>	3/1/2022	3/31/2022
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022
		3A	<i>E. COLI</i>	12/1/2022	12/31/2022
<u>IN2450153</u>	<b>SUMMER TREE RESTAURANT</b>			<b>NC</b>	<b>GW</b>
		34	<i>E. COLI</i>	9/14/2021	7/1/2022
		3A	<i>E. COLI</i>	3/1/2022	3/31/2022
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
<u>IN2450170</u>	<b>THE SANDBAR GRILL</b>			<b>NC</b>	<b>GW</b>
					<b>104</b>

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	3A	<i>E. COLI</i>	1/1/2022	1/31/2022	
	3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
	3A	<i>E. COLI</i>	8/1/2022	8/31/2022	
	3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
	3A	<i>E. COLI</i>	12/1/2022	12/31/2022	
<u>IN2450178</u>	<b>GREAT OAKS AFTER 4 SUPPER CLUB</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
<u>IN2450236</u>	<b>SCHANES BAR &amp; GRILL</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>	1/1/2022	1/31/2022	
	3A	<i>E. COLI</i>	2/1/2022	2/28/2022	
	3A	<i>E. COLI</i>	3/1/2022	3/31/2022	
	3A	<i>E. COLI</i>	4/1/2022	4/30/2022	
	3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
	3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
	3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
<u>IN2450237</u>	<b>TOWN CLUB TAVERN</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
<u>IN2450329</u>	<b>BETHEL CHURCH CEDAR LAKE</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>	4/1/2022	6/30/2022	
<u>IN2450800</u>	<b>SUNDAES ON THE LAKE</b>			<b>NC</b>	<b>GW</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<u>IN2450807</u>	<b>OAK KNOLL GOLF COURSE</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
	3A	<i>E. COLI</i>	9/1/2022	9/30/2022	
	3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
	3A	<i>E. COLI</i>	12/1/2022	12/31/2022	
<u>IN2450808</u>	<b>YOUCHE COUNTRY CLUB</b>			<b>NC</b>	<b>GW</b>
	34	<i>E. COLI</i>	11/13/2021	4/6/2022	
<u>IN2450823</u>	<b>CEDAR LAKE CHINA HOUSE</b>			<b>NC</b>	<b>GW</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	34	<i>E. COLI</i>	12/29/2021	1/4/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2450825</u>	<b>HARRY OS</b>			<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		34	<i>E. COLI</i>	7/13/2021	10/22/2022
		3A	<i>E. COLI</i>	1/1/2022	1/31/2022
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022
<u>IN2450833</u>	<b>BOYS AND GIRLS CLUBS OF NW IN-CEDAR LA</b>			<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022
<u>IN2450841</u>	<b>BUCKLEY HOMESTEAD - 1910 FARM</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	1/1/2022	1/31/2022
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	12/1/2022	12/31/2022
<u>IN2450863</u>	<b>CEDAR CREEK FAMILY GOLF CENTER</b>			<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022
<u>IN2450869</u>	<b>SUPER 8 MOTEL DASH HOSPITALITY, INC.</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022
<u>IN2450876</u>	<b>DEEP RIVER CO. PARK - INDOOR VISIT. CTR.</b>			<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		34	<i>E. COLI</i>	8/19/2022	8/24/2022
		3A	<i>E. COLI</i>	3/1/2022	3/31/2022
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
<u>IN2450877</u>	<b>DEEP RIVER COUNTY PARK - OUTDOOR UNIT</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
<u>IN2450883</u>	<b>TRINITY FREE METHODIST CHURCH</b>			<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
<u>IN2450889</u>	<b>GRACE LUTHERAN CHURCH</b>			<b>NC</b>	<b>GW</b>
		34	<i>E. COLI</i>	7/27/2022	

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022	
<u>IN2460023</u>	<b>HARVEST TIME CHURCH OF GOD</b>			NC	<b>GW</b>	<b>62</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
		3A	<i>E. COLI</i>	10/1/2022	12/31/2022	
<u>IN2460032</u>	<b>LIFE TEMPLE CHURCH OF GOD IN CHRIST</b>			NC	<b>GW</b>	<b>75</b>
		34	<i>E. COLI</i>	6/9/2022	10/4/2022	
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022	
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022	
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
<u>IN2460037</u>	<b>NEW PRAIRIE SCHOOLS</b>			NTNC	<b>GW</b>	<b>1800</b>
		66	<i>LEAD &amp; COPPER RULE</i>	1/1/2021	2/7/2022	
<u>IN2460046</u>	<b>COUNTRY HOME CHILD CARE</b>			NC	<b>GW</b>	<b>30</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<u>IN2460053</u>	<b>EVERGREEN BAPTIST CHURCH</b>			NC	<b>GW</b>	<b>143</b>
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022	
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
<u>IN2460054</u>	<b>ST. LUKE UNITED LUTHERAN CHURCH</b>			NC	<b>GW</b>	<b>90</b>
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022	
<u>IN2460065</u>	<b>RAINBOWS PROMISE-NOAHS ARK PRESCH &amp;</b>			NC	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022	
<u>IN2460076</u>	<b>TWISTED TIKI</b>			NC	<b>GW</b>	<b>45</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
		34	<i>E. COLI</i>	8/3/2022		
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022	
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022	
<u>IN2460078</u>	<b>ANCILLARY SERVICES, INC.</b>			NC	<b>GW</b>	<b>25</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		34	<i>E. COLI</i>	8/11/2022		8/22/2022
<u>IN2460080</u>	<b>MILL CREEK BAPTIST CHURCH</b>			NC	<b>GW</b>	<b>82</b>
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
<u>IN2460086</u>	<b>RUMORS RESTAURANT &amp; BAR</b>			NC	<b>GW</b>	<b>29</b>
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	10/1/2022		10/31/2022
		3A	<i>E. COLI</i>	11/1/2022		11/30/2022
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2460089</u>	<b>SAUKTOWN CHURCH OF CHRIST, INC.</b>			NC	<b>GW</b>	<b>40</b>
		34	<i>E. COLI</i>	9/29/2022		
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
<u>IN2460098</u>	<b>WHITE OAK FARM VENUE</b>			NC	<b>GW</b>	<b>25</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2460175</u>	<b>WESTVILLE TRUCK STOP</b>			NC	<b>GW</b>	<b>273</b>
		34	<i>E. COLI</i>	12/28/2022		
		3A	<i>E. COLI</i>	2/1/2022		2/28/2022
		3A	<i>E. COLI</i>	4/1/2022		4/30/2022
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022
		3A	<i>E. COLI</i>	11/1/2022		11/30/2022
<u>IN2460183</u>	<b>SALEM CHAPEL UNITED METHODIST CHURC</b>			NC	<b>GW</b>	<b>80</b>
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2460282</u>	<b>WOLFIES HANNA HUB</b>			NC	<b>GW</b>	<b>104</b>
		3A	<i>E. COLI</i>	1/1/2022		3/31/2022
<u>IN2460350</u>	<b>FIRST CHRISTIAN CHURCH</b>			NC	<b>GW</b>	<b>146</b>
		3B	<i>E. COLI</i>	11/1/2022		11/30/2022
<u>IN2460431</u>	<b>REDEEMED FELLOWSHIP</b>			NC	<b>GW</b>	<b>74</b>
		34	<i>E. COLI</i>	12/22/2021		3/16/2022
		3A	<i>E. COLI</i>	1/1/2022		1/31/2022
		3A	<i>E. COLI</i>	2/1/2022		2/28/2022
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u>IN2460457</u>	<b>THE LAST RESORT</b>			NC	<b>GW</b>	<b>102</b>
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
	3A	<i>E. COLI</i>		4/1/2022		4/30/2022
<u>IN2460802</u>	<b>BREWERY LODGE</b>			NC	<b>GW</b>	<b>30</b>
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
<u>IN2460843</u>	<b>SOUTH CENTRAL ELEMENTARY/JR./SR. HIGH</b>			NTNC	<b>GW</b>	<b>1047</b>
	52	<i>LEAD &amp; COPPER RULE</i>		10/1/2022		
<u>IN2460869</u>	<b>LAPORTE REGIONAL PHYSICIANS NETWORK</b>			NC	<b>GW</b>	<b>50</b>
	3A	<i>E. COLI</i>		1/1/2022		3/31/2022
	3A	<i>E. COLI</i>		5/1/2022		5/31/2022
	3A	<i>E. COLI</i>		6/1/2022		6/30/2022
	3A	<i>E. COLI</i>		7/1/2022		7/31/2022
	3A	<i>E. COLI</i>		8/1/2022		8/31/2022
	3A	<i>E. COLI</i>		9/1/2022		9/30/2022
<u>IN2460879</u>	<b>DWK INC D/B/A WHITE HORSE SALOON</b>			NC	<b>GW</b>	<b>38</b>
	34	<i>E. COLI</i>		1/13/2022		9/21/2022
	34	<i>E. COLI</i>		9/13/2022		9/21/2022
	3A	<i>E. COLI</i>		3/1/2022		3/31/2022
	3A	<i>E. COLI</i>		5/1/2022		5/31/2022
	3A	<i>E. COLI</i>		7/1/2022		7/31/2022
<u>IN2464087</u>	<b>KINGSFORD EXPO 66</b>			NC	<b>GW</b>	<b>503</b>
	3A	<i>E. COLI</i>		5/1/2022		5/31/2022
<u>IN2464094</u>	<b>JENNIE RAES</b>			NC	<b>GW</b>	<b>130</b>
	3A	<i>E. COLI</i>		2/1/2022		2/28/2022
<u>IN2464096</u>	<b>LITTLE TAVERN TOO</b>			NC	<b>GW</b>	<b>66</b>
	3A	<i>E. COLI</i>		10/1/2022		12/31/2022
<u>IN2464110</u>	<b>NOWHERE BAR &amp; GRILL</b>			NC	<b>GW</b>	<b>139</b>
	3A	<i>E. COLI</i>		7/1/2022		9/30/2022
<u>IN2464117</u>	<b>VFW POST 9423</b>			NC	<b>GW</b>	<b>75</b>
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
<u>IN2480006</u>	<b>COMBAT MINISTRIES, INC</b>			NC	<b>GW</b>	<b>65</b>
	3A	<i>E. COLI</i>		7/1/2022		9/30/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u>IN2480023</u>	<b>NEWCO METALS</b>			<b>NTNC</b>	<b>GW</b>	<b>60</b>
	3A	<i>E. COLI</i>		1/1/2022		1/31/2022
	3A	<i>E. COLI</i>		2/1/2022		2/28/2022
	66	<i>LEAD &amp; COPPER RULE</i>		1/1/2021		8/16/2022
<u>IN2480030</u>	<b>GRACE IN MOTION WELLNESS SOLUTIONS</b>			<b>NC</b>	<b>GW</b>	<b>55</b>
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
<u>IN2480124</u>	<b>AIRPORT RESTAURANT, INC.</b>			<b>NC</b>	<b>GW</b>	<b>99</b>
	34	<i>E. COLI</i>		8/5/2022		8/16/2022
	34	<i>E. COLI</i>		8/31/2022		9/7/2022
	3A	<i>E. COLI</i>		2/1/2022		2/28/2022
	3A	<i>E. COLI</i>		3/1/2022		3/31/2022
<u>IN2480237</u>	<b>LONE OAK WESLEYAN</b>			<b>NC</b>	<b>GW</b>	<b>100</b>
	3A	<i>E. COLI</i>		4/1/2022		6/30/2022
<u>IN2480802</u>	<b>GLO WOOD CAMPGROUND</b>			<b>NC</b>	<b>GW</b>	<b>31</b>
	34	<i>E. COLI</i>		1/14/2022		2/10/2022
	34	<i>E. COLI</i>		4/14/2022		
	3A	<i>E. COLI</i>		2/1/2022		2/28/2022
<u>IN2480860</u>	<b>CAMP KIKTHAWENUND BOY SCOUTS</b>			<b>NC</b>	<b>GW</b>	<b>450</b>
	3A	<i>E. COLI</i>		9/1/2022		9/30/2022
<u>IN2480862</u>	<b>HOOSIER LAND PARK</b>			<b>NC</b>	<b>GW</b>	<b>75</b>
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
	34	<i>E. COLI</i>		8/10/2021		5/26/2022
	34	<i>E. COLI</i>		9/9/2021		5/26/2022
	3A	<i>E. COLI</i>		5/1/2022		5/31/2022
	3A	<i>E. COLI</i>		9/1/2022		9/30/2022
<u>IN2480879</u>	<b>MUNCIE RV RESORT, LLC</b>			<b>NC</b>	<b>GW</b>	<b>37</b>
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
<u>IN2480882</u>	<b>FLORIDA STATION CHURCH GOD</b>			<b>NC</b>	<b>GW</b>	<b>175</b>
	3A	<i>E. COLI</i>		4/1/2022		6/30/2022
<u>IN2490001</u>	<b>GOOD SHEPHERD UMC/LITTLE LAMB CHLDR</b>			<b>NTNC</b>	<b>GW</b>	<b>230</b>
	03	<i>SELENIUM</i>		1/1/2022		12/31/2022

<u>PWSID</u>	<b>System Name</b>		<b>System Type</b>	<b>Source</b>	<b>Population</b>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	03	TETRACHLOROETHYLENE	1/1/2022	12/31/2022	
	03	MERCURY	1/1/2022	12/31/2022	
	03	1,1,2-TRICHLOROETHANE	1/1/2022	12/31/2022	
	03	CHLOROBENZENE	1/1/2022	12/31/2022	
	03	CYANIDE	1/1/2022	12/31/2022	
	03	TRICHLOROETHYLENE	1/1/2022	12/31/2022	
	03	NICKEL	1/1/2022	12/31/2022	
	03	BERYLLIUM, TOTAL	1/1/2022	12/31/2022	
	03	CARBON TETRACHLORIDE	1/1/2022	12/31/2022	
	03	BARIUM	1/1/2022	12/31/2022	
	03	O-DICHLOROBENZENE	1/1/2022	12/31/2022	
	03	1,2,4-TRICHLOROBENZENE	1/1/2022	12/31/2022	
	03	THALLIUM, TOTAL	1/1/2022	12/31/2022	
	03	1,2-DICHLOROPROPANE	1/1/2022	12/31/2022	
	03	1,1-DICHLOROETHYLENE	1/1/2022	12/31/2022	
	03	ANTIMONY, TOTAL	1/1/2022	12/31/2022	
	03	1,2-DICHLOROETHANE	1/1/2022	12/31/2022	
	03	CIS-1,2-DICHLOROETHYLENE	1/1/2022	12/31/2022	
	03	XYLENES, TOTAL	1/1/2022	12/31/2022	
	03	CADMIUM	1/1/2022	12/31/2022	
	03	P-DICHLOROBENZENE	1/1/2022	12/31/2022	
	03	BENZENE	1/1/2022	12/31/2022	
	03	CHROMIUM	1/1/2022	12/31/2022	
	03	STYRENE	1/1/2022	12/31/2022	
	03	TOLUENE	1/1/2022	12/31/2022	
	03	VINYL CHLORIDE	1/1/2022	12/31/2022	
	03	ARSENIC	1/1/2022	12/31/2022	
	03	ETHYLBENZENE	1/1/2022	12/31/2022	
	03	TRANS-1,2-DICHLOROETHYLENE	1/1/2022	12/31/2022	
	03	1,1,1-TRICHLOROETHANE	1/1/2022	12/31/2022	
	03	DICHLOROMETHANE	1/1/2022	12/31/2022	
<u>IN2490015</u>	<b>THE BLENDED CHURCH</b>		<b>NC</b>	<b>GW</b>	<b>1300</b>
	03	NITRATE	1/1/2022	12/31/2022	
	3A	E. COLI	2/1/2022	2/28/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u><a href="#">IN2490018</a></u>	<b>INDY TABERNACULO INTERNATIONAL INC</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>	7/1/2022	9/30/2022		<b>64</b>
<u><a href="#">IN2490024</a></u>	<b>MARTIN MARIETTA - KENTUCKY AVENUE MI</b>			<b>NTNC</b>	<b>GW</b>
52	<i>LEAD &amp; COPPER RULE</i>	10/1/2020	8/9/2022		
52	<i>LEAD &amp; COPPER RULE</i>	10/1/2021	8/9/2022		
<u><a href="#">IN2490027</a></u>	<b>NOW THATS BAR-B-QUE</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>	12/1/2022	12/31/2022		<b>56</b>
<u><a href="#">IN2490046</a></u>	<b>BURGER KING #835</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>	6/1/2022	6/30/2022		<b>55</b>
<u><a href="#">IN2490048</a></u>	<b>NATIVITY CATHOLIC CHURCH &amp; COMMUNIT</b>			<b>NC</b>	<b>GW</b>
03	<i>NITRATE</i>	1/1/2022	12/31/2022		<b>500</b>
<u><a href="#">IN2490050</a></u>	<b>RESTORATION INTERNATIONAL CHRISTIAN</b>			<b>NC</b>	<b>GW</b>
34	<i>E. COLI</i>	9/24/2020	8/24/2022		
3A	<i>E. COLI</i>	1/1/2022	1/31/2022		
3A	<i>E. COLI</i>	2/1/2022	2/28/2022		
3A	<i>E. COLI</i>	3/1/2022	3/31/2022		
3A	<i>E. COLI</i>	4/1/2022	4/30/2022		
3A	<i>E. COLI</i>	5/1/2022	5/31/2022		
3A	<i>E. COLI</i>	6/1/2022	6/30/2022		
<u><a href="#">IN2490055</a></u>	<b>TRADERS POINT FARM ORGANICS, INC.</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>	1/1/2022	3/31/2022		<b>139</b>
<u><a href="#">IN2490760</a></u>	<b>ACTON UNITED METHODIST</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>	4/1/2022	4/30/2022		
3A	<i>E. COLI</i>	6/1/2022	6/30/2022		
3A	<i>E. COLI</i>	12/1/2022	12/31/2022		
<u><a href="#">IN2490767</a></u>	<b>THE CHRISTIAN CENTER</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>	4/1/2022	4/30/2022		<b>25</b>
<u><a href="#">IN2490771</a></u>	<b>SOUTHMINSTER PRESBYTERIAN/LOVING HEA</b>			<b>NTNC</b>	<b>GW</b>
3A	<i>E. COLI</i>	7/1/2022	9/30/2022		<b>108</b>
<u><a href="#">IN2492839</a></u>	<b>BREWSKIES PUB AND EATERY</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>	1/1/2022	1/31/2022		<b>60</b>
3A	<i>E. COLI</i>	5/1/2022	5/31/2022		

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u><a href="#">IN2492844</a></u>	<b>MADHAR PETROLEUM</b>			<b>NC</b>	<b>GW</b>
		34	<i>E. COLI</i>	10/14/2021	1/9/2023
<u><a href="#">IN2492869</a></u>	<b>FOOD CORNER (PHILLIPS 66)</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
<u><a href="#">IN2492881</a></u>	<b>EAGLE CREEK PARK (HIDE-A-WAY)</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022
<u><a href="#">IN2492893</a></u>	<b>ONE MORE LOUNGE</b>			<b>NC</b>	<b>GW</b>
		34	<i>E. COLI</i>	10/14/2022	
<u><a href="#">IN2492897</a></u>	<b>DRG FALLCREEK LLC</b>			<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
<u><a href="#">IN2493005</a></u>	<b>EAGLE CREEK GRACE BIBLE CHURCH</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	7/1/2022	9/30/2022
<u><a href="#">IN2493046</a></u>	<b>EAGLE CREEK GOLF-COMFORT STATION</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022
<u><a href="#">IN2493088</a></u>	<b>SOUTHEASTWAY PARK</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
<u><a href="#">IN2493090</a></u>	<b>EAGLE CREEK GOLF-TRAINING BLDG</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022
<u><a href="#">IN2493091</a></u>	<b>EAGLE CREEK SAILING CLUB</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022
<u><a href="#">IN2493105</a></u>	<b>MORNINGSTAR GOLF CLUB</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
<u><a href="#">IN2493112</a></u>	<b>CAMP SERTOMA</b>			<b>NC</b>	<b>GW</b>
		34	<i>E. COLI</i>	6/8/2022	6/21/2022
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
3A	<i>E. COLI</i>			10/1/2022		10/31/2022
<u>IN2493140</u>	<b>MCDONALDS RESTAURANT #12354</b>			NC	<b>GW</b>	<b>912</b>
03	<i>NITRATE</i>			1/1/2022		12/31/2022
3A	<i>E. COLI</i>			4/1/2022		4/30/2022
3A	<i>E. COLI</i>			11/1/2022		11/30/2022
<u>IN2493152</u>	<b>F &amp; H PROPERTIES, INC.</b>			NTNC	<b>GW</b>	<b>40</b>
66	<i>LEAD &amp; COPPER RULE</i>			1/1/2022		8/13/2022
<u>IN2500020</u>	<b>DOLLAR GENERAL STORE #10756</b>			NC	<b>GW</b>	<b>240</b>
3A	<i>E. COLI</i>			1/1/2022		3/31/2022
3A	<i>E. COLI</i>			5/1/2022		5/31/2022
<u>IN2500022</u>	<b>KEY WASTE IN PARTNERSHIP (ALLIED WAST</b>			NC	<b>GW</b>	<b>36</b>
3A	<i>E. COLI</i>			7/1/2022		7/31/2022
<u>IN2500034</u>	<b>POTAWATOMI PARK PAVILLION</b>			NC	<b>GW</b>	<b>99</b>
3A	<i>E. COLI</i>			10/1/2022		10/31/2022
<u>IN2500042</u>	<b>DAILY BREAD MARKET</b>			NC	<b>GW</b>	<b>32</b>
03	<i>NITRATE</i>			1/1/2022		12/31/2022
3A	<i>E. COLI</i>			3/1/2022		3/31/2022
<u>IN2500043</u>	<b>GRACE OUTREACH FELLOWSHIP</b>			NC	<b>GW</b>	<b>125</b>
3A	<i>E. COLI</i>			4/1/2022		6/30/2022
<u>IN2500045</u>	<b>WHISPERING KNOLL AMISH SCHOOL</b>			NC	<b>GW</b>	<b>30</b>
3A	<i>E. COLI</i>			1/1/2022		1/31/2022
<u>IN2500048</u>	<b>JOYFUL ECHOES AMISH SCHOOL</b>			NC	<b>GW</b>	<b>37</b>
3A	<i>E. COLI</i>			10/1/2022		12/31/2022
<u>IN2500094</u>	<b>SHILOH WESLEYAN CHURCH</b>			NC	<b>GW</b>	<b>139</b>
03	<i>NITRATE</i>			1/1/2022		12/31/2022
3A	<i>E. COLI</i>			1/1/2022		3/31/2022
<u>IN2500153</u>	<b>EVANGELICAL COVENANT CHURCH</b>			NC	<b>GW</b>	<b>30</b>
3A	<i>E. COLI</i>			1/1/2022		3/31/2022
3A	<i>E. COLI</i>			4/1/2022		6/30/2022
3A	<i>E. COLI</i>			9/1/2022		9/30/2022
3A	<i>E. COLI</i>			10/1/2022		10/31/2022
<u>IN2500185</u>	<b>COMMUNITY CHURCH OF GOD, INC.</b>			NC	<b>GW</b>	<b>35</b>

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
<u>IN2500828</u>	<b>INDIANA STATE POLICE/BREMEN DISTRICT</b>			NC	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2500829</u>	<b>CULVER EDUCATIONAL FOUNDATION/WOOD</b>			NC	<b>GW</b>	<b>800</b>
		3A	<i>E. COLI</i>	8/1/2022		8/31/2022
<u>IN2500870</u>	<b>WOODBURY GOLF COURSE - CLUBHOUSE</b>			NC	<b>GW</b>	<b>207</b>
		3A	<i>E. COLI</i>	1/1/2022		3/31/2022
<u>IN2500871</u>	<b>PRETTY LAKE GOLF CLUB</b>			NTNC	<b>GW</b>	<b>280</b>
		3A	<i>E. COLI</i>	1/1/2022		1/31/2022
<u>IN2500885</u>	<b>PLA-MOR CAMPGROUND, INC.</b>			NC	<b>GW</b>	<b>1250</b>
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
<u>IN2500910</u>	<b>CREEK SIDE AMISH SCHOOL</b>			NC	<b>GW</b>	<b>31</b>
		3A	<i>E. COLI</i>	10/1/2022		12/31/2022
<u>IN2500918</u>	<b>HOUSE OF THE LORD</b>			NTNC	<b>GW</b>	<b>118</b>
		34	<i>E. COLI</i>	12/15/2022		
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2500919</u>	<b>IMMANUEL LUTHERAN CHURCH</b>			NC	<b>GW</b>	<b>85</b>
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
<u>IN2500921</u>	<b>BLISSVILLE CHURCH OF THE BRETHREN</b>			NC	<b>GW</b>	<b>74</b>
		3A	<i>E. COLI</i>	1/1/2022		3/31/2022
<u>IN2500922</u>	<b>PLYMOUTH BAPT CH/SMALL WONDERS DAYC</b>			NTNC	<b>GW</b>	<b>90</b>
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2520001</u>	<b>KNIGHTS INN</b>			NC	<b>GW</b>	<b>315</b>
		34	<i>E. COLI</i>	9/13/2022		9/15/2022
		3B	<i>E. COLI</i>	7/1/2022		7/31/2022
<u>IN2520006</u>	<b>SN PIZZA 1, LLC DBA PIZZA QUIK</b>			NC	<b>GW</b>	<b>30</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		3A	<i>E. COLI</i>	2/1/2022		2/28/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
		3A	<i>E. COLI</i>	10/1/2022		10/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u>IN2520007</u>	<b>FRANCES SLOCOM TRAIL RIDERS</b>			NC	<b>GW</b>	<b>25</b>
34	<i>E. COLI</i>		9/1/2021		4/14/2022	
<u>IN2520012</u>	<b>PERU MUNICIPAL GOLF COURSE/CLUBHOUSE</b>			NC	<b>GW</b>	<b>79</b>
3A	<i>E. COLI</i>		9/1/2022		9/30/2022	
3A	<i>E. COLI</i>		10/1/2022		10/31/2022	
3A	<i>E. COLI</i>		12/1/2022		12/31/2022	
<u>IN2520020</u>	<b>MEXICO PETROLEUM INC.</b>			NC	<b>GW</b>	<b>57</b>
3A	<i>E. COLI</i>		10/1/2022		10/31/2022	
3A	<i>E. COLI</i>		11/1/2022		11/30/2022	
3B	<i>E. COLI</i>		8/1/2022		8/31/2022	
<u>IN2520021</u>	<b>HOWARD MIAMI MENNONITE CHURCH</b>			NC	<b>GW</b>	<b>85</b>
03	<i>NITRATE</i>		1/1/2022		12/31/2022	
<u>IN2520023</u>	<b>LOS PRIMOS GRILL AND BAR</b>			NC	<b>GW</b>	<b>75</b>
3A	<i>E. COLI</i>		5/1/2022		5/31/2022	
<u>IN2520141</u>	<b>NORTH GROVE CHURCH</b>			NC	<b>GW</b>	<b>30</b>
3A	<i>E. COLI</i>		4/1/2022		6/30/2022	
3A	<i>E. COLI</i>		10/1/2022		10/31/2022	
<u>IN2520142</u>	<b>HONEY BEAR HOLLOW FAMILY CAMPGROUN</b>			NC	<b>GW</b>	<b>40</b>
03	<i>NITRATE</i>		1/1/2022		12/31/2022	
<u>IN2520817</u>	<b>INDIANA OAKS GOLF CLUB</b>			NC	<b>GW</b>	<b>45</b>
3A	<i>E. COLI</i>		7/1/2022		9/30/2022	
<u>IN2520837</u>	<b>COE-MISSISSINEWA LAKE</b>			NC	<b>GW</b>	<b>30</b>
3A	<i>E. COLI</i>		4/1/2022		6/30/2022	
<u>IN2520864</u>	<b>WOODYS CAMP &amp; BAIT - NORTH</b>			NC	<b>GW</b>	<b>240</b>
3A	<i>E. COLI</i>		4/1/2022		4/30/2022	
<u>IN2540004</u>	<b>CRAWFORDSVILLE MOTEL</b>			NC	<b>GW</b>	<b>25</b>
3A	<i>E. COLI</i>		10/1/2022		12/31/2022	
<u>IN2540006</u>	<b>LEGACY MINISTRIES DBA LEGACY CHILDC</b>			NTNC	<b>GW</b>	<b>130</b>
03	<i>NITRATE</i>		1/1/2022		12/31/2022	
<u>IN2540013</u>	<b>PILOT TRAVEL CENTER #247</b>			NTNC	<b>GW</b>	<b>592</b>
66	<i>LEAD &amp; COPPER RULE</i>		10/1/2022		2/16/2023	
<u>IN2540014</u>	<b>STEEL TECHNOLOGIES LLC - ORIGINAL BLDG</b>			NTNC	<b>GW</b>	<b>95</b>

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	52	<i>LEAD &amp; COPPER RULE</i>	10/1/2021	8/12/2022	
<b><u>IN2540015</u></b>	<b>SUGAR CREEK CAMPGROUND</b>		<b>NC</b>	<b>GW</b>	<b>63</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<b><u>IN2540025</u></b>	<b>CRAWFORDSVILLE COUNTRY CLUB</b>		<b>NC</b>	<b>GW</b>	<b>65</b>
	3A	<i>E. COLI</i>	1/1/2022	3/31/2022	
	3A	<i>E. COLI</i>	4/1/2022	6/30/2022	
<b><u>IN2540028</u></b>	<b>BROWNSVALLEY CHRISTIAN CHURCH</b>		<b>NC</b>	<b>GW</b>	<b>90</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	3B	<i>E. COLI</i>	4/1/2022	4/30/2022	
<b><u>IN2540030</u></b>	<b>DARLINGTON MINI MART (G.V. COX INC.)</b>		<b>NC</b>	<b>GW</b>	<b>28</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	3A	<i>E. COLI</i>	2/1/2022	2/28/2022	
	3A	<i>E. COLI</i>	3/1/2022	3/31/2022	
	3A	<i>E. COLI</i>	4/1/2022	4/30/2022	
	3A	<i>E. COLI</i>	8/1/2022	8/31/2022	
	3A	<i>E. COLI</i>	9/1/2022	9/30/2022	
	3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
	3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
	3A	<i>E. COLI</i>	12/1/2022	12/31/2022	
<b><u>IN2540033</u></b>	<b>STONE CREEK LODGE</b>		<b>NC</b>	<b>GW</b>	<b>25</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	3A	<i>E. COLI</i>	1/1/2022	3/31/2022	
<b><u>IN2540034</u></b>	<b>HIDDEN HOLLOW FARM VENUE LLC</b>		<b>NC</b>	<b>GW</b>	<b>50</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	3A	<i>E. COLI</i>	1/1/2022	1/31/2022	
	3A	<i>E. COLI</i>	8/1/2022	8/31/2022	
	3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
	3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
<b><u>IN2540039</u></b>	<b>FRIENDSHIP BAPTIST CHURCH</b>		<b>NC</b>	<b>GW</b>	<b>45</b>
	3A	<i>E. COLI</i>	4/1/2022	6/30/2022	
	3B	<i>E. COLI</i>	3/1/2022	3/31/2022	
<b><u>IN2540041</u></b>	<b>STANDARD FORWARDING LLC</b>		<b>NTNC</b>	<b>GW</b>	<b>36</b>

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
52	LEAD & COPPER RULE			10/1/2022		12/13/2022
<u>IN2540043</u>	<b>STEEL TECHNOLOGIES LLC - NEW BLDG</b>			NC	<b>GW</b>	<b>58</b>
34	<i>E. COLI</i>			4/6/2022		4/18/2022
<u>IN2540061</u>	<b>NEW ROSS STEAK HOUSE, INC.</b>			NC	<b>GW</b>	<b>50</b>
3A	<i>E. COLI</i>			8/1/2022		8/31/2022
3A	<i>E. COLI</i>			9/1/2022		9/30/2022
<u>IN2540936</u>	<b>LAKE WAVELAND PARK - MODERN CAMP</b>			NC	<b>GW</b>	<b>40</b>
3A	<i>E. COLI</i>			7/1/2022		7/31/2022
<u>IN2540937</u>	<b>LAKE WAVELAND PARK - BOAT LAUNCH</b>			NC	<b>GW</b>	<b>30</b>
3A	<i>E. COLI</i>			7/1/2022		7/31/2022
<u>IN2540938</u>	<b>LAKE WAVELAND PARK - BEACH</b>			NC	<b>GW</b>	<b>430</b>
3A	<i>E. COLI</i>			7/1/2022		7/31/2022
<u>IN2540942</u>	<b>LSC COMMUNICATIONS BOOK LLC</b>			NTNC	<b>GW</b>	<b>1000</b>
27	TOTAL HALOACETIC ACIDS (HAA)			1/1/2022		12/31/2022
27	<i>TTHM</i>			1/1/2022		12/31/2022
<u>IN2550009</u>	<b>MARATHON GAS STATION</b>			NC	<b>GW</b>	<b>504</b>
34	<i>E. COLI</i>			10/11/2022		10/25/2022
<u>IN2550147</u>	<b>ZION BAPTIST FELLOWSHIP CHURCH</b>			NC	<b>GW</b>	<b>61</b>
34	<i>E. COLI</i>			9/7/2022		
3A	<i>E. COLI</i>			2/1/2022		2/28/2022
3A	<i>E. COLI</i>			7/1/2022		7/31/2022
3A	<i>E. COLI</i>			10/1/2022		10/31/2022
3A	<i>E. COLI</i>			12/1/2022		12/31/2022
<u>IN2550902</u>	<b>MSM PETROLEUM INC.</b>			NC	<b>GW</b>	<b>764</b>
3A	<i>E. COLI</i>			4/1/2022		6/30/2022
3A	<i>E. COLI</i>			7/1/2022		9/30/2022
3A	<i>E. COLI</i>			11/1/2022		11/30/2022
3A	<i>E. COLI</i>			12/1/2022		12/31/2022
<u>IN2560013</u>	<b>OAK LAKE RV RESORT LLC</b>			NC	<b>GW</b>	<b>375</b>
03	<i>NITRATE</i>			1/1/2022		12/31/2022
3A	<i>E. COLI</i>			4/1/2022		4/30/2022
3A	<i>E. COLI</i>			10/1/2022		10/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2560018</u>	<b>MI TIERRA</b>			<b>NC</b>	<b>GW</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
	34	<i>E. COLI</i>		6/15/2022	7/31/2022
	34	<i>E. COLI</i>		11/14/2022	
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022
<u>IN2560019</u>	<b>DOLLAR GENERAL #21323-ROSELAWN</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022
	3A	<i>E. COLI</i>		8/1/2022	8/31/2022
	3A	<i>E. COLI</i>		11/1/2022	11/30/2022
<u>IN2560023</u>	<b>LV FOOD AND GAS MART</b>			<b>NC</b>	<b>GW</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
<u>IN2560060</u>	<b>ST. AUGUSTA</b>			<b>NC</b>	<b>GW</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
<u>IN2560069</u>	<b>PIONEER FAMILY CAMPGROUND</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		1/1/2022	3/31/2022
<u>IN2560071</u>	<b>SUN AURA RESORT</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		2/1/2022	2/28/2022
	3A	<i>E. COLI</i>		4/1/2022	4/30/2022
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022
	3A	<i>E. COLI</i>		8/1/2022	8/31/2022
<u>IN2560802</u>	<b>JORDY N JAX BBQ</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		1/1/2022	3/31/2022
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022
	3A	<i>E. COLI</i>		8/1/2022	8/31/2022
	3A	<i>E. COLI</i>		9/1/2022	9/30/2022
	3A	<i>E. COLI</i>		10/1/2022	10/31/2022
	3A	<i>E. COLI</i>		11/1/2022	11/30/2022
	3A	<i>E. COLI</i>		12/1/2022	12/31/2022
<u>IN2560813</u>	<b>WILLOW SLOUGH SHOOTING COMPLEX</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		7/1/2022	9/30/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2560814</u>	<b>WILLOW SLOUGH F &amp; W AREA</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>			7/1/2022	9/30/2022
<u>IN2560820</u>	<b>LASALLE FISH &amp; WILDLIFE AREA</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>			1/1/2022	3/31/2022
3A	<i>E. COLI</i>			7/1/2022	9/30/2022
3A	<i>E. COLI</i>			12/1/2022	12/31/2022
<u>IN2560829</u>	<b>SUN AURA - POOL</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>			4/1/2022	4/30/2022
3A	<i>E. COLI</i>			5/1/2022	5/31/2022
3A	<i>E. COLI</i>			8/1/2022	8/31/2022
<u>IN2570006</u>	<b>LIGONIER CHURCH OF CHRIST</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>			4/1/2022	4/30/2022
3A	<i>E. COLI</i>			5/1/2022	5/31/2022
3A	<i>E. COLI</i>			10/1/2022	10/31/2022
<u>IN2570010</u>	<b>ROME CITY ELEMENTARY SCHOOL</b>			<b>NTNC</b>	<b>GW</b>
3A	<i>E. COLI</i>			7/1/2022	9/30/2022
66	<i>LEAD &amp; COPPER RULE</i>			1/1/2021	6/10/2022
<u>IN2570012</u>	<b>MURRAY CAMPGROUND</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>			6/1/2022	6/30/2022
3A	<i>E. COLI</i>			7/1/2022	7/31/2022
<u>IN2570019</u>	<b>FRATERNAL ORDER OF EAGLES #985</b>			<b>NC</b>	<b>GW</b>
03	<i>NITRATE</i>			1/1/2022	12/31/2022
<u>IN2570022</u>	<b>LIGONIER EVANGELICAL CHURCH</b>			<b>NC</b>	<b>GW</b>
03	<i>NITRATE</i>			1/1/2022	12/31/2022
<u>IN2570023</u>	<b>MAX STOP AND GO</b>			<b>NC</b>	<b>GW</b>
34	<i>E. COLI</i>			6/12/2021	4/27/2022
34	<i>E. COLI</i>			6/21/2022	
<u>IN2570024</u>	<b>STRONG TOWER WORSHIP CENTER</b>			<b>NC</b>	<b>GW</b>
34	<i>E. COLI</i>			2/3/2022	2/21/2022
<u>IN2570027</u>	<b>WOLF LAKE VFW 4717 AUXILIARY</b>			<b>NC</b>	<b>GW</b>
34	<i>E. COLI</i>			6/28/2022	7/6/2022
3A	<i>E. COLI</i>			1/1/2022	3/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		3A	<i>E. COLI</i>	10/1/2022		10/31/2022
<u>IN2570029</u>	<b>NEW BEGINNINGS INTERNATIONAL MINISTRIES</b>			NC	<b>GW</b>	<b>75</b>
		3A	<i>E. COLI</i>	11/1/2022		11/30/2022
<u>IN2570033</u>	<b>JRS DARI SWEET</b>			NC	<b>GW</b>	<b>55</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2570040</u>	<b>LIBERTY FREE WILL BAPTIST CHURCH</b>			NC	<b>GW</b>	<b>100</b>
		3A	<i>E. COLI</i>	10/1/2022		12/31/2022
<u>IN2570050</u>	<b>SALEM COMMUNITY CHURCH OF WILMOT</b>			NC	<b>GW</b>	<b>60</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2570052</u>	<b>ROME CITY TOWN HALL</b>			NC	<b>GW</b>	<b>34</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2570066</u>	<b>BOYD MACHINE &amp; REPAIR CO, INC</b>			NC	<b>GW</b>	<b>27</b>
		34	<i>E. COLI</i>	8/5/2022		8/23/2022
<u>IN2570069</u>	<b>TRINITY ASSEMBLY OF GOD</b>			NC	<b>GW</b>	<b>77</b>
		3A	<i>E. COLI</i>	4/1/2022		6/30/2022
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2570093</u>	<b>SIT N BULL RESTAURANT</b>			NC	<b>GW</b>	<b>75</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		3A	<i>E. COLI</i>	1/1/2022		1/31/2022
		3A	<i>E. COLI</i>	2/1/2022		2/28/2022
		3A	<i>E. COLI</i>	3/1/2022		3/31/2022
		3A	<i>E. COLI</i>	4/1/2022		4/30/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
		3A	<i>E. COLI</i>	8/1/2022		8/31/2022
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022
		3A	<i>E. COLI</i>	10/1/2022		10/31/2022
		3A	<i>E. COLI</i>	11/1/2022		11/30/2022
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2570154</u>	<b>EMMANUEL LUTHERAN CHURCH</b>			NC	<b>GW</b>	<b>38</b>
		34	<i>E. COLI</i>	9/28/2021		1/25/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2570163</u>	<b>WOLF LAKE BAPTIST CHURCH</b>			NC	<b>GW</b>
34	<i>E. COLI</i>			8/25/2022	8/29/2022
<u>IN2570171</u>	<b>MERRIAM CHRISTIAN CHAPEL</b>			NC	<b>GW</b>
03	<i>NITRATE</i>			1/1/2022	12/31/2022
3A	<i>E. COLI</i>			7/1/2022	7/31/2022
3A	<i>E. COLI</i>			8/1/2022	8/31/2022
3A	<i>E. COLI</i>			10/1/2022	10/31/2022
3A	<i>E. COLI</i>			11/1/2022	11/30/2022
3A	<i>E. COLI</i>			12/1/2022	12/31/2022
<u>IN2570915</u>	<b>B AND J SPECIALTIES</b>			NTNC	<b>GW</b>
3A	<i>E. COLI</i>			7/1/2022	9/30/2022
<u>IN2570943</u>	<b>SUNNY SLOPE AMISH SCHOOL</b>			NC	<b>GW</b>
34	<i>E. COLI</i>			11/1/2022	
<u>IN2570949</u>	<b>CIRCLE K #2455</b>			NC	<b>GW</b>
34	<i>E. COLI</i>			6/4/2022	10/24/2022
3A	<i>E. COLI</i>			6/1/2022	6/30/2022
3A	<i>E. COLI</i>			11/1/2022	11/30/2022
<u>IN2570953</u>	<b>AMERICAN LEGION #381</b>			NC	<b>GW</b>
3B	<i>E. COLI</i>			8/1/2022	8/31/2022
3B	<i>E. COLI</i>			11/1/2022	11/30/2022
<u>IN2590804</u>	<b>MT. PLEASANT BAPTIST CHURCH</b>			NC	<b>GW</b>
34	<i>E. COLI</i>			8/2/2022	8/8/2022
<u>IN2590821</u>	<b>EASTVIEW BAPTIST CHURCH</b>			NC	<b>GW</b>
3A	<i>E. COLI</i>			4/1/2022	4/30/2022
3A	<i>E. COLI</i>			7/1/2022	7/31/2022
3A	<i>E. COLI</i>			11/1/2022	11/30/2022
<u>IN2600004</u>	<b>TIMBER RIDGE CAMPGROUND - CABIN &amp; LOD</b>			NC	<b>GW</b>
3A	<i>E. COLI</i>			5/1/2022	5/31/2022
<u>IN2600007</u>	<b>HOME PLACE CAMPGROUND - SHOWERHOUS</b>			NC	<b>GW</b>
3A	<i>E. COLI</i>			7/1/2022	7/31/2022
<u>IN2600011</u>	<b>HOME PLACE CAMPGROUND - WELLHOUSE</b>			NC	<b>GW</b>
3A	<i>E. COLI</i>			7/1/2022	7/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2600012</u>	<b>SPENCER CONSERVATION CLUB</b>			<b>NC</b>	<b>GW</b>
34	<i>E. COLI</i>			11/29/2022	12/21/2022
<u>IN2600832</u>	<b>HICKORY HILLS CAMPGROUND</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>			7/1/2022	7/31/2022
<u>IN2610006</u>	<b>RACCOON LAKESIDE LODGE</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>			3/1/2022	3/31/2022
3A	<i>E. COLI</i>			4/1/2022	4/30/2022
3A	<i>E. COLI</i>			6/1/2022	6/30/2022
3A	<i>E. COLI</i>			7/1/2022	7/31/2022
3A	<i>E. COLI</i>			8/1/2022	8/31/2022
3A	<i>E. COLI</i>			10/1/2022	10/31/2022
<u>IN2610013</u>	<b>BUCHANAN &amp; BUCHANAN DBA THE TIKI HUT</b>			<b>NC</b>	<b>GW</b>
03	<i>NITRATE</i>			1/1/2022	12/31/2022
<u>IN2610015</u>	<b>BRIDGETON MILL</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>			4/1/2022	4/30/2022
3A	<i>E. COLI</i>			5/1/2022	5/31/2022
3A	<i>E. COLI</i>			9/1/2022	9/30/2022
3A	<i>E. COLI</i>			12/1/2022	12/31/2022
<u>IN2610018</u>	<b>LAKEVIEW AMISH SCHOOL</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>			4/1/2022	6/30/2022
3A	<i>E. COLI</i>			7/1/2022	9/30/2022
<u>IN2610064</u>	<b>TURKEY RUN GOLF CLUB</b>			<b>NC</b>	<b>GW</b>
03	<i>NITRATE</i>			1/1/2022	12/31/2022
<u>IN2610806</u>	<b>PORTLAND MILLS CHRISTIAN</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>			4/1/2022	6/30/2022
<u>IN2610813</u>	<b>OTTERBEIN CHURCH</b>			<b>NC</b>	<b>GW</b>
3A	<i>E. COLI</i>			7/1/2022	9/30/2022
<u>IN2610831</u>	<b>LAKE STOP MART</b>			<b>NC</b>	<b>GW</b>
03	<i>NITRATE</i>			1/1/2022	12/31/2022
3A	<i>E. COLI</i>			1/1/2022	1/31/2022
3A	<i>E. COLI</i>			2/1/2022	2/28/2022
3A	<i>E. COLI</i>			3/1/2022	3/31/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
<b><u>IN2610835</u></b>	<b>HARTMANS TRAILER CAMP</b>			<b>NC</b>	<b>GW</b> <b>60</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
<b><u>IN2640014</u></b>	<b>PORTAGE JR. MISS SOFTBALL INC.</b>			<b>NC</b>	<b>GW</b> <b>1000</b>
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022
<b><u>IN2640027</u></b>	<b>FAITH EVANGELICAL BIBLE CHURCH</b>			<b>NC</b>	<b>GW</b> <b>233</b>
		3A	<i>E. COLI</i>	10/1/2022	12/31/2022
<b><u>IN2640028</u></b>	<b>PRINCE OF PEACE LUTHERAN CHURCH</b>			<b>NC</b>	<b>GW</b> <b>100</b>
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
<b><u>IN2640030</u></b>	<b>APPLEGARTH PROPERTIES, LLC</b>			<b>NC</b>	<b>GW</b> <b>136</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		3A	<i>E. COLI</i>	1/1/2022	1/31/2022
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
		3A	<i>E. COLI</i>	12/1/2022	12/31/2022
<b><u>IN2640035</u></b>	<b>SHELLBOURNE CONFERENCE CENTER</b>			<b>NC</b>	<b>GW</b> <b>72</b>
		34	<i>E. COLI</i>	9/14/2022	9/22/2022
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
<b><u>IN2640041</u></b>	<b>ST. IAKOVOS GREEK ORTHODOX CHURCH</b>			<b>NC</b>	<b>GW</b> <b>70</b>
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022
<b><u>IN2640049</u></b>	<b>IGLESIA EVANGELICA DE CRISTO</b>			<b>NC</b>	<b>GW</b> <b>45</b>
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022
<b><u>IN2640050</u></b>	<b>KONRADY PLASTICS, INC</b>			<b>NC</b>	<b>GW</b> <b>27</b>

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		03	NITRATE	1/1/2022		12/31/2022
<u>IN2640052</u>	<b>VICTORY CHRISTIAN ACADEMY</b>			NTNC	<b>GW</b>	<b>200</b>
		3A	E. COLI	2/1/2022		2/28/2022
		52	LEAD & COPPER RULE	10/1/2021		7/25/2022
<u>IN2640053</u>	<b>CHURCH OF JESUS CHRIST/LATTER DAY SAIN</b>			NC	<b>GW</b>	<b>250</b>
		3A	E. COLI	2/1/2022		2/28/2022
		3A	E. COLI	8/1/2022		8/31/2022
<u>IN2640054</u>	<b>PORTAGE PARKS DEPT - IMAGINATION GLEN</b>			NC	<b>GW</b>	<b>120</b>
		3A	E. COLI	4/1/2022		4/30/2022
<u>IN2640059</u>	<b>BLAST CAMP</b>			NC	<b>GW</b>	<b>153</b>
		3A	E. COLI	4/1/2022		6/30/2022
<u>IN2640060</u>	<b>49ER DRIVE IN THEATRE</b>			NC	<b>GW</b>	<b>659</b>
		3A	E. COLI	4/1/2022		4/30/2022
<u>IN2640063</u>	<b>THE SPA SPECIAL EVENTS CENTER</b>			NC	<b>GW</b>	<b>32</b>
		3A	E. COLI	5/1/2022		5/31/2022
		3A	E. COLI	6/1/2022		6/30/2022
		3A	E. COLI	7/1/2022		7/31/2022
<u>IN2640065</u>	<b>IN DUNES FIELD STATION PRESCHOOL CO-OP</b>			NC	<b>GW</b>	<b>30</b>
		52	LEAD & COPPER RULE	10/1/2021		10/17/2022
<u>IN2640066</u>	<b>COURTS OF NORTHWEST INDIANA - TENNIS</b>			NC	<b>GW</b>	<b>128</b>
		34	E. COLI	8/18/2022		2/6/2023
<u>IN2640070</u>	<b>BETHEL VALPARAISO CHURCH</b>			NC	<b>GW</b>	<b>25</b>
		3A	E. COLI	4/1/2022		6/30/2022
<u>IN2640126</u>	<b>ICEHOUSE BAR AND GRILL</b>			NC	<b>GW</b>	<b>265</b>
		3A	E. COLI	1/1/2022		1/31/2022
		3A	E. COLI	2/1/2022		2/28/2022
		3A	E. COLI	4/1/2022		4/30/2022
<u>IN2640168</u>	<b>LEROYS HOT STUFF</b>			NC	<b>GW</b>	<b>110</b>
		3A	E. COLI	2/1/2022		2/28/2022
<u>IN2640769</u>	<b>EMMANUEL BAPTIST CHURCH</b>			NTNC	<b>GW</b>	<b>300</b>
		52	LEAD & COPPER RULE	10/1/2022		
<u>IN2640805</u>	<b>HEARTLAND CHRISTIAN CENTER, INC.</b>			NC	<b>GW</b>	<b>31</b>

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		3A	E. COLI	1/1/2022		3/31/2022
<u>IN2640827</u>	<b>ST. ELIZABETH SETON CATHOLIC</b>			NC	<b>GW</b>	<b>1201</b>
		3A	E. COLI	3/1/2022		3/31/2022
<u>IN2640872</u>	<b>SHULTS-LEWIS CHILDRENS HOME - WELL #1</b>			NTNC	<b>GW</b>	<b>40</b>
		52	LEAD & COPPER RULE	10/1/2022		
<u>IN2640901</u>	<b>IN DUNES NATL PARK - CENTRAL 410</b>			NC	<b>GW</b>	<b>50</b>
		3A	E. COLI	1/1/2022		3/31/2022
<u>IN2640909</u>	<b>SAND CREEK CAMPGROUND</b>			NC	<b>GW</b>	<b>53</b>
		34	E. COLI	11/6/2021		1/24/2022
		3A	E. COLI	6/1/2022		6/30/2022
<u>IN2640919</u>	<b>FRAMPTON WRIGHT YDC BLDG - WELL #7</b>			NTNC	<b>GW</b>	<b>40</b>
		3A	E. COLI	7/1/2022		7/31/2022
		52	LEAD & COPPER RULE	10/1/2021		10/14/2022
		52	LEAD & COPPER RULE	10/1/2022		
<u>IN2640921</u>	<b>FIRST PRESBYTERIAN CHURCH-KOUTS</b>			NC	<b>GW</b>	<b>50</b>
		3A	E. COLI	10/1/2022		12/31/2022
<u>IN2640926</u>	<b>FORCHETTI FAMILY YMCA</b>			NTNC	<b>GW</b>	<b>105</b>
		03	O-DICHLOROBENZENE	1/1/2022		12/31/2022
		03	1,2-DICHLOROETHANE	1/1/2022		12/31/2022
		03	TRICHLOROETHYLENE	1/1/2022		12/31/2022
		03	1,1,2-TRICHLOROETHANE	1/1/2022		12/31/2022
		03	TOLUENE	1/1/2022		12/31/2022
		03	TRANS-1,2-DICHLOROETHYLENE	1/1/2022		12/31/2022
		03	1,1,1-TRICHLOROETHANE	1/1/2022		12/31/2022
		03	1,2-DICHLOROPROPANE	1/1/2022		12/31/2022
		03	XYLEMES, TOTAL	1/1/2022		12/31/2022
		03	TETRACHLOROETHYLENE	1/1/2022		12/31/2022
		03	CHLOROBENZENE	1/1/2022		12/31/2022
		03	CIS-1,2-DICHLOROETHYLENE	1/1/2022		12/31/2022
		03	ETHYLBENZENE	1/1/2022		12/31/2022
		03	1,1-DICHLOROETHYLENE	1/1/2022		12/31/2022
		03	1,2,4-TRICHLOROBENZENE	1/1/2022		12/31/2022
		03	BENZENE	1/1/2022		12/31/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
		03	VINYL CHLORIDE	1/1/2022	12/31/2022
		03	CARBON TETRACHLORIDE	1/1/2022	12/31/2022
		03	P-DICHLOROBENZENE	1/1/2022	12/31/2022
		03	STYRENE	1/1/2022	12/31/2022
		03	DICHLOROMETHANE	1/1/2022	12/31/2022
<u>IN2640935</u>	<b>LAKEVIEW CHRISTIAN CENTER</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
		3A	<i>E. COLI</i>	12/1/2022	12/31/2022
<u>IN2640948</u>	<b>CREEKSIDER GOLF COURSE</b>			<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		34	<i>E. COLI</i>	4/21/2022	4/28/2022
<u>IN2640949</u>	<b>OPEN DOOR FELLOWSHIP CHURCH</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	10/1/2022	12/31/2022
<u>IN2640950</u>	<b>HEARTLAND CHRISTIAN CENTER</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022
<u>IN2640951</u>	<b>NEW POINTE CHURCH</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	3/1/2022	3/31/2022
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
<u>IN2650830</u>	<b>ST. PHILIPS INN</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	7/1/2022	9/30/2022
<u>IN2660005</u>	<b>CHURCH OF THE HEARTLAND WINAMAC</b>			<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
<u>IN2660810</u>	<b>MOSS CREEK GOLF COURSE</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	7/1/2022	9/30/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN2660812</u>	<b>DENTONS CORNER TAVERN</b>			NC	<b>GW</b>
3A	<i>E. COLI</i>			1/1/2022	1/31/2022
<u>IN2660813</u>	<b>OAK GROVE RESTAURANT</b>			NC	<b>GW</b>
3A	<i>E. COLI</i>			9/1/2022	9/30/2022
<u>IN2660842</u>	<b>ST. JOSEPH CATHOLIC CHURCH</b>			NC	<b>GW</b>
3A	<i>E. COLI</i>			4/1/2022	6/30/2022
<u>IN2660853</u>	<b>TIPPECANOE ST PARK/YOUTH TENT CAMPGR</b>			NC	<b>GW</b>
3A	<i>E. COLI</i>			10/1/2022	12/31/2022
<u>IN2660857</u>	<b>TIPPECANOE STATE PARK/OFFICE</b>			NC	<b>GW</b>
34	<i>E. COLI</i>			11/1/2022	11/21/2022
<u>IN2660858</u>	<b>TIPPECANOE RIVER STATE PARK</b>			NC	<b>GW</b>
3A	<i>E. COLI</i>			10/1/2022	12/31/2022
<u>IN2660879</u>	<b>WEST CENTRAL ELEMENTARY</b>			NTNC	<b>GW</b>
52	<i>LEAD &amp; COPPER RULE</i>			10/1/2021	6/22/2022
<u>IN2670003</u>	<b>HERITAGE LAKE CAMPGROUND</b>			NC	<b>GW</b>
3A	<i>E. COLI</i>			10/1/2022	10/31/2022
<u>IN2670011</u>	<b>WALNUT RIDGE PARK</b>			NC	<b>GW</b>
34	<i>E. COLI</i>			7/2/2020	4/27/2022
34	<i>E. COLI</i>			10/27/2022	1/11/2023
3A	<i>E. COLI</i>			3/1/2022	3/31/2022
3A	<i>E. COLI</i>			4/1/2022	4/30/2022
<u>IN2670015</u>	<b>GREENCASTLE FOURSQ CH-NEW HOPE FELLO</b>			NC	<b>GW</b>
34	<i>E. COLI</i>			3/18/2020	5/5/2022
34	<i>E. COLI</i>			9/15/2020	5/5/2022
34	<i>E. COLI</i>			10/13/2020	5/5/2022
34	<i>E. COLI</i>			12/18/2020	5/5/2022
34	<i>E. COLI</i>			8/10/2021	5/5/2022
34	<i>E. COLI</i>			8/26/2021	5/5/2022
<u>IN2670824</u>	<b>CLOVERDALE RV PARK</b>			NC	<b>GW</b>
3A	<i>E. COLI</i>			4/1/2022	6/30/2022
3A	<i>E. COLI</i>			7/1/2022	9/30/2022
<u>IN2680003</u>	<b>WINCHESTER SPEEDWAY (CONCESSION)</b>			NC	<b>GW</b>
					<b>804</b>

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
<u>IN2680004</u>	<b>WINCHESTER SPEEDWAY (HOSPITALITY HOU</b>			NC	<b>GW</b>	<b>555</b>
		34	<i>E. COLI</i>	11/12/2021	11/1/2022	
		3A	<i>E. COLI</i>	1/1/2022	1/31/2022	
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022	
<u>IN2680005</u>	<b>WINCHESTER SPEEDWAY (INFIELD)</b>			NC	<b>GW</b>	<b>554</b>
		34	<i>E. COLI</i>	11/12/2021	11/1/2022	
<u>IN2680006</u>	<b>FORMERLY CAMP SLINGSHOT</b>			NC	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022	
<u>IN2680008</u>	<b>MONROE CENTRAL SCHOOL CORP.</b>			NTNC	<b>GW</b>	<b>993</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<u>IN2680019</u>	<b>MODOC RV PARK</b>			NC	<b>GW</b>	<b>76</b>
		34	<i>E. COLI</i>	8/6/2022	9/7/2022	
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022	
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022	
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022	
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
<u>IN2680105</u>	<b>PLEASANT HILL CHURCH</b>			NC	<b>GW</b>	<b>142</b>
		3B	<i>E. COLI</i>	9/1/2022	9/30/2022	
<u>IN2680108</u>	<b>TRINITY LUTHERAN CHURCH</b>			NC	<b>GW</b>	<b>135</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<u>IN2680133</u>	<b>GOLDEN RULE CAMPGROUND</b>			NC	<b>GW</b>	<b>40</b>
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
<u>IN2680803</u>	<b>RANDOLPH MOTEL</b>			NC	<b>GW</b>	<b>27</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022	
<u>IN2680826</u>	<b>KAMP MODOC LLC</b>			NC	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022	
		3A	<i>E. COLI</i>	7/1/2022	9/30/2022	
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022	

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		3A	<i>E. COLI</i>	12/1/2022	12/31/2022	
<u>IN2680844</u>	<b>HUMMEL DRIVE-IN</b>			NC	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
<u>IN2680853</u>	<b>RANDOLPH FRIENDS</b>			NC	<b>GW</b>	<b>60</b>
		3A	<i>E. COLI</i>	7/1/2022	9/30/2022	
<u>IN2680864</u>	<b>AMERICAN LEGION POST 353</b>			NC	<b>GW</b>	<b>25</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<u>IN2690806</u>	<b>C.I. FAMILY WORSHIP CENTER</b>			NC	<b>GW</b>	<b>168</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<u>IN2700008</u>	<b>FLATROCK AMISH SCHOOL</b>			NC	<b>GW</b>	<b>30</b>
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022	
<u>IN2700009</u>	<b>WOODS CAMPGROUND</b>			NC	<b>GW</b>	<b>27</b>
		3A	<i>E. COLI</i>	1/1/2022	1/31/2022	
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022	
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022	
<u>IN2700015</u>	<b>ANTLER POINTE GOLF CLUB</b>			NC	<b>GW</b>	<b>60</b>
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022	
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022	
<u>IN2700017</u>	<b>ON THE WAY MINI MART INC</b>			NC	<b>GW</b>	<b>25</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
		3A	<i>E. COLI</i>	3/1/2022	3/31/2022	
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022	
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022	
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
<u>IN2700051</u>	<b>ARLINGTON CHURCH</b>			NC	<b>GW</b>	<b>160</b>
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022	
<u>IN2710002</u>	<b>NAVISTAR PROVING GROUNDS</b>			NTNC	<b>GW</b>	<b>80</b>
		52	<i>LEAD &amp; COPPER RULE</i>	10/1/2022		
<u>IN2710005</u>	<b>UNITED STATES POSTAL SERVICE (GRANGER)</b>			NC	<b>GW</b>	<b>42</b>

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
<u>IN2710007</u>	<b>RELAX INN</b>				<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		3A	<i>E. COLI</i>	2/1/2022		2/28/2022
		3A	<i>E. COLI</i>	3/1/2022		3/31/2022
		3A	<i>E. COLI</i>	4/1/2022		4/30/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022
<u>IN2710014</u>	<b>HOOSIER RACING TIRE (OFFICE BUILDING)</b>				<b>NTNC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2710016</u>	<b>IGLESIA BAUSTISTA LIBERTAD</b>				<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	2/1/2022		2/28/2022
		3A	<i>E. COLI</i>	3/1/2022		3/31/2022
		3A	<i>E. COLI</i>	4/1/2022		4/30/2022
		3A	<i>E. COLI</i>	11/1/2022		11/30/2022
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2710017</u>	<b>DOLLAR GENERAL #11353</b>				<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	7/1/2022		9/30/2022
<u>IN2710049</u>	<b>OC BOWLING LANES</b>				<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	1/1/2022		3/31/2022
<u>IN2710052</u>	<b>NEW SALEM UMC - CHURCH</b>				<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	1/1/2022		1/31/2022
		3A	<i>E. COLI</i>	11/1/2022		11/30/2022
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2710065</u>	<b>IRELAND ROAD CHURCH OF GOD</b>				<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	1/1/2022		3/31/2022
<u>IN2710068</u>	<b>WALGREENS DRUGSTORE #6965</b>				<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	10/1/2022		12/31/2022
<u>IN2710072</u>	<b>FRATERNAL ORDER OF THE EAGLES #435</b>				<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	4/1/2022		6/30/2022
		3A	<i>E. COLI</i>	1/1/2022		1/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
<u><a href="#">IN2710078</a></u>	<b>UFP GRANGER, LLC TREATING PLANT</b>			<b>NTNC</b>	<b>GW</b> <b>30</b>
		52	<i>LEAD &amp; COPPER RULE</i>	10/1/2022	
<u><a href="#">IN2710087</a></u>	<b>KINGDOM HALL OF THE JEHOVAHS WITNESS</b>			<b>NC</b>	<b>GW</b> <b>375</b>
		3A	<i>E. COLI</i>	7/1/2022	9/30/2022
<u><a href="#">IN2710088</a></u>	<b>BITTERSWEET TERRACE</b>			<b>NC</b>	<b>GW</b> <b>165</b>
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
		3A	<i>E. COLI</i>	12/1/2022	12/31/2022
<u><a href="#">IN2710093</a></u>	<b>COMMUNITYWIDE FEDERAL CREDIT UNION</b>			<b>NC</b>	<b>GW</b> <b>53</b>
		3A	<i>E. COLI</i>	1/1/2022	1/31/2022
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022
		3A	<i>E. COLI</i>	3/1/2022	3/31/2022
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
<u><a href="#">IN2710098</a></u>	<b>BUCKEYE TERMINALS, LLC</b>			<b>NC</b>	<b>GW</b> <b>55</b>
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
<u><a href="#">IN2710104</a></u>	<b>MIDWEST EYE CONSULTANTS</b>			<b>NC</b>	<b>GW</b> <b>32</b>
		34	<i>E. COLI</i>	9/17/2021	8/19/2022
		34	<i>E. COLI</i>	10/20/2021	8/19/2022
<u><a href="#">IN2710105</a></u>	<b>HANNAH &amp; FRIENDS</b>			<b>NC</b>	<b>GW</b> <b>32</b>
		34	<i>E. COLI</i>	12/28/2021	8/22/2022
		34	<i>E. COLI</i>	7/6/2022	8/22/2022
<u><a href="#">IN2710107</a></u>	<b>COUNTRY CUPBOARD</b>			<b>NC</b>	<b>GW</b> <b>210</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
<u><a href="#">IN2710114</a></u>	<b>NFLUENCE CHURCH &amp; CHILD CARE</b>			<b>NTNC</b>	<b>GW</b> <b>100</b>

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
3A	<i>E. COLI</i>	1/1/2022	3/31/2022			
<u>IN2710119</u>	<b>CDI - SCHOOL</b>			<b>NC</b>	<b>GW</b>	<b>50</b>
03	<i>NITRATE</i>	1/1/2022	12/31/2022			
<u>IN2710123</u>	<b>ST. JOHNS UNITED CHURCH OF CHRIST</b>			<b>NC</b>	<b>GW</b>	<b>45</b>
3A	<i>E. COLI</i>	2/1/2022	2/28/2022			
<u>IN2710124</u>	<b>ST. PAULS EVANGELICAL LUTHERAN CHURC</b>			<b>NC</b>	<b>GW</b>	<b>100</b>
3A	<i>E. COLI</i>	4/1/2022	6/30/2022			
<u>IN2710128</u>	<b>GOODWILL INDUSTRIES OF MICHIANA, INC.</b>			<b>NC</b>	<b>GW</b>	<b>221</b>
3A	<i>E. COLI</i>	10/1/2022	12/31/2022			
<u>IN2710130</u>	<b>COUNTRY BAKE SHOP</b>			<b>NC</b>	<b>GW</b>	<b>163</b>
3A	<i>E. COLI</i>	4/1/2022	6/30/2022			
3A	<i>E. COLI</i>	10/1/2022	10/31/2022			
3A	<i>E. COLI</i>	12/1/2022	12/31/2022			
<u>IN2710132</u>	<b>NORTHWAY CHURCH OF CHRIST</b>			<b>NC</b>	<b>GW</b>	<b>150</b>
3A	<i>E. COLI</i>	4/1/2022	6/30/2022			
<u>IN2710136</u>	<b>ROYAL EXCURSIONS</b>			<b>NC</b>	<b>GW</b>	<b>100</b>
3A	<i>E. COLI</i>	2/1/2022	2/28/2022			
3A	<i>E. COLI</i>	5/1/2022	5/31/2022			
<u>IN2710141</u>	<b>KINGDOM HALL</b>			<b>NC</b>	<b>GW</b>	<b>95</b>
34	<i>E. COLI</i>	3/3/2022	4/19/2022			
34	<i>E. COLI</i>	3/29/2022	4/22/2022			
3B	<i>E. COLI</i>	1/1/2022	1/31/2022			
<u>IN2710142</u>	<b>MADISON OLD BRETHREN MEETING HOUSE</b>			<b>NC</b>	<b>GW</b>	<b>80</b>
3A	<i>E. COLI</i>	4/1/2022	6/30/2022			
<u>IN2710144</u>	<b>NEW LIFE CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>555</b>
03	<i>NITRATE</i>	1/1/2022	12/31/2022			
03	<i>NITRATE</i>	1/1/2022	12/31/2022			
3A	<i>E. COLI</i>	4/1/2022	6/30/2022			
<u>IN2710150</u>	<b>SM CAPITAL</b>			<b>NC</b>	<b>GW</b>	<b>150</b>
03	<i>NITRATE</i>	1/1/2022	12/31/2022			
<u>IN2710155</u>	<b>THE DENTAL CENTER</b>			<b>NC</b>	<b>GW</b>	<b>39</b>
3A	<i>E. COLI</i>	4/1/2022	4/30/2022			

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
<u>IN2710158</u>	<b>ROYAL INN</b>			NC	<b>GW</b>	<b>32</b>
		3A	<i>E. COLI</i>	1/1/2022	1/31/2022	
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022	
		3A	<i>E. COLI</i>	3/1/2022	3/31/2022	
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
<u>IN2710159</u>	<b>T FORCE FREIGHT</b>			NTNC	<b>GW</b>	<b>100</b>
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022	
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022	
<u>IN2710173</u>	<b>VELDMANS AUTO PARTS, INC.</b>			NTNC	<b>GW</b>	<b>40</b>
		52	<i>LEAD &amp; COPPER RULE</i>	10/1/2021	11/15/2022	
<u>IN2710179</u>	<b>NFLUENCE CHILDCARE MINISTRY</b>			NTNC	<b>GW</b>	<b>100</b>
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022	
<u>IN2710182</u>	<b>DOLLAR GENERAL #21026 - QUINCE RD</b>			NC	<b>GW</b>	<b>25</b>
		34	<i>E. COLI</i>	12/1/2022		
<u>IN2710183</u>	<b>MIRROR DOOR PLAZA</b>			NC	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
<u>IN2710188</u>	<b>GRANGER DENTAL</b>			NC	<b>GW</b>	<b>95</b>
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022	
<u>IN2710194</u>	<b>ROSELAND PARK</b>			NC	<b>GW</b>	<b>200</b>
		34	<i>E. COLI</i>	10/22/2022	4/11/2023	
<u>IN2710293</u>	<b>CARRIAGE HOUSE</b>			NC	<b>GW</b>	<b>40</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
		3A	<i>E. COLI</i>	1/1/2022	1/31/2022	
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
		3A	<i>E. COLI</i>	12/1/2022	12/31/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u><a href="#">IN2710347</a></u>	<b>OC CENTER</b>			NC	<b>GW</b>	<b>520</b>
	3A	<i>E. COLI</i>		7/1/2022		9/30/2022
<u><a href="#">IN2710414</a></u>	<b>PEJZAS LYDICK TAVERN</b>			NC	<b>GW</b>	<b>95</b>
	34	<i>E. COLI</i>		6/30/2022		7/7/2022
<u><a href="#">IN2710422</a></u>	<b>STELLAS CRUMSTOWN TAVERN</b>			NC	<b>GW</b>	<b>40</b>
	03	<i>NITRATE</i>		1/1/2022		3/31/2022
<u><a href="#">IN2710497</a></u>	<b>NEW BEGINNINGS COMM. FELLOWSHIP CHU</b>			NC	<b>GW</b>	<b>30</b>
	3A	<i>E. COLI</i>		1/1/2022		3/31/2022
<u><a href="#">IN2710533</a></u>	<b>FAITH CHRISTIAN CHAPEL</b>			NC	<b>GW</b>	<b>71</b>
	34	<i>E. COLI</i>		7/26/2022		8/1/2022
<u><a href="#">IN2710572</a></u>	<b>WEST EDISON CHURCH OF GOD</b>			NC	<b>GW</b>	<b>25</b>
	3A	<i>E. COLI</i>		1/1/2022		1/31/2022
	3A	<i>E. COLI</i>		4/1/2022		4/30/2022
<u><a href="#">IN2710607</a></u>	<b>NEW LIFE COMMUNITY CHURCH</b>			NC	<b>GW</b>	<b>55</b>
	3A	<i>E. COLI</i>		1/1/2022		1/31/2022
	3A	<i>E. COLI</i>		2/1/2022		2/28/2022
	3A	<i>E. COLI</i>		5/1/2022		5/31/2022
<u><a href="#">IN2710635</a></u>	<b>MINI-MOUNTAIN CAMPGROUND-EAST</b>			NC	<b>GW</b>	<b>100</b>
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
<u><a href="#">IN2710636</a></u>	<b>MINI MOUNTAIN CAMPGROUND-SOUTH</b>			NC	<b>GW</b>	<b>30</b>
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
<u><a href="#">IN2710638</a></u>	<b>MINI MOUNTAIN CAMPGROUND - NORTH</b>			NC	<b>GW</b>	<b>40</b>
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
<u><a href="#">IN2710809</a></u>	<b>PINE CREEK CHURCH OF BRETHREN</b>			NC	<b>GW</b>	<b>100</b>
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
<u><a href="#">IN2710815</a></u>	<b>LAVILLE JR. &amp; SR. HIGH SCHOOL</b>			NTNC	<b>GW</b>	<b>675</b>
	56	<i>LEAD &amp; COPPER RULE</i>		7/1/2022		12/31/2022
<u><a href="#">IN2710843</a></u>	<b>SOUTH BEND COUNTRY CLUB</b>			NC	<b>GW</b>	<b>275</b>
	3A	<i>E. COLI</i>		1/1/2022		3/31/2022
<u><a href="#">IN2710849</a></u>	<b>ST. STANISLAUS CHURCH</b>			NC	<b>GW</b>	<b>90</b>
	34	<i>E. COLI</i>		5/13/2022		5/17/2022
	3A	<i>E. COLI</i>		1/1/2022		1/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
<u>IN2710873</u>	<b>SEVEN-ELEVEN #32578</b>			<b>NC</b>	<b>GW</b>
	34	<i>E. COLI</i>		9/30/2021	1/21/2022
	34	<i>E. COLI</i>		11/4/2021	1/21/2022
	34	<i>E. COLI</i>		1/4/2022	1/21/2022
	3A	<i>E. COLI</i>		10/1/2022	10/31/2022
<u>IN2710875</u>	<b>RAY BIRD MINISTRIES - LODGE</b>			<b>NC</b>	<b>GW</b>
	34	<i>E. COLI</i>		9/6/2022	9/13/2022
<u>IN2710882</u>	<b>KNOLLWOOD COUNTRY CLUB</b>			<b>NTNC</b>	<b>GW</b>
	03	<i>STYRENE</i>		7/1/2022	9/30/2022
	03	<i>DICHLOROMETHANE</i>		7/1/2022	9/30/2022
	03	<i>1,1-DICHLOROETHYLENE</i>		7/1/2022	9/30/2022
	03	<i>TETRACHLOROETHYLENE</i>		7/1/2022	9/30/2022
	03	<i>TRICHLOROETHYLENE</i>		7/1/2022	9/30/2022
	03	<i>1,2-DICHLOROPROPANE</i>		7/1/2022	9/30/2022
	03	<i>CARBON TETRACHLORIDE</i>		7/1/2022	9/30/2022
	03	<i>CHLOROBENZENE</i>		7/1/2022	9/30/2022
	03	<i>BENZENE</i>		7/1/2022	9/30/2022
	03	<i>1,1,1-TRICHLOROETHANE</i>		7/1/2022	9/30/2022
	03	<i>TOLUENE</i>		7/1/2022	9/30/2022
	03	<i>1,2-DICHLOROETHANE</i>		7/1/2022	9/30/2022
	03	<i>CIS-1,2-DICHLOROETHYLENE</i>		7/1/2022	9/30/2022
	03	<i>1,1,2-TRICHLOROETHANE</i>		7/1/2022	9/30/2022
	03	<i>O-DICHLOROBENZENE</i>		7/1/2022	9/30/2022
	03	<i>P-DICHLOROBENZENE</i>		7/1/2022	9/30/2022
	03	<i>TRANS-1,2-DICHLOROETHYLENE</i>		7/1/2022	9/30/2022
	03	<i>1,2,4-TRICHLOROBENZENE</i>		7/1/2022	9/30/2022
	03	<i>XYLENES, TOTAL</i>		7/1/2022	9/30/2022
	03	<i>ETHYLBENZENE</i>		7/1/2022	9/30/2022
	03	<i>VINYL CHLORIDE</i>		7/1/2022	9/30/2022
<u>IN2710916</u>	<b>WHISPERING PINES GOLF COURSE</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		10/1/2022	12/31/2022
<u>IN2710934</u>	<b>JOURNEY CHURCH</b>			<b>NC</b>	<b>GW</b>
	3A	<i>E. COLI</i>		10/1/2022	12/31/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
<u>IN2710945</u>	<b>AMERICAN LEGION POST 308</b>			NC	<b>GW</b>	<b>53</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022	
	34	<i>E. COLI</i>		10/7/2022	3/8/2023	
	3A	<i>E. COLI</i>		4/1/2022	4/30/2022	
<u>IN2710947</u>	<b>LIBERTY LANES, INC.</b>			NC	<b>GW</b>	<b>37</b>
	3A	<i>E. COLI</i>		7/1/2022	9/30/2022	
<u>IN2730007</u>	<b>SOUTHWESTERN HIGH SCHOOL</b>			NTNC	<b>GW</b>	<b>450</b>
	52	<i>LEAD &amp; COPPER RULE</i>		10/1/2021	10/20/2022	
	52	<i>LEAD &amp; COPPER RULE</i>		10/1/2022	10/20/2022	
<u>IN2730025</u>	<b>BLUE BEAR GOLF</b>			NC	<b>GW</b>	<b>100</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022	
	3A	<i>E. COLI</i>		1/1/2022	3/31/2022	
	3A	<i>E. COLI</i>		4/1/2022	6/30/2022	
	3A	<i>E. COLI</i>		9/1/2022	9/30/2022	
	3A	<i>E. COLI</i>		10/1/2022	10/31/2022	
	3A	<i>E. COLI</i>		11/1/2022	11/30/2022	
	3A	<i>E. COLI</i>		12/1/2022	12/31/2022	
<u>IN2730146</u>	<b>BLUE RIDGE CHRISTIAN CHURCH</b>			NC	<b>GW</b>	<b>85</b>
	34	<i>E. COLI</i>		11/1/2022	11/8/2022	
	3A	<i>E. COLI</i>		4/1/2022	6/30/2022	
	3A	<i>E. COLI</i>		9/1/2022	9/30/2022	
<u>IN2730149</u>	<b>FAIRLAND CHRISTIAN CHURCH</b>			NC	<b>GW</b>	<b>82</b>
	3A	<i>E. COLI</i>		4/1/2022	6/30/2022	
<u>IN2730151</u>	<b>NEW LIFE UNITED METHODIST CHURCH</b>			NC	<b>GW</b>	<b>100</b>
	34	<i>E. COLI</i>		9/9/2022	9/19/2022	
<u>IN2730800</u>	<b>RIVERS EDGE</b>			NC	<b>GW</b>	<b>25</b>
	3A	<i>E. COLI</i>		2/1/2022	2/28/2022	
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022	
<u>IN2730828</u>	<b>THE FARMHOUSE DINER</b>			NC	<b>GW</b>	<b>28</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022	
<u>IN2730830</u>	<b>SOUTHWESTERN ELEMENTARY</b>			NTNC	<b>GW</b>	<b>450</b>
	52	<i>LEAD &amp; COPPER RULE</i>		10/1/2021	9/14/2022	

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		52	LEAD & COPPER RULE	10/1/2022		10/20/2022
<u>IN2730843</u>	<b>PKG EXPRESS</b>			NC	<b>GW</b>	<b>32</b>
		3A	E. COLI	7/1/2022		7/31/2022
<u>IN2730846</u>	<b>NATIONAL GUARD SHELBYVILLE</b>			NTNC	<b>GW</b>	<b>100</b>
		3A	E. COLI	10/1/2022		12/31/2022
		52	LEAD & COPPER RULE	10/1/2021		10/12/2022
<u>IN2730852</u>	<b>FLAT ROCK CAFE</b>			NC	<b>GW</b>	<b>73</b>
		3A	E. COLI	3/1/2022		3/31/2022
<u>IN2740004</u>	<b>PEPPER RIDGE WINERY</b>			NC	<b>GW</b>	<b>25</b>
		03	NITRATE	1/1/2022		12/31/2022
		3A	E. COLI	4/1/2022		6/30/2022
		3A	E. COLI	11/1/2022		11/30/2022
<u>IN2740801</u>	<b>OAKRIDGE CAMPGROUND/PARK</b>			NC	<b>GW</b>	<b>93</b>
		3A	E. COLI	7/1/2022		9/30/2022
<u>IN2740827</u>	<b>AMERICAN LEGION-JENKINS POST 254</b>			NC	<b>GW</b>	<b>190</b>
		3A	E. COLI	1/1/2022		1/31/2022
<u>IN2750001</u>	<b>ECONOMY INN</b>			NC	<b>GW</b>	<b>47</b>
		34	E. COLI	7/26/2022		12/5/2022
		3B	E. COLI	8/1/2022		8/31/2022
<u>IN2750002</u>	<b>CHURCH OF THE HEARTLAND STARKE CO., I</b>			NC	<b>GW</b>	<b>188</b>
		3A	E. COLI	4/1/2022		6/30/2022
<u>IN2750008</u>	<b>OREGON-DAVIS ELEMENTARY &amp; HIGH SCHO</b>			NTNC	<b>GW</b>	<b>575</b>
		52	LEAD & COPPER RULE	10/1/2021		7/12/2022
<u>IN2750014</u>	<b>BAILEYS DISCOUNT CENTER</b>			NTNC	<b>GW</b>	<b>340</b>
		52	LEAD & COPPER RULE	10/1/2022		
<u>IN2750024</u>	<b>LITTLE DOVE COMMUNITY BAPTIST CHURCH</b>			NC	<b>GW</b>	<b>45</b>
		03	NITRATE	1/1/2022		12/31/2022
<u>IN2750033</u>	<b>JK DELI INC.</b>			NC	<b>GW</b>	<b>54</b>
		03	NITRATE	1/1/2022		12/31/2022
<u>IN2750037</u>	<b>BADELL DENTAL CLINIC</b>			NC	<b>GW</b>	<b>65</b>
		34	E. COLI	8/11/2022		11/30/2022
		3A	E. COLI	1/1/2022		1/31/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022
<u>IN2750045</u>	<b>WESTROCK</b>			<b>NTNC</b>	<b>GW</b> <b>35</b>
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022
<u>IN2750046</u>	<b>DOLLAR GENERAL - KNOX</b>			<b>NC</b>	<b>GW</b> <b>79</b>
		3A	<i>E. COLI</i>	10/1/2022	12/31/2022
<u>IN2750062</u>	<b>WOODSHED TAP</b>			<b>NC</b>	<b>GW</b> <b>40</b>
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
<u>IN2750083</u>	<b>DOOLEYS SPORTSBAR &amp; GRILL</b>			<b>NC</b>	<b>GW</b> <b>42</b>
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
		3A	<i>E. COLI</i>	12/1/2022	12/31/2022
<u>IN2750098</u>	<b>ENGLISH LAKE CHURCH</b>			<b>NC</b>	<b>GW</b> <b>90</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022
<u>IN2750114</u>	<b>HICKORY HILLS CAMPGROUND - WELL #1</b>			<b>NC</b>	<b>GW</b> <b>82</b>
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
<u>IN2750115</u>	<b>HICKORY HILLS MOBILE HOME PARK - WELL</b>			<b>NC</b>	<b>GW</b> <b>40</b>
		3A	<i>E. COLI</i>	1/1/2022	1/31/2022
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022
		3A	<i>E. COLI</i>	3/1/2022	3/31/2022
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
<u>IN2750118</u>	<b>BASS LAKE BEACH &amp; CAMPGROUND</b>			<b>NC</b>	<b>GW</b> <b>90</b>
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
<u>IN2750849</u>	<b>ALL SAINTS CATHOLIC CHURCH</b>			<b>NC</b>	<b>GW</b> <b>75</b>
		34	<i>E. COLI</i>	8/25/2022	9/6/2022
<u>IN2750862</u>	<b>KNOX BIBLE BAPTIST CHURCH</b>			<b>NC</b>	<b>GW</b> <b>203</b>

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		3A	E. COLI	7/1/2022		7/31/2022
<u>IN2750865</u>	<b>KANKAKEE STATE FISH &amp; WILDLIFE AREA</b>			NC	<b>GW</b>	<b>90</b>
		34	E. COLI	11/12/2021		2/15/2022
		34	E. COLI	1/20/2022		2/15/2022
		34	E. COLI	10/26/2022		11/3/2022
		3A	E. COLI	4/1/2022		4/30/2022
		3A	E. COLI	8/1/2022		8/31/2022
		3A	E. COLI	9/1/2022		9/30/2022
<u>IN2750866</u>	<b>KPS KORNER</b>			NC	<b>GW</b>	<b>77</b>
		3A	E. COLI	5/1/2022		5/31/2022
<u>IN2750867</u>	<b>LOST PINES - SOUTHEAST WELL</b>			NC	<b>GW</b>	<b>33</b>
		34	E. COLI	11/2/2022		
<u>IN2750868</u>	<b>LOST PINES - NORTHWEST WELL</b>			NC	<b>GW</b>	<b>33</b>
		34	E. COLI	11/2/2022		
<u>IN2750870</u>	<b>VICTORY CHRISTIAN CHURCH, INC.</b>			NC	<b>GW</b>	<b>141</b>
		03	NITRATE	1/1/2022		12/31/2022
		3A	E. COLI	10/1/2022		12/31/2022
<u>IN2750871</u>	<b>CHESAPEAKE RUN GOLF CLUB</b>			NC	<b>GW</b>	<b>101</b>
		3A	E. COLI	10/1/2022		12/31/2022
<u>IN2750872</u>	<b>MINT LEAF PLAZA</b>			NC	<b>GW</b>	<b>290</b>
		3A	E. COLI	1/1/2022		3/31/2022
		3A	E. COLI	10/1/2022		12/31/2022
<u>IN2750873</u>	<b>KOONTZ LAKE MISSIONARY CHURCH</b>			NC	<b>GW</b>	<b>253</b>
		3A	E. COLI	1/1/2022		3/31/2022
<u>IN2760015</u>	<b>JAMESTOWN CHURCH</b>			NC	<b>GW</b>	<b>45</b>
		3A	E. COLI	4/1/2022		6/30/2022
<u>IN2760022</u>	<b>HAPPY ACRES</b>			NC	<b>GW</b>	<b>120</b>
		3A	E. COLI	5/1/2022		5/31/2022
<u>IN2760024</u>	<b>BREEZEWOOD PARK (MHP)</b>			NC	<b>GW</b>	<b>26</b>
		03	NITRATE	1/1/2022		12/31/2022
<u>IN2760038</u>	<b>FIRST CALL TOWING &amp; RECOVERY, INC.</b>			NTNC	<b>GW</b>	<b>40</b>
		3A	E. COLI	4/1/2022		4/30/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
		52	<i>LEAD &amp; COPPER RULE</i>	10/1/2020	10/5/2022	
<u>IN2760039</u>	<b>PRESBYTERIAN CHAPEL OF THE LAKES</b>			<b>NC</b>	<b>GW</b>	<b>75</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022	
<u>IN2760052</u>	<b>LAKE AREA CHRISTIAN CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>77</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<u>IN2760057</u>	<b>CROOKED LAKE BEACH CLUB</b>			<b>NC</b>	<b>GW</b>	<b>25</b>
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022	
<u>IN2760072</u>	<b>ANGOLA/HOGBACK LAKE - E SECTION</b>			<b>NC</b>	<b>GW</b>	<b>143</b>
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
<u>IN2760155</u>	<b>GRACE BAPTIST CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>50</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<u>IN2760814</u>	<b>CLAYS RESTAURANT</b>			<b>NC</b>	<b>GW</b>	<b>150</b>
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022	
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
<u>IN2760837</u>	<b>POW WOW POINT RV PARK, LLC</b>			<b>NC</b>	<b>GW</b>	<b>40</b>
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022	
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
<u>IN2760842</u>	<b>BREWSKIES BAR N GRILL</b>			<b>NC</b>	<b>GW</b>	<b>60</b>
		34	<i>E. COLI</i>	11/8/2022	11/21/2022	
<u>IN2760844</u>	<b>BLACK GOLD VENTURES LLC (LAKELAND SH</b>			<b>NC</b>	<b>GW</b>	<b>80</b>
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022	
		3A	<i>E. COLI</i>	10/1/2022	12/31/2022	
<u>IN2760858</u>	<b>TOMS DONUTS &amp; CONEY CONNECTION</b>			<b>NC</b>	<b>GW</b>	<b>42</b>
		34	<i>E. COLI</i>	11/18/2022	4/27/2023	
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022	
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
		3B	<i>E. COLI</i>	8/1/2022	8/31/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u>IN2760878</u>	<b>FAIRVIEW MISSIONARY CHURCH</b>			NC	<b>GW</b>	<b>765</b>
03	<i>NITRATE</i>	1/1/2022		12/31/2022		
<u>IN2760933</u>	<b>ST. PAUL CATHOLIC CHAPEL</b>			NC	<b>GW</b>	<b>90</b>
03	<i>NITRATE</i>	1/1/2022		12/31/2022		
<u>IN2760936</u>	<b>LAKE MISSIONARY CHURCH</b>			NC	<b>GW</b>	<b>100</b>
3A	<i>E. COLI</i>	10/1/2022		12/31/2022		
<u>IN2760940</u>	<b>PINE MANOR/MILLER POULTRY</b>			NTNC	<b>GW</b>	<b>500</b>
52	<i>LEAD &amp; COPPER RULE</i>	10/1/2021		7/21/2022		
<u>IN2760943</u>	<b>FREMONT MOOSE</b>			NC	<b>GW</b>	<b>25</b>
03	<i>NITRATE</i>	1/1/2022		12/31/2022		
3A	<i>E. COLI</i>	4/1/2022		4/30/2022		
<u>IN2760950</u>	<b>PLEASANT LAKE UMC/PLUM DAYCARE</b>			NTNC	<b>GW</b>	<b>45</b>
3A	<i>E. COLI</i>	4/1/2022		6/30/2022		
<u>IN2760951</u>	<b>METZ CHRISTIAN CHURCH</b>			NC	<b>GW</b>	<b>40</b>
3A	<i>E. COLI</i>	10/1/2022		10/31/2022		
3A	<i>E. COLI</i>	12/1/2022		12/31/2022		
<u>IN2760953</u>	<b>CLEAR LAKE YACHT CLUB</b>			NC	<b>GW</b>	<b>110</b>
03	<i>NITRATE</i>	1/1/2022		12/31/2022		
<u>IN2760954</u>	<b>NEVADA MILLS CHURCH</b>			NC	<b>GW</b>	<b>35</b>
03	<i>NITRATE</i>	1/1/2022		12/31/2022		
<u>IN2760958</u>	<b>MARATHON GAS</b>			NC	<b>GW</b>	<b>305</b>
34	<i>E. COLI</i>	12/7/2021		9/12/2022		
34	<i>E. COLI</i>	1/4/2022		9/12/2022		
3A	<i>E. COLI</i>	12/1/2022		12/31/2022		
<u>IN2760963</u>	<b>BLEDSOES LAKE JAMES TRAILER PARK WEL</b>			NC	<b>GW</b>	<b>462</b>
34	<i>E. COLI</i>	9/13/2019		10/4/2022		
3A	<i>E. COLI</i>	4/1/2022		4/30/2022		
<u>IN2760964</u>	<b>BLEDSOES LAKEVIEW GOLF COURSE</b>			NC	<b>GW</b>	<b>25</b>
34	<i>E. COLI</i>	9/13/2019		7/13/2022		
3A	<i>E. COLI</i>	4/1/2022		4/30/2022		
<u>IN2760970</u>	<b>THE ROAD HOUSE BAR AND GRILL</b>			NC	<b>GW</b>	<b>85</b>
34	<i>E. COLI</i>	10/14/2022				

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
		3A	<i>E. COLI</i>	1/1/2022	1/31/2022
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022
		3A	<i>E. COLI</i>	3/1/2022	3/31/2022
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022
		3A	<i>E. COLI</i>	10/1/2022	10/31/2022
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022
		3A	<i>E. COLI</i>	12/1/2022	12/31/2022
<u>IN2760971</u>	<b>CLEAR LAKE LUTHERAN CHURCH</b>			<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
<u>IN2760980</u>	<b>PILOT #029</b>			<b>NTNC</b>	<b>GW</b>
		3B	<i>E. COLI</i>	7/1/2022	7/31/2022
<u>IN2760982</u>	<b>SCOOPS ICE CREAM PARLOR</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
<u>IN2760985</u>	<b>STATE LINE PROPERTIES/RED ARROW/BUBBA</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022
<u>IN2760987</u>	<b>BUCK LAKE RANCH CAMPING &amp; ENTERTAIN</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022
<u>IN2760988</u>	<b>BLEDSOES, INC. LAKE JAMES TRAILER PARK</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022
<u>IN2760997</u>	<b>SONLIGHT COMMUNITY CHURCH/DAYCARE</b>			<b>NTNC</b>	<b>GW</b>
		51	<i>LEAD &amp; COPPER RULE</i>	1/1/2022	7/7/2022
<u>IN2761002</u>	<b>WILD WINDS BUFFALO PRESERVE</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	2/1/2022	2/28/2022
		3A	<i>E. COLI</i>	3/1/2022	3/31/2022
<u>IN2761006</u>	<b>MCDONALDS RESTAURANT</b>			<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022
<u>IN2770060</u>	<b>SHAKER PRAIRIE CHRISTIAN</b>			<b>NC</b>	<b>GW</b>
		34	<i>E. COLI</i>	8/13/2020	3/14/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u>IN2790005</u>	<b>FAMILY SPORTS LLC</b>			NC	<b>GW</b>	<b>25</b>
	34	<i>E. COLI</i>		9/22/2021		5/13/2022
	3A	<i>E. COLI</i>		8/1/2022		8/31/2022
<u>IN2790017</u>	<b>ROADWORKS MFG., INC.</b>			NTNC	<b>GW</b>	<b>60</b>
	52	<i>LEAD &amp; COPPER RULE</i>		10/1/2022		3/29/2023
	66	<i>LEAD &amp; COPPER RULE</i>		4/6/2003		4/6/2023
<u>IN2790020</u>	<b>THE DOCK 231</b>			NC	<b>GW</b>	<b>40</b>
	3A	<i>E. COLI</i>		4/1/2022		6/30/2022
<u>IN2790021</u>	<b>INDUSTRIAL PALLET CORP</b>			NTNC	<b>GW</b>	<b>100</b>
	34	<i>E. COLI</i>		7/21/2022		7/25/2022
	52	<i>LEAD &amp; COPPER RULE</i>		10/1/2022		
<u>IN2790032</u>	<b>STOCKWELL MARKET</b>			NC	<b>GW</b>	<b>27</b>
	3A	<i>E. COLI</i>		10/1/2022		12/31/2022
<u>IN2790037</u>	<b>DAYTON-PHOENIX GROUP</b>			NTNC	<b>GW</b>	<b>65</b>
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
<u>IN2790038</u>	<b>RSW SPORTS MANAGEMENT INC</b>			NC	<b>GW</b>	<b>85</b>
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
	3A	<i>E. COLI</i>		4/1/2022		4/30/2022
	3A	<i>E. COLI</i>		5/1/2022		5/31/2022
	3A	<i>E. COLI</i>		9/1/2022		9/30/2022
	3A	<i>E. COLI</i>		10/1/2022		10/31/2022
	3A	<i>E. COLI</i>		11/1/2022		11/30/2022
	3A	<i>E. COLI</i>		12/1/2022		12/31/2022
<u>IN2790040</u>	<b>EASTSIDE ASSEMBLY OF GOD</b>			NC	<b>GW</b>	<b>71</b>
	03	<i>NITRATE</i>		1/1/2022		12/31/2022
<u>IN2790055</u>	<b>GATHERING ACRES EVENT CENTER</b>			NC	<b>GW</b>	<b>300</b>
	3A	<i>E. COLI</i>		1/1/2022		3/31/2022
	3A	<i>E. COLI</i>		10/1/2022		10/31/2022
<u>IN2790059</u>	<b>MUSEUMS OF PROPHETSTOWN DBA THE FAR</b>			NC	<b>GW</b>	<b>64</b>
	3A	<i>E. COLI</i>		7/1/2022		9/30/2022
<u>IN2790802</u>	<b>MONITOR TAVERN</b>			NC	<b>GW</b>	<b>25</b>
	3A	<i>E. COLI</i>		5/1/2022		5/31/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022
	3A	<i>E. COLI</i>		9/1/2022	9/30/2022
	3A	<i>E. COLI</i>		10/1/2022	10/31/2022
	3A	<i>E. COLI</i>		12/1/2022	12/31/2022
<u>IN2790840</u>	<b>STOCKWELL UNITED METHODIST</b>			<b>NC</b>	<b>GW</b> <b>37</b>
	34	<i>E. COLI</i>		7/21/2022	
	3A	<i>E. COLI</i>		8/1/2022	8/31/2022
<u>IN2790850</u>	<b>APOSTOLIC TABERNACLE</b>			<b>NC</b>	<b>GW</b> <b>50</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
<u>IN2790930</u>	<b>CAMP SYCAMORE VALLEY</b>			<b>NC</b>	<b>GW</b> <b>50</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
	3A	<i>E. COLI</i>		1/1/2022	3/31/2022
	3A	<i>E. COLI</i>		10/1/2022	12/31/2022
<u>IN2790933</u>	<b>CARY SCOUT CAMP - MAIN WELL</b>			<b>NC</b>	<b>GW</b> <b>85</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
<u>IN2790971</u>	<b>MIRACLE BETHEL CHURCH</b>			<b>NC</b>	<b>GW</b> <b>50</b>
	34	<i>E. COLI</i>		12/15/2020	1/17/2022
	3A	<i>E. COLI</i>		12/1/2022	12/31/2022
<u>IN2790978</u>	<b>FRIENDLY MART LLC</b>			<b>NC</b>	<b>GW</b> <b>178</b>
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
	3A	<i>E. COLI</i>		9/1/2022	9/30/2022
<u>IN2800018</u>	<b>NORMANDA CHRISTIAN CHURCH</b>			<b>NC</b>	<b>GW</b> <b>80</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
<u>IN2800036</u>	<b>CURTISVILLE CHRISTIAN CHURCH</b>			<b>NC</b>	<b>GW</b> <b>70</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
<u>IN2800814</u>	<b>TRI-CENTRAL HIGH SCHOOL</b>			<b>NTNC</b>	<b>GW</b> <b>435</b>
	51	<i>LEAD &amp; COPPER RULE</i>		7/1/2022	10/31/2022
	66	<i>LEAD &amp; COPPER RULE</i>		1/1/2022	2/22/2023
<u>IN2800820</u>	<b>PIONEER HI-BRED INTL/PRODUC PLANT</b>			<b>NTNC</b>	<b>GW</b> <b>140</b>
	3A	<i>E. COLI</i>		10/1/2022	10/31/2022
<u>IN2810824</u>	<b>LIBERTY COUNTRY CLUB- HOUSING DEVELO</b>			<b>NTNC</b>	<b>GW</b> <b>35</b>
	51	<i>LEAD &amp; COPPER RULE</i>		1/1/2022	2/22/2023

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
	66	LEAD & COPPER RULE		1/1/2022		
<u>IN2810825</u>	<b>DUBOIS CREEK RESORT</b>			NC	<b>GW</b>	<b>50</b>
	3A	E. COLI		4/1/2022		4/30/2022
<u>IN2810829</u>	<b>BROOKVILLE RESV - QUAKERTOWN CAMP</b>			NC	<b>GW</b>	<b>75</b>
	03	NITRATE		1/1/2022		12/31/2022
<u>IN2810830</u>	<b>BROOKVILLE RESV - QUAKERTOWN RECREA</b>			NC	<b>GW</b>	<b>100</b>
	03	NITRATE		1/1/2022		12/31/2022
	34	E. COLI		8/25/2022		9/6/2022
<u>IN2810831</u>	<b>BROOKVILLE RESV-HANNA CREEK MARINA</b>			NC	<b>GW</b>	<b>75</b>
	03	NITRATE		1/1/2022		12/31/2022
<u>IN2810834</u>	<b>HANNAS CREEK CHURCH</b>			NC	<b>GW</b>	<b>81</b>
	03	NITRATE		1/1/2022		12/31/2022
<u>IN2820002</u>	<b>OUTBOARD BOATING CLUB OF EVANSVILLE</b>			NC	<b>GW</b>	<b>25</b>
	34	E. COLI		6/29/2021		5/17/2022
	34	E. COLI		7/28/2021		5/17/2022
	34	E. COLI		9/7/2021		5/17/2022
	34	E. COLI		10/7/2021		5/17/2022
	3A	E. COLI		6/1/2022		6/30/2022
<u>IN2820021</u>	<b>NU PLAZA YACHT CLUB</b>			NC	<b>GW</b>	<b>25</b>
	03	NITRATE		1/1/2022		12/31/2022
	3A	E. COLI		10/1/2022		10/31/2022
<u>IN2820821</u>	<b>HORNVILLE TAVERN</b>			NC	<b>GW</b>	<b>85</b>
	03	NITRATE		1/1/2022		12/31/2022
	3A	E. COLI		5/1/2022		5/31/2022
	3A	E. COLI		6/1/2022		6/30/2022
<u>IN2830009</u>	<b>EUGENE COVERED BRIDGE RESTAURANT</b>			NC	<b>GW</b>	<b>200</b>
	03	NITRATE		1/1/2022		12/31/2022
<u>IN2830065</u>	<b>BEEF HOUSE RESTAURANT</b>			NTNC	<b>GW</b>	<b>850</b>
	3A	E. COLI		2/1/2022		2/28/2022
	3A	E. COLI		12/1/2022		12/31/2022
<u>IN2830809</u>	<b>SPRING CREEK WELCOME CTR. I-74 EASTBOU</b>			NC	<b>GW</b>	<b>1001</b>
	34	E. COLI		9/10/2022		12/23/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		34	<i>E. COLI</i>	9/13/2022	12/23/2022	
		34	<i>E. COLI</i>	10/8/2022	12/23/2022	
		34	<i>E. COLI</i>	10/11/2022	12/23/2022	
<u>IN2840012</u>	<b>FONTANET TAVERN</b>			<b>NC</b>	<b>GW</b>	<b>38</b>
		3A	<i>E. COLI</i>	4/1/2022	6/30/2022	
<u>IN2840022</u>	<b>VIGO COUNTY YOUTH SOCCER COMPLEX</b>			<b>NC</b>	<b>GW</b>	<b>300</b>
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022	
<u>IN2840028</u>	<b>TERRE HAUTE QUARTER MIDGET ASSOCIATI</b>			<b>NC</b>	<b>GW</b>	<b>200</b>
		3A	<i>E. COLI</i>	1/1/2022	3/31/2022	
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
<u>IN2840030</u>	<b>ANGELS WATCHING OVER YOU</b>			<b>NC</b>	<b>GW</b>	<b>30</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022	
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022	
		3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
		3A	<i>E. COLI</i>	12/1/2022	12/31/2022	
<u>IN2840807</u>	<b>RIO GRANDE BAPTIST CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>50</b>
		34	<i>E. COLI</i>	7/5/2022	7/11/2022	
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
<u>IN2840823</u>	<b>NORTH SIDE CHRISTIAN CHURCH</b>			<b>NC</b>	<b>GW</b>	<b>50</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<u>IN2840824</u>	<b>THE ORIGINAL GREEN ACRES DAIRY BAR, IN</b>			<b>NC</b>	<b>GW</b>	<b>100</b>
		34	<i>E. COLI</i>	6/28/2016	10/11/2022	
<u>IN2840903</u>	<b>WABASH VALLEY GIRLS SOFTBALL LEAGUE</b>			<b>NC</b>	<b>GW</b>	<b>50</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022	
		3A	<i>E. COLI</i>	4/1/2022	4/30/2022	
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022	
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022	
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u><a href="#">IN2850821</a></u>	<b>SALAMONIE RIVER ST. FOREST-OFFICE/H.CA</b>		NC	<b>GW</b>	<b>200</b>
3A	<i>E. COLI</i>	7/1/2022		7/31/2022	
<u><a href="#">IN2850822</a></u>	<b>SALAMONIE RIVER ST. FOREST-FAMILY</b>		NC	<b>GW</b>	<b>200</b>
3A	<i>E. COLI</i>	7/1/2022		7/31/2022	
<u><a href="#">IN2850825</a></u>	<b>SALAMONIE RESERVOIR -WELL DORA NH</b>		NC	<b>GW</b>	<b>25</b>
3A	<i>E. COLI</i>	5/1/2022		5/31/2022	
<u><a href="#">IN2850844</a></u>	<b>MANCHESTER INTERMEDIATE</b>		NTNC	<b>GW</b>	<b>385</b>
3A	<i>E. COLI</i>	5/1/2022		5/31/2022	
<u><a href="#">IN2850850</a></u>	<b>MISSISSINEWA - RED BRIDGE BOAT RAMP</b>		NC	<b>GW</b>	<b>900</b>
3A	<i>E. COLI</i>	4/1/2022		4/30/2022	
<u><a href="#">IN2850852</a></u>	<b>COCOJOS - A ZOOMERS RV RESORT-CAMPGR</b>		NC	<b>GW</b>	<b>410</b>
03	<i>NITRATE</i>	1/1/2022		12/31/2022	
<u><a href="#">IN2860001</a></u>	<b>OAK GROVE MOTEL</b>		NC	<b>GW</b>	<b>25</b>
3A	<i>E. COLI</i>	1/1/2022		3/31/2022	
<u><a href="#">IN2860008</a></u>	<b>CHURCH OF LIVING WATER</b>		NC	<b>GW</b>	<b>45</b>
03	<i>NITRATE</i>	1/1/2022		12/31/2022	
<u><a href="#">IN2860826</a></u>	<b>PINE CREEK UMC - CAMPSITE B (TIMBERS)</b>		NC	<b>GW</b>	<b>60</b>
34	<i>E. COLI</i>	9/14/2021		6/13/2022	
34	<i>E. COLI</i>	6/9/2022		6/13/2022	
<u><a href="#">IN2860830</a></u>	<b>HANGING ROCK CHRISTIAN ASSEMBLY INC.</b>		NC	<b>GW</b>	<b>43</b>
3A	<i>E. COLI</i>	9/1/2022		9/30/2022	
<u><a href="#">IN2860842</a></u>	<b>PINE CREEK UMC - CAMPSITE D (HORSE BAR</b>		NC	<b>GW</b>	<b>50</b>
3A	<i>E. COLI</i>	7/1/2022		7/31/2022	
3A	<i>E. COLI</i>	12/1/2022		12/31/2022	
<u><a href="#">IN2860843</a></u>	<b>PINE CREEK UMC -CAMPsite E (FAMILY CAM</b>		NC	<b>GW</b>	<b>60</b>
3A	<i>E. COLI</i>	4/1/2022		4/30/2022	
3A	<i>E. COLI</i>	7/1/2022		7/31/2022	
3A	<i>E. COLI</i>	10/1/2022		10/31/2022	
3A	<i>E. COLI</i>	11/1/2022		11/30/2022	
<u><a href="#">IN2860844</a></u>	<b>PINE CREEK UMC - CAMPSITE F (POOL)</b>		NC	<b>GW</b>	<b>98</b>
34	<i>E. COLI</i>	9/14/2021		6/13/2022	
34	<i>E. COLI</i>	6/9/2022		6/13/2022	

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
<u>IN2870001</u>	<b>KAISER ALUMINUM WARRICK LLC</b>			NTNC	GWP	1200
51	LEAD & COPPER RULE	1/1/2022		6/9/2022		
<u>IN2890001</u>	<b>GATEWAY CHURCH OF RICHMOND</b>			NC	GW	98
3A	E. COLI	7/1/2022		7/31/2022		
<u>IN2890007</u>	<b>HILLCREST BAPTIST CHURCH</b>			NC	GW	400
3A	E. COLI	7/1/2022		9/30/2022		
<u>IN2890011</u>	<b>SUGAR GROVE AMISH SCHOOL</b>			NC	GW	25
03	NITRATE	1/1/2022		12/31/2022		
3A	E. COLI	5/1/2022		5/31/2022		
<u>IN2890013</u>	<b>SUNRISE AMISH SCHOOL</b>			NC	GW	25
3A	E. COLI	5/1/2022		5/31/2022		
3A	E. COLI	7/1/2022		7/31/2022		
<u>IN2890017</u>	<b>RICHMOND MUNICIPAL AIRPORT</b>			NC	GW	25
03	NITRATE	1/1/2022		12/31/2022		
3A	E. COLI	4/1/2022		6/30/2022		
<u>IN2890024</u>	<b>HAGERSTOWN MUNICIPAL PARK</b>			NC	GW	40
03	NITRATE	1/1/2022		12/31/2022		
<u>IN2890027</u>	<b>STONE VALLEY CHRISTIAN CHURCH</b>			NC	GW	50
3A	E. COLI	4/1/2022		6/30/2022		
<u>IN2890030</u>	<b>RECOVERY WORKS</b>			NC	GW	40
3A	E. COLI	7/1/2022		9/30/2022		
<u>IN2890107</u>	<b>WILLOW SPRINGS RESTAURANT</b>			NC	GW	50
3A	E. COLI	10/1/2022		12/31/2022		
<u>IN2890252</u>	<b>NORTH 27 WORSHIP CENTER</b>			NC	GW	52
34	E. COLI	4/21/2022				
3A	E. COLI	1/1/2022		1/31/2022		
<u>IN2890280</u>	<b>GREENS FORK CHRISTIAN CHURCH</b>			NC	GW	25
3A	E. COLI	4/1/2022		6/30/2022		
<u>IN2890302</u>	<b>GRANDPAS FARM</b>			NC	GW	25
3A	E. COLI	10/1/2022		12/31/2022		
<u>IN2890804</u>	<b>GREENS FORK FAMILY DINER</b>			NC	GW	51
03	NITRATE	1/1/2022		12/31/2022		

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
<u><a href="#">IN2890834</a></u>	<b>WINDING BRANCH GOLF COURSE</b>			NC	<b>GW</b>	<b>35</b>
3A	<i>E. COLI</i>		1/1/2022		1/31/2022	
<u><a href="#">IN2890866</a></u>	<b>GLEN MILLER PARK - F.S.</b>			NC	<b>GW</b>	<b>100</b>
3A	<i>E. COLI</i>		4/1/2022		6/30/2022	
<u><a href="#">IN2890893</a></u>	<b>GLEN MILLER PARK BACK SPRING</b>			NC	<b>GW</b>	<b>25</b>
3A	<i>E. COLI</i>		4/1/2022		6/30/2022	
<u><a href="#">IN2890894</a></u>	<b>SPRINGWOOD PARK SUMMER SHELTER HOU</b>			NC	<b>GW</b>	<b>50</b>
3A	<i>E. COLI</i>		4/1/2022		6/30/2022	
<u><a href="#">IN2890895</a></u>	<b>HIGHLAND LAKE GOLF COURSE - HOLE #8</b>			NC	<b>GW</b>	<b>82</b>
3A	<i>E. COLI</i>		5/1/2022		5/31/2022	
<u><a href="#">IN2890896</a></u>	<b>HIGHLAND LAKE GOLF COURSE - CLUBHOUS</b>			NC	<b>GW</b>	<b>92</b>
3A	<i>E. COLI</i>		5/1/2022		5/31/2022	
<u><a href="#">IN2890903</a></u>	<b>ZIONS LUTHERAN CHURCH</b>			NC	<b>GW</b>	<b>60</b>
03	<i>NITRATE</i>		1/1/2022		12/31/2022	
3A	<i>E. COLI</i>		5/1/2022		5/31/2022	
<u><a href="#">IN2900017</a></u>	<b>HAVEN MANUFACTURING INDIANA</b>			NTNC	<b>GW</b>	<b>45</b>
3A	<i>E. COLI</i>		1/1/2022		3/31/2022	
66	<i>LEAD &amp; COPPER RULE</i>		1/1/2021		3/14/2022	
<u><a href="#">IN2900019</a></u>	<b>SOUTHERN WELLS COMMUNITY CHURCH</b>			NC	<b>GW</b>	<b>191</b>
03	<i>NITRATE</i>		1/1/2022		12/31/2022	
<u><a href="#">IN2910002</a></u>	<b>IGLESIA APOSTOLES Y PROFETAS EFESIOS</b>			NC	<b>GW</b>	<b>154</b>
3A	<i>E. COLI</i>		11/1/2022		11/30/2022	
<u><a href="#">IN2910006</a></u>	<b>IDAVILLE FIRST CHURCH OF GOD</b>			NC	<b>GW</b>	<b>75</b>
03	<i>NITRATE</i>		1/1/2022		12/31/2022	
34	<i>E. COLI</i>		1/6/2022		1/20/2022	
<u><a href="#">IN2910022</a></u>	<b>TWIN LAKES YOUTH SPORTS COMPLEX</b>			NC	<b>GW</b>	<b>72</b>
3A	<i>E. COLI</i>		6/1/2022		6/30/2022	
<u><a href="#">IN2910023</a></u>	<b>ELSONS PONDEROSA CAMPGROUND INC.</b>			NC	<b>GW</b>	<b>100</b>
3A	<i>E. COLI</i>		4/1/2022		4/30/2022	
<u><a href="#">IN2910024</a></u>	<b>HILLCREST CAMPGROUND</b>			NC	<b>GW</b>	<b>74</b>
03	<i>NITRATE</i>		1/1/2022		12/31/2022	
3A	<i>E. COLI</i>		4/1/2022		4/30/2022	

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022
<u>IN2910025</u>	<b>ROCKLAND WOOD PRODUCTS</b>			<b>NTNC</b>	<b>GW</b> <b>145</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		52	<i>LEAD &amp; COPPER RULE</i>	10/1/2022	
<u>IN2910026</u>	<b>BIG MONON CAMP</b>			<b>NC</b>	<b>GW</b> <b>108</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
<u>IN2910027</u>	<b>THE SAND BAR RESTAURANT &amp; LOUNGE</b>			<b>NC</b>	<b>GW</b> <b>265</b>
		34	<i>E. COLI</i>	10/15/2021	5/5/2022
		34	<i>E. COLI</i>	11/13/2021	5/5/2022
<u>IN2910032</u>	<b>CIMC REEFER TRAILER</b>			<b>NTNC</b>	<b>GW</b> <b>95</b>
		51	<i>LEAD &amp; COPPER RULE</i>	7/1/2021	3/28/2022
<u>IN2910037</u>	<b>TIPPECANOE COUNTRY CLUB</b>			<b>NC</b>	<b>GW</b> <b>65</b>
		3A	<i>E. COLI</i>	7/1/2022	7/31/2022
<u>IN2910043</u>	<b>REGAL DEVELOPMENT/SHAFER SHORES RES</b>			<b>NC</b>	<b>GW</b> <b>36</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
<u>IN2910046</u>	<b>ANCHOR BAY RESORT</b>			<b>NC</b>	<b>GW</b> <b>30</b>
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
<u>IN2910167</u>	<b>OUTRIGGER - NORTH</b>			<b>NC</b>	<b>GW</b> <b>27</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		3A	<i>E. COLI</i>	5/1/2022	5/31/2022
		3A	<i>E. COLI</i>	9/1/2022	9/30/2022
<u>IN2910214</u>	<b>GUERNSEY CHURCH OF BRETHREN</b>			<b>NC</b>	<b>GW</b> <b>34</b>
		03	<i>NITRATE</i>	1/1/2022	12/31/2022
		3A	<i>E. COLI</i>	6/1/2022	6/30/2022
<u>IN2910405</u>	<b>BAY FRONT MOBILE HOME PARK</b>			<b>NC</b>	<b>GW</b> <b>29</b>
		3A	<i>E. COLI</i>	7/1/2022	9/30/2022
<u>IN2910801</u>	<b>VICTORIAN BAY RESORT</b>			<b>NC</b>	<b>GW</b> <b>25</b>
		3A	<i>E. COLI</i>	8/1/2022	8/31/2022
<u>IN2910810</u>	<b>LAKE SHAFER BOATHOUSE</b>			<b>NC</b>	<b>GW</b> <b>40</b>
		34	<i>E. COLI</i>	10/15/2021	1/3/2022
		34	<i>E. COLI</i>	11/13/2021	1/3/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		34	<i>E. COLI</i>	10/14/2022		11/9/2022
<u>IN2910814</u>	<b>ARBOR LIGHTS RESORT</b>				<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
<u>IN2910816</u>	<b>OUTRIGGER - SOUTH</b>				<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022
<u>IN2910818</u>	<b>ANCHOR BAYS WHISKEY AND WINE SALOON</b>				<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		3A	<i>E. COLI</i>	3/1/2022		3/31/2022
		3A	<i>E. COLI</i>	4/1/2022		4/30/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2910820</u>	<b>BUFFALO STOP N SHOP</b>				<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	6/1/2022		6/30/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
		3A	<i>E. COLI</i>	8/1/2022		8/31/2022
		3A	<i>E. COLI</i>	9/1/2022		9/30/2022
		3A	<i>E. COLI</i>	10/1/2022		10/31/2022
<u>IN2910928</u>	<b>LOST ACRES</b>				<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	10/1/2022		10/31/2022
<u>IN2910930</u>	<b>CAMP BUFFALO (MAIN WELL)</b>				<b>NC</b>	<b>GW</b>
		3A	<i>E. COLI</i>	1/1/2022		1/31/2022
		3A	<i>E. COLI</i>	3/1/2022		3/31/2022
		3A	<i>E. COLI</i>	5/1/2022		5/31/2022
		3A	<i>E. COLI</i>	7/1/2022		7/31/2022
		3A	<i>E. COLI</i>	10/1/2022		10/31/2022
		3A	<i>E. COLI</i>	11/1/2022		11/30/2022
		3A	<i>E. COLI</i>	12/1/2022		12/31/2022
<u>IN2910931</u>	<b>CAMP BUFFALO - POOL</b>				<b>NC</b>	<b>GW</b>
		03	<i>NITRATE</i>	1/1/2022		12/31/2022
		34	<i>E. COLI</i>	8/24/2022		

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022
<u>IN2910932</u>	<b>CAMP BUFFALO (PINES WELL)</b>			NC	<b>GW</b> 100
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022
<u>IN2910933</u>	<b>CAMP BUFFALO (MIAMI WELL)</b>			NC	<b>GW</b> 100
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022
<u>IN2910945</u>	<b>SUMMER HAVEN RESORT</b>			NC	<b>GW</b> 46
	3A	<i>E. COLI</i>		6/1/2022	6/30/2022
<u>IN2910952</u>	<b>CAMP BUFFALO (DINING HALL)</b>			NC	<b>GW</b> 41
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
	3A	<i>E. COLI</i>		7/1/2022	7/31/2022
<u>IN2910953</u>	<b>ALEXANDERS LANDING, LLC</b>			NC	<b>GW</b> 25
	34	<i>E. COLI</i>		10/18/2022	11/14/2022
	3B	<i>E. COLI</i>		7/1/2022	7/31/2022
<u>IN2910955</u>	<b>THE PIT STOP PANTRY</b>			NC	<b>GW</b> 25
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
<u>IN2910957</u>	<b>AMERICAN LEGION POST #81</b>			NC	<b>GW</b> 50
	3A	<i>E. COLI</i>		10/1/2022	12/31/2022
<u>IN2920002</u>	<b>HECKMAN COMMUNITY PARK</b>			NC	<b>GW</b> 500
	34	<i>E. COLI</i>		9/28/2022	
	3A	<i>E. COLI</i>		8/1/2022	8/31/2022
<u>IN2920010</u>	<b>EBERHARD LUTHERAN CHURCH</b>			NC	<b>GW</b> 45
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
<u>IN2920011</u>	<b>DAVIS LAKESIDE CAMPGROUND</b>			NC	<b>GW</b> 73
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022
<u>IN2920023</u>	<b>INDIANA TROPHY WHITETAIL HUNTING</b>			NC	<b>GW</b> 25
	3A	<i>E. COLI</i>		4/1/2022	6/30/2022
<u>IN2920155</u>	<b>OTTOS CAMPGROUND</b>			NC	<b>GW</b> 70
	3A	<i>E. COLI</i>		4/1/2022	4/30/2022
<u>IN2920806</u>	<b>BIG LAKE CHURCH OF GOD</b>			NC	<b>GW</b> 42

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
03	CARBON TETRACHLORIDE		1/1/2022	12/31/2022	
03	1,2-DICHLOROPROPANE		1/1/2022	12/31/2022	
03	XYLEMES, TOTAL		1/1/2022	12/31/2022	
03	MERCURY		1/1/2022	12/31/2022	
03	BARIUM		1/1/2022	12/31/2022	
03	VINYL CHLORIDE		1/1/2022	12/31/2022	
03	CYANIDE		1/1/2022	12/31/2022	
03	BENZENE		1/1/2022	12/31/2022	
03	1,2-DICHLOROETHANE		1/1/2022	12/31/2022	
03	CHLOROBENZENE		1/1/2022	12/31/2022	
03	TRICHLOROETHYLENE		1/1/2022	12/31/2022	
03	ARSENIC		1/1/2022	12/31/2022	
03	CHROMIUM		1/1/2022	12/31/2022	
03	STYRENE		1/1/2022	12/31/2022	
03	1,1,2-TRICHLOROETHANE		1/1/2022	12/31/2022	
03	ANTIMONY, TOTAL		1/1/2022	12/31/2022	
03	BERYLLIUM, TOTAL		1/1/2022	12/31/2022	
03	TRANS-1,2-DICHLOROETHYLENE		1/1/2022	12/31/2022	
03	TETRACHLOROETHYLENE		1/1/2022	12/31/2022	
03	1,2,4-TRICHLOROBENZENE		1/1/2022	12/31/2022	
03	NICKEL		1/1/2022	12/31/2022	
03	CIS-1,2-DICHLOROETHYLENE		1/1/2022	12/31/2022	
03	1,1,1-TRICHLOROETHANE		1/1/2022	12/31/2022	
03	1,1-DICHLOROETHYLENE		1/1/2022	12/31/2022	
03	CADMIUM		1/1/2022	12/31/2022	
03	O-DICHLOROBENZENE		1/1/2022	12/31/2022	
03	DICHLOROMETHANE		1/1/2022	12/31/2022	
03	NITRATE		1/1/2022	12/31/2022	
03	P-DICHLOROBENZENE		1/1/2022	12/31/2022	
03	SELENIUM		1/1/2022	12/31/2022	
03	ETHYLBENZENE		1/1/2022	12/31/2022	
03	TOLUENE		1/1/2022	12/31/2022	
03	THALLIUM, TOTAL		1/1/2022	12/31/2022	
3A	E. COLI		4/1/2022	6/30/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
51	LEAD & COPPER RULE			7/1/2022	
<u>IN2920816</u>	<b>BUSCO IGA</b>			NC	GW 40
3A	E. COLI			6/1/2022	6/30/2022
3A	E. COLI			10/1/2022	10/31/2022
<u>IN2920831</u>	<b>CAMP WHITLEY, INC.</b>			NC	GW 600
03	NITRATE			1/1/2022	12/31/2022
3A	E. COLI			5/1/2022	5/31/2022
3A	E. COLI			9/1/2022	9/30/2022
<u>IN2920879</u>	<b>OAK GROVE CHURCH OF GOD</b>			NC	GW 201
03	NITRATE			1/1/2022	12/31/2022
<u>IN5201003</u>	<b>GENEVA WATER DEPARTMENT</b>			C	GW 1359
3A	E. COLI			6/1/2022	6/30/2022
<u>IN5201023</u>	<b>COUNTRY ACRES AND ASSOCIATION LLC</b>			C	GW 25
03	OXAMYL			1/1/2022	12/31/2022
03	ETHYLENE DIBROMIDE			1/1/2022	12/31/2022
03	HEPTACHLOR			1/1/2022	12/31/2022
03	DI(2-ETHYLHEXYL) PHTHALATE			1/1/2022	12/31/2022
03	METHOXYCHLOR			1/1/2022	12/31/2022
03	2,4,5-TP			1/1/2022	12/31/2022
03	BENZO(A)PYRENE			1/1/2022	12/31/2022
03	ENDRIN			1/1/2022	12/31/2022
03	2,4-D			1/1/2022	12/31/2022
03	DINOSEB			1/1/2022	12/31/2022
03	TOXAPHENE			1/1/2022	12/31/2022
03	LASSO			1/1/2022	12/31/2022
03	HEXACHLOROBENZENE			1/1/2022	12/31/2022
03	CHLORDANE			1/1/2022	12/31/2022
03	PENTACHLOROPHENOL			1/1/2022	12/31/2022
03	BHC-GAMMA			1/1/2022	12/31/2022
03	DIQUAT			1/1/2022	12/31/2022
03	HEXACHLOROCYCLOPENTADIEN			1/1/2022	12/31/2022
03	GLYPHOSATE			1/1/2022	12/31/2022
03	ENDOTHALL			1/1/2022	12/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
		03	1,2-DIBROMO-3-CHLOROPROPAN	1/1/2022	12/31/2022
		03	SIMAZINE	1/1/2022	12/31/2022
		03	DI(2-ETHYLHEXYL) ADIPATE	1/1/2022	12/31/2022
		03	HEPTACHLOR EPOXIDE	1/1/2022	12/31/2022
		03	ATRAZINE	1/1/2022	12/31/2022
		03	CARBOFURAN	1/1/2022	12/31/2022
		03	DALAPON	1/1/2022	12/31/2022
		03	PICLORAM	1/1/2022	12/31/2022
		3A	E. COLI	1/1/2022	1/31/2022
		3A	E. COLI	2/1/2022	2/28/2022
		3A	E. COLI	3/1/2022	3/31/2022
		3A	E. COLI	4/1/2022	4/30/2022
		3A	E. COLI	5/1/2022	5/31/2022
		3A	E. COLI	6/1/2022	6/30/2022
		3A	E. COLI	7/1/2022	7/31/2022
		3A	E. COLI	8/1/2022	8/31/2022
		3A	E. COLI	9/1/2022	9/30/2022
		3A	E. COLI	10/1/2022	10/31/2022
		3A	E. COLI	11/1/2022	11/30/2022
		3A	E. COLI	12/1/2022	12/31/2022
		52	LEAD & COPPER RULE	10/1/2022	
<u>IN5202010</u>	<b>MILL ROAD ESTATES</b>			<b>C</b>	<b>GW</b> <b>150</b>
		3A	E. COLI	10/1/2022	10/31/2022
<u>IN5202020</u>	<b>FORT WAYNE - 3 RIVERS FILTRATION PLANT</b>			<b>C</b>	<b>SW</b> <b>266000</b>
		66	LEAD & COPPER RULE	1/1/2022	1/6/2023
<u>IN5203009</u>	<b>TANNEHILL POINTE</b>			<b>C</b>	<b>GW</b> <b>330</b>
		3A	E. COLI	10/1/2022	10/31/2022
<u>IN5204001</u>	<b>AMBIA WATER DEPARTMENT</b>			<b>C</b>	<b>GW</b> <b>250</b>
		27	TOTAL HALOACETIC ACIDS (HAA)	1/1/2022	12/31/2022
		27	TTHM	1/1/2022	12/31/2022
		3A	E. COLI	4/1/2022	4/30/2022
<u>IN5204002</u>	<b>BOSWELL WATER DEPARTMENT</b>			<b>C</b>	<b>GW</b> <b>750</b>
		66	LEAD & COPPER RULE	1/1/2019	6/8/2022

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
		66	LEAD & COPPER RULE	10/1/2019	6/8/2022
		66	LEAD & COPPER RULE	1/1/2020	6/8/2022
		66	LEAD & COPPER RULE	1/1/2022	10/12/2022
<u>IN5206002</u>	<b>ZIONSVILLE MHP TRUST</b>			<b>C</b>	<b>GW</b>
		03	HEXACHLOROBENZENE	1/1/2022	12/31/2022
		03	ETHYLENE DIBROMIDE	1/1/2022	12/31/2022
		03	TOXAPHENE	1/1/2022	12/31/2022
		03	PICLORAM	1/1/2022	12/31/2022
		03	DI(2-ETHYLHEXYL) PHTHALATE	1/1/2022	12/31/2022
		03	DALAPON	1/1/2022	12/31/2022
		03	HEXACHLOROCYCLOPENTADIEN	1/1/2022	12/31/2022
		03	GLYPHOSATE	1/1/2022	12/31/2022
		03	HEPTACHLOR EPOXIDE	1/1/2022	12/31/2022
		03	BENZO(A)PYRENE	1/1/2022	12/31/2022
		03	PENTACHLOROPHENOL	1/1/2022	12/31/2022
		03	CARBOFURAN	1/1/2022	12/31/2022
		03	OXAMYL	1/1/2022	12/31/2022
		03	1,2-DIBROMO-3-CHLOROPROPAN	1/1/2022	12/31/2022
		03	CHLORDANE	1/1/2022	12/31/2022
		03	2,4,5-TP	1/1/2022	12/31/2022
		03	DIQUAT	1/1/2022	12/31/2022
		03	ENDOTHALL	1/1/2022	12/31/2022
		03	DINOSEB	1/1/2022	12/31/2022
		03	ENDRIN	1/1/2022	12/31/2022
		03	SIMAZINE	1/1/2022	12/31/2022
		03	LASSO	1/1/2022	12/31/2022
		03	HEPTACHLOR	1/1/2022	12/31/2022
		03	ATRAZINE	1/1/2022	12/31/2022
		03	METHOXYCHLOR	1/1/2022	12/31/2022
		03	DI(2-ETHYLHEXYL) ADIPATE	1/1/2022	12/31/2022
		03	2,4-D	1/1/2022	12/31/2022
		03	BHC-GAMMA	1/1/2022	12/31/2022
		52	LEAD & COPPER RULE	10/1/2022	
<u>IN5208012</u>	<b>BURLINGTON APARTMENTS</b>			<b>C</b>	<b>GW</b>
					<b>18</b>

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
66	LEAD & COPPER RULE			1/1/2022		
<u>IN5209011</u>	<b>CRESCENT HILLS MOBILE HOME PARK</b>			C	<b>GWP</b>	<b>122</b>
34	E. COLI			11/24/2022		1/10/2023
34	E. COLI			12/29/2022		1/10/2023
<u>IN5210012</u>	<b>SUNFLOWER VALLEY WATER CO, INC.</b>			C	<b>GWP</b>	<b>75</b>
3A	E. COLI			10/1/2022		10/31/2022
3A	E. COLI			11/1/2022		11/30/2022
3A	E. COLI			12/1/2022		12/31/2022
<u>IN5213002</u>	<b>ENGLISH WATER WORKS</b>			C	<b>SWP</b>	<b>886</b>
66	LEAD & COPPER RULE			1/1/2021		2/16/2022
<u>IN5213003</u>	<b>GRANTSBURG RURAL WATER COMPANY</b>			C	<b>SWP</b>	<b>250</b>
66	LEAD & COPPER RULE			1/1/2021		2/16/2022
<u>IN5213007</u>	<b>PATOKA WATER COMPANY, INC.</b>			C	<b>SWP</b>	<b>1038</b>
66	LEAD & COPPER RULE			1/1/2021		2/16/2022
<u>IN5214004</u>	<b>MONTGOMERY WATER WORKS</b>			C	<b>GW</b>	<b>900</b>
27	TTHM			4/1/2022		6/30/2022
27	TOTAL HALOACETIC ACIDS (HAA)			4/1/2022		4/30/2022
<u>IN5214005</u>	<b>ODON WATER UTILITIES, INC.</b>			C	<b>GW</b>	<b>1703</b>
3A	E. COLI			5/1/2022		5/31/2022
<u>IN5216004</u>	<b>ST. PAUL MUNICIPAL WATER</b>			C	<b>GW</b>	<b>1096</b>
27	TTHM			1/1/2022		12/31/2022
27	TOTAL HALOACETIC ACIDS (HAA)			1/1/2022		12/31/2022
<u>IN5216005</u>	<b>WESTPORT WATER COMPANY</b>			C	<b>SW</b>	<b>1610</b>
03	CHLOROBENZENE			1/1/2022		3/31/2022
03	1,1,2-TRICHLOROETHANE			1/1/2022		3/31/2022
03	BENZENE			1/1/2022		3/31/2022
03	1,2,4-TRICHLOROBENZENE			1/1/2022		3/31/2022
03	1,2-DICHLOROPROPANE			1/1/2022		3/31/2022
03	TETRACHLOROETHYLENE			1/1/2022		3/31/2022
03	STYRENE			1/1/2022		3/31/2022
03	TRANS-1,2-DICHLOROETHYLENE			1/1/2022		3/31/2022
03	1,1-DICHLOROETHYLENE			1/1/2022		3/31/2022

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	03	ETHYLBENZENE	1/1/2022	3/31/2022	
	03	1,1,1-TRICHLOROETHANE	1/1/2022	3/31/2022	
	03	VINYL CHLORIDE	1/1/2022	3/31/2022	
	03	O-DICHLOROBENZENE	1/1/2022	3/31/2022	
	03	1,2-DICHLOROETHANE	1/1/2022	3/31/2022	
	03	CIS-1,2-DICHLOROETHYLENE	1/1/2022	3/31/2022	
	03	CARBON TETRACHLORIDE	1/1/2022	3/31/2022	
	03	P-DICHLOROBENZENE	1/1/2022	3/31/2022	
	03	TOLUENE	1/1/2022	3/31/2022	
	03	DICHLOROMETHANE	1/1/2022	3/31/2022	
	03	XYLENES, TOTAL	1/1/2022	3/31/2022	
	03	TRICHLOROETHYLENE	1/1/2022	3/31/2022	
<b>IN5218003</b>	<b>COUNTRY ACRES MOBILE HOME PARK</b>			<b>C</b>	<b>GW</b>
	03	CARBOFURAN	1/1/2022	12/31/2022	
	03	ENDRIN	1/1/2022	12/31/2022	
	03	DALAPON	1/1/2022	12/31/2022	
	03	TOXAPHENE	1/1/2022	12/31/2022	
	03	DI(2-ETHYLHEXYL) PHTHALATE	1/1/2022	12/31/2022	
	03	2,4-D	1/1/2022	12/31/2022	
	03	2,4,5-TP	1/1/2022	12/31/2022	
	03	CHLORDANE	1/1/2022	12/31/2022	
	03	DINOSEB	1/1/2022	12/31/2022	
	03	SIMAZINE	1/1/2022	12/31/2022	
	03	LASSO	1/1/2022	12/31/2022	
	03	HEXACHLOROCYCLOPENTADIEN	1/1/2022	12/31/2022	
	03	BHC-GAMMA	1/1/2022	12/31/2022	
	03	DIQUAT	1/1/2022	12/31/2022	
	03	HEPTACHLOR	1/1/2022	12/31/2022	
	03	PICLORAM	1/1/2022	12/31/2022	
	03	DI(2-ETHYLHEXYL) ADIPATE	1/1/2022	12/31/2022	
	03	BENZO(A)PYRENE	1/1/2022	12/31/2022	
	03	NITRATE	1/1/2022	12/31/2022	
	03	HEPTACHLOR EPOXIDE	1/1/2022	12/31/2022	
	03	ATRAZINE	1/1/2022	12/31/2022	

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	03	GLYPHOSATE	1/1/2022	12/31/2022	
	03	ENDOTHALL	1/1/2022	12/31/2022	
	03	1,2-DIBROMO-3-CHLOROPROPAN	1/1/2022	12/31/2022	
	03	PENTACHLOROPHENOL	1/1/2022	12/31/2022	
	03	ETHYLENE DIBROMIDE	1/1/2022	12/31/2022	
	03	METHOXYCHLOR	1/1/2022	12/31/2022	
	03	OXAMYL	1/1/2022	12/31/2022	
	03	HEXACHLOROBENZENE	1/1/2022	12/31/2022	
<u>IN5221004</u>	<b>PLEASANTVIEW UTILITIES, INC.</b>			<b>C</b>	<b>GWP</b>
	27	TOTAL HALOACETIC ACIDS (HAA)	1/1/2022	12/31/2022	
	27	TTHM	1/1/2022	12/31/2022	
<u>IN5221007</u>	<b>ST JUDE VILLAGE WATER CORPORATION</b>			<b>C</b>	<b>GW</b>
	34	E. COLI	12/30/2021	1/3/2022	
<u>IN5224004</u>	<b>LAUREL WATER DEPARTMENT</b>			<b>C</b>	<b>GW</b>
	03	NITRATE	1/1/2022	12/31/2022	
	27	TOTAL HALOACETIC ACIDS (HAA)	1/1/2022	12/31/2022	
	27	TTHM	1/1/2022	12/31/2022	
	52	LEAD & COPPER RULE	10/1/2021	11/1/2022	
<u>IN5224006</u>	<b>OLDENBURG WATER WORKS</b>			<b>C</b>	<b>SWP</b>
	52	LEAD & COPPER RULE	10/1/2021	11/1/2022	
<u>IN5226005</u>	<b>OAKLAND CITY WATER DEPARTMENT</b>			<b>C</b>	<b>SW</b>
	27	CARBON, TOTAL	7/1/2022	9/30/2022	
	52	LEAD & COPPER RULE	10/1/2022	10/25/2022	
<u>IN5226008</u>	<b>PRINCETON WATER DEPARTMENT</b>			<b>C</b>	<b>GW</b>
	27	TTHM	10/1/2022	12/31/2022	
	27	TOTAL HALOACETIC ACIDS (HAA)	10/1/2022	12/31/2022	
<u>IN5226009</u>	<b>GIBSON WATER AUTHORITY</b>			<b>C</b>	<b>SWP</b>
	52	LEAD & COPPER RULE	10/1/2022	10/20/2022	
<u>IN5227002</u>	<b>BLUFFS BASIN UTILITY COMPANY</b>			<b>C</b>	<b>GWP</b>
	3A	E. COLI	9/1/2022	9/30/2022	
<u>IN5227003</u>	<b>COUNTY LINE MOBILE HOME PARK</b>			<b>C</b>	<b>GW</b>
	03	NITRATE	1/1/2022	12/31/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
52	LEAD & COPPER RULE	10/1/2022				
<u>IN5227020</u>	<b>SWAYZEE WATER UTILITY</b>			C	<b>GW</b>	<b>975</b>
27	TTHM	1/1/2022		12/31/2022		
27	TOTAL HALOACETIC ACIDS (HAA)	1/1/2022		12/31/2022		
66	LEAD & COPPER RULE	1/1/2021		2/17/2022		
<u>IN5228004</u>	<b>JASONVILLE WATER DEPARTMENT</b>			C	<b>GW</b>	<b>3660</b>
52	LEAD & COPPER RULE	10/1/2022		10/20/2022		
<u>IN5228006</u>	<b>LYONS WATER UTILITY</b>			C	<b>GW</b>	<b>715</b>
52	LEAD & COPPER RULE	10/1/2022		1/13/2023		
<u>IN5228009</u>	<b>SWITZ CITY WATER WORKS</b>			C	<b>GWP</b>	<b>870</b>
52	LEAD & COPPER RULE	10/1/2020		10/20/2022		
52	LEAD & COPPER RULE	10/1/2022		10/20/2022		
<u>IN5229011</u>	<b>HARRIS HILLS MOBILE HOME PARK</b>			C	<b>GW</b>	<b>35</b>
52	LEAD & COPPER RULE	10/1/2020		10/21/2022		
52	LEAD & COPPER RULE	10/1/2022		10/21/2022		
<u>IN5230012</u>	<b>HEARTLAND RESORT</b>			C	<b>GW</b>	<b>65</b>
03	RADIUM-226	1/1/2022		3/31/2022		
03	RADIUM-228	1/1/2022		3/31/2022		
03	GROSS ALPHA, EXCL. RADON &	1/1/2022		3/31/2022		
<u>IN5231003</u>	<b>LANESVILLE WATER WORKS</b>			C	<b>GWP</b>	<b>1009</b>
66	LEAD & COPPER RULE	1/1/2021		2/2/2022		
<u>IN5232012</u>	<b>DISTRICT 39 APARTMENTS</b>			C	<b>GW</b>	<b>36</b>
3A	E. COLI	8/1/2022		8/31/2022		
52	LEAD & COPPER RULE	10/1/2021		10/11/2022		
<u>IN5232026</u>	<b>TOWN OF LIZTON WATER UTILITY</b>			C	<b>SWP</b>	<b>488</b>
27	TOTAL HALOACETIC ACIDS (HAA)	10/1/2022		12/31/2022		
27	TTHM	10/1/2022		12/31/2022		
3A	E. COLI	1/1/2022		1/31/2022		
<u>IN5232028</u>	<b>STI-BEL MOBILE HOME PARK</b>			C	<b>GW</b>	<b>40</b>
03	ATRAZINE	1/1/2022		12/31/2022		
03	HEXACHLOROCYCLOPENTADIEN	1/1/2022		12/31/2022		
03	ETHYLENE DIBROMIDE	1/1/2022		12/31/2022		

<u>PWSID</u>	<b>System Name</b>		<b>System Type</b>	<b>Source</b>	<b>Population</b>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	03	DI(2-ETHYLHEXYL) PHTHALATE	1/1/2022		12/31/2022
	03	BHC-GAMMA	1/1/2022		12/31/2022
	03	LASSO	1/1/2022		12/31/2022
	03	HEPTACHLOR	1/1/2022		12/31/2022
	03	HEXACHLOROBENZENE	1/1/2022		12/31/2022
	03	CHLORDANE	1/1/2022		12/31/2022
	03	METHOXYCHLOR	1/1/2022		12/31/2022
	03	CARBOFURAN	1/1/2022		12/31/2022
	03	DI(2-ETHYLHEXYL) ADIPATE	1/1/2022		12/31/2022
	03	TOXAPHENE	1/1/2022		12/31/2022
	03	DIQUAT	1/1/2022		12/31/2022
	03	GLYPHOSATE	1/1/2022		12/31/2022
	03	PICLORAM	1/1/2022		12/31/2022
	03	HEPTACHLOR EPOXIDE	1/1/2022		12/31/2022
	03	SIMAZINE	1/1/2022		12/31/2022
	03	ENDRIN	1/1/2022		12/31/2022
	03	DALAPON	1/1/2022		12/31/2022
	03	1,2-DIBROMO-3-CHLOROPROPAN	1/1/2022		12/31/2022
	03	OXAMYL	1/1/2022		12/31/2022
	03	2,4-D	1/1/2022		12/31/2022
	03	PENTACHLOROPHENOL	1/1/2022		12/31/2022
	03	BENZO(A)PYRENE	1/1/2022		12/31/2022
	03	ENDOTHALL	1/1/2022		12/31/2022
	03	2,4,5-TP	1/1/2022		12/31/2022
	03	DINOSEB	1/1/2022		12/31/2022
<b><u>IN5233011</u></b>	<b>NEW CASTLE UTILITIES</b>		<b>C</b>	<b>GW</b>	<b>19880</b>
	52	LEAD & COPPER RULE	10/1/2022		
<b><u>IN5234002</u></b>	<b>WESTERN ESTATES MOBILE HOME PARK</b>		<b>C</b>	<b>GW</b>	<b>248</b>
	52	LEAD & COPPER RULE	10/1/2021		9/9/2022
<b><u>IN5234009</u></b>	<b>VILLAGE GREEN MOBILE HOME PARK</b>		<b>C</b>	<b>GW</b>	<b>102</b>
	66	LEAD & COPPER RULE	1/1/2022		
<b><u>IN5235004</u></b>	<b>NORWOOD REGIONAL WATER &amp; SEWAGE</b>		<b>C</b>	<b>GW</b>	<b>486</b>
	27	TOTAL HALOACETIC ACIDS (HAA)	1/1/2022		12/31/2022

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	27	TTHM	1/1/2022		12/31/2022
	52	LEAD & COPPER RULE	10/1/2021		10/3/2022
<u>IN5236009</u>	<b>NATURAL PUBLIC SUPPLY, INC.</b>			<b>C</b>	<b>GW</b>
	3A	E. COLI	12/1/2022		12/31/2022
<u>IN5236010</u>	<b>KULICH RENTALS INC.</b>			<b>C</b>	<b>GW</b>
	52	LEAD & COPPER RULE	10/1/2022		10/18/2022
<u>IN5237004</u>	<b>REMINGTON WATER WORKS</b>			<b>C</b>	<b>GW</b>
	66	LEAD & COPPER RULE	1/1/2022		5/26/2022
<u>IN5238001</u>	<b>DUNKIRK WATER DEPARTMENT</b>			<b>C</b>	<b>GW</b>
	27	TTHM	1/1/2022		12/31/2022
	27	TOTAL HALOACETIC ACIDS (HAA)	1/1/2022		12/31/2022
<u>IN5240001</u>	<b>BURNT PINES WATER ASSOCIATION</b>			<b>C</b>	<b>GWP</b>
	52	LEAD & COPPER RULE	10/1/2022		
<u>IN5240005</u>	<b>HAYDEN WATER ASSOCIATION</b>			<b>C</b>	<b>GWP</b>
	3A	E. COLI	6/1/2022		6/30/2022
	52	LEAD & COPPER RULE	10/1/2022		
<u>IN5240008</u>	<b>NORTH VERNON WATER DEPARTMENT</b>			<b>C</b>	<b>SW</b>
	03	METHOXYCHLOR	1/1/2022		3/31/2022
	03	HEPTACHLOR EPOXIDE	1/1/2022		3/31/2022
	03	DI(2-ETHYLHEXYL) PHTHALATE	1/1/2022		3/31/2022
	03	PENTACHLOROPHENOL	1/1/2022		3/31/2022
	03	DI(2-ETHYLHEXYL) ADIPATE	1/1/2022		3/31/2022
	03	SIMAZINE	1/1/2022		3/31/2022
	03	OXAMYL	1/1/2022		3/31/2022
	03	CARBOFURAN	1/1/2022		3/31/2022
	03	CHLORDANE	1/1/2022		3/31/2022
	03	GLYPHOSATE	1/1/2022		3/31/2022
	03	ETHYLENE DIBROMIDE	1/1/2022		3/31/2022
	03	ATRAZINE	1/1/2022		3/31/2022
	03	1,2-DIBROMO-3-CHLOROPROPAN	1/1/2022		3/31/2022
	03	HEPTACHLOR	1/1/2022		3/31/2022
	03	TOTAL POLYCHLORINATED BIPH	1/1/2022		3/31/2022
	03	2,4-D	1/1/2022		3/31/2022

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
	03	DINOSEB		1/1/2022	3/31/2022
	03	DIQUAT		1/1/2022	3/31/2022
	03	ENDRIN		1/1/2022	3/31/2022
	03	BHC-GAMMA		1/1/2022	3/31/2022
	03	BENZO(A)PYRENE		1/1/2022	3/31/2022
	03	2,3,7,8-TCDD		1/1/2022	3/31/2022
	03	PICLORAM		1/1/2022	3/31/2022
	03	TOXAPHENE		1/1/2022	3/31/2022
	03	LASSO		1/1/2022	3/31/2022
	03	HEXACHLOROCYCLOPENTADIEN		1/1/2022	3/31/2022
	03	HEXACHLOROBENZENE		1/1/2022	3/31/2022
	03	DALAPON		1/1/2022	3/31/2022
	03	2,4,5-TP		1/1/2022	3/31/2022
	03	ENDOTHALL		1/1/2022	3/31/2022
<u>IN5240012</u>	<b>HICKORY MANOR MOBILE HOME PARK</b>			<b>C</b>	<b>SWP</b> <b>250</b>
	27	TOTAL HALOACETIC ACIDS (HAA)		4/1/2022	6/30/2022
	27	TTHM		4/1/2022	6/30/2022
	27	TTHM		10/1/2022	12/31/2022
	27	TOTAL HALOACETIC ACIDS (HAA)		10/1/2022	12/31/2022
	3A	E. COLI		4/1/2022	4/30/2022
	3A	E. COLI		9/1/2022	9/30/2022
	52	LEAD & COPPER RULE		10/1/2022	
<u>IN5241014</u>	<b>TRAFalgar Water Department</b>			<b>C</b>	<b>GWP</b> <b>1277</b>
	27	TTHM		1/1/2022	12/31/2022
	27	TOTAL HALOACETIC ACIDS (HAA)		1/1/2022	12/31/2022
<u>IN5241015</u>	<b>CAMP ATTERBURY</b>			<b>C</b>	<b>GWP</b> <b>5300</b>
	52	LEAD & COPPER RULE		10/1/2022	10/24/2022
<u>IN5242003</u>	<b>BRUCEVILLE WATER UTILITY</b>			<b>C</b>	<b>GWP</b> <b>449</b>
	27	TOTAL HALOACETIC ACIDS (HAA)		1/1/2022	12/31/2022
	27	TTHM		1/1/2022	12/31/2022
<u>IN5242016</u>	<b>WHEATLAND WATER WORKS</b>			<b>C</b>	<b>GW</b> <b>474</b>
	27	TTHM		1/1/2022	12/31/2022
	27	TOTAL HALOACETIC ACIDS (HAA)		1/1/2022	12/31/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
		51	LEAD & COPPER RULE	7/1/2020	4/14/2022
		51	LEAD & COPPER RULE	7/1/2021	7/14/2022
<u>IN5243003</u>	<b>ETNA GREEN WATER DEPARTMENT</b>			C	<b>GW</b> 663
		3A	E. COLI	5/1/2022	5/31/2022
<u>IN5243028</u>	<b>WESTHAVEN MHP LLC</b>			C	<b>GW</b> 417
		03	ARSENIC	7/1/2022	9/30/2022
<u>IN5243031</u>	<b>WAUBEE LAKE MOBILE HOME PARK</b>			C	<b>GW</b> 30
		66	LEAD & COPPER RULE	1/1/2021	2/10/2022
		66	LEAD & COPPER RULE	1/1/2022	2/10/2023
<u>IN5243050</u>	<b>WAWASEE MOBILE VILLAGE</b>			C	<b>GW</b> 25
		3A	E. COLI	7/1/2022	7/31/2022
		52	LEAD & COPPER RULE	10/1/2020	9/7/2022
<u>IN5243053</u>	<b>LAKE VIEW MOBILE HOME PARK</b>			C	<b>GW</b> 62
		52	LEAD & COPPER RULE	10/1/2021	9/30/2022
<u>IN5243064</u>	<b>OAK WOOD CIRCLE</b>			C	<b>GW</b> 30
		03	ARSENIC	7/1/2022	9/30/2022
		52	LEAD & COPPER RULE	10/1/2022	
<u>IN5244011</u>	<b>NEIGHBORS OF PIONEER CROSSINGS, LLC</b>			C	<b>GW</b> 60
		03	RADIUM-226	1/1/2022	3/31/2022
		03	GROSS ALPHA, EXCL. RADON &	1/1/2022	3/31/2022
		03	RADIUM-228	1/1/2022	3/31/2022
<u>IN5245004</u>	<b>BREMERTON MOBILE HOME PARK</b>			C	<b>GW</b> 79
		3A	E. COLI	8/1/2022	8/31/2022
		52	LEAD & COPPER RULE	10/1/2022	
<u>IN5245058</u>	<b>RAVINIA PINES MHC</b>			C	<b>SWP</b> 1500
		66	LEAD & COPPER RULE	1/1/2022	
<u>IN5245059</u>	<b>RAVINIA PINES MHC - IAW NORTHWEST</b>			C	<b>SWP</b> 300
		3A	E. COLI	1/1/2022	1/31/2022
		66	LEAD & COPPER RULE	1/1/2022	
<u>IN5246002</u>	<b>BEECHWOOD MOBILE HOME PARK</b>			C	<b>GW</b> 63
		66	LEAD & COPPER RULE	1/1/2021	3/1/2022
<u>IN5246010</u>	<b>WOODBERRY MHP</b>			C	<b>GW</b> 89

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
	3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
	3A	<i>E. COLI</i>	12/1/2022	12/31/2022	
<b><u>IN5246023</u></b>	<b>ROLLING PRAIRIE MOBILE HOME PARK</b>			<b>C</b>	<b>GW</b>
	3A	<i>E. COLI</i>	12/1/2022	12/31/2022	
<b><u>IN5246026</u></b>	<b>SPRINGHILL MOBILE HOME COURT</b>			<b>C</b>	<b>GW</b>
	03	<i>2,4,5-TP</i>	1/1/2022	12/31/2022	
	03	<i>ENDOTHALL</i>	1/1/2022	12/31/2022	
	03	<i>DIQUAT</i>	1/1/2022	12/31/2022	
	03	<i>ETHYLENE DIBROMIDE</i>	1/1/2022	12/31/2022	
	03	<i>1,2-DIBROMO-3-CHLOROPROPAN</i>	1/1/2022	12/31/2022	
	03	<i>ENDRIN</i>	1/1/2022	12/31/2022	
	03	<i>METHOXYCHLOR</i>	1/1/2022	12/31/2022	
	03	<i>OXAMYL</i>	1/1/2022	12/31/2022	
	03	<i>PICLORAM</i>	1/1/2022	12/31/2022	
	03	<i>DI(2-ETHYLHEXYL) ADIPATE</i>	1/1/2022	12/31/2022	
	03	<i>GLYPHOSATE</i>	1/1/2022	12/31/2022	
	03	<i>TOXAPHENE</i>	1/1/2022	12/31/2022	
	03	<i>2,4-D</i>	1/1/2022	12/31/2022	
	03	<i>HEXACHLOROBENZENE</i>	1/1/2022	12/31/2022	
	03	<i>BENZO(A)PYRENE</i>	1/1/2022	12/31/2022	
	03	<i>CHLORDANE</i>	1/1/2022	12/31/2022	
	03	<i>DI(2-ETHYLHEXYL) PHTHALATE</i>	1/1/2022	12/31/2022	
	03	<i>PENTACHLOROPHENOL</i>	1/1/2022	12/31/2022	
	03	<i>HEPTACHLOR</i>	1/1/2022	12/31/2022	
	03	<i>SIMAZINE</i>	1/1/2022	12/31/2022	
	03	<i>DINOSEB</i>	1/1/2022	12/31/2022	
	03	<i>ATRAZINE</i>	1/1/2022	12/31/2022	
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
	03	<i>HEPTACHLOR EPOXIDE</i>	1/1/2022	12/31/2022	
	03	<i>HEXACHLOROCYCLOPENTADIEN</i>	1/1/2022	12/31/2022	
	03	<i>LASSO</i>	1/1/2022	12/31/2022	
	03	<i>CARBOFURAN</i>	1/1/2022	12/31/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u>	<u>Source</u>	<u>Population</u>	
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
	03 DALAPON			1/1/2022	12/31/2022
	03 BHC-GAMMA			1/1/2022	12/31/2022
	3A E. COLI			1/1/2022	1/31/2022
	3A E. COLI			2/1/2022	2/28/2022
	3A E. COLI			6/1/2022	6/30/2022
	3A E. COLI			7/1/2022	7/31/2022
	3A E. COLI			8/1/2022	8/31/2022
	3A E. COLI			9/1/2022	9/30/2022
	3A E. COLI			10/1/2022	10/31/2022
	3A E. COLI			11/1/2022	11/30/2022
	3A E. COLI			12/1/2022	12/31/2022
	52 LEAD & COPPER RULE			10/1/2022	
<u>IN5246038</u>	<u>INDIAN SPRINGS TOWN HOMES</u>	<u>C</u>	<u>GW</u>	<u>90</u>	
	03 2,4,5-TP			1/1/2022	12/31/2022
	03 CARBOFURAN			1/1/2022	12/31/2022
	03 PENTACHLOROPHENOL			1/1/2022	12/31/2022
	03 ATRAZINE			1/1/2022	12/31/2022
	03 DINOSEB			1/1/2022	12/31/2022
	03 METHOXYCHLOR			1/1/2022	12/31/2022
	03 BENZO(A)PYRENE			1/1/2022	12/31/2022
	03 DI(2-ETHYLHEXYL) PHTHALATE			1/1/2022	12/31/2022
	03 SIMAZINE			1/1/2022	12/31/2022
	03 ETHYLENE DIBROMIDE			1/1/2022	12/31/2022
	03 DI(2-ETHYLHEXYL) ADIPATE			1/1/2022	12/31/2022
	03 CHLORDANE			1/1/2022	12/31/2022
	03 TOXAPHENE			1/1/2022	12/31/2022
	03 HEPTACHLOR EPOXIDE			1/1/2022	12/31/2022
	03 2,4-D			1/1/2022	12/31/2022
	03 HEXACHLOROBENZENE			1/1/2022	12/31/2022
	03 HEPTACHLOR			1/1/2022	12/31/2022
	03 ENDRIN			1/1/2022	12/31/2022
	03 1,2-DIBROMO-3-CHLOROPROPAN			1/1/2022	12/31/2022
	03 BHC-GAMMA			1/1/2022	12/31/2022
	03 DIQUAT			1/1/2022	12/31/2022

<b>PWSID</b>	<b>System Name</b>		<b>System Type</b>	<b>Source</b>	<b>Population</b>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	03	ENDOTHALL	1/1/2022	12/31/2022	
	03	GLYPHOSATE	1/1/2022	12/31/2022	
	03	HEXACHLOROCYCLOPENTADIEN	1/1/2022	12/31/2022	
	03	LASSO	1/1/2022	12/31/2022	
	03	DALAPON	1/1/2022	12/31/2022	
	03	OXAMYL	1/1/2022	12/31/2022	
	03	PICLORAM	1/1/2022	12/31/2022	
<b><u>IN5247001</u></b>	<b>BEDFORD CITY UTILITIES</b>		<b>C</b>	<b>SW</b>	<b>14000</b>
	03	1,2-DICHLOROPROPANE	1/1/2022	12/31/2022	
	03	1,2-DICHLOROETHANE	1/1/2022	12/31/2022	
	03	STYRENE	1/1/2022	12/31/2022	
	03	1,1-DICHLOROETHYLENE	1/1/2022	12/31/2022	
	03	TETRACHLOROETHYLENE	1/1/2022	12/31/2022	
	03	P-DICHLOROBENZENE	1/1/2022	12/31/2022	
	03	NITRATE	1/1/2022	12/31/2022	
	03	1,1,2-TRICHLOROETHANE	1/1/2022	12/31/2022	
	03	1,2,4-TRICHLOROBENZENE	1/1/2022	12/31/2022	
	03	DICHLOROMETHANE	1/1/2022	12/31/2022	
	03	CHLOROBENZENE	1/1/2022	12/31/2022	
	03	BENZENE	1/1/2022	12/31/2022	
	03	TRICHLOROETHYLENE	1/1/2022	12/31/2022	
	03	TRANS-1,2-DICHLOROETHYLENE	1/1/2022	12/31/2022	
	03	TOLUENE	1/1/2022	12/31/2022	
	03	CIS-1,2-DICHLOROETHYLENE	1/1/2022	12/31/2022	
	03	O-DICHLOROBENZENE	1/1/2022	12/31/2022	
	03	CARBON TETRACHLORIDE	1/1/2022	12/31/2022	
	03	XYLENES, TOTAL	1/1/2022	12/31/2022	
	03	1,1,1-TRICHLOROETHANE	1/1/2022	12/31/2022	
	03	ETHYLBENZENE	1/1/2022	12/31/2022	
	03	VINYL CHLORIDE	1/1/2022	12/31/2022	
<b><u>IN5248019</u></b>	<b>PENDLETON WATER COMPANY</b>		<b>C</b>	<b>GW</b>	<b>4219</b>
	03	NITRATE	1/1/2022	12/31/2022	
	66	LEAD & COPPER RULE	1/1/2021	2/22/2022	
<b><u>IN5250001</u></b>	<b>ARGOS MUNICIPAL WATER PLANT</b>		<b>C</b>	<b>GW</b>	<b>1680</b>

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	56	LEAD & COPPER RULE	7/1/2022		12/31/2022
	66	LEAD & COPPER RULE	1/1/2022		
<b><u>IN5250008</u></b>	<b>MAPLE LEAF MOBILE HOME PARK</b>		<b>C</b>	<b>GW</b>	<b>23</b>
	03	OXAMYL	1/1/2022		12/31/2022
	03	1,2-DIBROMO-3-CHLOROPROPAN	1/1/2022		12/31/2022
	03	DIQUAT	1/1/2022		12/31/2022
	03	GLYPHOSATE	1/1/2022		12/31/2022
	03	DI(2-ETHYLHEXYL) ADIPATE	1/1/2022		12/31/2022
	03	PENTACHLOROPHENOL	1/1/2022		12/31/2022
	03	DI(2-ETHYLHEXYL) PHTHALATE	1/1/2022		12/31/2022
	03	TOXAPHENE	1/1/2022		12/31/2022
	03	HEXACHLOROCYCLOPENTADIEN	1/1/2022		12/31/2022
	03	ENDRIN	1/1/2022		12/31/2022
	03	BHC-GAMMA	1/1/2022		12/31/2022
	03	ETHYLENE DIBROMIDE	1/1/2022		12/31/2022
	03	ATRAZINE	1/1/2022		12/31/2022
	03	HEPTACHLOR	1/1/2022		12/31/2022
	03	CARBOFURAN	1/1/2022		12/31/2022
	03	2,4-D	1/1/2022		12/31/2022
	03	ENDOTHALL	1/1/2022		12/31/2022
	03	HEXACHLOROBENZENE	1/1/2022		12/31/2022
	03	DALAPON	1/1/2022		12/31/2022
	03	2,4,5-TP	1/1/2022		12/31/2022
	03	DINOSEB	1/1/2022		12/31/2022
	03	BENZO(A)PYRENE	1/1/2022		12/31/2022
	03	SIMAZINE	1/1/2022		12/31/2022
	03	NITRATE	1/1/2022		12/31/2022
	03	CHLORDANE	1/1/2022		12/31/2022
	03	PICLORAM	1/1/2022		12/31/2022
	03	HEPTACHLOR EPOXIDE	1/1/2022		12/31/2022
	03	METHOXYCHLOR	1/1/2022		12/31/2022
	03	LASSO	1/1/2022		12/31/2022
	66	LEAD & COPPER RULE	1/1/2021		3/10/2022
<b><u>IN5250012</u></b>	<b>GATEWOOD ESTATES</b>		<b>C</b>	<b>GW</b>	<b>202</b>

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	03	CARBOFURAN	1/1/2022	12/31/2022	
	03	DALAPON	1/1/2022	12/31/2022	
	03	DI(2-ETHYLHEXYL) ADIPATE	1/1/2022	12/31/2022	
	03	CHLORDANE	1/1/2022	12/31/2022	
	03	ETHYLENE DIBROMIDE	1/1/2022	12/31/2022	
	03	BHC-GAMMA	1/1/2022	12/31/2022	
	03	ENDOTHALL	1/1/2022	12/31/2022	
	03	OXAMYL	1/1/2022	12/31/2022	
	03	HEPTACHLOR EPOXIDE	1/1/2022	12/31/2022	
	03	HEPTACHLOR	1/1/2022	12/31/2022	
	03	LASSO	1/1/2022	12/31/2022	
	03	TOXAPHENE	1/1/2022	12/31/2022	
	03	GLYPHOSATE	1/1/2022	12/31/2022	
	03	ATRAZINE	1/1/2022	12/31/2022	
	03	DI(2-ETHYLHEXYL) PHTHALATE	1/1/2022	12/31/2022	
	03	DINOSEB	1/1/2022	12/31/2022	
	03	METHOXYCHLOR	1/1/2022	12/31/2022	
	03	2,4-D	1/1/2022	12/31/2022	
	03	PENTACHLOROPHENOL	1/1/2022	12/31/2022	
	03	DIQUAT	1/1/2022	12/31/2022	
	03	SIMAZINE	1/1/2022	12/31/2022	
	03	HEXACHLOROBENZENE	1/1/2022	12/31/2022	
	03	PICLORAM	1/1/2022	12/31/2022	
	03	2,4,5-TP	1/1/2022	12/31/2022	
	03	BENZO(A)PYRENE	1/1/2022	12/31/2022	
	03	1,2-DIBROMO-3-CHLOROPROPAN	1/1/2022	12/31/2022	
	03	HEXACHLOROCYCLOPENTADIEN	1/1/2022	12/31/2022	
	03	ENDRIN	1/1/2022	12/31/2022	
<b><u>IN5250014</u></b>	<b>PRETTY VIEW CONDOMINIUM OWNERS ASSO</b>			<b>C</b>	<b>GW</b>
	52	LEAD & COPPER RULE	10/1/2022	11/2/2022	
<b><u>IN5251007</u></b>	<b>SHOALS WATER COMPANY</b>			<b>C</b>	<b>GW</b>
	34	E. COLI	10/19/2021	2/7/2023	
<b><u>IN5252006</u></b>	<b>CONVERSE WATER WORKS</b>			<b>C</b>	<b>GW</b>
	27	TTHM	1/1/2022	12/31/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>				
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>	
		27	TOTAL HALOACETIC ACIDS (HAA)	1/1/2022	12/31/2022	
<u>IN5252007</u>	<b>DEER CREEK ESTATES HOME WATER ASSOC.</b>			C	<b>GW</b>	<b>265</b>
		34	E. COLI	6/16/2020	10/3/2022	
		66	LEAD & COPPER RULE	1/1/2019	10/28/2022	
		66	LEAD & COPPER RULE	1/1/2021	11/9/2022	
<u>IN5252008</u>	<b>WOODLAND HILLS MOBILE HOME PARK #1</b>			C	<b>GW</b>	<b>100</b>
		52	LEAD & COPPER RULE	10/1/2021	7/13/2022	
<u>IN5252009</u>	<b>WELLS HOMEOWNERS ASSOCIATION, INC.</b>			C	<b>GW</b>	<b>98</b>
		52	LEAD & COPPER RULE	10/1/2021	7/11/2022	
<u>IN5252010</u>	<b>WILLOW SPRINGS MHP</b>			C	<b>GW</b>	<b>25</b>
		52	LEAD & COPPER RULE	10/1/2020	9/16/2022	
		52	LEAD & COPPER RULE	10/1/2021	9/16/2022	
		66	LEAD & COPPER RULE	1/1/2017	11/2/2022	
		66	LEAD & COPPER RULE	1/1/2020	11/2/2022	
<u>IN5252019</u>	<b>HILLTOP RIDGE APARTMENTS PHASE TWO</b>			C	<b>GW</b>	<b>29</b>
		52	LEAD & COPPER RULE	10/1/2020	9/16/2022	
		66	LEAD & COPPER RULE	1/1/2021	2/8/2022	
<u>IN5253006</u>	<b>SALT CREEK SERVICES, INC.</b>			C	<b>SW</b>	<b>90</b>
		3A	E. COLI	1/1/2022	1/31/2022	
		3A	E. COLI	7/1/2022	7/31/2022	
<u>IN5254008</u>	<b>NEW MARKET WATER WORKS</b>			C	<b>GW</b>	<b>765</b>
		3A	E. COLI	1/1/2022	1/31/2022	
<u>IN5255009</u>	<b>MARTINSVILLE WATER UTILITY</b>			C	<b>GW</b>	<b>15000</b>
		66	LEAD & COPPER RULE	1/1/2022		
<u>IN5255011</u>	<b>MORGANTOWN WATER UTILITY</b>			C	<b>GW</b>	<b>1125</b>
		03	NITRATE	1/1/2022	12/31/2022	
<u>IN5255012</u>	<b>PAINTED HILLS UTILITY COMPANY</b>			C	<b>GW</b>	<b>1560</b>
		3A	E. COLI	7/1/2022	7/31/2022	
<u>IN5255018</u>	<b>TALL OAKS LAKE CORPORATION</b>			C	<b>SW</b>	<b>54</b>
		03	LASSO	7/1/2022	9/30/2022	
		03	GLYPHOSATE	7/1/2022	9/30/2022	
		03	ETHYLENE DIBROMIDE	7/1/2022	9/30/2022	

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	03	DI(2-ETHYLHEXYL) ADIPATE	7/1/2022	9/30/2022	
	03	CHLORDANE	7/1/2022	9/30/2022	
	03	CARBOFURAN	7/1/2022	9/30/2022	
	03	ATRAZINE	7/1/2022	9/30/2022	
	03	2,4,5-TP	7/1/2022	9/30/2022	
	03	DI(2-ETHYLHEXYL) PHTHALATE	7/1/2022	9/30/2022	
	03	HEXACHLOROCYCLOPENTADIEN	7/1/2022	9/30/2022	
	03	ENDRIN	7/1/2022	9/30/2022	
	03	PICLORAM	7/1/2022	9/30/2022	
	03	2,4-D	7/1/2022	9/30/2022	
	03	1,2-DIBROMO-3-CHLOROPROPAN	7/1/2022	9/30/2022	
	03	ENDOTHALL	7/1/2022	9/30/2022	
	03	OXAMYL	7/1/2022	9/30/2022	
	03	TOXAPHENE	7/1/2022	9/30/2022	
	03	SIMAZINE	7/1/2022	9/30/2022	
	03	BENZO(A)PYRENE	7/1/2022	9/30/2022	
	03	BHC-GAMMA	7/1/2022	9/30/2022	
	03	HEPTACHLOR EPOXIDE	7/1/2022	9/30/2022	
	03	PENTACHLOROPHENOL	7/1/2022	9/30/2022	
	03	DIQUAT	7/1/2022	9/30/2022	
	03	DINOSEB	7/1/2022	9/30/2022	
	03	METHOXYCHLOR	7/1/2022	9/30/2022	
	03	HEXACHLOROBENZENE	7/1/2022	9/30/2022	
	03	DALAPON	7/1/2022	9/30/2022	
	03	HEPTACHLOR	7/1/2022	9/30/2022	
	27	TTHM	1/1/2022	3/31/2022	
	27	TOTAL HALOACETIC ACIDS (HAA)	1/1/2022	3/31/2022	
	27	TTHM	7/1/2022	9/30/2022	
	27	TOTAL HALOACETIC ACIDS (HAA)	7/1/2022	9/30/2022	
<u>IN5255023</u>	<u>ASHBURY RIDGE</u>		<u>C</u>	<u>GWP</u>	<u>325</u>
	3A	E. COLI	10/1/2022	10/31/2022	
	3A	E. COLI	11/1/2022	11/30/2022	
	3A	E. COLI	12/1/2022	12/31/2022	
<u>IN5257018</u>	<u>PINE MEADOWS ESTATE</u>		<u>C</u>	<u>GW</u>	<u>21</u>

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
IN5261002	<b>LYFORD WATER WORKS</b>	03	RADIUM-228	1/1/2022	3/31/2022
		03	GROSS ALPHA, EXCL. RADON &	1/1/2022	3/31/2022
		03	RADIUM-226	1/1/2022	3/31/2022
IN5263006	<b>WINSLOW WATER WORKS</b>			C	<b>GW</b> 972
IN5265008	<b>POSEYVILLE MUNICIPAL WATER DEPARTME</b>	27	TOTAL HALOACETIC ACIDS (HAA)	1/1/2022	12/31/2022
		27	TTHM	1/1/2022	12/31/2022
IN5266001	<b>FRANCESVILLE WATER DEPARTMENT</b>			C	<b>GWP</b> 1010
IN5267001	<b>BAINBRIDGE WATER WORKS</b>	52	LEAD & COPPER RULE	10/1/2020	10/3/2022
		52	LEAD & COPPER RULE	10/1/2021	1/5/2022
IN5267002	<b>BIG WALNUT WATER COMPANY</b>			C	<b>GWP</b> 500
IN5267008	<b>RUSSELLVILLE WATER WORKS</b>	27	TOTAL HALOACETIC ACIDS (HAA)	1/1/2022	12/31/2022
		27	TTHM	1/1/2022	12/31/2022
IN5268002	<b>FARMLAND MUNICIPAL WATER WORKS</b>			C	<b>GW</b> 1301
IN5268013	<b>L &amp; M REGIONAL WATER DISTRICT</b>	66	LEAD & COPPER RULE	1/1/2021	4/12/2023
				C	<b>GW</b> 450
IN5270005	<b>RUSHVILLE CITY UTILITY</b>	27	TTHM	1/1/2022	12/31/2022
		27	TOTAL HALOACETIC ACIDS (HAA)	1/1/2022	12/31/2022
IN5271010	<b>NORTH LIBERTY WATER WORKS</b>			C	<b>GW</b> 6800
IN5271010	<b>NORTH LIBERTY WATER WORKS</b>	34	E. COLI	7/20/2022	8/5/2022
		03	GROSS ALPHA, EXCL. RADON &	4/1/2022	6/30/2022
		03	RADIUM-228	4/1/2022	6/30/2022

<u>PWSID</u>	<u>System Name</u>	System Type Source Population			
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>
		03	RADIUM-226	4/1/2022	6/30/2022
<u>IN5271016</u>	<b>SUNSET VILLAGE &amp; RV PARK</b>			C	GW 25
		66	LEAD & COPPER RULE	1/1/2022	
<u>IN5271024</u>	<b>HAMILTON GROVE</b>			C	GW 384
		03	RADIUM-226	4/1/2022	6/30/2022
		03	GROSS ALPHA, EXCL. RADON &	4/1/2022	6/30/2022
		03	RADIUM-228	4/1/2022	6/30/2022
		27	TTHM	7/1/2022	9/30/2022
		27	TOTAL HALOACETIC ACIDS (HAA)	7/1/2022	9/30/2022
<u>IN5272002</u>	<b>STUCKER FORK WATER UTILITY</b>			C	SW 19120
		03	GROSS ALPHA, EXCL. RADON &	4/1/2022	6/30/2022
		03	RADIUM-228	4/1/2022	6/30/2022
		03	RADIUM-226	4/1/2022	6/30/2022
<u>IN5273001</u>	<b>BLUE RIVER ESTATES MOBILE HOME PARK</b>			C	GW 99
		52	LEAD & COPPER RULE	10/1/2021	7/7/2022
<u>IN5274003</u>	<b>FINCH NEWTON WATER, INC.</b>			C	SWP 1862
		52	LEAD & COPPER RULE	10/1/2021	10/6/2022
<u>IN5274007</u>	<b>ROCKPORT WATER</b>			C	GW 2520
		03	NITRATE	1/1/2022	12/31/2022
<u>IN5274009</u>	<b>REO WATER CORPORATION</b>			C	GW 3875
		34	E. COLI	8/11/2022	
<u>IN5275001</u>	<b>HAMLET WATER WORKS</b>			C	GW 801
		66	LEAD & COPPER RULE	1/1/2022	9/20/2022
<u>IN5279004</u>	<b>CANDLELIGHT DEVELOPMENT CORP.</b>			C	GWP 111
		3A	E. COLI	6/1/2022	6/30/2022
		3A	E. COLI	7/1/2022	7/31/2022
		3A	E. COLI	8/1/2022	8/31/2022
<u>IN5279006</u>	<b>CLARKS HILL WATER WORKS</b>			C	GW 660
		3A	E. COLI	5/1/2022	5/31/2022
<u>IN5279026</u>	<b>WILDCAT HIGHLANDS</b>			C	GW 360
		03	ARSENIC	1/1/2022	3/31/2022
		66	LEAD & COPPER RULE	1/1/2022	

<u>PWSID</u>	<u>System Name</u>	<u>System Type</u> <u>Source</u> <u>Population</u>			
		<u>Violation Code</u>	<u>Analyte Name</u>	<u>Violation Begin</u>	<u>Violation End</u>
<u>IN5280003</u>	<b>SHARPSVILLE WATER UTILITY</b>			<b>C</b>	<b>GW</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
	3A	<i>E. COLI</i>		2/1/2022	2/28/2022
	3A	<i>E. COLI</i>		10/1/2022	10/31/2022
	3A	<i>E. COLI</i>		11/1/2022	11/30/2022
<u>IN5281029</u>	<b>HERITAGE HILLS CAMPGROUND</b>			<b>C</b>	<b>GWP</b>
	52	<i>LEAD &amp; COPPER RULE</i>		10/1/2022	10/20/2022
<u>IN5283008</u>	<b>NEWPORT WATER WORKS</b>			<b>C</b>	<b>GW</b>
	34	<i>E. COLI</i>		8/26/2021	8/5/2022
	34	<i>E. COLI</i>		7/26/2022	8/11/2022
<u>IN5283009</u>	<b>PERRYSVILLE WATER WORKS</b>			<b>C</b>	<b>GW</b>
	27	<i>TTHM</i>		1/1/2022	12/31/2022
	27	<i>TOTAL HALOACETIC ACIDS (HAA)</i>		1/1/2022	12/31/2022
	3A	<i>E. COLI</i>		3/1/2022	3/31/2022
<u>IN5283011</u>	<b>UNIVERSAL WATER WORKS</b>			<b>C</b>	<b>GW</b>
	52	<i>LEAD &amp; COPPER RULE</i>		10/1/2021	12/28/2022
<u>IN5284018</u>	<b>FCI &amp; FPC - TERRE HAUTE</b>			<b>C</b>	<b>GW</b>
	52	<i>LEAD &amp; COPPER RULE</i>		10/1/2022	1/10/2023
<u>IN5284019</u>	<b>LEISURE ACRES MOBILE HOME PARK</b>			<b>C</b>	<b>GW</b>
	66	<i>LEAD &amp; COPPER RULE</i>		1/1/2021	6/2/2022
<u>IN5284022</u>	<b>TRAILS EDGE APTS</b>			<b>C</b>	<b>GW</b>
	27	<i>TOTAL HALOACETIC ACIDS (HAA)</i>		1/1/2022	12/31/2022
	27	<i>TTHM</i>		1/1/2022	12/31/2022
<u>IN5284027</u>	<b>ROCKY ACRES MOBILE HOME PARK</b>			<b>C</b>	<b>GW</b>
	03	<i>NITRATE</i>		1/1/2022	12/31/2022
<u>IN5285006</u>	<b>LAKE VIEW MOBILE HOME PARK</b>			<b>C</b>	<b>GW</b>
	66	<i>LEAD &amp; COPPER RULE</i>		1/1/2022	
<u>IN5285011</u>	<b>RHOADES MHP, LLC</b>			<b>C</b>	<b>GW</b>
	03	<i>GROSS ALPHA, EXCL. RADON &amp;</i>		1/1/2022	12/31/2022
	03	<i>RADIUM-226</i>		1/1/2022	12/31/2022
	03	<i>RADIUM-228</i>		1/1/2022	12/31/2022
	3A	<i>E. COLI</i>		5/1/2022	5/31/2022

<u>PWSID</u>	<u>System Name</u>		<u>System Type</u>	<u>Source</u>	<u>Population</u>
	<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
	3A	<i>E. COLI</i>	6/1/2022	6/30/2022	
	3A	<i>E. COLI</i>	7/1/2022	7/31/2022	
	3A	<i>E. COLI</i>	8/1/2022	8/31/2022	
	3A	<i>E. COLI</i>	9/1/2022	9/30/2022	
	3A	<i>E. COLI</i>	10/1/2022	10/31/2022	
	3A	<i>E. COLI</i>	11/1/2022	11/30/2022	
<u>IN5285019</u>	<b>CARRIAGE HOUSE ESTATES</b>			<b>C</b>	<b>GW</b>
	03	<i>RADIUM-228</i>	1/1/2022	12/31/2022	
	03	<i>GROSS ALPHA, EXCL. RADON &amp;</i>	1/1/2022	12/31/2022	
	03	<i>RADIUM-226</i>	1/1/2022	12/31/2022	
	52	<i>LEAD &amp; COPPER RULE</i>	10/1/2022		
<u>IN5285020</u>	<b>JOSIAH WHITES</b>			<b>C</b>	<b>GW</b>
	3A	<i>E. COLI</i>	2/1/2022	2/28/2022	
<u>IN5286002</u>	<b>PENCE WATER WORKS</b>			<b>C</b>	<b>GW</b>
	03	<i>RADIUM-226</i>	1/1/2022	12/31/2022	
	03	<i>RADIUM-228</i>	1/1/2022	12/31/2022	
	03	<i>GROSS ALPHA, EXCL. RADON &amp;</i>	1/1/2022	12/31/2022	
	27	<i>TTHM</i>	1/1/2022	12/31/2022	
	27	<i>TOTAL HALOACETIC ACIDS (HAA)</i>	1/1/2022	12/31/2022	
	66	<i>LEAD &amp; COPPER RULE</i>	1/1/2019	10/31/2022	
<u>IN5288005</u>	<b>SALEM WATER WORKS</b>			<b>C</b>	<b>SW</b>
	03	<i>ATRAZINE</i>	1/1/2022	3/31/2022	
	03	<i>LASSO</i>	1/1/2022	3/31/2022	
	03	<i>DI(2-ETHYLHEXYL) PHTHALATE</i>	1/1/2022	3/31/2022	
	03	<i>SIMAZINE</i>	1/1/2022	3/31/2022	
	03	<i>DI(2-ETHYLHEXYL) ADIPATE</i>	1/1/2022	3/31/2022	
	27	<i>CARBON, TOTAL</i>	7/1/2022	9/30/2022	
	52	<i>LEAD &amp; COPPER RULE</i>	10/1/2020	1/6/2023	
	52	<i>LEAD &amp; COPPER RULE</i>	10/1/2021	1/6/2023	
	66	<i>LEAD &amp; COPPER RULE</i>	1/1/2022		
<u>IN5288006</u>	<b>POSEY TOWNSHIP WATER CORP.</b>			<b>C</b>	<b>SWP</b>
	03	<i>NITRATE</i>	1/1/2022	12/31/2022	
<u>IN5289001</u>	<b>COUNTRY RETREAT MHC, LLC</b>			<b>C</b>	<b>GW</b>
					<b>35</b>

<u>PWSID</u>	<u>System Name</u>	System Type Source Population				
		<i>Violation Code</i>	<i>Analyte Name</i>	<i>Violation Begin</i>	<i>Violation End</i>	
		03	ARSENIC	4/1/2022		6/30/2022
<u>IN5289008</u>	<b>HAGERSTOWN MUNICIPAL WATER WORKS</b>			C	<b>GW</b>	<b>1700</b>
		52	LEAD & COPPER RULE	10/1/2022		
<u>IN5291003</u>	<b>CHALMERS WATER WORKS</b>			C	<b>GW</b>	<b>550</b>
		3A	E. COLI	2/1/2022		2/28/2022
<u>IN5291006</u>	<b>CLEARVIEW RESORT</b>			C	<b>GW</b>	<b>25</b>
		03	NITRATE	1/1/2022		12/31/2022
		3A	E. COLI	7/1/2022		7/31/2022
		3A	E. COLI	8/1/2022		8/31/2022
<u>IN5291012</u>	<b>LAKWOOD MOBILE HOME PARK</b>			C	<b>GW</b>	<b>25</b>
		3A	E. COLI	10/1/2022		10/31/2022
<u>IN5291013</u>	<b>REYNOLDS WATER WORKS</b>			C	<b>GW</b>	<b>533</b>
		03	NITRATE	1/1/2022		12/31/2022
<u>IN5291015</u>	<b>WOLCOTT WATER WORKS</b>			C	<b>GW</b>	<b>1001</b>
		27	TTHM	1/1/2022		12/31/2022
		27	TOTAL HALOACETIC ACIDS (HAA)	1/1/2022		12/31/2022
<u>IN5291019</u>	<b>ROYAL OAKS HOMEOWNERS ASSN., INC.</b>			C	<b>GW</b>	<b>390</b>
		03	RADIUM-226	1/1/2022		12/31/2022
		03	RADIUM-228	1/1/2022		12/31/2022
		03	GROSS ALPHA, EXCL. RADON &	1/1/2022		12/31/2022
<u>IN5292009</u>	<b>TIMBERLANE ESTATES MOBILE HOME PARK</b>			C	<b>GW</b>	<b>54</b>
		52	LEAD & COPPER RULE	10/1/2021		10/5/2022