



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

100 N. Senate Avenue • Indianapolis, IN 46204
(800) 451-6027 • (317) 232-8603 • Fax (317) 233-6647 • www.idem.IN.gov

Mike Braun
Governor

Clint Woods
Commissioner

February 24, 2026

VIA ELECTRONIC MAIL:

Mr. Keith Slater, CFO
Family Express
213 South SR 49
Valparaiso, IN 46383

Dear Mr. Slater:

Re: IDEM Notice of Coverage Under NPDES
General Permit Coverage #ING420058
Family Express #34
11800 W SR 10
DeMotte, IN, Jasper County

Our office has received the Notice of Intent (NOI) packet for the above-referenced facility that was submitted by Mr. Adam Lenz of Creek Run Environmental on your behalf. We are pleased to inform you that the NOI is sufficient to comply with the requirements of the NPDES General Permit ING420000 for temporary discharges of wastewater, and that the discharge from your facility will be covered by this general permit.

This project involves dewatering of excavation sumps for routine tank maintenance and is expected to last about two (2) weeks. This project also has a discharge authorization to send up to 50,000 gpd to a nearby privately-owned wastewater treatment plant. This discharge authorization is for those dewatering volumes which exceed the maximum allowable discharge into the private sewer. The groundwater will be treated prior to discharge to ensure removal of any contaminants. Permit coverage is deemed effective immediately.

You are required to follow all terms and conditions of ING420000 and this approval letter. Please note that the expiration date for this general permit coverage is January 30, 2027. This is a one-time discharge authorization, which cannot be renewed. The coverage may be modified during its term, however, the term may not be extended beyond 364 days from the original effective date of coverage. If a longer discharge authorization is needed, it will be necessary to submit an application for an individual NPDES permit.

The NPDES general permit coverage number assigned to this facility is referenced above. This is an identification number and should be included on all correspondence submitted to IDEM in relation to NPDES general permit coverage for this site. Approval of coverage includes all outfalls listed in Attachment 1 to this letter, and the effluent limitations and monitoring requirements are set forth in Attachment 2.

Visit on.IN.gov/survey or scan the QR code to provide feedback.

We appreciate your input!



The NPDES general permit and fact sheet for ING420000 are posted on IDEM's website at <https://www.in.gov/idem/cleanwater/wastewater-permitting/general-permits/>. You may also contact the permit manager listed below to request a copy be sent to you. You are responsible for following the general permit requirements contained therein.

One condition of your permit requires periodic reporting of several effluent parameters. You are required to submit both federal discharge monitoring reports (DMRs) and state Monthly Monitoring Reports (MMRs) on a routine basis. We are sending you a copy of the MMR form (State Form 30530), and it can also be found on IDEM's web site at <https://www.in.gov/idem/forms/>. Once you are on this page, just insert "30530" in the search box. We recommend using the "XLS" version because it will complete all of the calculations when you enter the data.

All NPDES permit holders are required to submit their monitoring data to IDEM using NetDMR. Information regarding NetDMR is available on our website at <https://www.in.gov/idem/cleanwater/resources/netdmr/>.

IDEM shall serve notice of its decision to accept your facility for coverage under the general permit in accordance with the requirements of 327 IAC 5-3-14. It should also be noted that any appeal must be filed under procedures outlined in IC 13-15-6, IC 4-21.5, and the enclosed Public Notice. The appeal must be initiated by filing a petition for administrative review with the Office of Administrative Law Proceedings (OALP) within fifteen (15) days of the emailing of an electronic copy of this letter or within eighteen (18) days of the mailing of this letter. A copy must also be served upon IDEM. Addresses are as follows:

Director
Office of Administrative Law Proceedings
Indiana Government Center North
Suite 802
100 North Senate Avenue
Indianapolis, IN 46204

Commissioner
Indiana Department of Environmental Management
Indiana Government Center North
Room 1301
100 North Senate Avenue
Indianapolis, IN 46204

The Office of Administrative Law Proceedings will provide parties who request review of this acceptance for coverage with notice of prehearing conferences, preliminary hearings, hearing, and stays or orders disposing of all proceedings. Nonparties may receive such notices without intervening and formally becoming parties in the proceeding by requesting copies of such notices from the OALP.

Please note that when discharge activity has ceased, you will need to **submit a signed, dated letter to us requesting termination of NPDES general coverage**. Until such time as the NPDES general permit coverage is terminated, you will continue to be responsible for the submittal of the monthly reports.

Mr. Keith Slater, CFO
Page 3 of 5

If you should have any questions regarding this matter, please feel free to contact me at (317) 232-8704 or you may contact me via email at chess@idem.IN.gov.

Sincerely,

Catherine Hess

Catherine Hess, Chief
Permits Administration Section
Office of Water Quality

Attachments

cc: Adam Lenz, Creek Run LLC
Jasper County Health Dept.

ATTACHMENT 1

FAMILY EXPRESS #34

NPDES GENERAL PERMIT COVERAGE APPROVAL # ING420058

EFFECTIVE DATE : FEBRUARY 1, 2026

AUTHORIZED OUTFALLS

The following outfalls are authorized for coverage under this general permit approval:

OUTFALL	LATITUDE	LONGITUDE	RECEIVING WATER
001	41° 9' 4.93"	-87° 16' 31.93"	OTIS-BOYLE DITCH

Attachment 2 - Discharge Limitations

Table 1

Parameter	Quantity or Loading			Quality or Concentration			Monitoring Requirements	
	Monthly average	Daily maximum	Units	Monthly average	Daily maximum	Units	Measurement frequency	Sample type
Flow [1][2]	Report	Report	MGD	----	----	----	Daily	Instantaneous
Oil and Grease	----	----	----	Report	15	mg/l	1 x Weekly	Grab
Total Suspended Solids (TSS)	----	----	----	Report	Report	mg/l	1 x Weekly	Grab
Benzene	----	----	----	Report	5	µg/l	1 x Weekly	Grab
Total BTEX [3]	----	----	----	Report	100	µg/l	1 x Weekly	Grab

µg/l = micrograms per liter

Table 2

Parameter	Quality or Concentration		Units	Monitoring Requirements	
	Daily minimum	Daily maximum		Measurement frequency	Sample type
pH [2]	6.0	9.0	s.u.	Weekly	Grab

[1] Monitoring and reporting of effluent flow is required; flow volume may be estimated.

[2] Samples and measurements taken as required in this section shall be representative of the volume and nature of the monitored discharge. Samples taken in compliance with the monitoring requirements in this section shall be taken at a point representative of the discharge but prior to entry into waters of the state. Test methods shall be selected that will provide adequately sensitive data results.

[3] BTEX shall be measured as the sum of benzene, toluene, ethylbenzene, and total xylenes.

**STATE OF INDIANA
DEPARTMENT OF ENVIRONMENTAL MANAGEMENT**

PUBLIC NOTICE NO. 20260224-ING420058-GP

DATE OF NOTICE: February 24, 2026

The Office of Water Quality approves the following NPDES GENERAL PERMIT coverage:

NEW NPDES GENERAL PERMIT COVERAGE UNDER ING420000

FAMILY EXPRESS #34, NPDES General Permit Coverage No. ING420058. The site is located at 11800 West SR 10, DeMotte, IN (JASPER COUNTY). This site is a fuel station/convenience store and will be engaging in short-term dewatering of a limited area necessary for the removal and installation of an underground storage tank system. The permittee has submitted a sufficient Notice of Intent to obtain new NPDES general permit coverage under ING420000, the NPDES General Permit for Temporary Discharges. There will be one (1) permitted outfall with a location of Latitude 41° 9' 4.93" and Longitude -87° 16' 31.93" which will discharge into Otis-Boyle Ditch. This general permit coverage is **effective immediately**. For more information regarding permit coverage, please contact Ms. Catherine Hess at (317) 232-8704 or chess@idem.IN.gov.

Notice of Right to Administrative Review

If you wish to challenge this permit coverage, you must file a Petition for Administrative Review with the Office of Administrative Law Proceedings (OALP) and serve a copy of the petition upon IDEM. The requirements for filing a Petition for Administrative Review are found in IC 4-21.5-3-7, IC 13-15-6-1 and 315 IAC 1-3-2. A summary of the requirements of these laws is provided below.

A Petition for Administrative Review must be filed with the OALP within fifteen (15) days of the issuance of this notice (eighteen (18) days if you received this notice by U.S. Mail), and a copy must be served upon IDEM. Addresses are as follows:

Director
Office of Administrative Law Proceedings
Indiana Government Center North
Suite N802
100 N. Senate Ave.
Indianapolis, IN 46204

Commissioner
Indiana Department of Environmental Management
Indiana Government Center North
Room 1301
100 N. Senate Ave.
Indianapolis, IN 46204

The petition must contain the following information:

1. The name, address and telephone number of each petitioner.
2. A description of each petitioner's interest in the permit.
3. A statement of facts demonstrating that each petitioner is:
 - a. a person to whom the order is directed;
 - b. aggrieved or adversely affected by the permit; or
 - c. entitled to administrative review under any law.
4. The reasons for the request for administrative review.
5. The particular legal issues proposed for review.
6. The alleged environmental concerns or technical deficiencies of the permit.
7. The permit terms and conditions that the petitioner believes would be appropriate and would comply with the law.

8. The identity of any persons represented by the petitioner.
9. The identity of the person against whom administrative review is sought.
10. A copy of the permit that is the basis of the petition.
11. A statement identifying petitioner's attorney or other representative, if any.

Failure to meet the requirements of the law with respect to a Petition for Administrative Review may result in a waiver of your right to seek administrative review of the permit. Examples are as follows:

1. Failure to file a Petition by the applicable deadline;
2. Failure to serve a copy of the Petition upon IDEM when it is filed; or
3. Failure to include the information required by law.

If you seek to have a permit stayed during the administrative review, you may need to file a Petition for a Stay of Effectiveness. The specific requirements for such a Petition can be found in 315 IAC 1-3-2 and 315 IAC 1-3-2.1.

Pursuant to IC 4-21.5-3-17, the OALP will provide all parties with notice of any pre-hearing conferences, preliminary hearings, hearings, stays, or orders disposing of the review of this action. If you are entitled to notice under IC 4-21.5-3-5(b) and would like to obtain notices of any pre-hearing conferences, preliminary hearings, hearings, stays, or orders disposing of the review of this action without intervening in the proceeding you must submit a written request to the OALP at the address above.

If you have procedural or scheduling questions regarding your Petition for Administrative Review, please refer to OALP's website at <https://www.in.gov/oalp/>.



Post Office Box 114
Montpelier, Indiana 47359

2328 North US 35, Unit A
LaPorte, Indiana 46350

February 19, 2026

Indiana Department of Environmental Management
Office of Water Quality, Permits Administration Section
100 North Senate Avenue, IGCN Room 1255
Indianapolis, Indiana 46204-2251

RE: Letter of Transmittal for NPDES
General Permit Notice of
Intent Submittal Application
Family Express #34
11880 West State Road 10
DeMotte, IN 46310

To Whom it May Concern,


On behalf of Family Express Corporation (Family Express), Creek Run L.L.C. Environmental Engineering (Creek Run) is pleased to submit the following:

- NPDES General Permit Notice of Intent (NOI) Letter Submittal Application;
- NOI Letter for ING420000 Temporary Discharges General NPDES Permit;
- Topographical map, site maps, and flow schematic illustrating the location of the site and the path of discharge;
- Official Ad Proof;
- Waiver Request for NPDES General Permit;
- Signatory permission letter; and
- Identification of Potentially Affected Parties mailing labels.

Our check #49404 dated February 19, 2026, in the amount of \$50.00 is included. *Appendix C* of the application for water treatment additives has been excluded from this submittal as no additives are proposed in the discharge.

Please feel free to contact me at 765-728-8051 with any questions during your review of this application.

Sincerely,


Adam Lenz, LPG #2574
Director of Operations





**NOTICE OF INTENT (NOI) LETTER
FOR ING420000
TEMPORARY DISCHARGES
GENERAL NPDES PERMIT**
State Form 56913 (2-20)
INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

Mail this form and required attachments to:
**INDIANA DEPARTMENT OF ENVIRONMENTAL
MANAGEMENT**
Office of Water Quality,
Permits Administration Section
100 North Senate Avenue, IGCN Room 1255
Indianapolis, IN 46204-2251

INSTRUCTIONS

- **This form must be used to apply for coverage under the General NPDES Permit for temporary discharges pursuant to NPDES Permit Number ING420000. Please submit the form at least forty-five (45) days prior to the planned commencement of discharge.**
- **Please type or print in ink. Do not use white-out to correct errors. Strike-through and initial any corrections.**
- **Further item-specific instructions are provided in Appendix A on pages 6 and 7 of this form.**

For questions regarding this form, the required attachments, and permit requirements, contact the Office of Water Quality, Permits Administration Section at (317) 232-8704 or (800) 451-6027, ext 28704 (within Indiana) or contact us via e-mail at OWQWWPER@idem.IN.gov.

ELIGIBILITY REQUIREMENTS

This permit authorizes certain temporary discharges of wastewater to surface waters of the state. Types of discharges that may be covered under this permit include, but are not limited to, emergency discharges, discharges related to environmental cleanup activity, discharges resulting from testing of pilot projects, and dewatering discharges of contaminated water. These discharges can only be permitted under this general permit for a maximum of 364 consecutive calendar days.

Discharges **NOT** authorized by this permit include the following:

- direct discharges into waters that are designated as an Outstanding National Resource Water (ONRW) as defined at IC 13-11-2-149.5;
- discharges to a receiving stream when the discharge results in an increase in the ambient concentration of a pollutant which contributes to the impairment of the receiving stream for that pollutant as identified on the current 303(d) list of impaired waters;
- discharges containing water treatment additives (WTAs) which have not received prior written approval from IDEM for the specific additive, use, and dosage at the particular facility for which the Notice of Intent (NOI) is submitted;
- discharges that take place within five-hundred (500) yards upstream of a public water supply surface water intake and cannot meet Indiana's public water supply standards;
- discharges of storm water associated with industrial activity (regulated under 327 IAC 15-6)
- discharges of storm water runoff associated with construction activity (regulated under 327 IAC 15-5 or INRA00000);
- discharges from coal mining operations (regulated under 327 IAC 15-7);
- discharges from a groundwater petroleum remediation system (regulated under General NPDES Permit ING080000);
- discharges from a petroleum product terminal (regulated under General NPDES Permit ING340000);
- discharges from a sand, gravel, dimension stone, or crushed stone operation (regulated under General NPDES Permit ING490000);
- discharges of hydrostatic test water from a commercial pipeline (regulated under General NPDES Permit ING670000);
- discharges that are discharged to combined or sanitary sewer systems;
- discharges that are commingled with hazardous wastes or hazardous materials;
- bypasses or upsets of any kind from a treatment works or collection system;
- discharges that contain pollutants classified as bioaccumulative chemicals of concern (BCCs);
- discharges for which the Commissioner requests an individual NPDES permit application; and
- discharges of wastewater already regulated under another NPDES permit.

By checking this box I certify that this facility meets all eligibility requirements of this general permit.

APPLICATION TYPE AND INFORMATION

<input checked="" type="checkbox"/> NEW	ANTICIPATED DATE OF COMMENCEMENT OF DISCHARGE (month, day, year)	ESTIMATED DURATION (IN DAYS) OF DISCHARGE (MUST NOT EXCEED 364 DAYS)	DESCRIPTION OF PROPOSED MODIFICATION, IF APPLICABLE
<input type="checkbox"/> MODIFICATION	2/23/2026	10	

PART A: GENERAL INFORMATION FOR FACILITY

1. FACILITY NAME (See Appendix A.)					
Family Express #34					
2. FACILITY MAILING ADDRESS (See Appendix A.)			3. FACILITY PHYSICAL LOCATION (See Appendix A.)		
STREET ADDRESS (number and street)			STREET ADDRESS (number and street)		
11800 West State Road 10			same		
CITY	STATE	ZIP CODE	CITY	STATE	ZIP CODE
Demotte	IN	46310	same		

4. PARENT COMPANY/OWNER'S COMPLETE MAILING ADDRESS (See Appendix A.)			5. FACILITY CODES (See Appendix A.) SIC Code NAICS Code			6. FACILITY COUNTY		
COMPANY NAME Family Express Corporation						Lake		
STREET ADDRESS (number and street) 213 South State Road 49			7. LATITUDE AND LONGITUDE OF CENTER OF FACILITY SITE (See Appendix A.)					
			Latitude			Longitude		
			degree	minute	second	degree	minute	second
CITY Valparaiso			41	08	41.65	87	16	25.62
STATE IN			ZIP CODE 46383					
8. What is the nature of the primary business conducted at the facility or site? (Example: new construction of a small business building) Gas Station/Convenience Store								
9. Provide a brief description of the facility operations that result in the discharge. (Example: dewatering of limited area necessary to construct foundation for building) Dewatering of an excavation for the removal and reinstallation of a new underground storage tank (UST) system								

PART B: CONTACT INFORMATION FOR RESPONSIBLE OFFICIAL (AUTHORIZED NOI SIGNATORY)	
Provide information regarding the <u>responsible official</u> who has the authorization to sign this NOI in accordance with 40 CFR 122.22. If the responsible official wishes to delegate signatory authority for reports and other correspondence related to this NOI, that delegation must be made in writing to IDEM. This delegation of authority may occur either via this NOI or via a letter (signed and dated by the responsible official) which shall be submitted to the address on Page 1 of this NOI form. (See Appendix A.)	
10. NAME OF RESPONSIBLE OFFICIAL	11. DELEGATED SIGNATORY PERSON (OR POSITION) TO SIGN REPORTS AND FILE ADDITIONAL NOI CONTENT REQUIREMENTS
Keith Slater	Adam Lenz
RESPONSIBLE OFFICIAL'S TITLE	DELEGATED SIGNATORY PERSON'S TITLE or POSITION
Chief Financial Officer	Director of Operations
RESPONSIBLE OFFICIAL'S TELEPHONE NUMBER	DELEGATED SIGNATORY PERSON'S TELEPHONE NUMBER
219-462-0144	765-728-8051
RESPONSIBLE OFFICIAL'S FACSIMILE NUMBER	DELEGATED SIGNATORY FACSIMILE NUMBER
NA	765-728-3041
RESPONSIBLE OFFICIAL'S PHYSICAL LOCATION ADDRESS	DELEGATED SIGNATORY'S PHYSICAL LOCATION ADDRESS
213 South State Road 49, Valparaiso, IN	1 Creek Run Drive, Montpelier, IN. 47359
RESPONSIBLE OFFICIAL'S MAILING ADDRESS	DELEGATED SIGNATORY'S MAILING ADDRESS
same	P.O. Box 114, Montpelier, IN. 47359
RESPONSIBLE OFFICIAL'S E-MAIL ADDRESS	DELEGATED SIGNATORY PERSON'S E-MAIL ADDRESS
petro@familyexpress.com	alenz@creekrun.com

PART C: OTHER CONTACT INFORMATION			
12. DISCHARGE MONITORING REPORTS CONTACT AND MAILING INFORMATION		CONTACT PERSON AND COMPANY NAME	
		Adam Lenz/Creek Run LLC	
CONTACT TELEPHONE NUMBER		STREET ADDRESS (number and street)	
765-728-8051		1 Creek Run Drive	
CONTACT E-MAIL ADDRESS		CITY	STATE ZIP CODE
alenz@creekrun.com		Montpelier	IN 47359
13. ANNUAL FEE AND FINANCIAL CONTACT AND BILLING ADDRESS		CONTACT PERSON AND COMPANY NAME	
		Adam Lenz/Creek Run LLC	
CONTACT TELEPHONE NUMBER		STREET ADDRESS (number and street)	
765-728-8051		1 Creek Run Drive	
CONTACT E-MAIL ADDRESS		CITY	STATE ZIP CODE
alenz@creekrun.com		Montpelier	IN 47359

14. CONTRACTOR OR OPERATOR / CONTACT AND MAILING INFORMATION (as necessary)		CONTACT PERSON AND COMPANY NAME		
		Adam Lenz Creek Run L.L.C. Environmental Engineering		
CONTACT TELEPHONE NUMBER 765-728-8051		STREET ADDRESS (number and street) 1 Creek Run Drive, P.O. Box 114		
CONTACT E-MAIL ADDRESS alenz@creekrun.com		CITY Montpelier	STATE IN	ZIP CODE 47359

PART D: OUTFALL INFORMATION									
Provide the following information for all outfalls / discharges to be covered by this general permit. You may attach additional sheets if necessary.									
15. OUTFALL NUMBER	16. LATITUDE			16. LONGITUDE			17. RECEIVING WATER (See Appendix A.)	18. FOR ANY DISCHARGE INTO A STORM SEWER IDENTIFY THE STORM SEWER OWNER. (See Appendix A.)	19. ANTICIPATED DAILY VOLUME OF DISCHARGE in MGD AND METHOD OF DETERMINATION OF VOLUME
	deg	min	sec.	deg.	min.	sec.			
001	41	09	04.93	87	16	31.93	Otis-Boyle Ditch	Not Applicable	0.360 / Estimated

PART E: EFFLUENT CHARACTERIZATION									
20. Representative samples of the water that is to be discharged must be analyzed for substances that could reasonably be expected to be present based on the results of the site inquiry. A table of contaminants based on types of common source sites with temporary discharges are provided in Appendix B, at the end of the NOI form. The applicant should:									
<ol style="list-style-type: none"> 1) determine which of them best applies to the site and discharge that is to be permitted; 2) copy that table as needed for each outfall/discharge to be covered by this general permit. 3) conduct the sampling and testing required by the table that fits the site; 4) fill out the table with the resulting data; and 5) submit the completed table with the completed and signed NOI document. 									

PART F: WATER TREATMENT ADDITIVES									
Please complete the following additional information about the discharge from each outfall. Note that the only additives that may be used under this permit are those that have been approved for use at this site by the Indiana Department of Environmental Management. You may attach additional sheets if necessary. (See Appendix C.)									
21. OUTFALL NUMBER	22. WATER TREATMENT ADDITIVES (WTAs) TO BE USED								
001	None								

PART G: ADDITIONAL REQUIRED ATTACHMENTS									
23. PROOF OF PUBLICATION									
The NOI must also include the submittal of a proof of publication of the following statement in a newspaper of largest circulation in the area of the discharge:									
<p>(Supply facility name, address, address of the location of the discharging facility) "is submitting a Notice of Intent to notify the Indiana Department of Environmental Management of our intent to comply with the requirements under National Pollutant Discharge Elimination System (NPDES) general permit ING420000 to discharge non-process wastewater on a temporary (less than 364 consecutive days) basis. This site will discharge wastewater "(describe activity resulting in discharge and type of discharge) to (insert the name of the stream(s) or water body receiving the discharge(s))."</p> <p>"Any person wishing further information about this discharge may contact (supply facility contact person's name and telephone or e-mail information). The decision to issue coverage under this NPDES general permit for this discharge is appealable as per IC 13-15-6. Any person who wants to be informed of IDEM's decision regarding granting or denying coverage to this facility under this NPDES permit, and who wants to be informed of procedures to appeal the decision, may contact IDEM's offices at OWQWWPER@Idem.IN.gov to be placed on a mailing list to receive notification of IDEM's decision."</p>									
This publication must be in the newspaper for a minimum of one day. Be advised that notices without the proper information will not be sufficient, and IDEM will require that a new public notice be placed in the newspaper. If the proof of publication is not available a legible photocopy of the article that contains the name of the newspaper and the date the article was run is also acceptable. Please attach proof of publication of this statement from the newspaper to the NOI.									

24. REQUIRED MAPS

1. A topographical map must be submitted with this NOI. The map must include the following items:
 - (A) the location of the operation shown clearly and identified by name and by mark;
 - (B) the location of each numbered outfall shown clearly and identified by number and by mark;
 - (C) the receiving streams that each outfall discharges to shown clearly and identified by name; and
 - (D) any existing permanent structures or roads in the area shown clearly and identified by name.
2. A site map must be submitted. The site map must show and identify the significant structures, including all piping, diked areas, all outfall and sampling locations, and any flow paths from piping to outfall on the property.
3. A flow schematic diagram for each outfall that is to be permitted must be submitted with this NOI. This diagram should show the path that the wastewater water travels through the site to the point where it is discharged. If multiple outfalls will follow essentially the same path, these outfalls may be included on one diagram.

25. SITE INQUIRY ATTACHMENT

The applicant shall conduct an inquiry to determine what soil or groundwater contamination should be expected in the wastewater to be discharged. The inquiry should consider:

- 1) current and historic uses of the site;
- 2) current uses of adjacent sites;
- 3) probable hazardous substances that could reasonably be associated with the current or historic uses;
- 4) whether the site is considered contaminated by the IDEM, US EPA, or other parties;
- 5) whether the site is currently subject to risk-based corrective action due to a known petroleum release from an underground storage tank; and
- 6) any other relevant information.

The applicant should submit a copy of the site inquiry with this NOI The results of this inquiry will serve to determine what additional pollutants should be expected to be present in the wastewater to be discharged from the site. These pollutants should be included in the Effluent Characterization (see Part E and Appendix B of the NOI).

PART H: IDENTIFICATION OF POTENTIALLY AFFECTED PERSONS

26. Pursuant to IC 4-21.5 and IC 13-15-3-1 each applicant for general permit coverage is required to provide a listing of all persons who are potentially affected by the discharge(s) to be covered under the general permit. **PLEASE NOTE THAT MAILING LABELS ARE ALSO REQUIRED WITH THIS SUBMITTAL.** (See instructions in Appendix A.)

Please list here any and all persons whom you have reason to believe have a substantial or proprietary interest in this matter, or could otherwise be considered to be potentially affected under the law. Failure to notify any person who is later determined to be potentially affected could result in voiding our decision on procedural grounds. To ensure conformance with AOPA and to avoid reversal of a decision, please list all such parties. Attach additional names and addresses on a separate sheet of paper, as needed.

Name: Keith Slater, Family Express Corporation	Name: Adam Lenz, Creek Run LLC
Street address (number and street): 213 South State Road 49	Street address (number and street): 1 Creek Run Drive
City/State/ZIP Code: Valparaiso/IN/46383	City/State/ZIP Code: Montpelier/IN/47359
E-mail address: petro@familyexpress.com	E-mail address: alenz@creekrun.com
Name: Vince Urbano, Jasper County Drainage Board	Name:
Street address (number and street): 2530 North McKinley Ave.	Street address (number and street):
City/State/ZIP Code: Rensselaer/IN/47978	City/State/ZIP Code:
E-mail address: vince.urbano@co.jasper.in.us	E-mail address:
Name: Robert Bryan, Keener Township Trustee	Name:
Street address (number and street): PO Box 233	Street address (number and street):
City/State/ZIP Code: Demotte/IN/46310	City/State/ZIP Code:
E-mail address: keenertwptrustee@comcast.net	E-mail address:
Name: Rein Bontreger, Jasper County Commissioner, President	Name:
Street address (number and street): 115 West Washington Street	Street address (number and street):
City/State/ZIP Code: Rensselaer/IN/47978	City/State/ZIP Code:
E-mail address: countycommissioners@co.jasper.in.us	E-mail address:

PART H: IDENTIFICATION OF POTENTIALLY AFFECTED PERSONS (continued)

Name:	Name:
Street address (number and street):	Street address (number and street):
City/State/ZIP Code:	City/State/ZIP Code:
E-mail address:	E-mail address:
Name:	Name:
Street address (number and street):	Street address (number and street):
City/State/ZIP Code:	City/State/ZIP Code:
E-mail address:	E-mail address:
Name:	Name:
Street address (number and street):	Street address (number and street):
City/State/ZIP Code:	City/State/ZIP Code:
E-mail address:	E-mail address:
Name:	Name:
Street address (number and street):	Street address (number and street):
City/State/ZIP Code:	City/State/ZIP Code:
E-mail address:	E-mail address:

PART I: APPLICATION FEE

27. A \$50 fee is required to be submitted with this NOI in accordance with IC 13-18-20-12. The \$50 fee is applicable for each new permit and modification. (Updates to information in Parts B and C shall not be subject to the \$50 fee for modifications.) Checks or money orders shall be made payable to IDEM. Credit card payments are also acceptable. For more information, please contact IDEM's Accounting Dept at (317) 234-3099. Online payments can also be made via IDEM's website by visiting <https://www.in.gov/idem/6873.htm>.

PART J: SIGNATORY CERTIFICATION STATEMENT

28. The NOI must be signed by the Responsible Official (as identified in Part B, item 10. Also see Appendix A):

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I swear or affirm, under penalty of perjury as specified by IC 35-44.1-2-1 and other penalties specified by IC 13-30-10 and IC 13-15-7-1(3), that the statements and representations in this NOI are true, accurate, and complete.

<u>KEITH SLATER</u> Printed or Typed Name of Responsible Official	<u>CFO</u> Title
<u>[Signature]</u> Signature	<u>2/19/2026</u> Date signed (month, day, year)

PART K: 29. Please use the address at the top of page 1 of the NOI form to submit completed NOI form, attachments, and fee.

APPENDIX A: SUPPLEMENTAL INSTRUCTIONS

APPLICATION TYPE: For the purposes of this form a modification would consist of removing an existing outfall, adding an outfall in a new location, updating the quantity of discharge anticipated, or updating your wastewater characterization if it is determined that an actual value differs significantly from what you stated on a previous submittal. Please note that outfall locations are considered for the purposes of this permit to be discrete points. If you relocate an outfall you must apply for a modification to remove the outfall at the previous location, and add a new outfall with a new outfall number, to the permit.

Changes in contact information must be reported, but you may do so with a letter signed by the signatory (Part B Item 10) or delegated signatory authority (Part B Item 11). An NOI modification submittal is not required for these changes.

ELIGIBILITY REQUIREMENTS: Prior written approval from IDEM is required for any substance that is to be added to the water that is to be discharged. See Appendix C of this application which incorporates the requirements of State Form 50000 (the application for the use of Water Treatment Additives).

Part A, item 1: Enter the name of the specific site location that is to be permitted. This will be a unique name to identify this single site in conversation and correspondence.

Part A, Items 2 and 3: If the physical location is the same as the mailing address of the site to be permitted then both of these sections will be the same. In this case you may fill in the first and fill in "same" in the second. However if the mailing address is not sufficient to allow a person who wishes to visit the site to find it then section 3 should be a description of where the site itself is located. You may attach additional sheets if the boxes provided do not offer sufficient space to provide a proper location description.

Part A, Item 4: Enter the name and mailing address of the company that owns the site. This may be the name of the site itself but does not have to be. For example if "ABC Stone company" owns quarries at several locations, one of which this permit is being applied for, then "ABC Stone Company" and location of ABC Stone Company's signatory (see Part B, item, 10, below) would be listed here.

Part A, Item 5: Enter the four digit Standard Industrial Classification (SIC) code which identifies the facility's primary activity. SIC codes can be obtained from the Standard Industrial Classification Manual, 1987, by accessing the Occupational Safety and Health Administration (OSHA) website or by contacting the Indiana Department of Workforce Development. You should also provide the applicable NAICS Code, which is the six digit North American Industrial Classification System (NAICS) code, if known.

Part A, Item 7: The latitude and longitude of the approximate center of the facility site must be in the degrees/minutes/seconds format. Longitude and latitude can be obtained from United States Geological Survey (USGS) quadrangle or topographic map, by calling (888) 275-8747, or by accessing a locational (geocoding) website and conducting a search based on the facility street address. You may also access this information with the use of a handheld GPS unit at the site.

Longitude and Latitude in decimal degrees may be converted to degrees/minutes/seconds for proper entry on the NOI by following this example:

Convert decimal latitude 45.1234567 to degrees/minutes/ seconds

1. The numbers to the left of the decimal point are degrees: 45.
2. To obtain minutes multiply the first four number to the right of the decimal point by 0.006: $1234 \times 0.006 = 7.404$
3. The numbers to the left of the decimal point in the result obtained in (2) are the minutes: 7
4. To obtain seconds multiply the remaining three numbers to the right of the decimal from the result obtained in (2) by 0.06: $404 \times 0.06 = 24.24$.
5. Since the numbers to the right of the decimal are not used the result is 24 seconds.
6. The conversion for 45.1234567 is 45° (degrees), 7' (minutes), and 24" (seconds).

Part B, item 10: The Responsible Official must meet one of the following requirements:

- a) For a corporation, the responsible official must be a responsible corporate officer, which means either of the following:
 - (1) A president, secretary, treasurer, any vice president of the corporation in charge of a principal business function, or any other person who performs similar policymaking or decision making functions for the corporation.
 - (2) The manager of one (1) or more manufacturing, production, or operating facilities, provided, the manager is authorized to make management decisions which govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure long term environmental compliance with environmental laws and regulations; the manager can ensure that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.
- b) For a partnership or sole proprietorship, the responsible official must be a general partner or the proprietor, respectively.
- c) For a municipality, state, federal, or other public agency or political subdivision thereof, the responsible official must be either a principal executive officer or ranking elected official. For purposes of this section, a principal executive officer of a Federal agency is:
 - (1) The chief executive officer of the agency, or
 - (2) A senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., Regional Administrator of U.S. EPA).

Part E, Item 15: Enter a three number designation for each point where you will discharge, for example, 001, 002, 003, etc.

Part E, Item 16: See the instructions for Part A, Item 7, above.

Part E, Item 17: Enter the name of the waters of the state into which the discharges from each outfall will occur, as either the body of water itself, if the discharge is direct, or taking into account tributaries, if applicable. EXAMPLE: "Stone Creek", or "Connor Ditch to Stone Creek"; or "unnamed tributary to Connor Ditch".

Part E, Item 18: If the discharge first enters a storm sewer prior, which then carries it to waters of the state, then please provide the name of the owner of the storm sewer. EXAMPLE: "City of Muncie Department of Public Works" or "LaPorte Municipal Storm Sewer System to Connor Ditch".

APPENDIX A: SUPPLEMENTAL INSTRUCTIONS (continued)

Part E, items 20 and 21: All pollutant levels must be reported as concentration and as total mass (except for discharge flow, pH, and temperature). Total mass is the total weight of pollutants discharged over a day. Use the following abbreviations for units:

Concentration	Mass
ppm.....parts per million	lbs.....pounds
mg/l.....milligrams per liter	ton.....tons (English tons)
ppb.....parts per billion	mg.....milligrams
ug/l.....micrograms per liter	g.....grams
kg.....kilograms	T.....tonnes (metric tons)
ng/l.....nanograms per liter	

A. Existing Sources

You are required to provide at least one analysis for each pollutant or parameter listed that is known or believed to be present by filling in the requested information under the applicable column. Data reported must be representative of the facility's proposed or current operation. Parameters not present should be marked N/A.

The analysis of the listed pollutants or parameters must be done in accordance with procedures promulgated in 40 CFR Part 136. Grab samples must be used for pH, residual chlorine, and oil and grease. For all other pollutants a 24-hour composite samples must be used. Any further questions on sampling or analysis should be directed to (317) 232-8704 or OWQWWPER@idem.IN.gov.

The Commissioner may request that you do additional testing, if appropriate, on a case by case basis under Section 308 of the Clean Water Act (CWA). If you expect a pollutant to be present solely as a result of its presence in your intake water, provide this information on a separate piece of paper attached to the NOI form.

B. New Dischargers

You are required to provide an estimated maximum daily and average daily value for each pollutant or parameter (exceptions noted on the form). Sampling and analysis are not required at this time. If, however, data from such analyses are available, then such data should be reported. The source of the estimates should be provided in the second column of item 22, for example, estimates based on available in-house or contractor's engineering reports or any other studies performed on the proposed facility. In providing the estimates, use the codes in the following table to indicate the source of such information.

Engineering study Code

Actual data pilot plants	1
Estimates from other engineering studies	2
Data from other similar plants	3
Best professional estimates	4
Others	<i>Specify on the form.</i>

Part F, Item 22: Water Treatment Additives may only be used at outfalls to be covered by this general permit if the applicant has received approval from IDEM, as denoted in the Eligibility Requirements on Page 1 of the NOI form. For more information, please contact us at (317) 232-8704 or OWQWWPER@idem.IN.gov.

Part H, Item 26: Identification of Potentially Affected Persons

The Administrative Orders and Procedures Act (AOPA) IC 4-21.5-3-5(b), requires that the Indiana Department of Environmental Management (IDEM) give notice of its decision on your Notice of Intent to the following persons:

- 1) Each person to whom the decision is specifically directed;
- 2) Each person to whom a law requires notice to be given;
- 3) Each competitor who has applied to the IDEM for a mutually exclusive license, if issuance is the subject of the decision and the competitor's application has not been denied in an order for which all rights to judicial review have been waived or exhausted;
- 4) Each person who has provided the IDEM with a written request for notification of the decision;
- 5) Each person who has a substantial and direct proprietary interest in the issuance of the (permit/variance);
- 6) Each person whose absence as a party in the proceeding concerning the (permit) decision would deny another party complete relief in the proceeding or who claims an interest related to the issuance of the (permit) and is so situated that the disposition of the matter, in the person's absence may:
 - a) As a practical matter impair or impede the person's ability to protect that interest, or
 - b) Leave any other person who is a party to a proceeding concerning the permit subject to a substantial risk of incurring multiple or otherwise an inconsistent obligation by reason of the person's claimed interest.

IC 4-21.5-3-5(f) provides that we may request your assistance in identifying these people.

Additionally, IC 13-15-3-1 requires IDEM to send notice that the permit application has been received by the department to the following:

- a) The board of county commissioners of a county affected by the permit application and
- b) The mayor of a city that is affected by the permit application, or
- c) The president of a town council of a town affected by the permit application.

Please provide on the following form the names of those persons affected by these statutes, **and include mailing labels with your NOI**. These mailing labels should have the names and addresses of the affected parties **along with our mailing code (65-42PS) listed above each** affected party listing. Example: 65-42PS

John Doe
111 Circle Drive
City, State, ZIP Code

If known, please also provide the person's e-mail address to facilitate electronic distribution of notifications.

Part J, Item 28: 40 CFR 122.22 and 327 IAC 5-2-22 require that an application for an NPDES permit or an NOI for a general permit must be signed by a person who meets the definition of Responsible Official. This definition is explained in the instructions for Part B, Item 10 above.

APPENDIX B: EFFLUENT CHARACTERIZATION

As per the instructions in Part E of the NOI, the following table should be utilized to provide a characterization of the wastewater that is to be discharged under this permit. Sufficiently sensitive test methods must be utilized in the analysis of any samples.

- A. Existing Sources – Provide measurements for the parameters listed in the left hand column. You must use, or require your contract laboratory to use, an analytical method with a detection level low enough to provide a detectable value for the pollutant of concern. Please provide the method used and detection limit achieved by the laboratory.
 B. New Dischargers – Provide estimates for the parameters listed in the left-hand column below. Instead of the number of measurements taken, provide the source of estimated value.

	Waiver Requested	(1) Maximum Daily Value (include units)		(2) Average Daily Value (last year) (include units)		(3)		Analytical Method (List method used and detection limit achieved in lab.)	
		Mass	Concentration	Mass	Concentration	Estimated or Actual Data Results?	Source of Estimate (if new discharger)	Method	Detection Limit
Biochemical Oxygen Demand (BOD ₅)	Yes	NA	NA	NA	NA	NA	NA	NA	NA
Total Suspended Solids (TSS)	Yes	NA	NA	NA	NA	NA	NA	NA	NA
Total Residual Chlorine	Yes	NA	NA	NA	NA	NA	NA	NA	NA
Oil and Grease	Yes	NA	NA	NA	NA	NA	NA	NA	NA
Ammonia (as N)	Yes	NA	NA	NA	NA	NA	NA	NA	NA
E. coli	Yes	NA	NA	NA	NA	NA	NA	NA	NA
Discharge Flow	No	VALUE in MGD 0.360		VALUE IN MGD 0.360		Est	Max Flow Rate	NA	NA
pH (S.U.)	No	MINIMUM 6		MAXIMUM 9		NA	NA	NA	NA
Temperature (Winter)	No	Value in Degrees Fahrenheit NA		Value in Degrees Fahrenheit NA		NA	NA	NA	NA
Temperature (Summer)	No	Value in Degrees Fahrenheit NA		Value in Degrees Fahrenheit NA		NA	NA	NA	NA
Lead	No	NA	NA	NA	NA	NA	NA	NA	NA
Cyanide, free	Yes								
Cyanide, total	Yes								
Antimony	Yes								
Arsenic	Yes								
Benzene	No	NA	<5 ppb	NA	NA	Actual	NA	8260	<5 ppb
Beryllium	Yes								
BTEX	No	NA	<5 ppb	NA	NA	Actual	NA	8260	<5 ppb
Cadmium	Yes								
Chloride	Yes								
Chromium	Yes								

Copper	Yes								
Hardness	Yes								
Mercury (Test Method 1631, Revision E)	Yes								
Nickel	Yes								
Selenium	Yes								
Silver	Yes								
Sulfate	Yes								
Total Organic Carbon (TOC)	Yes								
TVOC	Yes								
Zinc	Yes								
Coal Combustion Residual (CCR) [1]	Yes								
Perchloroethylene (PERC)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Tetrachloroethene (TCE)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Cis-1,2-dichloroethene (cis-1,2-dichloroethylene, cis-1,2-DCE)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Trans-1,2-dichloroethene (trans-1,2-dichloroethylene, trans-1,2-DCE)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,1,1-trichloroethane (1,1,1-TCA)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,1-dichloroethene (1,1-dichloroethylene, 1,1-DCE)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,1-dichloroethane (1,1-DCA)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,2-dichloroethane (1,2-DCA)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Acenaphthene	No	NA	< 100 ppb	NA	NA	Actual	NA	8260	< 100 ppb
Acrolein	No	NA	< 1 ppb	NA	NA	Actual	NA	8260	< 1 ppb
Acrylonitrile	No	NA	< 0.45 ppb	NA	NA	Actual	NA	8260	< 0.45 ppb
Benzidine	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Carbon tetrachloride (tetrachloromethane)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Chloroform (trichloromethane)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Chlorobenzene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,2,4-trichlorobenzene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Hexachlorobenzene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb


1,2-dichloroethane	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,1,1-trichloroethane	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Hexachloroethane	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Dichloromethane (methylene chloride)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,1,2-Trichloroethane (1,1,2-TCA)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,1,2,2-tetrachloroethane	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Chloroethane	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Bis(2-chloroethyl) ether	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
2-chloroethyl vinyl ether (mixed)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
2-chloronaphthalene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
2,4, 6-trichlorophenol	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Parachlorometa cresol	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
2-chlorophenol	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,2-dichlorobenzene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,3-dichlorobenzene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,4-dichlorobenzene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
3,3-dichlorobenzidine	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,1-dichloroethylene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,2-trans-dichloroethylene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
2,4-dichlorophenol	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,2-dichloropropane	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,3-dichloropropylene (1,3-dichloropropene)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
2,4-dimethylphenol	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
2,4-dinitrotoluene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
2,6-dinitrotoluene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
1,2-diphenylhydrazine	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Ethylbenzene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Fluoranthene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
4-chlorophenyl phenyl ether	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb

4-bromophenyl phenyl ether	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Bis(2-chloroisopropyl) ether	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Bis(2-chloroethoxy) methane	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Methyl chloride (dichloromethane)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Methyl bromide (bromomethane)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Bromoform (tribromomethane)	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Dichlorobromomethane	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Chlorodibromomethane	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Hexachlorobutadiene	No	NA	< 2.6 ppb	NA	NA	Actual	NA	8260	< 2.6 ppb
Hexachlorocyclopentadiene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Isophorone	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Naphthalene	No	NA	<1.0 ppb	NA	NA	Actual	NA	8270	<1.0 ppb
Nitrobenzene	Yes								
2-nitrophenol	Yes								
4-nitrophenol	Yes								
2,4-dinitrophenol	Yes								
4,6-dinitro-o-cresol	Yes								
N-nitrosodimethylamine	Yes								
N-nitrosodiphenylamine	Yes								
N-nitrosodi-n-propylamin	Yes								
Pentachlorophenol	Yes								
Phenol	Yes								
Bis(2-ethylhexyl) phthalate	Yes								
Butyl benzyl phthalate	Yes								
Di-N-Butyl Phthalate	Yes								
Di-n-octyl phthalate	Yes								
Diethyl Phthalate	Yes								
Dimethyl phthalate	Yes								
1,2-benzanthracene (benzo(a) anthracene)	No	NA	< 0.10 ppb	NA	NA	Actual	NA	8270	< 0.10 ppb

Benzo(a)pyrene (3,4-benzo-pyrene)	No	NA	< 0.10 ppb	NA	NA	Actual	NA	8270	< 0.10 ppb
3,4-Benzofluoranthene (benzo(b) fluoranthene)	No	NA	< 0.10 ppb	NA	NA	Actual	NA	8270	< 0.10 ppb
11,12-benzofluoranthene (benzo(k) fluoranthene)	No	NA	< 0.10 ppb	NA	NA	Actual	NA	8270	< 0.10 ppb
Chrysene	No	NA	< 0.10 ppb	NA	NA	Actual	NA	8270	< 0.10 ppb
Acenaphthylene	No	NA	< 1.0 ppb	NA	NA	Actual	NA	8270	< 1.0 ppb
Anthracene	No	NA	< 0.10 ppb	NA	NA	Actual	NA	8270	< 0.10 ppb
1,12-benzoperylene (benzo(ghi) perylene)	Yes								
Fluorene	No	NA	< 1.0 ppb	NA	NA	Actual	NA	8270	< 1.0 ppb
Phenanthrene	No	NA	< 1.0 ppb	NA	NA	Actual	NA	8270	< 1.0 ppb
1,2,5,6-dibenzanthracene (dibenzo(h) anthracene)	Yes								
Indeno (1,2,3-cd) pyrene (2,3-o-pheynylene pyrene)	Yes								
Pyrene	No	NA	< 1.0 ppb	NA	NA	Actual	NA	8260	< 1.0 ppb
Tetrachloroethylene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Toluene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Trichloroethylene	No	NA	< 5 ppb	NA	NA	Actual	NA	8260	< 5 ppb
Vinyl chloride (chloroethylene)	No	NA	< 2 ppb	NA	NA	Actual	NA	8260	< 2 ppb
Aldrin	Yes								
Dieldrin	Yes								
Chlordane (technical mixture and metabolites)	Yes								
4,4-DDT	Yes								
4,4-DDE (p,p-DDX)	Yes								
4,4-DDD (p,p-TDE)	Yes								
Alpha-endosulfan	Yes								
Beta-endosulfan	Yes								
Endosulfan sulfate	Yes								
Endrin	Yes								
Endrin aldehyde	Yes								
Heptachlor	Yes								
Heptachlor epoxide (BHC-hexachlorocyclohexane)	Yes								

Alpha-BHC	Yes								
Beta-BHC	Yes								
Gamma-BHC (lindane)	Yes								
Delta-BHC (PCB- polychlorinatedbiphenyls)	Yes								
PCB-1242 (Arochlor 1242)	Yes								
PCB-1254 (Arochlor 1254)	Yes								
PCB-1221 (Arochlor 1221)	Yes								
PCB-1232 (Arochlor 1232)	Yes								
PCB-1248 (Arochlor 1248)	Yes								
PCB-1260 (Arochlor 1260)	Yes								
PCB-1016 (Arochlor 1016)	Yes								
Toxaphene	Yes								
Asbestos	Yes								
Thallium	Yes								



[1] A one-time sample of Coal Combustion Residual (CCR)-related 126 priority pollutants is required to be submitted for ash ponds.



DELORME

DeLorme Topo USA® 7.0

Data use subject to license.
 © DeLorme. DeLorme Topo USA® 7.0.
 www.delorme.com



ENVIRONMENTAL ENGINEERING
 Taking Pride In What We Do
 765-728-8051 www.creekrun.com

Standard Legend

Water Line	Electric Line
Gas Line	Communication Line
Sewer Line	Storm Sewer Line
Fiber Optic Line	Overhead Line
Monitoring Well	Soil Boring

Legend

SITE INFORMATION:

County: Jasper

Civil Township: Keener

Elevation: 690' - 696' ±

PUBLIC LAND SURVEY SYSTEM (PLSS)

Section: 7

Township: 31N

Range: 7W

UTM COORDINATES

Zone: 16T

Easting: 0477037

Northing: 4554883

Coordinates location: Approx. center of property

Drawn By: R.N.	Checked By: M.F.
Date: 1-6-22	Date: 1-7-22

File No.: F104-ROS1-300-0	Revision: 0
---------------------------	-------------



Title:

Site Map 7.5 Topographic

Location:

Family Express #34 11880 W. State Road 10 DeMotte, IN

Scale: AS NOTED	Figure: 1
-----------------	-----------



ENVIRONMENTAL ENGINEERING
 Taking Pride In What We Do!
 765-728-8051 www.creekrun.com

Standard Legend

Water Line	Electric Line
Gas Line	Communication Line
Sewer Line	Storm Sewer Line
Fiber Optic Line	Overhead Line
Monitoring Well	Soil Boring

Legend

Typical Flow Direction


Drawn By: R.N. Date: 2-19-26	Checked By: A.L. Date: 2-19-26
---------------------------------	-----------------------------------

File No.: F104-ROS1-211-0	Project No.: 450041
---------------------------	---------------------

Title:
Site Map

Location:
**Family Express #34
 11880 W. State Road 10
 DeMotte, IN**

Scale: 1" = 40' 	Figure: 2
---------------------	------------------



ENVIRONMENTAL ENGINEERING
 Taking Pride In What We Do!
 765-728-8051 www.creekrun.com

Standard Legend

- | | |
|------------------|--------------------|
| Water Line | Electric Line |
| Gas Line | Communication Line |
| Sewer Line | Storm Sewer Line |
| Fiber Optic Line | Overhead Line |
| Monitoring Well | Soil Boring |

Legend

Aerial Image Source: Google Earth
 Aerial Image Date: March 2024

Typical Flow Direction



Google Earth
 image © 2025 Airbus

Drawn By: R.N. Date: 2-19-26	Checked By: A.L. Date: 2-19-26
---------------------------------	-----------------------------------


File No.: F104-ROS1-212-0	Project No.: 450041
------------------------------	------------------------

Title:
**Expanded
 Aerial Image
 Site Plan**

Location:
**Family Express #34
 11880 W. State Road 10
 DeMotte, IN**

Scale: AS NOTED	Figure: 3
--------------------	---------------------

REMEDIATION EQUIPMENT LAYOUT



Creek Run L.L.C.

 ENVIRONMENTAL ENGINEERING
 Taking Pride In What We Do!
 765-728-8051 www.creekrun.com

Title:
Flow Schematic
 Family Express #34
 11880 W. State Road 10
 DeMotte, IN

Location: DeMotte, Indiana	
Drawn By: R.N. Date: 2-19-26	Checked By: A.L. Date: 2-19-26
File No.: F104-ROS1-213-0	Project No. 450041
Scale: DO NOT SCALE	Figure: 4



OFFICIAL AD PROOF

This is the proof of your ad scheduled to run in **Northwest Indiana Times** on the dates indicated below. If changes are needed, please contact us prior to deadline at help@column.us

Notice ID: utqYdZFiS0SfhVVhwV6C | **Proof Updated: Feb. 19, 2026 at 12:20pm CST**
Notice Name: NOI Legal Ad Notice | Publisher ID: COL-IN-104689

This is not an invoice. Below is an estimated price, and it is subject to change. You will receive an invoice with the final price upon invoice creation by the publisher.

FILER	FILING FOR
Kelly Bleeke kbleeke@creekrun.com (765) 728-8051	Northwest Indiana Times

Columns Wide: 1	Ad Class: Legals
------------------------	-------------------------

02/24/2026: Private Party Legal Notice Notice	205.90
Online Fee	10.00
Total	\$215.90

See Proof on Next Page

"Creek Run L.L.C. Environmental Engineering (P.O. Box 114, Montpelier, IN 47359) and Family Express Corporation (213 South State Road 49, Valparaiso, IN 46383) are submitting a Notice of Intent letter to notify the Indiana Department of Environmental Management of our intent to comply with the requirements under National Pollutant Discharge Elimination System (NPDES) general permit ING420000 for temporary discharges into waters of the state. Discharging facility address is located at 11880 West State Road 10, DeMotte, IN 46310. Discharge will be to Otis-Boyle Ditch approximately 0.5-mile north of the subject property in DeMotte, Indiana.

Any person wishing further information about this discharge may contact Adam Lenz at (765) 728-8051 or at alenz@creekrun.com. The decision to issue coverage under this NPDES general permit for this discharge is appealable per IC 13-15-6. Any person who wants to be informed of IDEM's decision regarding granting or denying coverage to this facility under this NPDES permit, and who would like to be informed of procedures to appeal the decision may contact IDEM's offices at OWQWWPER@idem.IN.gov and ask to be placed on a mailing list to receive notification of IDEM's decision."

2/24 - COL-IN-104689

HSPAXLP



Post Office Box 114
Montpelier, Indiana 47359

2328 North US 35, Unit A
LaPorte, Indiana 46350

February 19, 2026

Indiana Department of Environmental Management
Office of Water Quality, Permits Administration Section
100 North Senate Avenue, IGCN Room 1255
Indianapolis, Indiana 46204-2251

RE: Waiver Request for NPDES General Permit
Family Express #34
11880 West State Road 10
DeMotte, IN 46310
FID #16278

To Whom it May Concern,

On behalf of Family Express Corporation (Family Express), Creek Run L.L.C. Environmental Engineering (Creek Run) is submitting this waiver request for the National Pollutant Discharge Elimination System (NPDES) General Permit that will be associated with Family Express #34 located at 11880 West State Road 10 in DeMotte, Indiana. This waiver request provides background information regarding potential sources of groundwater impacts associated with general operations of a UST system on the subject property that could be encountered during discharge activities.

The subject property has operated as an automotive refueling station since at least 1982.

Primary chemicals of concern (COCs) associated with underground storage tank (UST) system locations involves sampling groundwater for volatile organic compounds (VOCs) by United States Environmental Protection Agency (U.S. EPA) Method 8260 and polynuclear aromatic hydrocarbons (PAHs) by U.S. EPA Method 8270 per IDEM's R2 Petroleum Remediation Guide. It should be noted however that during installation of dewatering wells at the facility, petroleum related COCs were detected in a soil sample near the active tank system and a release was reported, which was later assigned leaking underground storage tank Incident #202512523 in December 2025.


Family Express is requesting permission to waive analysis of the following:

- Biological Oxygen Demand (BOD);
- Total Suspended Solids (TSS);
- Heavy Metals;
- Phthalates;
- Insecticides;
- PCBs
- Fecal Coliform;
- Total Residual Chlorine;
- Oil and Grease;
- Ammonia; and
- Lead, Total Recoverable.


The above listed contaminants are not generally associated with petroleum contaminated sites and there is no evidence that these chemicals would be present at the facility.

A copy of the laboratory analytical report for the groundwater sampling collected in February 2026, associated with initial dewatering activities is attached to this letter.

Sincerely,



Adam Lenz, Director of Operations
Creek Run LLC Environmental Engineering
1 Creek Run Drive
Montpelier, IN 47359



02/19/2026

Date





ENVision Laboratories, Inc.
1439 Sadlier Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Mr. Adam Lenz
Creek Run
P.O. Box 114
Montpelier, IN 47359

February 12, 2026

ENVision Project Number: 2026-213
Client Project Name: 11880 Demotte

Dear Mr. Lenz,

Please find the attached analytical report for the samples received February 12, 2026. All test methods performed were fully compliant with local, state, and federal EPA methods unless otherwise noted. The project was analyzed as requested on the enclosed chain of custody record. Please review the comments section for additional information about your results or Quality Control data.

Feel free to contact me if you have any questions or comments regarding your analytical report or service.

Thank you for your business. ENVision Laboratories looks forward to working with you on your next project.

Yours Sincerely,

A handwritten signature in black ink that reads 'Cheryl A. Crum'. The signature is written in a cursive style with a large initial 'C'.

Cheryl A. Crum

Director of Project Management
ENVision Laboratories, Inc.



Analytical Report

Client Name: CREEK RUN
Project ID: 11880 DEMOTTE
Client Project Manager: ADAM LENZ
ENVision Project Number: 2026-213
Analytical Method: EPA 8260
Prep Method: EPA 5030B
Analytical Batch: 021226VW

Client Sample ID: EFFLUENT **Sample Collection Date/Time:** 2/11/26 11:50
Envision Sample Number: 26-1169 **Sample Received Date/Time:** 2/12/26 8:50
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	97%		
1,2-Dichloroethane-d4 (surrogate)	95%		
Toluene-d8 (surrogate)	97%		
4-bromofluorobenzene (surrogate)	90%		
Analysis Date/Time:	2-12-26/09:54		
Analyst Initials	tjg		



Analytical Report

Client Name: CREEK RUN
Project ID: 11880 DEMOTTE
Client Project Manager: ADAM LENZ
ENVision Project Number: 2026-213

Analytical Method: EPA 8270SIM
Prep Method: EPA 3511
Analytical Batch: 021226PW1

Client Sample ID: EFFLUENT
Envision Sample Number: 26-1169
Sample Matrix: water
Sample Collection Date/Time: 2/11/26 11:50
Sample Received Date/Time: 2/12/26 8:50

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acenaphthene	< 1.0	1.0	
Acenaphthylene	< 1.0	1.0	
Anthracene	< 0.10	0.10	
Benzo(a)anthracene	< 0.10	0.10	
Benzo(a)pyrene	< 0.10	0.10	
Benzo(b)fluoranthene	< 0.10	0.10	
Benzo(g,h,i)perylene	< 0.10	0.10	
Benzo(k)fluoranthene	< 0.10	0.10	
Chrysene	< 0.10	0.10	
Dibenzo(a,h)anthracene	< 0.029	0.029	
Fluoranthene	< 1.0	1.0	
Fluorene	< 1.0	1.0	
Indeno(1,2,3-cd)pyrene	< 0.022	0.022	
1-methylnaphthalene	< 0.06	0.06	
2-methylnaphthalene	< 1.0	1.0	
Naphthalene	< 1.0	1.0	
Phenanthrene	< 1.0	1.0	
Pyrene	< 1.0	1.0	

Nitrobenzene-d5 (surrogate) 84%
 2-Fluorobiphenyl (surrogate) 100%
 p-Terphenyl-d14 (surrogate) 132%
Analysis Date/Time: 02-12-26/12:12
Analyst Initials: gjd
Date Extracted: 2/12/26
Initial Sample Volume: 40 mL
Final Volume: 2.0 mL



Analytical Report

Client Name: CREEK RUN
Project ID: 11880 DEMOTTE
Client Project Manager: ADAM LENZ
ENVision Project Number: 2026-213
Analytical Method: EPA 8260
Prep Method: EPA 5030B
Analytical Batch: 021226VW

Client Sample ID: INFLUENT **Sample Collection Date/Time:** 2/11/26 12:00
Envision Sample Number: 26-1170 **Sample Received Date/Time:** 2/12/26 8:50
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	20.6	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	



Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	276	100	2
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 2.6	2.6	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
n-Propylbenzene	15.4	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	52.4	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	71.0	5	
1,3,5-Trimethylbenzene	16.1	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	801	100	2
Xylene, Ortho	275	100	2
Xylene (Total)	1,076	200	
Dibromofluoromethane (surrogate)	97%		
1,2-Dichloroethane-d4 (surrogate)	97%		
Toluene-d8 (surrogate)	99%		
4-bromofluorobenzene (surrogate)	114%		
Analysis Date/Time:	2-12-26/10:12		
Analyst Initials	tjg		



Analytical Report

Client Name: CREEK RUN
Project ID: 11880 DEMOTTE
Client Project Manager: ADAM LENZ
ENVision Project Number: 2026-213

Analytical Method: EPA 8270SIM
Prep Method: EPA 3511
Analytical Batch: 021226PW1

Client Sample ID: INFLUENT **Sample Collection Date/Time:** 2/11/26 12:00
Envision Sample Number: 26-1170 **Sample Received Date/Time:** 2/12/26 8:50
Sample Matrix: water

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acenaphthene	< 1.0	1.0	
Acenaphthylene	< 1.0	1.0	
Anthracene	< 0.10	0.10	
Benzo(a)anthracene	< 0.10	0.10	
Benzo(a)pyrene	< 0.10	0.10	
Benzo(b)fluoranthene	< 0.10	0.10	
Benzo(g,h,i)perylene	< 0.10	0.10	
Benzo(k)fluoranthene	< 0.10	0.10	
Chrysene	< 0.10	0.10	
Dibenzo(a,h)anthracene	< 0.029	0.029	
Fluoranthene	< 1.0	1.0	
Fluorene	< 1.0	1.0	
Indeno(1,2,3-cd)pyrene	< 0.022	0.022	
1-methylnaphthalene	< 0.06	0.06	
2-methylnaphthalene	< 1.0	1.0	
Naphthalene	7.66	1.0	
Phenanthrene	< 1.0	1.0	
Pyrene	< 1.0	1.0	

Nitrobenzene-d5 (surrogate) 58%
 2-Fluorobiphenyl (surrogate) 70%
 p-Terphenyl-d14 (surrogate) 85%
Analysis Date/Time: 02-12-26/12:36
Analyst Initials: gjd
Date Extracted: 2/12/26
Initial Sample Volume: 40 mL
Final Volume: 2.0 mL



EPA 8260 Quality Control Data

ENVision Batch Number: 021226VW

<u>Method Blank (MB):</u>	<u>MB Results (ug/L)</u>	<u>Rep Lim (ug/L)</u>	<u>Flag</u>
Acetone	< 100	100	
Acrolein	< 1	1	
Acrylonitrile	< 0.45	1	1
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 1	1	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 1	1	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 1	1	
Dichlorodifluoromethane	< 5	5	
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
1,3-Dichloropropene	< 4.1	4.1	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	



ENVision Laboratories, Inc.
 1439 Sadlier Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

8260 QC Continued...

<u>Method Blank (MB):</u>	<u>MB Results (ug/L)</u>	<u>Rep Lim (ug/L)</u>	<u>Flag</u>
Hexachloro-1,3-butadiene	< 2.6	2.6	
2-Hexanone	< 10	10	
n-Hexane	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
1-Methylnaphthalene	< 5	5	
2-Methylnaphthalene	< 5	5	
Naphthalene	< 1	1	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 0.66	1	1
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 1	1	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (total)	< 10	10	
Dibromofluoromethane (surrogate)	94%		
1,2-Dichloroethane-d4 (surrogate)	90%		
Toluene-d8 (surrogate)	96%		
4-bromofluorobenzene (surrogate)	90%		
Analysis Date/Time:	2-12-26/05:52		
Analyst Initials	tjg		



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

8260 QC Continued...

<u>LCS/LCSD</u>	<u>LCS Results (ug/L)</u>	<u>LCS/LCSD Conc. (ug/L)</u>	<u>LCSD Result (ug/L)</u>	<u>LCS Rec.</u>	<u>LCSD Rec.</u>	<u>% D</u>	<u>Flag</u>
Vinyl Chloride	50.3	50	50.6	101%	101%	0.6	
1,1-Dichloroethene	51.3	50	51.8	103%	104%	1.0	
trans-1,2-Dichloroethene	54.3	50	55.1	109%	110%	1.5	
Methyl-tert-butyl-ether	44.1	50	46.6	88%	93%	5.5	
1,1-Dichloroethane	51.1	50	52.2	102%	104%	2.1	
cis-1,2-Dichloroethene	46.2	50	47.3	92%	95%	2.4	
Chloroform	48.1	50	49.6	96%	99%	3.1	
1,1,1-Trichloroethane	45.8	50	47.0	92%	94%	2.6	
Benzene	52.0	50	53.0	104%	106%	1.9	
Trichloroethene	49.7	50	50.9	99%	102%	2.4	
Toluene	57.2	50	58.6	114%	117%	2.4	
1,1,1,2-Tetrachloroethane	46.3	50	46.3	93%	93%	0.0	
Chlorobenzene	53.1	50	53.7	106%	107%	1.1	
Ethylbenzene	52.8	50	52.4	106%	105%	0.8	
o-Xylene	52.7	50	52.5	105%	105%	0.4	
n-Propylbenzene	55.5	50	55.5	111%	111%	0.0	
Dibromofluoromethane (surrogate)	100%		101%				
1,2-Dichloroethane-d4 (surrogate)	88%		91%				
Toluene-d8 (surrogate)	99%		100%				
4-bromofluorobenzene (surrogate)	94%		93%				
Analysis Date/Time:	2-12-26/05:14		2-12-26/05:33				
Analyst Initials	tjg		tjg				



EPA 8270SIM Quality Control Data

ENVision Batch Number: 021226PW1

<u>Method Blank (MB):</u>	<u>Method Blank Result (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flag</u>
Acenaphthene	< 1.0	1.0	
Acenaphthylene	< 1.0	1.0	
Anthracene	< 0.10	0.10	
Benzo(a)anthracene	< 0.10	0.10	
Benzo(a)pyrene	< 0.10	0.10	
Benzo(b)fluoranthene	< 0.10	0.10	
Benzo(g,h,i)perylene	< 0.10	0.10	
Benzo(k)fluoranthene	< 0.10	0.10	
Chrysene	< 0.10	0.10	
Dibenzo(a,h)anthracene	< 0.10	0.10	
Fluoranthene	< 1.0	1.0	
Fluorene	< 1.0	1.0	
Indeno(1,2,3-cd)pyrene	< 0.022	0.022	
1-methylnaphthalene	< 0.06	0.06	
2-methylnaphthalene	< 1.0	1.0	
Naphthalene	< 1.0	1.0	
Phenanthrene	< 1.0	1.0	
Pyrene	< 1.0	1.0	
Nitrobenzene-d5 (surrogate)	81%		
2-Fluorobiphenyl (surrogate)	94%		
p-Terphenyl-d14 (surrogate)	40%		
Analysis Date/Time:	02-12-26/13:01		
Analyst Initials	NR		
Date Extracted	2/12/2026		
Initial Sample Volume	40 mL		
Final Volume	2.0 mL		

<u>LCS/LCSD:</u>	<u>LCS Result (ug/L)</u>	<u>LCS/LCSD Conc. (ug/L)</u>	<u>LCSD Result (ug/L)</u>	<u>LCS Recovery</u>	<u>LCSD Recovery</u>	<u>RPD</u>	<u>Flag</u>
Naphthalene	1.94	2.0	1.93	97.0%	96.5%	0.5%	
2-methylnaphthalene	1.89	2.0	1.91	94.5%	95.5%	1.1%	
1-methylnaphthalene	1.92	2.0	1.87	96.0%	93.5%	2.6%	
Acenaphthylene	1.84	2.0	1.99	92.0%	99.5%	7.8%	
Acenaphthene	1.82	2.0	1.95	91.0%	97.5%	6.9%	
Fluorene	1.84	2.0	1.85	92.0%	92.5%	0.5%	
Phenanthrene	1.87	2.0	2.00	93.5%	100.0%	6.7%	
Anthracene	1.89	2.0	1.94	94.5%	97.0%	2.6%	
Fluoranthene	1.98	2.0	1.98	99.0%	99.0%	0.0%	
Pyrene	1.99	2.0	1.90	99.5%	95.0%	4.6%	
Benzo(a)anthracene	1.39	2.0	1.42	69.5%	71.0%	2.1%	
Chrysene	1.92	2.0	1.94	96.0%	97.0%	1.0%	
Benzo(b)fluoranthene	1.44	2.0	1.57	72.0%	78.5%	8.6%	
Benzo(k)fluoranthene	1.33	2.0	1.39	66.5%	69.5%	4.4%	
Benzo(a)pyrene	1.23	2.0	1.29	61.5%	64.5%	4.8%	
Indeno(1,2,3-cd)pyrene	1.29	2.0	1.22	64.5%	61.0%	5.6%	
Dibenzo(a,h)anthracene	1.25	2.0	1.29	62.5%	64.5%	3.1%	
Benzo(g,h,i)perylene	1.19	2.0	1.25	59.5%	62.5%	4.9%	
Nitrobenzene-d5 (surrogate)	65%		65%				
2-Fluorobiphenyl (surrogate)	73%		73%				
p-Terphenyl-d14 (surrogate)	34%		34%				
Analysis Date/Time:	02-12-26/13:26		02-12-26/13:50				
Analyst Initials:	NR		NR				
Date Extracted:	2/12/2026		2/12/2026				
Initial Sample Volume:	40 mL		40 mL				
Final Volume:	2.0 mL		2.0 mL				



ENVision Laboratories, Inc.
1439 Sadlier Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Flag Number

Comments

- | | |
|---|--|
| 1 | Reported value is below the reporting limit but above the MDL. |
| 2 | Reported value is from a 20x dilution. TJG 2/12/26 |

Keith Slater
Chief Financial Officer
Family Express Corporation
213 South State Road 49
Valparaiso, IN 46383
kslater@familyexpress.com
219 329-0620



February 19, 2026

Creek Run LLC Environmental Engineering
P.O. Box 114
1 Creek Run Drive
Montpelier, Indiana 47359

To Whom It May Concern:

We authorize Senior Staff Members, Assistant Directors, and Directors of the Technical Services and Operations Groups of Creek Run LLC Environmental Engineering to act as the agent of Family Express Corporation and to further sign, on our behalf, any Monthly Monitoring Reports (MMR) and Discharge Monitoring Reports (DMR) as required for NPDES General Permit associated with Family Express #34 located at 11880 West State Road 10 in DeMotte, Indiana.

Sincerely,

A handwritten signature in blue ink, appearing to be "K Slater", is written over a horizontal line.

Keith Slater
Chief Financial Officer
Family Express Corporation

65-42PS
Family Express Corporation
Mr. Keith Slater
213 South State Road 49
Valparaiso, IN 46383

65-42PS
Vince Urbano,
Jasper County Drainage Board
Representative
2530 North McKinley Ave.
Rensselaer, IN 47978

65-42PS
Rein Bontregre,
Jasper County Commissioner, President
115 West Washington Street
Rensselaer, IN 47978

65-42PS
Robert Bryan
Keener Township Trustee
PO Box 233
Demotte, IN 46310

65-42PS
Creek Run L.L.C.
Mr. Adam Lenz
1 Creek Run Drive
Montpelier, IN 47359

DATE	INVOICE NO.	COMMENT	AMOUNT	NET AMOUNT
02/19/2026	NPDES Permit	NPDES Permit NOI Fee Demotte 11880		50.00
DATE 02/19/26			VENDOR IDEM	TOTAL 50.00

Creek Run LLC Environmental Engineering

P.O. Box 114
Montpelier, IN 47359
(765) 728-8051

FIRST FINANCIAL BANK
HARTFORD CITY, IN
(765) 348-2350

56-91
422

49404

Fifty and no/100

DATE	AMOUNT
02/19/26	49404 \$50.00

PAY
TO THE
ORDER
OF

IDEM
P.O. BOX 3295
INDIANAPOLIS IN 46206-3295



R. Gaumf

AUTHORIZED SIGNATURE

⑈049404⑈ ⑆042200910⑆ 2200316865⑈