

REMOVAL TARGETS FOR BENEFICIAL USE IMPAIRMENTS APPLICABLE TO THE GRAND CALUMET RIVER / INDIANA HARBOR SHIP CANAL AREA OF CONCERN

1. Restrictions on Fish and Wildlife Consumption

This Beneficial Use Impairment (BUI) can be considered for removal when:

- Bioaccumulative chemicals of concern (BCCs) (including PCBs, mercury, dioxins, and furans) within the Area of Concern (AOC) have been controlled through issuance of the appropriate regulatory control document or eliminated; and
- Indiana Fish consumption advisories for the AOC, attributable to conditions within the AOC, fall within Group 1 or Group 2 for two consecutive sampling cycles; and
- Waters within the Grand Calumet River AOC are not listed as impaired due to fish consumption advisories and/or contaminant levels in fish tissue in the most recent Indiana Integrated Water Monitoring and Assessment Report (submitted to U.S. EPA every two years) and/or the most recent Indiana Fish Consumption Advisory;

Or if the above is not achievable within 5 years:

- BCCs (including PCBs, mercury, dioxins, and furans) within the AOC have been controlled or eliminated; and
- A multi-year comparison study of fish tissue contaminant levels demonstrates that there is no statistically significant difference (with a 95% confidence interval) in fish tissue BCC concentrations in the AOC compared to fish tissue BCC concentrations in a representative non-impacted control site within the Lake Michigan Basin.

Actions

- Determine appropriate fish species for tissue concentration trend analysis.
- If a multi-year comparison study is necessary, establish appropriate control/comparison sites within the AOC or a similar watershed for evaluating relative progress toward attaining the restoration criteria utilizing comparative contaminant analysis. The studies should be designed to control variables known to influence contaminant concentrations such as species, size, age, sample type, lipids, and collection dates. The control site should be chosen based on physical, chemical, and biological similarity to the AOC.

2. Tainting of Fish and Wildlife Flavor

This BUI can be considered for removal when:

- All known sources of materials that could result in tainting of fish and/or wildlife within the AOC have been controlled through issuance of the appropriate regulatory control document or eliminated; and
- Tissue analysis over two consecutive monitoring cycles shows that there are no chemicals present at concentrations that would result in tainting of the fish/wildlife flavor.

Actions

- Determine appropriate fish species for tissue trend analysis.
- Establish appropriate monitoring locations within the AOC to determine baseline conditions and trends.
- Determine appropriate chemicals to monitor for and establish acceptable levels.



3. Degradation of Fish and Wildlife Populations

State of Indiana Removal Target for Fish:

- Meet ecoregion or applicable biological criteria (IBI and MIwb) for AOC Grand Calumet River and other appropriate habitat types (i.e., lagoon, dune and swale, wetland, pond, or lake designations); and meet biological indices guidelines for riverine, vernal pond, palustrine, or lacustrine wetland; and nearshore reaches of Lake Michigan; and
- Where applicable, sediment-associated contaminants are not at levels that inhibit normal benthic organism growth as determined by the removal target for degradation of benthos.

For Wildlife:

- Healthy, reproducing populations of appropriate sentinel species are present; and
- Where applicable, sediment-associated contaminants are not at levels that inhibit normal benthic organism growth as determined by the removal target for degradation of benthos.

Actions for Fish

- Track changes in fish assemblage survey results.
- Ecoregional biocriteria or guideline scores are met in AOC mainstem, wetland habitats, and nearshore Lake Michigan. Establish fish indicator goals for various habitat types in AOC.

For Wildlife

- Track changes in wildlife population survey results.
- Track progress toward achievement of restoration goals and management objectives related to sites within the boundaries of the AOC.
- Select sentinel wildlife species to monitor in the AOC, representative of aquatic (amphibian species) and terrestrial habitats.

Suggested Assessment Approach to Determine Wildlife Impairment Status

1. Form a RAP sub-group to:
 - a. Produce a database of wildlife managers who are familiar with wildlife issues in the AOC.
 - b. Develop a form to survey the wildlife managers.
2. Using the survey form, collect the necessary data to determine wildlife targets and assess the status of the use impairment.
3. Select sentinel species

4. Fish Tumors and Deformities

This BUI can be considered for removal when:

- All known sources of contaminants that are known causes of Deformities, Eroded Fins, Lesions, and Tumors (DELT) anomalies have been controlled in the AOC through issuance of the appropriate regulatory control; and
- There have been no exceedence of reports greater than 1.3% of external Deformities, Eroded Fins, Lesions, and Tumors (DELT) anomalies or internal organ/system impacts due to chemical contaminants that have been verified through observation and analysis by the IDEM/IDNR for an appropriate recent sampling period.
- Once levels of 1.3% or less of reported DELTs are met, reproductive health should be assessed.

OR, in cases where reports greater than 1.3% of DELT anomalies have been reported:

- A comparison study of resident benthic fish of comparable age and at maturity, or of fish species which have historically been associated with this BUI, in the AOC and a control site that showcases existing condition in the surrounding areas of Northwest Indiana indicates that there is no statistically significant difference (with a 95% confidence interval) in the incidence of liver tumors or deformities; and
- A comparison study of resident non-benthic fish of comparable age and at maturity in the AOC and a control site that showcases existing conditions in the surrounding areas of Northwest Indiana indicates that there is no statistically significant difference (with a 95% confidence interval) in the incidence of contaminant related external DELTs.

Actions

- Prepare a report comparing that status of DELT anomalies and the species affected by DELT anomalies should be prepared for the AOC;
- Correlations between sediment contaminant concentrations and DELT anomaly incidence should be completed using a stressor identification analysis (Morris et al. 2004). Pre-dredging concentrations and DELT incidence should be compared to post-dredging DELT incidence to determine the improvements and trend in the DELT trajectory in the AOC, and
- If the AOC still has DELT incidence levels greater than the background concentrations found in Northwest Indiana, then liver enzyme studies using caged fish or other appropriate internal investigations should be conducted to determine the levels and incidence of individuals affected by contaminants and the effects on reproductive condition.
- Once levels of 1.3% or less reports of DELT anomalies are met, reproductive health should be assessed (healthy reproducing populations should exhibit gonad conditions typical of seasonally expected male and female individuals and be free from cysts, tumors, and atrophy. Populations will experience expected hatchability of fertilized eggs and larvae will develop without teratogens¹ or other abnormalities).

5. Bird or Animal Deformities or Reproduction Problems

This BUI can be considered for removal when:

Tissue Contaminant Levels as an Indicator of Deformities or Reproductive Problems

- Tissue concentrations of Bioaccumulative chemicals of concern (BCCs) in the AOC are at or lower than the LOEL known to cause reproductive or developmental problems in fish-eating birds and mammals, **or**
- Tissue concentrations of BCCs in the AOC are not statistically different than the associated Great Lake (at 95% confidence interval).

Animals of a size and species to be prey for the wildlife species under consideration must be used for the tissue data.

Actions

- Determine appropriate bird and amphibian indicator species
- Determine appropriate comparison site(s) if necessary
- Design sampling/observation program

¹ Agents that can disturb the development of an embryo or fetus.

6. Degradation of Benthos

This BUI can be considered for removal when:

- All remedial/restoration actions for specific impacted benthic communities are completed (except for minor repairs required during operations and maintenance) and monitored according to the approved plan(s); and
- Known contaminant sources within the AOC contributing to sediment contamination and degraded benthos have been identified and control measures implemented; and
- The macroinvertebrate Index of Biotic Integrity (mIBI) at all sampling sites is a minimum of 3 for samples collected following acceptable state protocols.; and
- Acute sediment toxicity survival is at least 80% of toxicity test controls at all sampling locations; and
- Chronic sediment toxicity survival is at least 80% of toxicity test controls at all sampling locations.

Actions

- Determine appropriate sampling locations within the AOC based on historical sampling locations and sites of known impact.
- Sediment monitoring will need to include toxicity testing, both acute and chronic, when removal is near.

7. Restrictions on Dredging Activities

This BUI can be considered for removal when:

- Contaminants within the sediments of the Indiana Harbor Ship Canal Federal Navigation Channel do not exceed applicable standards, criteria, or guidelines. As such, there would be no restrictions on dredging or disposal activities; **or**
- When contamination levels within the sediments of the Indiana Harbor Ship Canal Federal Navigation Channel are comparable to sediment contamination levels in comparable non-AOC Federal navigation channels such that Indiana Harbor Ship Canal Federal Navigation Channel sediment disposal restrictions are consistent with comparable non-AOC Federal navigation channel sediment disposal restrictions.

Actions

- Track dredge spoil disposal requirements for projects within the navigation channel to determine when criteria are being met through review of issued dredging permits.
- Track disposal unit approval and usage as compared to other navigation channels in the Great Lakes.

8. Eutrophication or Undesirable Algae

This BUI can be considered for removal when:

- There are no violations of the minimum dissolved oxygen concentrations established in 327 IAC 2 in the AOC due to excessive sediment or algal growths; and
- Levels of chlorophyll-a are consistent with IDEM “fully supporting” levels throughout the AOC.

Actions

- Establish appropriate monitoring locations within the AOC to determine baseline conditions and trends.
- Determine if concentrations are at the appropriate level.
- Develop scientifically based monitoring program to establish trends and determine when concentration criteria have been accomplished.

9. Restrictions on Drinking Water Consumption, or Taste and Odor

This BUI can be considered for removal when:

- A reevaluation of this BUI indicates that the initial basis for listing the BU as impaired was in error; **or**
- There are no complaints of taste and/or odor in the raw water intake source as a result of contaminants originating within the AOC for a period of three consecutive years; and
- There are no taste and/or odor problems associated with raw water intakes as a result of excessive algae and/or algal species that would cause taste and/or odor problems in the water; and
- There is no additional raw water treatment that needs to be supplied specifically for control of taste and/or odor problems in the finished water supply.

Actions

- Determine if this BU should be listed as a BUI.
- Establish a complaint/report receipt and tracking process/procedure.

10. Beach Closures

This BUI can be considered for removal when:

- Each individual beach along the Lake Michigan Shoreline in the AOC must have a percent exceedance rate of no higher than 15% for the *E. coli* samples taken from Memorial Day to Labor Day for three years out of a five year period. Where an exceedance is defined as any sample that exceeds the single sample maximum water quality standard for *E. coli* of 235 CFU/100 ml; or
- Percent exceedance rates at AOC beaches will be compared to percent exceedance rates for comparable Lake Michigan beaches located outside of the AOC to determine if there is a significant difference for three years out of a five year period, and if none occurs then the Beach Closure BUI may be suggested for removal. Where a significant difference is defined as no greater than a 1% variance between an individual AOC beach and an individual comparable non-AOC beach in each of the three years relied upon for suggesting BUI removal.

Note: Contamination that leads to exceedances within the AOC may also be attributable to sources outside the AOC.

11. Degradation of Aesthetics

State of Indiana Removal Target

- The general surface water quality shall meet the criteria outlined in 327 IAC 2-1.5-8 to the extent practical and possible.

This section is summarized as:

- Free from substances, materials, floating debris, oil, or scum attributable to municipal, industrial, agricultural, and other land use practices, or other discharges:
 - that will settle to form putrescent or otherwise objectionable deposits;
 - that are in amounts sufficient to be unsightly or deleterious;
 - that produce color, visible oil sheen, odor, or other conditions in such a degree as to create a nuisance;
 - that are in concentrations or combinations that will cause or contribute to the growth of aquatic plants or algae in such a degree as to create a nuisance, be unsightly, or otherwise impair the designated uses; that are toxic or harmful to human, animal or aquatic life and/or are rapidly lethal in the mixing zone;
 - that are in amounts sufficient to be acutely toxic to, or to otherwise severely injure or kill aquatic life, other animals, plants, or humans.

Actions

- Monitor change in problem Grand Calumet River, Indiana Harbor Ship Canal, and lagoon segments within the AOC.
- Track implementation of source reduction and/or elimination projects.
- Monitor change in problem areas for reoccurrence.
- Monitor the AOC for new problem locations.
- Track that "free froms" in 327 IAC 2-1.5-8 are being met.

12. Added Costs to Agriculture and Industry

This BUI can be considered for removal when:

- There is no increased cost of shipping due to the inability to dredge in the harbor and shipping canal for environmental reasons.

Actions

- Track increased costs to industry due to the need to lighten cargo loads in ships because of lack of dredging due to environmental concerns regarding contaminants in the sediment.
- Track completion of navigational dredging to the extent that light loading is no longer necessary due to navigation depth (not due to low lake levels).

13. Degradation of Phytoplankton and Zooplankton Populations

This BUI can be considered for removal when:

- There are no violations of the minimum dissolved oxygen concentrations established in 327 IAC 2-1.5-8 in the AOC;
- Levels of chlorophyll-a are consistent with IDEM "fully supporting" levels throughout the AOC; and
- Waters within the Grand Calumet River AOC are not listed as impaired due to degradation of phytoplankton or zooplankton in the most recent Indiana Integrated Water Monitoring and Assessment Report (submitted to U.S. EPA every two years) and/or the most recent Indiana Fish Consumption Advisory.

Actions

- Develop appropriate scientifically-based monitoring scenarios to establish a baseline and trends.

14. Loss of Fish and Wildlife Habitat

State of Indiana Removal Target Fish Habitat:

- The habitat quality shall average a qualitative habitat evaluation index (QHEI)² score of 33 or better throughout the free-flowing stream stretches of the AOC; and
- If QHEI is assessed at 33 or better, then habitat quality should be maintained at or above that level.

State of Indiana Removal Target Wildlife Habitat:

- The habitat quality shall average a QHEI score of 33 or better using the Great lakes Drowned River Mouth Coastal Wetland criteria; and
- Plant Index of Biotic Integrity shall meet 35; and
- Floristic Quality Index³ without adventives⁴ shall meet 20 ; mean CC⁵ value = 6; and
- If QHEI is assessed at 33 or better, then habitat quality should be maintained at or above that level.

² The QHEI is a comprehensive assessment of physical characteristics of a stream or river.

³ Used to determine the level of degradation of an area based on the plant species that live there.

⁴ Not native to and not fully established in a new habitat or environment.

⁵ Coefficient of conservatism (based on a scale of 1-10).

Actions for Fish Habitat:

- Track changes and measure QHEI scores.
- Track watershed survey results (Technical Support Documents, TMDLs, Water Quality Monitoring and Assessment Report, etc.)
- Conduct a habitat assessment of applicable segments in the AOC.

For Wildlife Habitat:

- Track changes and measure Great Lakes drowned river mouth coastal wetland habitat scores.
- Track percentage of riparian buffers along the Grand Calumet River and Indiana Harbor Ship Canal.
- Habitat is sufficient to support wildlife goals for the applicable segments within the AOC.
- Establish a monitoring program using plant indicators as measures of habitat quality to determine the appropriate restoration goals for the AOC;
- Develop restoration goals based on pIBI reference conditions for the AOC when implementing the appropriate restoration measures and benchmarks.

Acronyms Used Throughout:

AOC: Area of Concern
BCC: Bioaccumulative chemicals of concern
BUI: Beneficial Use Impairment
CC: Coefficient of conservatism
CFU: [Bacterial] Colony Forming Unit
DELT: [Fish] Deformities, Eroded Fins, Lesions, and Tumors
E. coli: Escherichia coli
IAC: Indiana Administrative Code
IBI: Index of Biotic Integrity
IDEM: Indiana Department of Environmental Management
mIBI: macroinvertebrate Index of Biotic Integrity
MIwb: Modified Index of Well-Being
ml: milliliter
PCB: Polychlorinated biphenyl
pIBI: Plant Index of Biotic Integrity
QHEI: Qualitative Habitat Evaluation Index
RAP: Remedial Action Plan
TMDL: Total Maximum Daily Load
U.S. EPA: United States Environmental Protection Agency

Inquiries:

For further information about the listed removal criteria, please contact:

Michael Spinar, RAP Coordinator
Indiana Department of Environmental Management

Phone: (219) 464-0437
Fax: (219) 464-0553
Email: mspinar@idem.IN.gov

Mailing Address:
Indiana Department of Environmental Management
330 West US Highway 30 Suite F
Valparaiso, IN 46385