



2018 WATERSHED CHARACTERIZATION WP FOR THE LOWER EAST FORK WHITE RIVER WATERSHED

PREPARED BY

Monika Guyton
Targeted Monitoring Section

WATERSHED ASSESSMENT and PLANNING BRANCH
Indiana Department of Environmental Management
Office of Water Quality
100 North Senate Avenue
MC65-40-2 Shadeland
Indianapolis, Indiana 46204-2251

December 13, 2017

B-038-OWQ-WAP-TGM-18-W-R0

This page is intended to be blank

SIGNATURE PAGE

2018 Watershed Characterization WP For Lower East Fork White River Watershed

Indiana Department of Environmental Management
Office of Water Quality
Watershed Assessment and Planning Branch
Indianapolis, Indiana

B-038-OWQ-WAP-TGM-18-W-R0

Reviews and Approvals




Tim Beckman, Project Manager, Targeted Monitoring Section

Date 1/30/18




Cory Fischer, Total Maximum Daily Load Lead, Watershed Planning and Restoration Section

Date 1/30/18




Josh Brosmer, Watershed Specialist, Watershed Planning and Restoration Section

Date 1/30/18




Timothy Bowren, Project Quality Assurance Officer, Technical and Logistical Services Section

Date 1/30/18



Stacey Sobat, Chief, Probabilistic Monitoring Section

Date 1/30/18



Cyndi Wagner, Chief, Targeted Monitoring Section


Date 1/31/18



Marylou Renshaw, Chief, Quality Assurance Coordinator, Watershed Assessment and Planning Branch

Date 1/31/18

The IDEM Quality Assurance staff reviewed and approves this sampling and analysis work plan.



IDEM Quality Assurance Staff
Office of Program Support

Date 06 Feb 2018

WORK PLAN ORGANIZATION

This sampling and analysis work plan is an extension of the existing Watershed Assessment and Planning Branch, March 2017 Quality Assurance Project Plan (QAPP) for Indiana Surface Water Programs and serves as a link to the existing QAPP as well as an independent QAPP of the project. Per the United States Environmental Protection Agency (U.S. EPA) 2006 QAPP guidance, this work plan establishes criteria and specifications pertaining to a specific water quality monitoring project that are usually described in the following four groups (phases) or sections as QAPP elements:

Section I. Project Management/Planning

- Project Objective
- Project/Task Organization and Schedule
- Background and Project/Task Description
- Data Quality Objectives (DQOs)
- Training and Staffing Requirements

Section II. Measurement/Data Acquisition

- Sampling Procedures
- Analytical Methods
- Sample and Data Acquisition Requirements
- Quality Control (QC) Measures Specific to the Project

Section III. Assessment/Oversight

- External and Internal Checks
- Audits
- Data Quality Assessments (DQAs)
- Quality Assurance/Quality Control (QA/QC) Review Reports

Section IV. Data Validation and Usability

- Data Handling and associated QA/QC activities
- QA/QC Review Reports

TABLE OF CONTENTS

SIGNATURE PAGE	i
WORK PLAN ORGANIZATION	ii
Section I. Project Management/Planning.....	ii
Section II. Measurement/Data Acquisition.....	ii
Section III. Assessment/Oversight	ii
Section IV. Data Validation and Usability.....	ii
TABLE OF CONTENTS	iv
LIST OF ATTACHMENTS.....	v
LIST OF FIGURES	v
LIST OF TABLES.....	v
LIST OF ACRONYMS.....	vi
DEFINITIONS	vii
I. PROJECT MANAGEMENT/PLANNING	1
Watershed Characterization Project Objective	1
Project/Task Organization and Schedule.....	4
Background and Project/Task Description.....	4
Data Quality Objectives (DQOs)	5
Training and Staffing Requirements	10
II. MEASUREMENT/DATA ACQUISITION.....	13
Sampling Design and Site Locations.....	13
Sampling Methods and Sample Handling.....	14
Analytical Methods	17
Quality Control and Custody Requirements	19
Field Parameter Measurements/Instrument Testing/Calibration.....	19
III. ASSESSMENT/OVERSIGHT	21
Data Quality Assessment Levels.....	21
IV. DATA VALIDATION AND USABILITY	21
Quality Assurance/Data Qualifiers and Flags.....	22
Data Usability	22
Information, Data, and Reports	22
Laboratory and Estimated Cost.....	22
Reference Manuals and Personnel Safety:.....	23
REFERENCES:	24
DISTRIBUTION LIST:	28

LIST OF ATTACHMENTS

Attachment 1: Modified Geometric Design Steps for Watershed Characterization Studies.....	32
Attachment 2: IDEM Site Reconnaissance Form.....	36
Attachment 3: IDEM Stream Sampling Field Data Sheet.....	37
Attachment 4: IDEM Fish Collection Data Sheet	38
Attachment 5: IDEM OWQ Macroinvertebrate Header Form	39
Attachment 6: IDEM OWQ Biological Qualitative Habitat Evaluation Index (QHEI)	40
Attachment 7: IDEM OWQ Chain of Custody (COC) Form.....	42
Attachment 8: IDEM Water Sample Analysis Request Form	43
Attachment 9: Test America Chain of Custody (COC) Form.....	44

LIST OF FIGURES

Figure 1. Lower East Fork White River Watershed Characterization Monitoring Sampling Area	2
Figure 2. Lower East Fork White River Watershed Land Use.....	8

LIST OF TABLES

Table 1. Sampling Locations for Watershed Characterization of Lower East Fork White River...	3
Table 2. Water Quality Criteria (327 IAC 2-1-6).....	7
Table 3. Project Roles, Experience, and Training.....	11
Table 4. E. coli, Nutrient and General Chemistry Parameters Test Methods	18
Table 5. Field Parameters Test Methods.....	20
Table 6. Personnel Safety and Reference Manuals.....	24

LIST OF ACRONYMS

AIMS:	Assessment Information Management System
ASTM:	American Society for Testing and Materials
CAC:	Chronic Aquatic Criteria
CALM:	Consolidated Assessment Listing Methodology
CDL:	Crop Data Layer
CFR:	Code of Federal Regulations
CFU:	Colony Forming Units
DO:	Dissolved Oxygen
DQA:	Data Quality Assessment
DQO:	Data Quality Objectives
<i>E. coli:</i>	<i>Escherichia coli</i>
GPS:	Global Positioning System
HUC:	Hydrologic Unit Code
IAC:	Indiana Administrative Code
IBC:	Impaired Biotic Community
IBI:	Index of Biotic Integrity
IDEM:	Indiana Department of Environmental Management
µS/cm:	Micro Siemens per Centimeter
mg/L:	Milligram per liter
MHAB:	Multi-habitat
mL:	Milliliter
MPN:	Most Probable Number
MS/MSD:	Matrix Spike/Matrix Spike Duplicate
NTU:	Nephelometric Turbidity Unit(s)
OWQ:	Office of Water Quality
PPE:	Personal Protective Equipment
QA/QC:	Quality Assurance/Quality Control
QAPP:	Quality Assurance Project Plan
QHEI:	Qualitative Habitat Evaluation Index
S.U.:	Standard Units
SM:	Standard Method
SOP:	Standard Operating Procedures
TDS:	Total Dissolved Solids
TKN:	Total Kjeldahl Nitrogen
TMDL:	Total Maximum Daily Load
TOC:	Total Organic Carbon
TP:	Total Phosphorus
TS:	Total Solids
TSS:	Total Suspended Solids

U.S. EPA: United States Environmental Protection Agency
USDA: United States Department of Agriculture
WAPB: Watershed Assessment and Planning Branch

DEFINITIONS

Assessment Unit	Reaches of waterbodies with similar features assigned unique identifiers to which all assessment information for that specific reach is associated, and which allow for mapping with geographic information systems
Elutriate	To purify, separate, or remove lighter or finer particles by washing, decanting, and settling.
Geometric site	Sampling site chosen according to its drainage area within a watershed.
Fifteen (15) Minute Pick	A component of the IDEM multihabitat macroinvertebrate sampling method, used to maximize taxonomic diversity while in the field, in which the one minute kick sample and fifty meter sweep sample collected at a site are first combined and elutriated. Macroinvertebrates are then manually removed from the resulting sample for 15 minutes.
Fifty (50) Meter Sweep	A component of the IDEM multihabitat macroinvertebrate sampling method in which approximately 50 meters (50m) of shoreline habitat in a stream or river is sampled with a standard 500 micrometer (500 μ m) mesh width D-frame dipnet by taking 20-25 individual "sweep" samples, which are then composited.
Macroinvertebrate	Aquatic animals which lack a backbone, are visible without a microscope, and spend some period of their lives in or around water.
One (1) minute kick sample	A component of the IDEM multihabitat macroinvertebrate sampling method in which approximately one square meter (1 m ²) of riffle or run substrate habitat in a stream or river is sampled with a standard 500 micrometer (500 μ m) mesh width D-frame dipnet for approximately one (1) minute.
Pour point	The outlet of a subwatershed or the common point where all the water flows out of any given

subwatershed.

Reach

A segment of a stream used for fish community sampling equal in length to 15 times the average wetted width of the stream, with a minimum length of 50 meters and a maximum length 500 meters.

Targeted site

A sampling site intentionally selected based on specific monitoring objectives or decisions to be made.

This page is intended to be blank

I. PROJECT MANAGEMENT/PLANNING

Watershed Characterization Project Objective

The main objective of the watershed characterization monitoring project is to use an intensive targeted watershed design that characterizes the current condition of an individual watershed. This type of monitoring provides valuable data for the purposes of assessment, Total Maximum Daily Load (TMDL) development, watershed planning, and allows for future comparisons to evaluate changes in the water quality within the watershed(s) studied. Selecting a spatial monitoring design, with sufficient sampling density to accurately characterize water quality conditions, is a critical step in the process of developing an adequate local scale watershed study.

The Indiana Department Environmental Management (IDEM) has selected the Lower East Fork White River Watershed Characterization Monitoring Sampling Area (see Figure 1, Table 1) for a watershed characterization project. Sample sites were chosen using a modified geometric site selection process as well as targeted site selection in order to get the necessary spatial representation of the entire study area. Sites within this watershed were selected based on a geometric progression of drainage areas starting with the area at the mouth of the main stem stream and working upstream through the tributaries to the headwaters. Monitoring sites were then located to the nearest bridge.

A more complete description of the Modified Geometric Design Steps for Watershed Characterization Studies selection process is included as Attachment 1. Sample sites were also chosen at the nearest bridge to the pour point (the lowest point in the basin through which all water flows) of each 12 digit HUC in the watershed, or chosen to characterize sources for TMDL development.


It is anticipated that the water quality data collected through this monitoring effort will provide the information needed to characterize the watershed for the TMDL program, local water quality managers, identify sources of impairment, designate critical areas, and enable users to make valid and informed watershed decisions. This project, by design, will also add new stream reaches for assessment of aquatic life, recreational use support, and will allow for future comparisons to evaluate changes in water quality.

The draft 2016 303(d) list submitted to the U.S. EPA (IDEM 2016a) details impairments of approximately 86 miles of the Lower East Fork White River Watershed in the following ways:

- Category 5(a): Impaired Biotic Community (IBC), 16.4 miles
- Category 5(a): Dissolved Oxygen Impaired (DO), 38.3 miles
- Category 5(a): *Escherichia coli* (*E. coli*), 54.7 miles
- Category 5(b): Fish Tissue Impaired (Polychlorinated biphenyls or PCB'S), 51.7 miles

Assessment data in this watershed have been collected by IDEM from multiple programs and projects.

**Figure 1. Lower East Fork White River Watershed Characterization
Monitoring Sampling Area¹**



¹ Map site numbers refer to last two digits of site number from Table 1; e.g., 18T-010 is site 10 on map

Table 1. Sampling Locations for Watershed Characterization of Lower East Fork White River³

Site #	AIMS Site #	Stream Name	Location	County	Latitude	Longitude
18T-001	WEL-14-0003	East Fork White River	CR 3 (Abel Hill Rd)	Martin	38.541187	-86.817692
18T-002	WEL-15-0008	Slate Creek	CR 22	Martin	38.537279	-86.904546
18T-003	WEL-15-0021	Tributary of Slate Creek	CR 800 S	Daviess	38.539549	-86.932511
18T-004	WEL-15-0007	Slate Creek	CR 1250 E	Daviess	38.512501	-86.933350
18T-005	WEL-15-0011	Mill Creek	N Portersville Rd.	Dubois	38.444627	-86.957264
18T-006	WEL-15-0012	Mill Creek	CR 700 N	Dubois	38.481206	-86.953242
18T-007	WEL-15-0010	East Fork White River	CR 1100 E	Dubois	38.502494	-86.97378
18T-008	WEL-15-0018	Sugar Creek	CR 600 S	Daviess	38.567498	-86.960309
18T-009	WEL-15-0022	West Fork Sugar Creek	CR 700 S	Daviess	38.554222	-86.992748
18T-010	WEL-15-0009	Sugar Creek	CR 900 S	Daviess	38.524991	-86.976016
18T-011	WEL-15-0013	Birch Creek	CR 460 N	Dubois	38.446329	-87.019276
18T-012	WEL-15-0014	Birch Creek	W Portersville Rd.	Dubois	38.489701	-87.020405
18T-013	WEL-15-0019	Mud Creek	CR 525 E	Daviess	38.521495	-87.069007
18T-014	WEL-15-0015	Bear Creek	CR 550 N	Pike	38.502825	-87.100581
18T-015	WEL-15-0016	Beech Creek	CR 550 N	Pike	38.502630	-87.129031
18T-016	WEL170-0008	Aikman Creek	Alex Hill Rd	Daviess	38.570951	-87.167329
18T-017	WEL-15-0017	Mud Creek	CR 725 N	Pike	38.527205	-87.219771
18T-018	WEL-15-0020	East Fork White River	SR 57	Pike	38.538808	-87.223105

³18T-### denotes that these are the selected pour points for this project

Project/Task Organization and Schedule

The main objective of this project is to provide a comprehensive assessment of the ability of the streams in the Lower East Fork White River Watershed to support aquatic life and recreational uses. Sampling for this project will begin in November 2017 and end in October 2018. Barring any hazardous weather conditions or unexpected physical barriers to accessing the site, samples will be collected for physical, chemical, and bacteriological parameters; and biological communities.

Timeframes for sampling activities include:

Site reconnaissance activities will be completed in July 2017. Reconnaissance activities will be conducted in the office and through physical site visits.

Water chemistry will be sampled monthly at all sites in the watershed, during the recreational season defined as April through October in 327 IAC 2-1-6. During the months of November through March, only sites at the pour point of each 12 digit HUC will be sampled monthly. To capture high flow in the spring, two additional sampling events will occur at each of the 7 pour point sites. The first sampling event will be conducted in November 2017 and the study will conclude in October 2018.

Biological sampling activities will begin in the summer of 2018 and end no later than October 18, 2018. The basin will be sampled for fish community, macroinvertebrate community, and habitat quality at all sites in the watershed. Specific dates for fish community and macroinvertebrate collections cannot be given, since sampling may be postponed due to scouring of the stream substrate or in-stream cover caused by a high water event which would result in non-representative samples.

Bacteriological sampling for *E. coli* will take place monthly from April through October of 2018 at all sites in the watershed. In addition, *E. coli* samples will be collected five times from each site at equally spaced intervals over a 30-day period during the recreational season of April to October 2018 to determine a geometric mean.

Background and Project/Task Description

The Watershed Characterization Monitoring program was instituted to assist in characterizing existing conditions in watersheds throughout the state. The Lower East Fork White River data set will be utilized by the TMDL program and shared with local watershed groups, and any other interested parties. This monitoring will provide data for TMDL development, watershed planning uses, and will aid in the evaluation of future changes within the basin. For this study, the following media will be used for assessment purposes: Water chemistry, bacteriological contamination in the form of *E. coli*, fish community, macroinvertebrate assemblages, and habitat evaluations.

Data Quality Objectives (DQOs)

The DQO process (Guidance for the Data Quality Objectives Process [EPA QA/G-4](#)) is a planning tool for data collection activities. It provides a basis for balancing decision uncertainty with available resources. The DQO is required for all significant data collection efforts for a project and is a seven-step systematic planning process used to clarify study objectives; define the types of data needed to achieve the objectives; and establish decision criteria for evaluating data quality. The DQO for the Watershed Characterization Monitoring of the Lower East Fork White River Watershed is identified in the following seven steps.

1. State the Problem

Indiana is required to assess all waters of the state to determine their designated use attainment status. Surface waters of the state are designated for full-body contact recreation; will be capable of supporting a well-balanced, warm water aquatic community; and put-and-take trout fishing [\[327 IAC 2-1-3\]](#) in some northern portions of the state. Data from the intensive sampling of the Lower East Fork White River Watershed is needed to develop a TMDL and fully characterize the current water quality condition of the watershed. This project will gather water chemistry, bacteriological, biological (fish and macroinvertebrates), and habitat data for the purpose of assessing the designated use attainment status of the Lower East Fork White River Watershed.

2. Identify the Decision

The main objective of this study is to fully assess whether the surface waters in this watershed are supporting or non-supporting for aquatic life use and recreational use, and if they are non-supporting, then the extent of impairment. All sites will be sampled for concentrations of physical, chemical, and biological parameters; and evaluated as supporting or non-supporting when compared with water quality criteria shown in Table 2 Water Quality Criteria [\[327 IAC 2-1-6\]](#) following Indiana's 2016 Consolidated Assessment Listing Methodology (IDEM 2016b).

In addition to the physical, chemical, and bacteriological criteria listed in Table 2, data for several nutrient parameters will be evaluated with the benchmarks below (IDEM 2016b). Assuming a minimum of three sampling events, if two or more of the conditions below are met on the same date, the waterbody will be classified as non-supporting due to nutrients.

- Total Phosphorus (TP):
 - One or more measurements greater than 0.3 mg/L
- Nitrogen (measured as Nitrate + Nitrite):
 - One or more measurements greater than 10.0 mg/L
- Dissolved Oxygen (DO):
 - Any measurement less than 4.0 mg/L
 - Any measurements consistently at or close to the standard, range 4.0-5.0 mg/L
 - Any measurement greater than 12.0 mg/L
- pH:
 - Any measurement greater than 9.0 Standard Units (SU)

- Measurements consistently at or close to the standard, range 8.7-9.0 SU

Biological Criteria:

Indiana narrative biological criteria [327 IAC 2-1-3] states that “(2) All waters, except as described in subdivision (5),” (i.e., limited use waters) “will be capable of supporting: (A) a well-balanced, warm water aquatic community.” The water quality standard definition of a well-balanced aquatic community is “[327 IAC 2-1-9 (59)] An aquatic community that: (A) is diverse in species composition; (B) contains several different trophic levels; and (C) is not composed mainly of pollution tolerant species.” An interpretation or translation of narrative biological criteria into numeric criteria would be as follows: A stream segment is non-supporting for aquatic life use when the monitored fish or macroinvertebrate community receives an IBI score of less than 36 (on a scale of 0-60 for fish and 12-60 for macroinvertebrate communities” (IDEM 2016b), which is considered “Poor” or “Very Poor” (IDEM 2016b).

Assessment of each site sampled will be reported to U.S. EPA in the 2020 update of [Indiana’s Integrated Water Monitoring and Assessment Report](#). Site specific data will be used to classify associated assessment units into one of five major categories in the State’s Consolidated 303(d) list, category definitions are available in Indiana’s CALM (IDEM 2016b, p. 65).

Table 2. Water Quality Criteria 327 IAC Article 2

Parameters	Water Quality Criteria	Criterion
<i>E. coli</i> (April-October Recreational season)	≤125 MPN/100 mL	5-Sample Geometric Mean
	≤235 MPN/100 mL	Single Sample Maximum
Total Ammonia (NH ₃ -N)	Calculated based on pH and Temperature	Calculated CAC
Nitrate+Nitrite-Nitrogen	≤10 mg/L	Human Health point of drinking water intake
Sulfate	Calculated based on hardness and chloride	In all waters outside the mixing zone
Dissolved Oxygen	At least 5.0 mg/L (Warm Waters)	Daily Average
	Not less than 4.0 mg/L at any time	Single Reading
pH	6.0 - 9.0 S.U. except for daily fluctuations that exceed 9.0 due to photosynthetic activity	Single Reading

Parameters	Water Quality Criteria	Criterion
Temperature	Varies Monthly	1% Annual; Maximum Limits
Chloride	Calculated based on hardness and sulfate values	Calculated CAC
Dissolved Solids	750 mg/L	Public water supply

MPN = Most Probable Number, CAC = Chronic Aquatic Criterion, S.U. = Standard Units

3. Identify the Inputs to the Decision


Grab samples will be collected at the surface water sampling locations for *E. coli* and the parameters listed in Table 4 (page 18, below). Field measurements (Table 5, page 19) will be conducted at each site during each sampling event. Visual field observations will include weather conditions, stream conditions, and percent stream canopy at each sampling location. All samples collected for bacteriological samples will be analyzed for *E. coli* using the Idexx Colilert Enzyme Substrate Standard Method SM9223B (Clesceri et al., 2012). Surface water chemistry samples will be collected monthly, and processed and analyzed by TestAmerica Laboratories, using the analytical methods listed in Table 4 (page 18, below). A fish and macroinvertebrate community sample will be collected once at each site with a corresponding habitat evaluation.

4. Define the Boundaries of the Study

The Lower East Fork White River Watershed covers 207.3 square miles and is located primarily in Daviess, Dubois, Pike, and Martin counties. The watershed is approximately 55% agriculture, 28% forested, and 8% hay/pasture. See Figure 2 for the Lower East Fork White River Watershed 2012 Land Use.

See Figure 1 for the Lower East Fork White River Watershed Characterization Monitoring Sampling Area and Table 1 Sampling Locations for Watershed Characterization of Lower East Fork White River for the list of sampling locations.

Figure 2. Lower East Fork White River Watershed Land Use²



²United States Department of Agriculture (USDA) 2012 Crop Data Layer (CDL)

5. Develop a Decision Rule

Samples will be collected for physical, chemical, and bacteriological parameters, as well as biological communities, except when the flow is potentially too dangerous for staff to enter the stream (e.g., water levels at or below median base flow); there are hazardous weather conditions (e.g., thunderstorms or heavy rain in the vicinity); or unexpected physical barriers to accessing the site. The field crew chief makes the final determination as to whether or not a stream is safe to enter.

Even when weather conditions and stream flow are safe, sample collections for biological communities may be postponed at a particular site for one to four weeks. The cause of the postponement would be a high water event resulting in scouring of the stream substrate or instream cover creating non-representative samples.

For assessment purposes in the Indiana Integrated Report (IDEM 2016b), recreational use attainment decisions will be based on bacteriological criteria developed to protect primary contact recreational activities [[327 IAC 2-1-6](#)]. Aquatic life use support decisions will include independent evaluations of biological and chemical data as outlined in Indiana's 2016 Consolidated Assessment and Listing Methodology (CALM, IDEM 2016b). The fish assemblage will be evaluated at each site using the appropriate IBI (Simon and Dufour, 2005). Macroinvertebrate multi-habitat samples will also be evaluated using a statewide IBI developed for lowest practical taxonomic level identifications.

6. Specify Tolerable Limits on Decision Errors

Sampling design error is minimized by utilizing a comprehensive checklist of informational sources, evaluation of historical information, and a thorough watershed pre-survey. Described in Section B.1.5.3 of Indiana's QAPP, this sampling design has been formulated to address data deficiencies and render the optimum amount of data needed to fill gaps in the decision process.

Good quality data are essential for minimizing decision error. By minimizing both sampling design error and measurement error for physical and biological parameters, more confidence can be placed in the conclusions drawn on the stressors and sources affecting the water quality in the study area.

Site specific aquatic life use and recreational use assessments include program specific controls to identify the introduction of errors. These controls include blanks and duplicates for water chemistry and bacteriological samples; biological site revisits or duplicates; and laboratory controls through verification of species identifications as described in field procedure manuals (IDEM 2002; Ohio Environmental Protection Agency (OHEPA 2006), and SOPs (IDEM 1992a, 1992b, 1992c, 1992d, 1992e, 2010a, 2016c).

The QA/QC process detects deficiencies in the data collection as set forth in the IDEM QAPP for [Indiana Surface Water Programs](#) (IDEM 2017). The QAPP requires all contract laboratories to adhere to rigorous standards during sample analyses and to provide good quality usable data. Chemists, within the WAPB, review the laboratory analytical results for quality assurance. Any data, which is "Rejected" due to analytical problems or errors, will not be used for water quality assessment decisions. Any data flagged as "Estimated"

may be used on a case-by-case basis and is noted in the QA/QC report. Criteria for acceptance of, rejection of, or application of data quality flags to results is presented in the QAPP's Table D3-1: Data Qualifiers and Flags. Precision and accuracy goals, with acceptance limits for applicable analytical methods, are provided in the QAPP's Table A7-1: Precision and Accuracy Goals for Data Acceptability by Matrix, and the QAPP's Table B2.1.1.8-2: Field Parameters. Further investigation will be conducted, in response to consistent "rejected" data, to determine the source of error. Field techniques, used during sample collection and preparation along with laboratory procedures, will be subject to evaluation by both the WAPB QA Manager and Project Manager to troubleshoot error introduced throughout the entire data collection process. Corrective actions will be implemented once the source of error is determined.

7. Optimize the Design for Obtaining Data

A Modified Geometric Design (OHEPA 1999, 2012) site selection process in Attachment 1 is used in this study to get the necessary spatial representation of the entire study area. Sites within this watershed have been selected based on a geometric progression of drainage areas and then located to the nearest bridge. Sample sites at road crossings allow for more efficient sampling of the watershed.

Training and Staffing Requirements

Table 3. Project Roles, Experience, and Training

Role	Required Training/Experience	Responsibilities	Training References
Project Manager	<ul style="list-style-type: none"> - Bachelor of Science Degree in biology or other closely related area plus four years of experience in aquatic ecosystems (Masters Degree with two years aquatic ecosystems experience may substitute) - Database experience - Experience in project management and QA/QC procedures 	<ul style="list-style-type: none"> - Establish Project in the AIMS II database - Oversee development of Project Work Plan - Oversee entry and QC of field data - Querying data from AIMS II to determine results not meeting Water Quality Criteria - Calculating predicted percentage of perennial stream miles non-supporting for aquatic life uses and recreational uses in the river basin of interest 	<ul style="list-style-type: none"> -AIMS II Database User Guide -U.S. EPA 2006 Quality Assurance (QA) Documents on developing Work Plans (QAPPs)
Field Crew Chief - Fish or Macroinvertebrate Community Sampling	<ul style="list-style-type: none"> - Bachelor of Science Degree in biology or other closely related area - At least one year of experience in sampling methodology and taxonomy 	<ul style="list-style-type: none"> - Completion of field data sheets - Taxonomic accuracy - Sampling efficiency and representation - Voucher specimen tracking 	<ul style="list-style-type: none"> - Barbour et al. 1999 - Hydrolab Corporation 2002 - IDEM 1992a, 1992b, 1992c,

Role	Required Training/Experience	Responsibilities	Training References
	of aquatic communities in the region - Annually review the Principles and Techniques of Electrofishing - Annually review relevant safety procedures - Annually review relevant Standard Operating Procedures (SOP) documents for field operations	- Overall operation of the field crew when remote from central office - Adherence to safety and field SOP procedures by crew members - Ensure that multi-probe analyzers are calibrated weekly prior to field sampling activities - Ensure that field sampling equipment is functioning properly and loaded into field vehicles prior to field sampling activities	1992d, 1992e, 2002, 2010a, 2010b, 2010c, 2015b, 2016c - Klemm et al. 1990 - Plafkin et al. 1989 - Simon 1991 - Simon and Dufour 2005 - U.S. EPA 1995 - YSI 2002
Field Crew members - Fish or Macroinvertebrate Community Sampling	- Complete hands-on training for sampling methodology prior to participation in field sampling activities - Review the Principles and Techniques of Electrofishing - Review relevant safety procedures - Review relevant SOP documents for field operations	- Follow all safety and SOP procedures while engaged in field sampling activities - Follow direction of Field Crew Chief while engaged in field sampling activities	- Barbour et al. 1999 - Hydrolab Corporation 2002 - IDEM 1992a, 1992b, 1992c, 1992d, 1992e, 2002, 2010a, 2010b, 2010c, 2015b, 2016c - Klemm et al. 1990 - Plafkin et al. 1989 - U.S. EPA 1995 - YSI 2002
Field Crew Chief - Water Chemistry and/or Bacteriological Sampling	- Bachelor of Science Degree in biology or other closely related area - At least one year of experience in sampling methodology - Annually review relevant safety procedures - Annually review relevant SOP documents for field operations	- Completion of field data sheets - Sampling efficiency and representation - Overall operation of the field crew when remote from central office - Adherence to safety and field SOP procedures by crew members - Ensure that multi-probe analyzers are calibrated weekly prior to field sampling activities - Ensure that field sampling equipment is functioning properly and loaded into field vehicles prior to field sampling activities	- Hydrolab Corporation 2002 - IDEM 1997, 2002, 2010b, 2010c, 2015b, 2016d - YSI 2002

Role	Required Training/Experience	Responsibilities	Training References
Field Crew Members - Water Chemistry and/or Bacteriological Sampling	<ul style="list-style-type: none"> - Complete hands-on training for sampling methodology prior to participation in field sampling activities - Review relevant safety procedures - Review relevant SOP documents for field operations 	<ul style="list-style-type: none"> - Follow all safety and SOP procedures while engaged in field sampling activities - Follow direction of Field Crew Chief while engaged in field sampling activities 	<ul style="list-style-type: none"> - Hydrolab Corporation 2002 - IDEM 1997, 2002, 2010b, 2010c, 2015b, 2016d - YSI 2002
Laboratory Supervisor - Fish or Macroinvertebrate Community Sample Processing	<ul style="list-style-type: none"> - Bachelor of Science Degree in biology or other closely related area - At least one year of experience in taxonomy of aquatic communities in the region - Annually review relevant safety procedures - Annually review relevant SOP documents for laboratory operations 	<ul style="list-style-type: none"> - Identification of fish and macroinvertebrate specimens collected during field sampling - Completion of laboratory data sheets - Verify taxonomic accuracy of processed samples - Voucher specimen tracking - Adherence to safety and SOP procedures by laboratory staff - Check data for completeness - Perform all necessary calculations on the data - Ensure that data are entered into the AIMS II Database - Ensure that required QA/QC are performed on the data - Querying data from AIMS II to determine results not meeting Water Quality Criteria 	<ul style="list-style-type: none"> - IDEM 1992a, 1992e, 2004, 2010b, 2010c, 2012a - AIMS II Database User Guide
Laboratory Staff - Fish or Macroinvertebrate Community Sample Processing	<ul style="list-style-type: none"> - Complete hands-on training for laboratory sample processing methodology prior to participation in laboratory sample processing activities - Annually review relevant safety procedures - Annually review relevant SOP documents for laboratory operations 	<ul style="list-style-type: none"> - Adhere to safety and SOP procedures - Follow Laboratory Supervisor direction while processing samples - Identification of fish and macroinvertebrate specimens collected during field sampling - Completion of laboratory data sheets, perform necessary calculations on data, enter field sheets 	<ul style="list-style-type: none"> - IDEM 1992a, 1992e, 2004, 2010b, 2010c, 2012a - AIMS II Database User Guide
Laboratory Supervisor - Water Chemistry	<ul style="list-style-type: none"> - Bachelor of Science Degree in biology or other closely related area 	<ul style="list-style-type: none"> - Completion of laboratory data sheets 	<ul style="list-style-type: none"> - IDEM 2010b, 2010c, 2015a

Role	Required Training/Experience	Responsibilities	Training References
and/or Bacteriological Sample Processing	<ul style="list-style-type: none"> - Annually review relevant safety procedures - Annually review relevant SOP documents for field operations 	<ul style="list-style-type: none"> - Adherence to safety and SOP procedures by laboratory staff - Check data for completeness - Perform all necessary calculations on the data - Ensure that data are entered into the AIMS Data Base - Ensure that required QA/QC are performed on the data - Querying data from AIMS II to determine results not meeting Water Quality Criteria 	<ul style="list-style-type: none"> - AIMS II Database User Guide
Quality Assurance Officer	<ul style="list-style-type: none"> - Bachelor of Science in chemistry or a related field of study - Familiarity with QA/QC practices and methodologies - Familiarity with the WAPB QAPP and data qualification methodologies 	<ul style="list-style-type: none"> - Ensure adherence to QA/QC requirements of WAPB QAPP - Evaluate data collected by sampling crews for adherence to project work plan - Review data collected by field sampling crews for completeness and accuracy - Perform a data quality analysis of data generated by the project - Assign data quality levels based on the data quality analysis - Import data into the AIMS data base - Ensure that field sampling methodology audits are completed according to WAPB procedures 	<ul style="list-style-type: none"> - IDEM 2017b, 2012a - U.S. EPA 2006 documentation on QAPP development and data qualification - AIMS II Database User Guide

II. MEASUREMENT/DATA ACQUISITION

Sampling Design and Site Locations

The proposed site locations are chosen using a modified geometric and targeted design as described previously in the “Watershed Characterization Monitoring Program Objective” section of this workplan.

Site reconnaissance activities are conducted in-house and through physical site visits. In-house activities include preparation and review of site maps and aerial photographs. Physical site visits include verification of accessibility, safety considerations, equipment needed to properly sample the site, and property owner consultations, if required. All information will be recorded on the IDEM Site Reconnaissance Form and entered into the AIMS II database. Precise coordinates for each site will be determined during the physical site visits or at the beginning of the sampling phase of this project, using a Trimble Juno™ SB Global Positioning System or a Trimble Juno 3D GPS, both of which have an accuracy of two to five meters (IDEM 2015). These coordinates will be entered into the AIMS II database.

Table 1 Sampling Locations for Watershed Characterization of Lower East Fork White River provides a list of the selected sampling sites with the stream name, AIMS Site Number, County Name, and the latitude and longitude of each site. The map at Lower East Fork White River Water Characterization Monitoring Sampling Area Figure 1, paired with that table, provides a good overview of the various sampling site locations.

Sampling Methods and Sample Handling

Water Chemistry

One team of two staff will collect water chemistry grab samples, record water chemistry field measurements, and record physical site descriptions on the IDEM Stream Sampling Field Data Sheet (Attachment 3). All water chemistry sampling will adhere to the Water Quality Surveys Section Field Procedure Manual Section 2.1 (IDEM 2002).

Bacteriological Sampling

The bacteriological sampling will be conducted by one team consisting of one or two staff. Samples will be processed in an IDEM fixed and/or mobile *E. coli* laboratory equipped with all materials and equipment necessary to perform the Colilert® Test Method (Standard Method 9223B), per Project Organization and Schedule (above). The expected time frame for bacteriological sampling will be April through October of 2018. Staff will collect the samples in a 120 mL pre-sterilized wide-mouth container from the center of flow, if the stream is wadeable or from the shoreline using a pole sampler, if the stream is not wadeable. This is subject to field staff determination based on available PPE, turbidity, and other factors. However, streams waist deep or shallower are generally considered wadeable. All samples will be consistently labeled, cooled, and held at a temperature less than 10°C during transport. All *E. coli* samples will be collected on a schedule, which allows any sampling crew to deliver them to the appropriate IDEM *E. coli* laboratory for analyses within the bacteriological holding time of six hours.

The IDEM mobile *E. coli* laboratory, used in this project, facilitates *E. coli* testing by eliminating the necessity of transporting samples to distant contract laboratories within a

six hour holding time. The IDEM mobile *E. coli* laboratory (van) provides a work space containing sample storage; supplies for Colilert® Quanti-tray testing; and all equipment needed for collecting, preparing, incubating, and analyzing results in the same manner as the IDEM fixed *E. coli* laboratory. All supplies will be obtained from IDEXX Laboratories, Inc., Westbrook, Maine.

Fish Community Sampling

The fish community sampling will be completed by teams of three to five staff. Sampling will be performed using various standardized electrofishing methodologies dependent upon the stream size and site accessibility. Fish assemblage assessments will be performed in a sampling reach of 15 times the average wetted width, with a minimum reach of 50 meters and a maximum reach of 500 meters (Simon and Dufour 2005; U.S. EPA 1995). An attempt will be made to sample all habitat types available within the sample reach to ensure adequate representation of the fish community present at the time of the sampling event. The possible list of electrofishers to be utilized include: the Smith-Root LR-24 or LR-20 Series backpack electrofishers; the Smith-Root model 1.5KVA electrofishing system; the Smith-Root model 2.5 Generator Powered Pulsator electrofisher, with RCB-6B junction box and rat-tail cathode cable assembled in a canoe (if parts of the stream are not wadeable, the system may require the use of a dropper boom array outfitted in a canoe or possibly a 12 foot Loweline™ boat); or for non-wadeable sites, the Smith-Root model 6a electrofisher assembled in a 16 foot Loweline™ boat (IDEM 1992a, 1992b, 1992c, 1992d).

Sample collections during high flow or turbid conditions will be avoided due to 1) low collection rates which result in non-representative samples and 2) safety considerations for the sampling team. Sample collections during late autumn and seasonal cold temperatures will be avoided due to the lack of responsiveness to the electrical field by some species that can also result in samples that are not representative of the streams fish assemblage (Simon 1990; U.S. EPA 1995).

Fish will be collected using dip nets with fiberglass handles and netting of 1/8-inch bag mesh. Fish collected in the sampling reach will be sorted by species into baskets and buckets. Young-of-the-year fish, less than 20 millimeters (mm) total length, will not be retained in the community sample (Simon 1990; U.S. EPA 1995).

For each field taxonomist (generally the crew leader), a complete set of fish vouchers are retained for any different species encountered during the summer sampling season. Vouchers may consist of either preserved specimens or digital images. Prior to processing fish specimens and completion of the Fish Collection Data Sheet (Attachment 4), one to two individuals per new species encountered will be preserved in 3.7% formaldehyde solution to serve as representative fish vouchers. A fish voucher specimen must be positively identified, and the individuals for preservation small enough to fit in a 2000 mL jar. If however, the specimens are too large to preserve, a photo of key characteristics (e.g., fin shape, size, body coloration) will be taken for later examination. Taxonomic characteristics for possible species encountered in the basin of interest will be reviewed prior to field work. Fish specimens should also be preserved, if they cannot be positively identified in the field (i.e., those that co-occur like the Striped and Common

Shiners or are difficult to identify when immature); individuals that appear to be hybrids or have unusual anomalies; or dead specimens that are taxonomically valuable for undescribed taxa (e.g., Red Shiner or Jade Darter); life history studies; or research projects.

Data will be recorded for non-preserved fish on the IDEM Fish Collection Data Sheet (Attachment 4) consisting of the following: number of individuals; minimum and maximum total length in millimeters (mm); mass weight in grams (g); and number of individuals with deformities, eroded fins, lesions, tumors, and other anomalies (DELTS). Once the data is recorded, specimens will be released within the sampling reach from which they were collected when possible. Data will be recorded for preserved fish specimens following taxonomic identification in the laboratory.

Macroinvertebrate Sampling

The macroinvertebrate community sampling may be conducted immediately following the fish community sampling event or on a different date by crews of two to three staff. Samples are collected using a modification of the U.S. EPA Rapid Bioassessment Protocol multi-habitat (MHAB) approach using a D-frame dip net (Plafkin et al. 1989; Klemm et al. 1990; Barbour et al. 1999; IDEM 2010a). The IDEM MHAB approach (IDEM 2010a) is composed of a 1-minute "kick" sample within a riffle or run and a 50 meter "sweep" sample of shoreline habitats. A 1-minute "kick" sample is collected by disturbing one square meter of stream bottom substrate in a riffle or run habitat and collecting the dislodged macroinvertebrates within the dipnet. A 50 meter "sweep" sample is collected by disturbing habitats such as emergent vegetation, root wads, coarse particulate organic matter, depositional zones, logs, and sticks; and collecting the dislodged macroinvertebrates within the dipnet. The 50 meter length of riparian corridor that is sampled at each site will be defined using a rangefinder or tape measure. If the stream is too deep to wade, a boat will be used to sample the 50 meter zone along the shoreline that has the best available habitat. The 1-minute "kick" and 50 meter "sweep" samples are combined in a bucket of water. The sample will be elutriated through a U.S. standard number 35 (500 μm) sieve a minimum of five times so that all rocks, gravel, sand, and large pieces of organic debris are removed from the sample. The remaining sample is then transferred from the sieve to a white plastic tray. The collector, while still on-site, conducts a 15-minute pick of macroinvertebrates at a single organism rate, with an effort to pick for maximum organism diversity and relative abundance. The effort is accomplished through turning and examination of the entire sample in the tray. The resulting picked sample will be preserved in 70% isopropyl alcohol; returned to the laboratory for identification at the lowest practical taxonomic level (usually genus or species level, if possible); and evaluated using the MHAB macroinvertebrate IBI. Before leaving the site, an IDEM OWQ Macroinvertebrate Header Form (Attachment 5) will also be completed for the sample.

Habitat Assessments

Habitat assessments will be completed immediately following macroinvertebrate and fish community sample collections at each site, using a slightly modified version of the QHEI (OHEPA 2006; Rankin 1995). A separate IDEM OWQ Biological QHEI (Attachment 6) must be completed for these two sample types, since the sampling reach length may

differ (i.e., 50 meters for macroinvertebrates and between 50 and 500 meters for fish). See IDEM 2016c for a description of the method used in completing the QHEI.

Field Parameter Measurements

Dissolved oxygen (DO), pH, water temperature, specific conductance, and DO percent saturation will be measured with a Datasonde, during each sampling event, regardless of the sample type being collected. Measurement procedures and operation of the Datasonde shall be performed according to the manufacturers' manuals (Hydrolab Corporation 2002; YSI 2002) and Sections 2.10 – 2.13 of the Water Quality Surveys Section Field Procedure Manual (IDEM 2002). Turbidity will be measured with a Hach™ turbidity kit, and the meter number written in the comments under the field parameter measurements. If a Hach™ turbidity kit is not available, the Datasonde measurement for turbidity will be recorded and noted in the comments. All field parameter measurements and weather codes will be recorded on the IDEM Stream Sampling Field Data Sheet (Attachment 3).

Analytical Methods

Laboratory Procedure for *E. coli* Measurements:

While still in the field and at the end of each sampling run, water samples are processed and analyzed for *E. coli* within the six-hour holding time for collection and transportation, and the two-hour holding time for sample processing. All waters sampled are processed and analyzed for *E. coli* in the IDEM *E. coli* mobile laboratory or IDEM Shadeland laboratory, which is equipped with required materials and equipment necessary for the Idexx™ Colilert Test. The Colilert Test is a multiple-tube enzyme substrate standard method SM-9223B (Clesceri et al., 2012). The *E. coli* test method and quantification limit are identified below in Table 4.

Nutrient and General Chemistry Parameters Measurements:

Analyses of nutrient and general chemistry parameters is performed at TestAmerica Laboratories, in accordance with pre-approved test methods and within the allotted time frames. The nutrient and general chemistry parameters, and their respective test methods and quantification limits are identified below in Table 4. A COC form created by the AIMS II database IDEM OWQ COC (Attachment 7) and a IDEM Water Sample Analysis Request form (Attachment 8) accompany each sample set through the analytical process. Additionally, a Test America COC form (Attachment 9) will accompany samples sent to the lab. Shipping labels will be created using Test America account numbers.

Table 4. *E. coli*, Nutrient, and General Chemistry Parameters Test Methods¹

Parameter	Method	Limits of Quantification	Units	Preservative	Holding Times
<i>E. coli</i>	SM-9223B Enzyme Substrate Test	1.0	*MPN /100 mL	0.0008% Na ₂ S ₂ O ₃ for CL ₂	8 hours
Alkalinity (as CaCO ₃)	EPA 310.2	10.0	mg/L	Ice	14 days
Solids, Total Residue (TS)	SM 2540B	10.0	mg/L	Ice	7 days
Solids, Non-filterable Residue (TSS)	SM 2540D	1.0	mg/L	Ice	7 days
Solids, Filterable Residue (TDS)	SM 2540C	10.0	mg/L	Ice	7 days
Sulfate (Dissolved)	EPA 300.0	0.05	mg/L	Ice	28 days
Chloride	EPA 300.0	0.06	mg/L	Ice	28 days
Hardness (as CaCO ₃)	SM 2340B	1.41	mg/L	HNO ₃	6 months
Nitrogen, as Ammonia	SM 4500NH3-D	0.10	mg/L	H ₂ SO ₄	28 days
Nitrogen, Kjeldahl (TKN)	SM4500N(Org)-B	0.30	mg/L	H ₂ SO ₄	28 days
Nitrogen, Nitrate-nitrite	SM4500NO3-F	0.10	mg/L	H ₂ SO ₄	28 days
Phosphorous (Applicable to all)	EPA 365.1	0.05	mg/L	H ₂ SO ₄	28 days
Total Organic Carbon (TOC)	SM 5310C	1.0	mg/L	H ₂ SO ₄	28 days
Chemical Oxygen Demand	EPA 410.4	10.0	mg/L	H ₂ SO ₄	28 days
Calcium	EPA 200.7	40	mg/L	HNO ₃	6 months
Magnesium	EPA 200.7	100	mg/L	HNO ₃	6 months

* Clesceri et al., 2012. 1 MPN = 1 CFU/100 mL ¹ Methods accredited by EPA (State of Illinois, 2017)

Field Parameters Measurements:

The field measurements of DO, temperature, pH, conductivity, and turbidity are taken each time a sample is collected. The field parameters, their respective test methods, and sensitivity limits are identified below in Table 5.

During each sampling run, field observations from each site and ambient weather conditions at the time of sampling are noted and documented on IDEM Stream Sampling Field Data Sheets (Attachment 3). Digital photos up-stream and down-stream of the sampling site will be taken, logged, and documented for later references.

Table 5. Field Parameters Test Methods

Parameter	Method	Sensitivity Limit	Units
DO (Datasonde optical)	ASTM D888-09(C)	0.01	mg/L
DO (Winkler Titration)	SM 4500-OC ¹	0.2	mg/L
DO % Saturation (Datasonde optical)	ASTM D888-09(C)	0.01	%
Turbidity (Datasonde)	SM2130B	0.02	NTU
Turbidity (Hach Turbidimeter)	EPA 180.1 ¹	0.01	NTU
Specific Conductance (Datasonde)	SM 2510B	1.0	µS/cm
Temperature (Datasonde)	SM 2550B(2)	0.1	°C
Temperature (field meter)	SM 2550B(2) ¹	0.1	°C
pH (Datasonde)	EPA 150.2	0.01	SU
pH (field meter)	SM 4500-HB ¹	0.01	SU

¹ Method used for Field Calibration Verification

Quality Control and Custody Requirements

Quality assurance protocols will follow part B5 of the “Quality Assurance Project Plan (QAPP) for Indiana Surface Waters,” Revision 4, by Timothy Bowren (IDEM 2017).

Field Parameter Measurements/Instrument Testing/Calibration

The Datasonde will be calibrated immediately prior to each week’s sampling (IDEM 2002). Calibration results and drift values will be recorded, maintained, stored, and archived in log books located in the calibration laboratories at the Shadeland facility. The drift value is the difference between two successive calibrations. Field parameter calibrations will conform to the procedures as described in the instrument users’ manuals (Hydrolab Corporation 2002; YSI 2002). The DO component of the calibration procedure will be conducted using the air calibration method. The unit will be field checked for accuracy once during the week by comparison with a Winkler DO test, Hach™ turbidity, and an Oakton pH and temperature meter. Weekly calibration verification results will be recorded on the IDEM Stream Sampling Field Data Sheets (Attachment 3) and entered into the AIMS II database. A Winkler DO test will also be conducted at sites where the DO concentration is 4.0 mg/L or less.

Field Analysis Data

In-situ water chemistry field data are collected in the field using calibrated or standardized equipment. Calculations may be done in the field or later at the office. Analytical results, which have limited QC checks, are included in this category. Detection limits and ranges have been set for each analysis (Table 5). Quality control checks (such as duplicate measurements, measurements of a secondary standard, or measurements using a different test method or instrument), which are performed on field or laboratory data, are usable for estimating precision, accuracy, and completeness for the project.

Bacteriological Sampling

Bacteriological samples will be analyzed using the SM 9223B Enzyme Substrate Coliform Test Method, see Table 4 for quantification limits. Samples will be collected using 120 mL pre-sterilized wide-mouth containers and adhere to the six-hour holding time. Analytical results, from an IDEM fixed and/or mobile *E. coli* laboratory, include QC check sample results from which precision, accuracy, and completeness can be determined for each batch of samples. Raw data are archived by analytical batch for easy retrieval and review. Chain-of-custody procedures must be followed, including: time of collection, time of setup, time of reading the results, and time and method of disposal (IDEM, 2002). Any method deviations will be thoroughly documented in the raw data. All QA/QC samples will be tested according to the following guidelines:

- Field Duplicate: Field Duplicates will be collected at a frequency of one per batch or at least one for every 20 samples collected ($\geq 5\%$).
- Field Blank: Field Blanks will be collected at a frequency of one per batch or at least one for every 20 samples collected ($\geq 5\%$).
- Laboratory Blank: Laboratory Blanks (sterile laboratory water blanks) will be tested at a frequency of one per day.
- Positive Control: Each lot of media will be tested for performance using *E. coli* bacterial cultures.
- Negative Controls: Each lot of media will be tested for performance using non-*E. coli* and noncoliform bacterial cultures.

Water Chemistry Data

Sample bottles and preservatives used will be certified for purity by the manufacturer. Sample collection containers for each parameter, preservative, and holding time (Table 4) will adhere to U.S. EPA requirements. Field duplicates and matrix spike/matrix spike duplicates shall be collected at the rate of one per sample analysis set or one per every 20 samples, whichever is greater. Additionally, field blank samples will be taken at a rate of one set per sample analysis set or one per every 20 samples, whichever is greater.

Fish Community Data

Fish community sampling revisits will be performed at a rate of 10 percent of the total fish community sites sampled, in this case, two in the watershed (U.S. EPA 1995). Revisit sampling will be performed once all initial sites have been sampled, with at least two weeks of recovery between the initial and revisit sampling events. The fish community revisit sampling and habitat assessment will be performed with either a partial or complete change in field team members (U.S. EPA 1994; U.S. EPA 1995). The resulting IBI and QHEI total score between the initial visit and the revisit will be used to evaluate precision. The IDEM OWQ COC form (Attachment 7) is used to track samples from the field to the laboratory. Fish taxonomic identifications made by IDEM staff in the laboratory may be verified by regionally recognized non-IDEM freshwater fish taxonomists. All raw data are: 1) checked for completeness; 2) utilized to calculate

derived data (i.e., total weight of all specimens of a taxon), which is entered into the AIMS II database; and 3) checked again for data entry errors.

Macroinvertebrate Community Data

Duplicate macroinvertebrate field samples will be collected at a rate of 10 percent of the total macroinvertebrate community sites sampled, in this case, two in the watershed. The macroinvertebrate community duplicate sample and corresponding habitat assessment will be performed by the same team member who performed the original sample, immediately after the initial sample is collected. This will result in a precision evaluation based on a 10% duplicate of samples collected. The IDEM OWQ COC form (Attachment 7) is used to track samples from the field to the laboratory. Laboratory identifications and QA/QC of taxonomic work is maintained by the laboratory supervisor of the Probabilistic Monitoring Section of IDEM.

III. ASSESSMENT/OVERSIGHT

Field and laboratory performance and system audits will be conducted to ensure good quality data. The field and laboratory performance checks include: precision measurements by relative percent difference of field and laboratory duplicate; accuracy measurements by percent of recovery of matrix spike and matrix spike duplicate samples analyzed in the laboratory; and completeness measurements by the percent of planned samples that are actually collected, analyzed, reported, and usable for the project (IDEM 2017).

Field audits will be conducted to ensure that sampling activities adhere to approved SOPs. Audits are systematically conducted by WAPB Quality Assurance staff to include all WAPB personnel that engage in field sampling activities. WAPB field staff involved with sample collection and preparation will be evaluated by QA staff trained in the associated sampling SOPs, and in the processes related to conducting an audit. QA staff will produce an evaluation report documenting each audit for review by those field staff audited and WAPB management. Corrective actions will be communicated to and implemented by field staff as a result of the audit process (IDEM 2017).

Data Quality Assessment Levels

The samples and various types of data collected by this program are intended to meet the quality assurance criteria and rated DQA Level 3, as described in Section D3 of the WAPB QAPP (IDEM 2017).

IV. DATA VALIDATION AND USABILITY

Quality assurance reports to management, and data validation and usability are also important components of the QAPP which ensures good quality data for this project. A quality assurance audit report will be submitted to the QA Manager and Project Manager for review for this project should problems arise, need to be investigated, and corrected. As described in Section D of Indiana's QAPP, data are reduced (converted from raw analytical data into final results in proper reporting units); validated (qualified based on the performance of field and laboratory QC measures incorporated into the sampling and

analysis procedures); and reported (described so as to completely document the calibration, analysis, QC measures, and calculations) (IDEM 2017). These steps allow users to assess the data to ensure it meets the project DQO.

Quality Assurance/Data Qualifiers and Flags

The various data qualifiers and flags that will be used for quality assurance and validation of the data are found in Section D3.2.4 of the WAPB QAPP (IDEM 2017).

Data Usability

The environmental data collected and its usability are qualified per each lab and/or field result obtained and classified. Classification is into one or more of the four categories: Acceptable Data, Enforcement Capable Results, Estimated Data, and Rejected Data as described in Section D3.2.4 of the WAPB QAPP (IDEM 2017).

Information, Data, and Reports

Data collected in 2017-2018 will be recorded in the AIMS II database and presented in two compilation summaries. The first summary will be a general compilation of the watershed field and water chemistry data prepared for use in the Indiana Integrated Water Monitoring and Assessment Report. The second summary will be in database report format containing biological results and habitat evaluations, which will be produced for inclusion in the Integrated Report as well as individual site folders. All site folders are maintained at the WAPB facility. All data and reports will be made available to public and private entities, which may find the data useful for municipal, industrial, agricultural, and recreational decision making processes (TMDL, NPDES permit modeling, Watershed Restoration Projects, Water Quality Criteria refinement, etc.). This workplan will be uploaded into virtual file cabinet (VFC), all field sheets will be stored in the AIMS II database, and results will be uploaded to The Water Quality Exchange (WQX), allowing the data to be shared with EPA.

Laboratory and Estimated Cost

Laboratory analysis and data reporting for this project will comply with the QAPP for Indiana Surface Water Programs (IDEM 2017); Request for Proposals (RFP) 16-074 (see IDEM 2016d); and the IDEM QMP. TestAmerica Laboratories in University Park, IL performs the analytical tests, on the general chemistry and nutrient parameters outlined in Table 4, with a total estimated cost of \$33,000. IDEXX Laboratories, Inc., Westbrook, Maine supplies the bacteriological sampling, with a total estimated cost for this project of \$1,000. Bacteriological samples will be tested and analyzed by IDEM staff. All fish and macroinvertebrate samples will be collected and analyzed by IDEM staff.

Reference Manuals and Personnel Safety:

Table 6. Personnel Safety and Reference Manuals

Role	Required Training/Experience	Training References	Training Notes
All Staff that Participate in Field Activities	<ul style="list-style-type: none"> - Basic First Aid and Cardio-Pulmonary Resuscitation (CPR) - Personal Protective Equipment (PPE) Policy - Personal Flotation Devices 	<ul style="list-style-type: none"> - A minimum of 4 hours of in-service training provided by WAPB (IDEM 2010b) - IDEM 2008 - February 29, 2000 WAPB internal memorandum regarding use of approved Personal Flotation Devices 	<ul style="list-style-type: none"> -Staff lacking 4 hours of in-service training or appropriate certification will be accompanied in the field at all times by WAPB staff that meet Health and Safety Training requirements - When working on boundary waters as defined by Indiana Code (IC) 14-8-2-27 or between sunset and sunrise on any waters of the state, all personnel in the watercraft must wear a high intensity whistle and Safety of Life at Sea (SOLAS) certified strobe light.

REFERENCES:

- Barbour, M.T., J. Gerritsen, B.D. Snyder and J.B. Stribling. 1999. [Rapid Bioassessment Protocols for Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates and Fish](#), Second Edition. EPA/841/B-99/002. U.S. Environmental Protection Agency; Office of Water; Washington, D.C. Report
- Clesceri, L.S., Greenburg, A.E., Eaton, A.D., 2012. SM-Standards Methods for the Examination of Water and Wastewater 22nd Edition. American Public Health Association.
- Code of Federal Regulations (CFR). [40 CFR Part 136, Appendix B](#)
- [Hydrolab Corporation. 2002, revision c. Quanta Water Quality Monitoring System Operating Manual. Loveland, Colorado.](#)
- Indiana Administrative Code, [Title 327 Water Pollution Control Division, Article 2. Water Quality Standards](#)
- IDEM. 1992a, revision 1. Section 3, Quality Assurance Project Plan, Development of Biological Criteria (Fish) for the Ecoregions of Indiana. Biological Studies Section, Surveillance and Standards Branch, Office of Water Management, IDEM, Indianapolis, Indiana.
- IDEM. 1992b, revision 1. Section 4, Standard Operating Procedures for Fish Collections, Use of Seines, Electrofishers, and Sample Processing. Biological Studies Section, Surveillance and Standards Branch, Office of Water Management, IDEM, Indianapolis, Indiana.
- IDEM. 1992c, revision 1. Section 5, Standard Operating Procedures for Conducting Rapid Assessment of Ambient Water Quality Using Fish (RBP-V). Biological Studies Section, Surveillance and Standards Branch, Office of Water Management, IDEM, Indianapolis, Indiana.
- IDEM. 1992d, revision 1. Section 11, Standard Operating Procedures-Appendices of Operational Equipment Manuals and Procedures. Biological Studies Section, Surveillance and Standards Branch, Office of Water Management, IDEM, Indianapolis, Indiana.
- IDEM. 1992e, revision 1. Section 2, Biological Studies Section Hazards Communications Manual (List of Contents). Biological Studies Section, Surveillance and Standards Branch, Office of Water Management, IDEM, Indianapolis, Indiana. (This Manual is not available in electronic format but may be inspected at the Watershed and Assessment Branch offices at 2525 North Shadeland, Indianapolis, IN.)
- IDEM. 1997. Water Quality Surveys Section Laboratory and Field Hazard Communication Plan Supplement. IDEM 032/02/018/1998, Revised October 1998. Assessment Branch, IDEM, Indianapolis, Indiana

- IDEM. 2002. Water Quality Surveys Section Field Procedure Manual, Assessment Branch, IDEM, Indianapolis, Indiana. IDEM, April 2002.
- IDEM. 2008. IDEM [Personal Protective Equipment Policy](#), revised May 1 2008. A-059-OEA-08-P-R0. Office of External Affairs, IDEM, Indianapolis, Indiana.
- IDEM. 2010a. [Multi-habitat \(MHAB\) Macroinvertebrate Collection Technical Standard Operating Procedure](#). S-001-OWQ-W-BS-10-T-R0. Watershed Planning and Assessment Branch, OWQ, IDEM, Indianapolis, Indiana.
- IDEM. 2010b. [IDEM Health and Safety Training Policy](#), revised October 1 2010. A-030-OEA-10-P-R2. Office of External Affairs, IDEM, Indianapolis, Indiana.
- IDEM. 2010c. IDEM [Injury and Illness Resulting from Occupational Exposure Policy](#), revised February 21, 2016. A-034-AW-16-P-R3. Office of External Affairs, IDEM, Indianapolis, Indiana
- IDEM. 2012. IDEM Agency Wide Quality Management Plan. IDEM, Indiana Government Center North, 100 N. Senate Ave., Indianapolis, Indiana, 46204. Available at http://www.in.gov/idem/files/idem_qmp_2012.pdf
- IDEM. 2015. [Global Positioning System \(GPS\) Data Creation Technical Standard Operating Procedure](#). B-001-OWQ-WAP-XXX-15-T-R0. OWQ, Watershed Assessment and Planning Branch. Indianapolis, Indiana.
- IDEM. 2016a. Draft 2016 303(d) List Submitted to U.S. EPA on April 1, 2016. Edited by Jody Arthur. OWQ, IDEM, Indianapolis, Indiana. Available at <http://www.in.gov/idem/nps/2639.htm>
- IDEM. 2016b. [Indiana's 2016 Consolidated Assessment and Listing Methodology \(CALM\) Revised](#). Edited by Jody Arthur. OWQ, IDEM, Indianapolis, Indiana.
- IDEM. 2016c. [Procedures for Completing the Qualitative Habitat Evaluation Index](#) B-003-OWQ-WAP-XX-16-T-R0. OWQ, Watershed Assessment and Planning Branch. Indianapolis, Indiana
- IDEM. 2016d. "State of Indiana Request for Proposals 16-74, Solicitation for: Laboratory Analytical Services", Indiana Department of Administration, Indianapolis, IN, February 26, 2016.
- IDEM. 2017. [Quality Assurance Project Plan \(QAPP\) for Indiana Surface Waters](#), (Rev. 4, Mar. 2017). B-001-OWQ-WAP-XX-17-Q-R4. Assessment Branch, OWQ, IDEM, Indianapolis, Indiana.
- Klemm, D.J., P.A. Lewis, F.Fulk and J.M. Lazorchak. 1990. [Macroinvertebrate Field and Laboratory Methods for Evaluating the Biological Integrity of Surface Waters](#). EPA/600/4-90/030. Environmental Monitoring Systems Laboratory, Monitoring Systems and Quality Assurance, Office of Research and Development, U.S. Environmental Protection Agency, Cincinnati, Ohio.

- Newhouse, S.A. 1998a. Field and laboratory operating procedures for use, handling and storage of chemicals in the laboratory. IDEM/32/03/007/1998. Biological Studies Section, Assessment Branch, Office of Water Management, IDEM, Indianapolis, Indiana.
- Newhouse, S.A. 1998b. Field and laboratory operating procedures for use, handling and storage of solutions containing formaldehyde. IDEM/32/03/006/1998. Biological Studies Section, Assessment Branch, Office of Water Management, IDEM, Indianapolis, Indiana.
- Ohio Environmental Protection Agency (OHEPA). 1999. [Ohio EPA Five-Year Surface Water Monitoring Strategy: 2000 – 2004](#). Ohio EPA Technical Bulletin MAS/1999-7-2. Division of Surface Water, Lazarus Government Center, 211 S. Front Street, Columbus, Ohio 43215. Page 70.
- Ohio Environmental Protection Agency (OHEPA). 2006. [Methods for Assessing Habitat in Flowing Waters: Using the Qualitative Habitat Evaluation Index \(QHEI\)](#). OHIO EPA Technical Bulletin EAS/2006-06-1. Revised by the Midwest Biodiversity Institute for State of Ohio Environmental Protection Agency, Division of Surface Water, Ecological Assessment Section, Groveport, Ohio.
- Ohio Environmental Protection Agency (OHEPA). 2012. [2011 Biological and Water Quality Study of Mill Creek and Tributaries](#), Hamilton County, Ohio. Technical Report MBI/2012-6-10. MSD Project Number 10180900. Prepared for: Metropolitan Sewer District of Greater Cincinnati, 1081 Woodrow Street, Cincinnati, OH 45204. Submitted by: Midwest Biodiversity Institute, P.O. Box 21561, Columbus, Ohio 43221-0561. Pages 40-1.
- Plafkin, J.L., M.T. Barbour, K.D. Porter, S.K. Gross and R.M. Hughes. 1989. [Rapid Bioassessment Protocols for Use in Streams and Rivers: Benthic Macroinvertebrates and Fish](#). EPA/444/4-89/001. Assessment and Watershed Protection Division, U.S. Environmental Protection Agency, Washington, D.C.
- Rankin, E.T. 1995. Habitat Indices in Water Resource Quality Assessments. pp. 181-208, Chapter 13, Biological Assessment and Criteria: Tools for the Risk-based Planning and Decision Making, edited by Wayne S. Davis and Thomas P. Simon, Lewis Publishers, Boca Raton, Florida.
- Simon, T.P. 1990 Quality Assurance Program Plan: Development of Biological Criteria for the Ecoregions of Indiana. Region V, Environmental Sciences Division, Central Regional Laboratory, Organic Chemistry Section: Biology Team, U.S. Environmental Protection Agency, Chicago, Illinois.
- Simon, T.P. 1997. [Biological Characterization of the Middle Fork Anderson River, Perry County, Indiana](#). EPA 905/R-96/007. Water Division, Watershed and Non-Point Branch, U.S. Environmental Protection Agency, Region V, Chicago, Illinois.
- Simon, T.P. and R.L. Dufour. 1998. [Development of Index of Biotic Integrity Expectations for the Ecoregions of Indiana V: Eastern Cornbelt Plain](#). EPA 905/R-

96/004. Water Division, Watershed and Non-Point Branch, U.S. Environmental Protection Agency Region V, Chicago, Illinois

Simon, T.P. and R.L. Dufour. 2005. [Guide to Appropriate Metric Selection for Calculating the Index of Biotic Integrity \(IBI\) for Indiana Large and Great Rivers, Inland Lakes, and Great Lakes nearshore](#). U.S. Department of the Interior, Fish and Wildlife Service, Bloomington Field Office, Bloomington, Indiana..

State of Illinois Environmental Protection Agency. July 2017. [Environmental Laboratory Accreditation](#).

United States Environmental Protection Agency (U.S. EPA). March 1994. [Environmental Monitoring and Assessment Program, Surface Waters and Region 3 Regional Environmental Monitoring and Assessment Program, 1994 Pilot Field Operations and Methods Manuals for Streams](#). EPA/620/R-94/004F. Edited by Donald J. Klemm and James M. Lazorchak. Bioassessment and Ecotoxicology Branch, Ecological Monitoring Research Division, Environmental Monitoring Systems Laboratory, U.S. Environmental Protection Agency, Cincinnati, Ohio

U.S. EPA 1995, Region 5 R-EMAP Full Proposal: Spatial Evaluation of the Eastern Corn Belt Plain Rivers and Streams for the Development of Reference Condition using EMAP Sampling Design and Indicators, with Comparison of Results to Nonrandom Intensive.

U.S. EPA. 2006. [Guidance on Systematic Planning Using the Data Quality Objectives Process](#). EPA QA/G-4. EPA/240/B-06/001. U.S. EPA, Office of Environmental Information, Washington D.C

YSI Incorporated. 2006, revision b. [6-Series Environmental Monitoring Systems Manual, Yellow Springs, Ohio](#).

DISTRIBUTION LIST:

Electronic Distribution Only:

<u>Name</u>	<u>Organization</u>
Tim Beckman	IDEM/OWQ/WAPB/Targeted Monitoring Section
Cyndi Wagner	IDEM/OWQ/WAPB/Targeted Monitoring Section (Chief)
Paul McMurray	IDEM/OWQ/WAPB/Probabilistic Monitoring Section
Stacey Sobat	IDEM/OWQ/WAPB/Probabilistic Monitoring Section (Chief)
Josh Brosmer	IDEM/OWQ/WAPB/Watershed Planning and Restoration Section
Cory Fischer	IDEM/OWQ/WAPB/Watershed Planning and Restoration Section
Joe Schmees	IDEM/OWQ/WAPB/Watershed Planning and Restoration Section (Chief)
Timothy Bowren	IDEM/OWQ/WAPB/Technical and Logistical Services Section
Mike Sutton	IDEM/OWQ/WAPB/Technical and Logistical Services Section (Chief)
Jody Arthur	IDEM/OWQ/WAPB (Technical E7)
Marylou Renshaw	IDEM/OWQ/WAPB (Branch Chief)
Dav Parry	IDEM/Office of Program Support/Quality Assurance Program

Attachment 1: Modified Geometric Design Steps for Watershed Characterization Studies

Introduction

A relatively new design that has recently been implemented in Indiana is termed the Geometric Site Selection process. This design is employed within watersheds that correspond to the 12-14 digit HUC scale in order to fulfill multiple water quality management objectives, not just the conventional focus on status assessment. It is employed at a spatial scale that is representative of the scale at which watershed management is generally being conducted.

Sites within the watershed are allocated based on a geometric progression of drainage areas starting with the area at the mouth of the main stem river or stream (pour point) and working “upwards” through the various tributaries to the primary headwaters. This approach allocates sampling sites in a semi-random fashion and according to the stratification of available stream and river sizes based on drainage area. The Geometric Site Selection process is then modified by adding a targeted selection of additional sampling sites that are used to focus on localized management issues such as point source discharges, habitat modifications, and other potential impacts within a watershed. These sites are then “snapped to bridges” to facilitate safe and easy access to the stream. This design also fosters data analysis that takes into consideration overlying natural and human caused influences within the streams of a watershed. The design has been particularly useful for watersheds that are targeted for TMDL development because missing, incomplete, or outdated assessments can be addressed prior to TMDL development.

Selection Process

In ArcGIS, download from NHD Plus site (<http://www.horizon-systems.com/nhdplus/HSC-wthMS.php>) the following files for Region 5 (and then again for Region 7) and zip them into the appropriate file structure.

File Description	File Name (.zip***)	Format
Region 05, Version 01_01, Catchment Grid	NHDPlus05V01_01_Catgrid	ESRI Grid
Region 05, Version 01_01, Catchment Shapefile	NHDPlus05V01_01_Catshape	Shapefile
Region 05, Version 01_02, Catchment Flowline Attributes	NHDPlus05V01_02_Cat_Flowline_Attr	DBF
Region 05, Version 01_02, Elevation Unit a	NHDPlus05V01_02_Elev_Unit_a	ESRI Grid
Region 05, Version 01_02, Elevation Unit b	NHDPlus05V01_02_Elev_Unit_b	ESRI Grid
Region 05, Version 01_02, Elevation Unit c	NHDPlus05V01_02_Elev_Unit_c	ESRI Grid
Region 05, Version 01_01, Flow Accumulation and Flow Direction Unit a	NHDPlus05V01_01_FAC_FDR_Unit_a	ESRI Grid
Region 05, Version 01_01, Flow Accumulation and Flow Direction Unit b	NHDPlus05V01_01_FAC_FDR_Unit_b	ESRI Grid
Region 05, Version 01_01, Flow Accumulation and Flow Direction Unit c	NHDPlus05V01_01_FAC_FDR_Unit_c	ESRI Grid
Region 05, Version 01_02, National Hydrography Dataset	NHDPlus05V01_03_NHD	Shapefile and DBF
Region 05, Version 01_01, Stream Gage Events	NHDPlus05V01_01_StreamGageEvent	Shapefile
Region 05, Version 01_01, QAQC Sinks Spreadsheet	NHDPlus05V01_01_QAQC_Sinks	Excel Spreadsheet

Create a new point shapefile (or geodatabase featureclass) named Geometric Design within ArcCatalog with the same projection as the unzipped layers above.

Within an ArcMap project, add the following:

- nhdfowline layer
- Geometric Design layer
- catchment shapefile
- the FlowlineAttributesFlow table

Add the following fields to the nhdfowline layer:

- LENGTHMi (type: double, precision: 9, scale 4)
- DrainMi (type: double, precision: 9, scale 4)
- MinElev (type: double, precision: 9, scale 4)
- MaxElev (type: double, precision: 9, scale 4)
- Gradient (type: double, precision: 9, scale 4)

Add the following field to the GeometricDesign layer (use the add field-batch tool):

- Geometric (type: double, precision: 5, scale 2)
- Lat (type: double, precision: 8, scale 5)
- Long (type: double, precision: 8, scale 5)
- COMID (type: long, precision: 9)

Join the nhdfowline layer with the FlowlineAttributesFlow table based on the COMID field.

Use the field calculator within the nhdfowline attribute table, with the appropriate metric to imperial conversion to populate the following fields:

- LENGTHMi (from LENGTHKM – kilometers to miles)

- DrainMia (from CumDrainage – square kilometers to square miles (sq mi))
- MinElev (from MinElevSmo – meters to feet)
- MaxElev (from MaxElevSmo – meters to feet)
- Gradient ((MaxElev-MinElev)/LENGTHMI).

Unjoin the FlowlineAttributesFlow table.

Label the “nhdflowline” layer based new “LengthMi” field – note: this field shows the cumulative drainage at the *end* of the line segment, which is rarely more than 2-3 miles in between nodes.

Calculate the geometric break points (i.e., for a 500 sq mi watershed: 500, 250, 125, 62.5, 31, 15, 7, 4, 2).

It is recommended to change the symbology (Symbology: Show Quantities: Classification (Manual)) of the actual flowline to reflect the drainage. This will help identify when and where sites need to be allocated.

Start a new editing session, with the GeometricDesign layer as your target layer.

Add a new point within this layer to the pour point for the watershed (500 sq mi in this case).

Travel upstream through the mainstem and “find” the next place on the stream where the river drainage brackets 250 sq mi. Use the catchment shapefile layer to identify more precisely the drainage value if needed.

Populate the “Geometric” field within the GeometricDesign layer accordingly to the identified drainage level, then change the symbology (Symbology: Categories: Unique Values: Geometric field) of this layer to reflect the drainage levels.

Proceed through the watershed (either around the outer portions or start with largest values and work in), adding points accordingly to each geometric level. Change the symbology to find areas or levels that were missed. Note – the drainage level must be exact. Use the catchment shapefile to subtract drainage areas from larger drainage areas until the exact drainage level is reached. It is ok to “skip” a geometric level if it is not exactly reached. Sometimes there are large tributaries whose contribution to the mainstem skips a drainage level.

Populate the COMID (manually), and Lat/Long (right click on field and select calculate geometry – lat = x-coordinates and long = y-coordinates) accordingly for reference within the GeometricDesign Layer.

Once sites are selected in this fashion, they will need to be snapped to a bridge or access point.

Additional sites should be placed at pour points of subwatersheds (12-digit HUCs) to meet TMDL document requirements.

Once the initial sites are selected, the following features are taken into account to move or add sites:

- Permitted facilities
- Urban areas
- Historical sampling sites
- Assessment Unit IDs (AUID)
- External stakeholder information
- Resources - maximum of 35 sites per project

After refining site selections, there may be additional sites added to ensure spatial representation of the project area.

Sites may be removed or changed after site reconnaissance if there are problems accessing the site or if sites are dry.

Notes regarding the NHD dataset:

All units are initially set to metric and need to be converted to imperial.

Within the nhdfLOWline layer, the GNIS_Name/ID refers to the whole river name and ID, while the COMID is a unique identifier for the particular segment.

There is *not* a value GNIS_Name/ID for every river, especially where primary streams and ditches are concerned.

Segments within the nhdfLOWline layer are based on linear miles between “nodes,” which are broken up (typically) by tributary. Typically these lengths are less than 2-3 miles.

The cumulative drainage values in the NHD dataset have been compared against other and deemed “reasonable” (read – not statistically compared). Also note that the drainage is calculated through the model to be at the pour point of that segment.

The elevation values, however, are **not** reliable and require supervision. These values are calculated from the associated digital elevation model (DEM) and sometimes have null values for either the maximum or minimum elevation values. In addition, the length of the stream is not long enough (i.e. >1 mile) to calculate gradient. In either case, this associated value is helpful to identify contour changes against a USGS contour map. However, to note the calculated gradient from the NHD information has been observed to be within several tenths of mile compared to a manual calculation of gradient.

Important tables from NHD

- FlowlineAttributesFlow (found in: Region 05, Version 01_02, Catchment Flowline Attributes)
 - Key fields: CumDrainag, Max ElevRaw, MinElevSmo,

Important Layers from NHD

- Region 05, Version 01_01, Catchment Shapefile
- Region 05, Version 01_02, National Hydrography Dataset

Attachment 2. IDEM Site Reconnaissance Form



Site Reconnaissance Form

EPA Site Identifier	Rank
Recon #:	
Trip #:	

Site Number: Stream: County:

Location Description:

Reconnaissance Data Collected

Recon Date	Crew Members		
<input style="width: 100%;" type="text"/>	<input style="width: 100%;" type="text"/>		
Avg. Width (m)	Avg. Depth (m)	Max. Depth (m)	Nearest Town
<input style="width: 100%;" type="text"/>	<input style="width: 100%;" type="text"/>	<input style="width: 100%;" type="text"/>	<input style="width: 100%;" type="text"/>
Water Present? <input type="checkbox"/>	Site Wadeable? <input type="checkbox"/>	Riffle/Run Present? <input type="checkbox"/>	Road/Public Access Possible? <input type="checkbox"/>
Site Impacted by Livestock? <input type="checkbox"/>	Collect Sediment? <input type="checkbox"/>	Gauge Present? <input type="checkbox"/>	

Landowner/Contact Information

First Name	Last Name	
<input style="width: 100%;" type="text"/>	<input style="width: 100%;" type="text"/>	
Street Address		
<input style="width: 100%;" type="text"/>		
City	State	Zip
<input style="width: 150px;" type="text"/>	<input style="width: 50px;" type="text"/>	<input style="width: 50px;" type="text"/>
Telephone	E-Mail Address	
<input style="width: 150px;" type="text"/>	<input style="width: 150px;" type="text"/>	
Pamphlet Distributed? <input type="checkbox"/>	Please Call In Advance? <input type="checkbox"/>	Results Requested? <input type="checkbox"/>

Rating, Results, Comments, and Planning

Site Rating By Category (1=easy, 10=difficult)
Access Route
Safety Factor
Sampling Effort

Reconnaissance Decision
Pre-Recon Recon In process Approved Site No, Landowner denied access No, Dry No, Stream channel missing No, Physical barriers No, Impounded stream No, Marsh/Wetland No, Bridge gone or not accessible No, Unsafe due to traffic or location No, Site impacted by backwater No, Other

Equipment Selected
<input style="width: 100%; height: 100%;" type="text"/>

Circle Equipment Needed
Backpack Boat Towbarge Longline Scanoes Seine Weighted Handline Waders Gill Net

Comments

Sketch of Stream & Access Route – Indicate Flow, Direction, Obstacles, & Land Use (Use Back of Page, if Necessary)

Attachment 4: IDEM Fish Collection Data Sheet

IDEM
 OWQ-WATERSHED ASSESSMENT AND PLANNING BRANCH

Event ID _____ Voucher jars _____ Unknown jars _____ Equipment _____ Page _____ of _____
 Voltage _____ Time fished (sec) _____ Distance fished (m) _____ Max. depth (m) _____ Avg. depth (m) _____
 Avg. width (m) _____ Bridge in reach _____ Is reach representative _____ If no, why _____
 Elapsed time at site (hh:mm) _____: _____ Comments _____

Museum data: Initials _____ ID date _____ Jar count _____ Fish Total _____

Coding for Anomalies: D – deformities E – eroded fins L – lesions T – tumor M – multiple DELT anomalies O – other (A – anchor worm C – leeches
 W – swirled scales Y – popeye S – emaciated F – fungus P – parasites) H – heavy L – light (these codes may be combined with above codes)

TOTAL # OF FISH				WEIGHT (g)				ANOMALIES							
				(mass g)		(length mm)									
								Min length	D	E	L	T	M	O	
								Max length							
V		P													
									Min length	D	E	L	T	M	O
									Max length						
V		P													
									Min length	D	E	L	T	M	O
									Max length						
V		P													
									Min length	D	E	L	T	M	O
									Max length						
V		P													
									Min length	D	E	L	T	M	O
									Max length						
V		P													

MKM: Rev/February 19, 2014

Attachment 5: IDEM OWQ Macroinvertebrate Header Form



Office of Water Quality: Macroinvertebrate Header

L-Site #	Event ID	Stream Name	Location	County	Surveyor

Sample Date	Sample #	Macro#	# Containers

Habitat Complete Sample Quality Rejected

Macro Sample Type:	
<input type="checkbox"/> Black Light	<input type="checkbox"/> Kick
<input type="checkbox"/> CPOM	<input type="checkbox"/> MHAB
<input type="checkbox"/> Hester-Dendy	<input type="checkbox"/> Qualitative

Normal _____
 Duplicate _____
 Replicate _____

Riparian Zone/Instream Features

Watershed Erosion:	Watershed NPS Pollution:
<input type="checkbox"/> Heavy <input type="checkbox"/> Moderate <input type="checkbox"/> None	<input type="checkbox"/> No Evidence <input type="checkbox"/> Obvious Sources <input type="checkbox"/> Some Potential Sources

Stream Depth Riffle (m):	Stream Depth Run (m):	Stream Depth Pool (m):	Distances Riffle-Riffle (m):	Distances Bend-Bend (m):

Stream Width (m):	High Water Mark (m):	Velocity (ft/s):

Stream Type:	Turbidity (Est):	Salinity (mg/L):	ORP (mV):
<input type="checkbox"/> Cold <input type="checkbox"/> Warm	<input type="checkbox"/> Clear <input type="checkbox"/> Slightly Turbid <input type="checkbox"/> Opaque <input type="checkbox"/> Turbid		

Channelization Dam Present

Predominant Surrounding Land Use:
 Forest
 Field/Pasture
 Agricultural
 Residential
 Commercial
 Industrial

Other:

Sediment

Sediment Odors: Normal
 Sewage
 Petroleum
 Chemical
 Anaerobic
 None
 Other:

Sediment Deposits: Sludge
 Sawdust
 Paper Fiber
 Sand
 Relic Shells
 Other:

Sediment Oils: Absent
 Moderate
 Profuse
 Slight

Are the undersides of stones, which are not deeply embedded, black?

Substrate Components

(Note: Select from 0%, 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, or 100% for each inorganic/ organic substrate component)

Inorganic Substrate Components (% Diameter)							Organic Substrate Components (% Type)			
Bedrock	Boulder (>10 in)	Cobble (2.5-10 in)	Gravel (0.1-2.5 in)	Sand (gritty)	Silt	Clay (slick)	Detritus (sticks, wood)	Detritus (CPOM)	Muck/Mud (black, fine FPOM)	Marl(gray w/ shell fragments)

Water Quality

Water Odors: Normal
 Sewage
 Petroleum
 Chemical
 None
 Other:

Water Surface Oils: Slick
 Sheen
 Glob
 Flocks
 None

Attachment 6: IDEM OWQ Biological QHEI (front)

OWQ Biological QHEI (Qualitative Habitat Evaluation Index)



Sample #	bioSample #	Stream Name	Location
Surveyor	Sample Date	County	Macro Sample Type
			<input type="checkbox"/> Habitat Complete QHEI Score:

1) **SUBSTRATE** Check ONLY Two predominant substrate TYPE BOXES; estimate % and check every type present

BEST TYPES	OTHER TYPES	ORIGIN	QUALITY
PREDOMINANT FIG. R/R <input type="checkbox"/> BLDR/SLABS [10] <input type="checkbox"/> BOULDER [9] <input type="checkbox"/> COBBLE [8] <input type="checkbox"/> GRAVEL [7] <input type="checkbox"/> SAND [6] <input type="checkbox"/> BEDROCK [5]	PRESENT TOTAL % FIG. R/R <input type="checkbox"/> _____ PREDOMINANT FIG. R/R <input type="checkbox"/> HARDPAN [4] <input type="checkbox"/> DETRITUS [3] <input type="checkbox"/> MUCK [2] <input type="checkbox"/> SILT [2] <input type="checkbox"/> ARTIFICIAL [0]	PRESENT TOTAL % FIG. R/R <input type="checkbox"/> _____ <input type="checkbox"/> LIMESTONE [1] <input type="checkbox"/> TILLS [1] <input type="checkbox"/> WETLANDS [0] <input type="checkbox"/> HARDPAN [0] <input type="checkbox"/> SANDSTONE [0] <input type="checkbox"/> RIP/RAP [0] <input type="checkbox"/> LACUSTRINE [0] <input type="checkbox"/> SHALE [-1] <input type="checkbox"/> COAL FINES [-2]	Check ONE (Or 2 & average) SUBSTRATE <input type="checkbox"/> HEAVY [-2] <input type="checkbox"/> MODERATE [-1] <input type="checkbox"/> NORMAL [0] <input type="checkbox"/> FREE [1]
NUMBER OF BEST TYPES: <input type="checkbox"/> 4 or more [2] <input type="checkbox"/> 3 or less [0]		(Score natural substrates; ignore sludge from point-sources) SUBSTRATE <input type="checkbox"/> EXTENSIVE [-2] <input type="checkbox"/> MODERATE [-1] <input type="checkbox"/> NORMAL [0] <input type="checkbox"/> NONE [1]	

Comments

2) **INSTREAM COVER** Indicate presence 0 to 3 and estimate percent: 0-Absent; 1-Very small amounts or if more common of marginal quality; 2-Moderate amounts, but not of highest quality or in small amounts of highest quality; 3-Highest quality in moderate or greater amounts (e.g., very large boulders in deep or fast water, large diameter log that is stable, well developed root wad in deep/fast water, or deep, well-defined, functional pools.)

% Amount <input type="checkbox"/> UNDERCUT BANKS [1] <input type="checkbox"/> OVERHANGING VEGETATION [1] <input type="checkbox"/> SHALLOWS (IN SLOW WATER) [1] <input type="checkbox"/> ROOTMATS [1]	% Amount <input type="checkbox"/> POOLS > 70m [2] <input type="checkbox"/> ROOTWADS [1] <input type="checkbox"/> BOULDERS [1]	% Amount <input type="checkbox"/> OXBOWS, BACKWATERS [1] <input type="checkbox"/> AQUATIC MACROPHYTES [1] <input type="checkbox"/> LOGS OR WOODY DEBRIS [1]
Check ONE (Or 2 & average) AMOUNT <input type="checkbox"/> EXTENSIVE > 75% [11] <input type="checkbox"/> MODERATE 25 - 75% [7] <input type="checkbox"/> SPARSE 5 - < 25% [3] <input type="checkbox"/> NEARLY ABSENT < 5% [1]		

Comments

3) **CHANNEL MORPHOLOGY** Check ONE in each category (Or 2 & average)

SINUOSITY <input type="checkbox"/> HIGH [4] <input type="checkbox"/> MODERATE [3] <input type="checkbox"/> LOW [2] <input type="checkbox"/> NONE [1]	DEVELOPMENT <input type="checkbox"/> EXCELLENT [7] <input type="checkbox"/> GOOD [5] <input type="checkbox"/> FAIR [3] <input type="checkbox"/> POOR [1]	CHANNELIZATION <input type="checkbox"/> NONE [6] <input type="checkbox"/> RECOVERED [4] <input type="checkbox"/> RECOVERING [3] <input type="checkbox"/> RECENT OR NO RECOVERY [1]	STABILITY <input type="checkbox"/> HIGH [3] <input type="checkbox"/> MODERATE [2] <input type="checkbox"/> LOW [1]
---	---	---	--

Comments

4) **BANK EROSION AND RIPARIAN ZONE** Check ONE in each category for EACH BANK (Or 2 per bank & average)

River right looking downstream L R <input type="checkbox"/> NONE/LITTLE [3] <input type="checkbox"/> MODERATE [2] <input type="checkbox"/> HEAVY/SEVERE [1]	L R <input type="checkbox"/> WIDE > 50m [4] <input type="checkbox"/> MODERATE 10-50m [3] <input type="checkbox"/> NARROW 5-10m [2] <input type="checkbox"/> VERY NARROW [1] <input type="checkbox"/> NONE [0]	L R <input type="checkbox"/> FOREST, SWAMP [3] <input type="checkbox"/> SHRUB OR OLD FIELD [2] <input type="checkbox"/> RESIDENTIAL, PARK, NEW FIELD [1] <input type="checkbox"/> FENCED PASTURE [1] <input type="checkbox"/> OPEN PASTURE, ROW CROP [0]	L R <input type="checkbox"/> CONSERVATION TILLAGE [1] <input type="checkbox"/> URBAN OR INDUSTRIAL [0] <input type="checkbox"/> MINING/CONSTRUCTION [0]
---	--	---	--

Comments

5) **POOL/GLIDE AND RIFFLE/RUN QUALITY**

MAXIMUM DEPTH Check ONE (ONLY!) <input type="checkbox"/> > 1m [6] <input type="checkbox"/> 0.7 - < 1m [4] <input type="checkbox"/> 0.4 - < 0.7m [2] <input type="checkbox"/> 0.2 - < 0.4m [1] <input type="checkbox"/> < 0.2m [0] [metric = 0]	CHANNEL WIDTH Check ONE (Or 2 & average) <input type="checkbox"/> POOL WIDTH > RIFFLE WIDTH [2] <input type="checkbox"/> POOL WIDTH = RIFFLE WIDTH [1] <input type="checkbox"/> POOL WIDTH < RIFFLE WIDTH [0]	CURRENT VELOCITY Check ALL that apply <input type="checkbox"/> TORRENTIAL [-1] <input type="checkbox"/> VERY FAST [1] <input type="checkbox"/> FAST [1] <input type="checkbox"/> MODERATE [1]	Recreation Potential (Circle one and comment on back) <input type="checkbox"/> SLOW [1] <input type="checkbox"/> INTERSTITIAL [-1] <input type="checkbox"/> INTERMITTENT [-2] <input type="checkbox"/> EDDIES [1]
---	--	---	--

Comments

Indicate for functional riffles; Best areas must be large enough to support a population of riffle-obligate species:

RIFFLE DEPTH <input type="checkbox"/> BEST AREAS > 10cm [2] <input type="checkbox"/> BEST AREAS 5 - 10cm [1] <input type="checkbox"/> BEST AREAS < 5cm [metric = 0]	RUN DEPTH <input type="checkbox"/> MAXIMUM > 50cm [2] <input type="checkbox"/> MAXIMUM < 50cm [1]	Check ONE (Or 2 & average) <input type="checkbox"/> NO RIFFLE [metric = 0] <input type="checkbox"/> STABLE (e.g., Cobble, Boulder) [2] <input type="checkbox"/> MOD. STABLE (e.g., Large Gravel) [1] <input type="checkbox"/> UNSTABLE (e.g., Fine Gravel, Sand) [0]	RIFFLE/RUN EMBEDDEDNESS <input type="checkbox"/> NONE [2] <input type="checkbox"/> LOW [1] <input type="checkbox"/> MODERATE [0] <input type="checkbox"/> EXTENSIVE [-1]
---	--	--	---

Comments

6) GRADIENT (ft./mi) DRAINAGE AREA (m ²)	<input type="checkbox"/> VERY LOW - LOW [2-4] <input type="checkbox"/> MODERATE [6-10] <input type="checkbox"/> HIGH - VERY HIGH [10-6]	% POOL: % GLIDE: % RUN: % RIFFLE: 	Gradient Maximum 10
--	---	--	---

Attachment 6 (continued). IDEM OWQ Biological QHEI (back)



OWQ Biological QHEI (Qualitative Habitat Evaluation Index)

COMMENT _____

A-CANOPY

- > 85% - Open
- 55% - < 85%
- 30% - < 55%
- 10% - < 30%
- < 10% - Closed

B-AESTHETICS

- Nuisance algae
- Invasive macrophytes
- Excess turbidity
- Discoloration
- Foam/Scum
- Oil sheen
- Trash/Litter
- Nuisance odor
- Sludge deposits
- CSOs/SSOs/Outfalls

C-RECREATION

- Area Depth
 Pool > 100 ft² > 3 ft

D-MAINTENANCE

- Public Private
- Active Historic
- Succession: Young Old
- Spray Islands Scoured
- Snag: Removed Modified
- Leveed: One sided Both banks
- Relocated Cutoffs
- Bedload: Moving Stable
- Armoured Slumps
- Impounded Desiccated
- Flood control Drainage

E-ISSUES

- WWTP CSO NPDES
- Industry Urban
- Hardened Dirt & Grime
- Contaminated Landfill
- BMPs: Construction Sediment
- Logging Irrigation Cooling
- Erosion: Bank Surface
- False bank Manure Lagoon
- Wash H₂O Tile H₂O Table
- Mine: Acid Quarry
- Flow: Natural Stagnant
- Wetland Park Golf
- Lawn Home
- Atmospheric deposition
- Agriculture Livestock

Looking upstream (> 10m, 3 readings, ≤ 10m, 1 reading in middle); Round to the nearest whole percent

	Right	Middle	Left	Total Average
% open	%	%	%	%
	X	X	X	

Stream Drawing: _____

Attachment 8: IDEM Water Sample Analysis Request Form



Indiana Department of Environmental Management
 Office of Water Quality
 Watershed Planning and Assessment Branch
www.idem.IN.gov

Water Sample Analysis Request

Project Name: 2018 Lower East Fork White River Composite Grab

OWQ Sample Set	17BLW	IDEM Sample Nos.	
Crew Chief		Lab Sample Nos.	
Collection Date	Nov. - Oct.	Lab Delivery Date	

Anions and Physical Parameters			
Parameter	Test Method	Total	Dissolved
Alkalinity	SM2320B	<input checked="" type="checkbox"/> **	<input type="checkbox"/>
Total Solids	SM2540B	<input checked="" type="checkbox"/> **	
Suspended Solids	SM2540D	<input checked="" type="checkbox"/> **	
Dissolved Solids	SM2540C		<input checked="" type="checkbox"/> **
Sulfate	300.0	<input type="checkbox"/> **	<input checked="" type="checkbox"/> **
Chloride	300.0	<input type="checkbox"/> **	<input checked="" type="checkbox"/> **
Hardness (Calculated)	SM-2340B	<input checked="" type="checkbox"/> **	<input type="checkbox"/>
Fluoride	300.0	<input type="checkbox"/> **	<input type="checkbox"/>

Priority Pollutant Metals Water Parameters			
Parameter	Test Method	Total	Dissolved
Antimony	200.8	<input type="checkbox"/>	<input type="checkbox"/>
Arsenic	200.8	<input type="checkbox"/>	<input type="checkbox"/>
Beryllium	200.8	<input type="checkbox"/>	<input type="checkbox"/>
Cadmium	200.8	<input type="checkbox"/>	<input type="checkbox"/>
Chromium	200.7	<input type="checkbox"/>	<input type="checkbox"/>
Copper	200.8	<input type="checkbox"/>	<input type="checkbox"/>
Lead	200.8	<input type="checkbox"/>	<input type="checkbox"/>
Mercury, Low Level	1631, Rev E.	<input type="checkbox"/>	<input type="checkbox"/>
Nickel	200.8	<input type="checkbox"/>	<input type="checkbox"/>
Selenium	200.8	<input type="checkbox"/>	<input type="checkbox"/>
Silver	200.8	<input type="checkbox"/>	<input type="checkbox"/>
Thallium	200.8	<input type="checkbox"/>	<input type="checkbox"/>
Zinc	200.7	<input type="checkbox"/>	<input type="checkbox"/>

Cations and Secondary Metals Parameters			
Parameter	Test Method	Total	Dissolved
Aluminum	200.7, 200.8	<input type="checkbox"/>	<input type="checkbox"/>
Barium	200.8	<input type="checkbox"/>	<input type="checkbox"/>
Boron	200.8	<input type="checkbox"/>	<input type="checkbox"/>
Calcium	200.7, 200.8	<input checked="" type="checkbox"/> ***	<input type="checkbox"/>
Cobalt	200.8	<input type="checkbox"/>	<input type="checkbox"/>
Iron	200.7	<input type="checkbox"/>	<input type="checkbox"/>
Magnesium	200.7, 200.8	<input checked="" type="checkbox"/> ***	<input type="checkbox"/>
Manganese	200.8	<input type="checkbox"/>	<input type="checkbox"/>
Sodium	200.7	<input type="checkbox"/>	<input type="checkbox"/>
Silica, Total Reactive	200.7	<input type="checkbox"/>	<input type="checkbox"/>
Strontium	200.8	<input type="checkbox"/>	<input type="checkbox"/>

Organic Water Parameters		
Parameter	Test Method	Total
Priority Pollutants: Organochlorine Pesticides and PCBs	608	<input type="checkbox"/>
Priority Pollutants: VOCs - Purgeable Organics	624	<input type="checkbox"/>
Priority Pollutants: Base/Neutral Extractables	625	<input type="checkbox"/>
Priority Pollutants: Acid Extractables	625	<input type="checkbox"/>
Phenolics, 4AAP	420.2	<input type="checkbox"/>
Oil and Grease, Total	1664A	<input type="checkbox"/>

Nutrient & Organic Water Chemistry Parameters			
Parameter	Test Method	Total	Dissolved
Ammonia Nitrogen	SM4500NH3-G	<input checked="" type="checkbox"/>	<input type="checkbox"/>
CBOD ₅	SM5210B	<input type="checkbox"/>	
Total Kjeldahl Nitrogen (TKN)	SM4500N(Org)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Nitrate + Nitrite	SM4500NO3-F	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Total Phosphorus	SM4500P-E	<input checked="" type="checkbox"/>	<input type="checkbox"/>
TOC	SM 5310C	<input checked="" type="checkbox"/>	<input type="checkbox"/>
COD	SM5220C	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cyanide (Total)	SM4500CN-E	<input type="checkbox"/>	<input type="checkbox"/>
Cyanide (Free)	SM4500CN-I	<input type="checkbox"/> *	<input type="checkbox"/>
Cyanide (Amenable)	SM4500CN-G	<input type="checkbox"/> *	<input type="checkbox"/>
Sulfide, Total	SM4500S2-F	<input type="checkbox"/>	<input type="checkbox"/>

RFP 16-074	SCM # 19855
Contract Number:	PO # 17555305

30 day reporting time required.

Notes:

- ** = DO NOT RUN PARAMETER IF SAMPLE IDENTIFIED AS A BLANK ON THE CHAIN OF CUSTODY
- * = RUN ONLY IF TOTAL CYANIDE IS DETECTED
- *** = Report Calcium, Magnesium as Total Hardness components

Send reports (Fed. Ex. or UPS) to: Tim Bowren - IDEM STE 100 2525 North Shadeland Ave. Indianapolis, IN 46219	Deliver reports to: Tim Bowren - IDEM STE 100 2525 North Shadeland Ave. Indianapolis, IN 46219
---	--

Testing Laboratory: Test America
 Attn: Robin Kintz
 Phone: 708.534.5200 2417 Bond Street
 University Park, IL 60484

