



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Dubois Co, IN

Pollutant: Particulate (size < 2.5 micrometers)

Year: 2001

Emissions In Tons Per Year

10 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
SORT	▣ ▣				
1	IN	Dubois Co	01-Fuel Comb. Elec. Util.	0	124
2	IN	Dubois Co	02-Fuel Comb. Industrial	44.3	906
3	IN	Dubois Co	03-Fuel Comb. Other	111	191
4	IN	Dubois Co	07-Other Industrial Processes	12.1	61.0
5	IN	Dubois Co	08-Solvent Utilization	0	69.2
6	IN	Dubois Co	09-Storage & Transport	0	13.6
7	IN	Dubois Co	10-Waste Disposal & Recycling	132	0
8	IN	Dubois Co	11-Highway Vehicles	32.5	0
9	IN	Dubois Co	12-Off-Highway	52.8	0
10	IN	Dubois Co	14-Miscellaneous	905	0.62
Grand Total				1,290	1,365

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

[Comma](#)

[Tab](#)

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Dubois Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

7 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
SORT	▼ ▲				
1	IN	Dubois Co	01-Fuel Comb. Elec. Util.	0	1,173
2	IN	Dubois Co	02-Fuel Comb. Industrial	20.5	143
3	IN	Dubois Co	03-Fuel Comb. Other	180	40.8
4	IN	Dubois Co	10-Waste Disposal & Recycling	14.1	0
5	IN	Dubois Co	11-Highway Vehicles	52.5	0
6	IN	Dubois Co	12-Off-Highway	69.4	0
7	IN	Dubois Co	14-Miscellaneous	0.32	0
Grand Total				337	1,358

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State

emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Dubois Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

7 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
SORT	▣ ▣				
1	IN	Dubois Co	01-Fuel Comb. Elec. Util.	0	478
2	IN	Dubois Co	02-Fuel Comb. Industrial	509	1,584
3	IN	Dubois Co	03-Fuel Comb. Other	119	587
4	IN	Dubois Co	10-Waste Disposal & Recycling	40.2	0
5	IN	Dubois Co	11-Highway Vehicles	1,496	0
6	IN	Dubois Co	12-Off-Highway	851	0
7	IN	Dubois Co	14-Miscellaneous	1.22	0
Grand Total				3,016	2,649

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

[Comma](#)

[Tab](#)

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State

emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Spencer Co, IN

Pollutant: Particulate (size < 2.5 micrometers)

Year: 2001

Emissions In Tons Per Year

12 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
SORT	▣ ▣	▣ ▣	▣ ▣	▣ ▣	▣ ▣
1	IN	Spencer Co	01-Fuel Comb. Elec. Util.	0	3,986
2	IN	Spencer Co	02-Fuel Comb. Industrial	7.10	38.8
3	IN	Spencer Co	03-Fuel Comb. Other	95.5	0
4	IN	Spencer Co	05-Metals Processing	0	57.6
5	IN	Spencer Co	06-Petroleum & Related Industries	0	1.16
6	IN	Spencer Co	07-Other Industrial Processes	2.80	0
7	IN	Spencer Co	08-Solvent Utilization	0	2.62
8	IN	Spencer Co	09-Storage & Transport	0	16.4
9	IN	Spencer Co	10-Waste Disposal & Recycling	77.9	0
10	IN	Spencer Co	11-Highway Vehicles	29.5	0
11	IN	Spencer Co	12-Off-Highway	122	0
12	IN	Spencer Co	14-Miscellaneous	828	17.4
Grand Total				1,162	4,120

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

 Comma Tab[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Spencer Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

9 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
Sort	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/>			
1	IN	Spencer Co	01-Fuel Comb. Elec. Util.	0	57,376
2	IN	Spencer Co	02-Fuel Comb. Industrial	3.11	69.5
3	IN	Spencer Co	03-Fuel Comb. Other	143	0
4	IN	Spencer Co	05-Metals Processing	0	16.6
5	IN	Spencer Co	06-Petroleum & Related Industries	0	2.59
6	IN	Spencer Co	10-Waste Disposal & Recycling	4.43	0
7	IN	Spencer Co	11-Highway Vehicles	44.5	0
8	IN	Spencer Co	12-Off-Highway	324	0
9	IN	Spencer Co	14-Miscellaneous	0.26	0
Grand Total				519	57,464

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Spencer Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

9 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
SORT	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>				
1	IN	Spencer Co	01-Fuel Comb. Elec. Util.	0	35,001
2	IN	Spencer Co	02-Fuel Comb. Industrial	77.1	44.1
3	IN	Spencer Co	03-Fuel Comb. Other	60.6	0
4	IN	Spencer Co	05-Metals Processing	0	50.4
5	IN	Spencer Co	06-Petroleum & Related Industries	0	3.48
6	IN	Spencer Co	10-Waste Disposal & Recycling	17.6	0
7	IN	Spencer Co	11-Highway Vehicles	1,342	0
8	IN	Spencer Co	12-Off-Highway	1,924	0
9	IN	Spencer Co	14-Miscellaneous	0.96	0
Grand Total				3,422	35,099

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)


Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.

Emissions Report Knox Cty, IN

2001 Area Source Emissions (Tons Per Year)

	PM 2.5	% of MSA	SO2	% of MSA	NOX	% of MSA
Knox Cty	1454	100.0%	261	100.0%	2610	100.0%
Total	1454		261		2610	





AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Knox Co, IN

Pollutant: Particulate (size < 2.5 micrometers)

Year: 2001

Emissions In Tons Per Year

11 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
SORT	<input type="checkbox"/> <input type="checkbox"/>				
1	IN	Knox Co	01-Fuel Comb. Elec. Util.	0	464
2	IN	Knox Co	02-Fuel Comb. Industrial	9.16	13.0
3	IN	Knox Co	03-Fuel Comb. Other	129	0
4	IN	Knox Co	05-Metals Processing	0	76.9
5	IN	Knox Co	06-Petroleum & Related Industries	0	0.32
6	IN	Knox Co	07-Other Industrial Processes	10.1	0
7	IN	Knox Co	09-Storage & Transport	0	4.15
8	IN	Knox Co	10-Waste Disposal & Recycling	59.5	0.67
9	IN	Knox Co	11-Highway Vehicles	25.7	0
10	IN	Knox Co	12-Off-Highway	92.6	0
11	IN	Knox Co	14-Miscellaneous	1,128	3.63
Grand Total				1,454	563

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Knox Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

8 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
SORT	<input type="checkbox"/> <input type="checkbox"/>				
1	IN	Knox Co	01-Fuel Comb. Elec. Util.	0	9,125
2	IN	Knox Co	02-Fuel Comb. Industrial	3.36	16.7
3	IN	Knox Co	03-Fuel Comb. Other	99.8	0
4	IN	Knox Co	06-Petroleum & Related Industries	0	0.17
5	IN	Knox Co	10-Waste Disposal & Recycling	5.34	0.29
6	IN	Knox Co	11-Highway Vehicles	44.6	0
7	IN	Knox Co	12-Off-Highway	108	0
8	IN	Knox Co	14-Miscellaneous	0.17	0
Grand Total				261	9,142

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission

Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Knox Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

7 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
SORT	▾ ▾				
1	IN	Knox Co	01-Fuel Comb. Elec. Util.	0	2,600
2	IN	Knox Co	02-Fuel Comb. Industrial	83.4	41.9
3	IN	Knox Co	03-Fuel Comb. Other	138	0
4	IN	Knox Co	10-Waste Disposal & Recycling	14.6	0.77
5	IN	Knox Co	11-Highway Vehicles	1,225	0
6	IN	Knox Co	12-Off-Highway	1,148	0
7	IN	Knox Co	14-Miscellaneous	0.67	0
Grand Total				2,610	2,643

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State

emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.

Emissions Report Southeast Indiana Area**2001 Area Source Emissions (Tons Per Year)**

	PM 2.5	% of MSA	SO2	% of MSA	NOX	% of MSA
Clark Cty	1336	23.9%	300	20.0%	4738	26.9%
Floyd Cty	976	17.5%	231	15.4%	3572	20.3%
Harrison Cty	1117	20.0%	411	27.4%	3652	20.7%
Jefferson Cty	786	14.1%	343	22.8%	2730	15.5%
Scott Cty	545	9.8%	97.1	6.5%	1510	8.6%
Washington Cty	827	14.8%	119	7.9%	1406	8.0%
Total	5587		1501.1		17608	

Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024																																																								
Population	100	105	110	115	120	125	130	135	140	145	150	155	160	165	170	175	180	185	190	195	200	205	210	215	220	225	230	235	240	245	250	255	260	265	270	275	280	285	290	295	300	305	310	315	320	325	330	335	340	345	350	355	360	365	370	375	380	385	390	395	400	405	410	415	420	425	430	435	440	445	450	455	460	465	470	475	480	485	490	495	500	505	510	515	520	525	530	535	540	545	550	555	560	565	570	575	580	585	590	595	600	605	610	615	620	625	630	635	640	645	650	655	660	665	670	675	680	685	690	695	700	705	710	715	720	725	730	735	740	745	750	755	760	765	770	775	780	785	790	795	800	805	810	815	820	825	830	835	840	845	850	855	860	865	870	875	880	885	890	895	900	905	910	915	920	925	930	935	940	945	950	955	960	965	970	975	980	985	990	995	1000



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Clark Co, IN

Pollutant: Particulate (size < 2.5 micrometers)

Year: 2001

Emissions In Tons Per Year

11 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
SORT	▾ ▾				
1	IN	Clark Co	01-Fuel Comb. Elec. Util.	0	6.71
2	IN	Clark Co	02-Fuel Comb. Industrial	34.8	225
3	IN	Clark Co	03-Fuel Comb. Other	237	93.9
4	IN	Clark Co	06-Petroleum & Related Industries	0	0.21
5	IN	Clark Co	07-Other Industrial Processes	27.6	123
6	IN	Clark Co	08-Solvent Utilization	0	151
7	IN	Clark Co	09-Storage & Transport	0	24.1
8	IN	Clark Co	10-Waste Disposal & Recycling	206	0
9	IN	Clark Co	11-Highway Vehicles	71.9	0
10	IN	Clark Co	12-Off-Highway	52.2	0
11	IN	Clark Co	14-Miscellaneous	708	9.25
Grand Total				1,336	634

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Clark Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

8 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
SORT	▣ ▣				
1	IN	Clark Co	01-Fuel Comb. Elec. Util.	0	4.65
2	IN	Clark Co	02-Fuel Comb. Industrial	10.4	109
3	IN	Clark Co	03-Fuel Comb. Other	71.6	19.5
4	IN	Clark Co	07-Other Industrial Processes	0	50.6
5	IN	Clark Co	10-Waste Disposal & Recycling	12.4	0
6	IN	Clark Co	11-Highway Vehicles	131	0
7	IN	Clark Co	12-Off-Highway	74.4	0
8	IN	Clark Co	14-Miscellaneous	0.36	0
Grand Total				300	184

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission

Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) | [Air & Radiation](#) | [AirData](#) | [Reports and Maps](#) | [Select Geography](#)
[Select Report/Map](#) | [Emissions by Category Report](#) | [Criteria](#) | [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Clark Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

9 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
<small>SORT</small>	<small>▣ ▣</small>	<small>▣ ▣</small>	<small>▣ ▣</small>	<small>▣ ▣</small>	<small>▣ ▣</small>
1	IN	Clark Co	01-Fuel Comb. Elec. Util.	0	3.37
2	IN	Clark Co	02-Fuel Comb. Industrial	257	108
3	IN	Clark Co	03-Fuel Comb. Other	240	24.6
4	IN	Clark Co	06-Petroleum & Related Industries	0	8.15
5	IN	Clark Co	07-Other Industrial Processes	0	77.2
6	IN	Clark Co	10-Waste Disposal & Recycling	59.2	0
7	IN	Clark Co	11-Highway Vehicles	3,439	0
8	IN	Clark Co	12-Off-Highway	742	0
9	IN	Clark Co	14-Miscellaneous	1.47	0
Grand Total				4,738	221

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Floyd Co, IN

Pollutant: Particulate (size < 2.5 micrometers)

Year: 2001

Emissions In Tons Per Year

11 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
<u>Sort</u>	<input type="checkbox"/> <input type="checkbox"/>				
1	IN	Floyd Co	01-Fuel Comb. Elec. Util.	0	2,967
2	IN	Floyd Co	02-Fuel Comb. Industrial	32.8	82.5
3	IN	Floyd Co	03-Fuel Comb. Other	183	6.69
4	IN	Floyd Co	04-Chemical & Allied Product Mfg	0	15.1
5	IN	Floyd Co	07-Other Industrial Processes	10.2	13.6
6	IN	Floyd Co	08-Solvent Utilization	0	2.34
7	IN	Floyd Co	09-Storage & Transport	0	11.5
8	IN	Floyd Co	10-Waste Disposal & Recycling	144	0
9	IN	Floyd Co	11-Highway Vehicles	48.9	0
10	IN	Floyd Co	12-Off-Highway	44.1	0
11	IN	Floyd Co	14-Miscellaneous	513	19.8
Grand Total				976	3,119

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) | [Air & Radiation](#) | [AirData](#) | [Reports and Maps](#) | [Select Geography](#)
[Select Report/Map](#) | [Emissions by Category Report](#) | [Criteria](#) | [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Floyd Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

7 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
SORT	<input type="checkbox"/> <input type="checkbox"/>				
1	IN	Floyd Co	01-Fuel Comb. Elec. Util.	0	47,513
2	IN	Floyd Co	02-Fuel Comb. Industrial	10.7	51.2
3	IN	Floyd Co	03-Fuel Comb. Other	44.1	1.32
4	IN	Floyd Co	10-Waste Disposal & Recycling	11.3	0
5	IN	Floyd Co	11-Highway Vehicles	88.0	0
6	IN	Floyd Co	12-Off-Highway	76.8	0
7	IN	Floyd Co	14-Miscellaneous	0.13	0
Grand Total				231	47,565

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma
 Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State

emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Floyd Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

7 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
SORT	<input type="checkbox"/> <input checked="" type="checkbox"/>				
1	IN	Floyd Co	01-Fuel Comb. Elec. Util.	0	6,666
2	IN	Floyd Co	02-Fuel Comb. Industrial	266	43.7
3	IN	Floyd Co	03-Fuel Comb. Other	166	0.22
4	IN	Floyd Co	10-Waste Disposal & Recycling	40.5	0
5	IN	Floyd Co	11-Highway Vehicles	2,313	0
6	IN	Floyd Co	12-Off-Highway	787	0
7	IN	Floyd Co	14-Miscellaneous	0.56	0
Grand Total				3,572	6,710

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State

emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Harrison Co, IN

Pollutant: Particulate (size < 2.5 micrometers)

Year: 2001

Emissions In Tons Per Year

10 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
SORT	<input type="checkbox"/> <input type="checkbox"/>				
1	IN	Harrison Co	02-Fuel Comb. Industrial	10.1	0.68
2	IN	Harrison Co	03-Fuel Comb. Other	135	0
3	IN	Harrison Co	06-Petroleum & Related Industries	0	1.46
4	IN	Harrison Co	07-Other Industrial Processes	5.44	24.7
5	IN	Harrison Co	08-Solvent Utilization	0	7.39
6	IN	Harrison Co	09-Storage & Transport	0	0.001
7	IN	Harrison Co	10-Waste Disposal & Recycling	167	0
8	IN	Harrison Co	11-Highway Vehicles	39.5	0
9	IN	Harrison Co	12-Off-Highway	78.2	0
10	IN	Harrison Co	14-Miscellaneous	682	0
Grand Total				1,117	34.2

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Harrison Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

6 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
SORT	▾ ▾	▾ ▾	▾ ▾	▾ ▾	▾ ▾
1	IN	Harrison Co	02-Fuel Comb. Industrial	3.64	7.71
2	IN	Harrison Co	03-Fuel Comb. Other	75.2	0
3	IN	Harrison Co	10-Waste Disposal & Recycling	6.36	0
4	IN	Harrison Co	11-Highway Vehicles	59.7	0
5	IN	Harrison Co	12-Off-Highway	265	0
6	IN	Harrison Co	14-Miscellaneous	0.60	0
Grand Total				411	7.71

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) | [Air & Radiation](#) | [AirData](#) | [Reports and Maps](#) | [Select Geography](#)
[Select Report/Map](#) | [Emissions by Category Report](#) | [Criteria](#) | [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Harrison Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

6 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
SORT	▾ ▾				
1	IN	Harrison Co	02-Fuel Comb. Industrial	90.4	24.7
2	IN	Harrison Co	03-Fuel Comb. Other	73.7	0
3	IN	Harrison Co	10-Waste Disposal & Recycling	39.7	0
4	IN	Harrison Co	11-Highway Vehicles	1,833	0
5	IN	Harrison Co	12-Off-Highway	1,613	0
6	IN	Harrison Co	14-Miscellaneous	2.23	0
Grand Total				3,652	24.7

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Jefferson Co, IN
Pollutant: Particulate (size < 2.5 micrometers)
Year: 2001
 Emissions In Tons Per Year

9 Rows
 See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
SORT	<input type="checkbox"/> <input type="checkbox"/>				
1	IN	Jefferson Co	01-Fuel Comb. Elec. Util.	0	1,689
2	IN	Jefferson Co	02-Fuel Comb. Industrial	18.1	0
3	IN	Jefferson Co	03-Fuel Comb. Other	82.6	22.3
4	IN	Jefferson Co	07-Other Industrial Processes	7.52	0
5	IN	Jefferson Co	08-Solvent Utilization	0	17.8
6	IN	Jefferson Co	10-Waste Disposal & Recycling	81.4	0
7	IN	Jefferson Co	11-Highway Vehicles	21.3	0
8	IN	Jefferson Co	12-Off-Highway	74.9	0
9	IN	Jefferson Co	14-Miscellaneous	500	0
Grand Total				786	1,729

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Jefferson Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

7 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
SORT	▾ ▾	▾ ▾	▾ ▾	▾ ▾	▾ ▾
1	IN	Jefferson Co	01-Fuel Comb. Elec. Util.	0	39,164
2	IN	Jefferson Co	02-Fuel Comb. Industrial	6.50	0
3	IN	Jefferson Co	03-Fuel Comb. Other	29.7	92.6
4	IN	Jefferson Co	10-Waste Disposal & Recycling	6.23	0
5	IN	Jefferson Co	11-Highway Vehicles	35.7	0
6	IN	Jefferson Co	12-Off-Highway	265	0
7	IN	Jefferson Co	14-Miscellaneous	0.46	0
Grand Total				343	39,256

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State

emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Jefferson Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

7 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
SORT	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>				
1	IN	Jefferson Co	01-Fuel Comb. Elec. Util.	0	31,233
2	IN	Jefferson Co	02-Fuel Comb. Industrial	162	0
3	IN	Jefferson Co	03-Fuel Comb. Other	66.0	27.4
4	IN	Jefferson Co	10-Waste Disposal & Recycling	21.5	0
5	IN	Jefferson Co	11-Highway Vehicles	991	0
6	IN	Jefferson Co	12-Off-Highway	1,487	0
7	IN	Jefferson Co	14-Miscellaneous	1.74	0
Grand Total				2,730	31,260

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State

emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Scott Co, IN

Pollutant: Particulate (size < 2.5 micrometers)

Year: 2001

Emissions In Tons Per Year

7 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
SORT	▾ ▾				
1	IN	Scott Co	02-Fuel Comb. Industrial	13.6	0.19
2	IN	Scott Co	03-Fuel Comb. Other	89.2	0
3	IN	Scott Co	07-Other Industrial Processes	6.67	0.16
4	IN	Scott Co	10-Waste Disposal & Recycling	60.8	12.3
5	IN	Scott Co	11-Highway Vehicles	24.5	0
6	IN	Scott Co	12-Off-Highway	16.8	0
7	IN	Scott Co	14-Miscellaneous	333	0
Grand Total				545	12.7

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

[Comma](#)

[Tab](#)

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State

emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Scott Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

6 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
SORT	▾ ▾	▾ ▾	▾ ▾	▾ ▾	▾ ▾
1	IN	Scott Co	02-Fuel Comb. Industrial	4.00	2.54
2	IN	Scott Co	03-Fuel Comb. Other	30.3	0
3	IN	Scott Co	10-Waste Disposal & Recycling	4.30	0
4	IN	Scott Co	11-Highway Vehicles	39.6	0
5	IN	Scott Co	12-Off-Highway	18.7	0
6	IN	Scott Co	14-Miscellaneous	0.23	0
Grand Total				97.1	2.54

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Scott Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

6 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
SORT	▾ ▾	▾ ▾	▾ ▾	▾ ▾	▾ ▾
1	IN	Scott Co	02-Fuel Comb. Industrial	98.9	4.23
2	IN	Scott Co	03-Fuel Comb. Other	45.2	0
3	IN	Scott Co	10-Waste Disposal & Recycling	15.6	0
4	IN	Scott Co	11-Highway Vehicles	1,171	0
5	IN	Scott Co	12-Off-Highway	179	0
6	IN	Scott Co	14-Miscellaneous	0.87	0
Grand Total				1,510	4.23

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Washington Co, IN
Pollutant: Particulate (size < 2.5 micrometers)
Year: 2001
 Emissions In Tons Per Year

10 Rows
 See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
SORT	<input type="checkbox"/> <input type="checkbox"/>				
1	IN	Washington Co	01-Fuel Comb. Elec. Util.	0	1.55
2	IN	Washington Co	02-Fuel Comb. Industrial	12.9	26.6
3	IN	Washington Co	03-Fuel Comb. Other	106	0
4	IN	Washington Co	07-Other Industrial Processes	3.37	0
5	IN	Washington Co	08-Solvent Utilization	0	9.11
6	IN	Washington Co	09-Storage & Transport	0	4.23
7	IN	Washington Co	10-Waste Disposal & Recycling	83.6	0
8	IN	Washington Co	11-Highway Vehicles	19.0	0
9	IN	Washington Co	12-Off-Highway	27.6	0
10	IN	Washington Co	14-Miscellaneous	575	0
Grand Total				827	41.5

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Washington Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

7 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
SORT	<input type="checkbox"/> <input type="checkbox"/>				
1	IN	Washington Co	01-Fuel Comb. Elec. Util.	0	3.95
2	IN	Washington Co	02-Fuel Comb. Industrial	4.69	13.1
3	IN	Washington Co	03-Fuel Comb. Other	44.7	0
4	IN	Washington Co	10-Waste Disposal & Recycling	5.59	0
5	IN	Washington Co	11-Highway Vehicles	30.1	0
6	IN	Washington Co	12-Off-Highway	33.5	0
7	IN	Washington Co	14-Miscellaneous	0.59	0
Grand Total				119	17.0

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State

emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Washington Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

7 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
SORT	<input type="checkbox"/> <input type="checkbox"/>				
1	IN	Washington Co	01-Fuel Comb. Elec. Util.	0	4.51
2	IN	Washington Co	02-Fuel Comb. Industrial	116	42.0
3	IN	Washington Co	03-Fuel Comb. Other	48.7	0
4	IN	Washington Co	10-Waste Disposal & Recycling	19.1	0
5	IN	Washington Co	11-Highway Vehicles	854	0
6	IN	Washington Co	12-Off-Highway	365	0
7	IN	Washington Co	14-Miscellaneous	2.21	0
Grand Total				1,406	46.5

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab


[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State

emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.

Emissions Report Dearborn County, IN Area						
	2001 Area Source Emissions (Tons Per Year)					
	PM 2.5	% of MSA	SO2	% of MSA	NOX	% of MSA
Dearborn Cty	1097	53.5%	406	66.4%	3544	63.7%
Franklin Cty	735	35.8%	91.7	15.0%	1335	24.0%
Ohio Cty	219	10.7%	114	18.6%	682	12.3%
Total	2051		611.7		5561	





AirData

You are here: [EPA Home](#) | [Air & Radiation](#) | [AirData](#) | [Reports and Maps](#) | [Select Geography](#)
[Select Report/Map](#) | [Emissions by Category Report](#) | [Criteria](#) | [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Dearborn Co, IN
Pollutant: Particulate (size < 2.5 micrometers)
Year: 2001
 Emissions In Tons Per Year

11 Rows
 See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
SORT	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>				
1	IN	Dearborn Co	01-Fuel Comb. Elec. Util.	0	2,676
2	IN	Dearborn Co	02-Fuel Comb. Industrial	12.9	23.3
3	IN	Dearborn Co	03-Fuel Comb. Other	172	4.94
4	IN	Dearborn Co	06-Petroleum & Related Industries	0	0.002
5	IN	Dearborn Co	07-Other Industrial Processes	11.2	137
6	IN	Dearborn Co	08-Solvent Utilization	0	2.54
7	IN	Dearborn Co	09-Storage & Transport	0	4.76
8	IN	Dearborn Co	10-Waste Disposal & Recycling	211	0
9	IN	Dearborn Co	11-Highway Vehicles	44.7	0
10	IN	Dearborn Co	12-Off-Highway	66.4	0
11	IN	Dearborn Co	14-Miscellaneous	579	0
Grand Total				1,097	2,848

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Dearborn Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

8 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
SORT	<input type="checkbox"/> <input type="checkbox"/>				
1	IN	Dearborn Co	01-Fuel Comb. Elec. Util.	0	55,431
2	IN	Dearborn Co	02-Fuel Comb. Industrial	3.74	53.8
3	IN	Dearborn Co	03-Fuel Comb. Other	119	723
4	IN	Dearborn Co	07-Other Industrial Processes	0	160
5	IN	Dearborn Co	10-Waste Disposal & Recycling	6.75	0
6	IN	Dearborn Co	11-Highway Vehicles	68.2	0
7	IN	Dearborn Co	12-Off-Highway	208	0
8	IN	Dearborn Co	14-Miscellaneous	0.49	0
Grand Total				406	56,367

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission

Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Dearborn Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

8 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
SORT	▣ ▣				
1	IN	Dearborn Co	01-Fuel Comb. Elec. Util.	0	25,775
2	IN	Dearborn Co	02-Fuel Comb. Industrial	92.8	918
3	IN	Dearborn Co	03-Fuel Comb. Other	96.1	496
4	IN	Dearborn Co	07-Other Industrial Processes	0	406
5	IN	Dearborn Co	10-Waste Disposal & Recycling	55.1	0
6	IN	Dearborn Co	11-Highway Vehicles	2,060	0
7	IN	Dearborn Co	12-Off-Highway	1,238	0
8	IN	Dearborn Co	14-Miscellaneous	1.84	0
Grand Total				3,544	27,594

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission

Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Franklin Co, IN

Pollutant: Particulate (size < 2.5 micrometers)

Year: 2001

Emissions In Tons Per Year

7 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
SORT	▾ ▾				
1	IN	Franklin Co	02-Fuel Comb. Industrial	4.27	0
2	IN	Franklin Co	03-Fuel Comb. Other	80.9	0
3	IN	Franklin Co	07-Other Industrial Processes	4.47	0
4	IN	Franklin Co	10-Waste Disposal & Recycling	73.9	0
5	IN	Franklin Co	11-Highway Vehicles	22.8	0
6	IN	Franklin Co	12-Off-Highway	25.8	0
7	IN	Franklin Co	14-Miscellaneous	523	0
Grand Total				735	0

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State

emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) | [Air & Radiation](#) | [AirData](#) | [Reports and Maps](#) | [Select Geography](#)
[Select Report/Map](#) | [Emissions by Category Report](#) | [Criteria](#) | [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Franklin Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

6 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
SORT	▣ ▣				
1	IN	Franklin Co	02-Fuel Comb. Industrial	1.48	0
2	IN	Franklin Co	03-Fuel Comb. Other	26.2	0
3	IN	Franklin Co	10-Waste Disposal & Recycling	3.52	0
4	IN	Franklin Co	11-Highway Vehicles	34.5	0
5	IN	Franklin Co	12-Off-Highway	25.6	0
6	IN	Franklin Co	14-Miscellaneous	0.40	0
Grand Total				91.7	0

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Franklin Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

6 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
SORT	<input checked="" type="checkbox"/>				
1	IN	Franklin Co	02-Fuel Comb. Industrial	36.8	0
2	IN	Franklin Co	03-Fuel Comb. Other	40.2	0
3	IN	Franklin Co	10-Waste Disposal & Recycling	16.2	0
4	IN	Franklin Co	11-Highway Vehicles	1,019	0
5	IN	Franklin Co	12-Off-Highway	221	0
6	IN	Franklin Co	14-Miscellaneous	1.48	0
Grand Total				1,335	0

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Ohio Co, IN

Pollutant: Particulate (size < 2.5 micrometers)

Year: 2001

Emissions In Tons Per Year

7 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
SORT	<input type="checkbox"/> <input checked="" type="checkbox"/>				
1	IN	Ohio Co	02-Fuel Comb. Industrial	0.12	0
2	IN	Ohio Co	03-Fuel Comb. Other	22.3	0
3	IN	Ohio Co	07-Other Industrial Processes	0.85	0
4	IN	Ohio Co	10-Waste Disposal & Recycling	20.9	0
5	IN	Ohio Co	11-Highway Vehicles	4.23	0
6	IN	Ohio Co	12-Off-Highway	24.0	0
7	IN	Ohio Co	14-Miscellaneous	146	0
Grand Total				219	0

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State

emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Ohio Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

6 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
SORT	▾ ▾				
1	IN	Ohio Co	02-Fuel Comb. Industrial	0.02	0
2	IN	Ohio Co	03-Fuel Comb. Other	17.1	0
3	IN	Ohio Co	10-Waste Disposal & Recycling	0.85	0
4	IN	Ohio Co	11-Highway Vehicles	6.37	0
5	IN	Ohio Co	12-Off-Highway	89.1	0
6	IN	Ohio Co	14-Miscellaneous	0.11	0
Grand Total				114	0

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Ohio Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

6 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
SORT	▾ ▾				
1	IN	Ohio Co	02-Fuel Comb. Industrial	0.76	0
2	IN	Ohio Co	03-Fuel Comb. Other	12.2	0
3	IN	Ohio Co	10-Waste Disposal & Recycling	4.29	0
4	IN	Ohio Co	11-Highway Vehicles	185	0
5	IN	Ohio Co	12-Off-Highway	480	0
6	IN	Ohio Co	14-Miscellaneous	0.39	0
Grand Total				682	0

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab


[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.

Emissions Report Terre Haute, IN Area**2001 Area Source Emissions (Tons Per Year)**

	PM 2.5	% of MSA	SO2	% of MSA	NOX	% of MSA
Clay Cty	1161	23.7%	243	22.2%	2058	18.8%
Sullivan Cty	1160	23.7%	205	18.8%	1499	13.7%
Vermillion Cty	759	15.5%	149	13.6%	1609	14.7%
Vigo Cty	1820	37.1%	496	45.4%	5782	52.8%
Total	4900		1093		10948	





AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Clay Co, IN
Pollutant: Particulate (size < 2.5 micrometers)
Year: 2001
 Emissions In Tons Per Year

8 Rows
 See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
SORT	<input type="checkbox"/> <input type="checkbox"/>				
1	IN	Clay Co	02-Fuel Comb. Industrial	9.24	0
2	IN	Clay Co	03-Fuel Comb. Other	131	0
3	IN	Clay Co	06-Petroleum & Related Industries	0	5.12
4	IN	Clay Co	07-Other Industrial Processes	2.65	0
5	IN	Clay Co	10-Waste Disposal & Recycling	70.6	0
6	IN	Clay Co	11-Highway Vehicles	27.6	0
7	IN	Clay Co	12-Off-Highway	40.4	0
8	IN	Clay Co	14-Miscellaneous	879	0
Grand Total				1,161	5.12

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Clay Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

6 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
SORT	▣ ▣				
1	IN	Clay Co	02-Fuel Comb. Industrial	4.01	0
2	IN	Clay Co	03-Fuel Comb. Other	141	0
3	IN	Clay Co	10-Waste Disposal & Recycling	5.02	0
4	IN	Clay Co	11-Highway Vehicles	43.4	0
5	IN	Clay Co	12-Off-Highway	49.1	0
6	IN	Clay Co	14-Miscellaneous	0.21	0
Grand Total				243	0

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants

emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Clay Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

6 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
SORT	▾ ▾	▾ ▾	▾ ▾	▾ ▾	▾ ▾
1	IN	Clay Co	02-Fuel Comb. Industrial	99.2	0
2	IN	Clay Co	03-Fuel Comb. Other	75.0	0
3	IN	Clay Co	10-Waste Disposal & Recycling	16.4	0
4	IN	Clay Co	11-Highway Vehicles	1,317	0
5	IN	Clay Co	12-Off-Highway	549	0
6	IN	Clay Co	14-Miscellaneous	0.83	0
Grand Total				2,058	0

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants

emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Sullivan Co, IN

Pollutant: Particulate (size < 2.5 micrometers)

Year: 2001

Emissions In Tons Per Year

9 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
SORT	▾ ▾	▾ ▾	▾ ▾	▾ ▾	▾ ▾
1	IN	Sullivan Co	01-Fuel Comb. Elec. Util.	0	1,192
2	IN	Sullivan Co	02-Fuel Comb. Industrial	2.13	0.38
3	IN	Sullivan Co	03-Fuel Comb. Other	69.6	0
4	IN	Sullivan Co	07-Other Industrial Processes	2.62	13.3
5	IN	Sullivan Co	09-Storage & Transport	0	14.2
6	IN	Sullivan Co	10-Waste Disposal & Recycling	56.3	0
7	IN	Sullivan Co	11-Highway Vehicles	17.1	0
8	IN	Sullivan Co	12-Off-Highway	46.0	0
9	IN	Sullivan Co	14-Miscellaneous	966	7.93
Grand Total				1,160	1,228

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Sullivan Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

9 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
SORT	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>				
1	IN	Sullivan Co	01-Fuel Comb. Elec. Util.	0	15,491
2	IN	Sullivan Co	02-Fuel Comb. Industrial	0.97	7.77
3	IN	Sullivan Co	03-Fuel Comb. Other	118	0
4	IN	Sullivan Co	06-Petroleum & Related Industries	0	3.56
5	IN	Sullivan Co	07-Other Industrial Processes	0	45.6
6	IN	Sullivan Co	10-Waste Disposal & Recycling	3.05	0
7	IN	Sullivan Co	11-Highway Vehicles	26.2	0
8	IN	Sullivan Co	12-Off-Highway	57.0	0
9	IN	Sullivan Co	14-Miscellaneous	0.31	0
Grand Total				205	15,548

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please [contact EPA](#) to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Sullivan Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

8 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
SORT	▣ ▣				
1	IN	Sullivan Co	01-Fuel Comb. Elec. Util.	0	16,050
2	IN	Sullivan Co	02-Fuel Comb. Industrial	24.3	29.6
3	IN	Sullivan Co	03-Fuel Comb. Other	61.1	0
4	IN	Sullivan Co	07-Other Industrial Processes	0	41.9
5	IN	Sullivan Co	10-Waste Disposal & Recycling	11.3	0
6	IN	Sullivan Co	11-Highway Vehicles	748	0
7	IN	Sullivan Co	12-Off-Highway	653	0
8	IN	Sullivan Co	14-Miscellaneous	1.16	0
Grand Total				1,499	16,121

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission

Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Vermillion Co, IN

Pollutant: Particulate (size < 2.5 micrometers)

Year: 2001

Emissions In Tons Per Year

10 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
SORT	▣ ▣				
1	IN	Vermillion Co	01-Fuel Comb. Elec. Util.	0	3,233
2	IN	Vermillion Co	02-Fuel Comb. Industrial	5.58	61.6
3	IN	Vermillion Co	03-Fuel Comb. Other	58.6	0
4	IN	Vermillion Co	04-Chemical & Allied Product Mfg	0	98.8
5	IN	Vermillion Co	07-Other Industrial Processes	3.88	11.9
6	IN	Vermillion Co	09-Storage & Transport	0	6.68
7	IN	Vermillion Co	10-Waste Disposal & Recycling	43.5	7.28
8	IN	Vermillion Co	11-Highway Vehicles	19.6	0
9	IN	Vermillion Co	12-Off-Highway	31.6	0
10	IN	Vermillion Co	14-Miscellaneous	597	47.6
Grand Total				759	3,467

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

[Comma](#)

[Tab](#)

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Vermillion Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

8 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
<small>SORT</small>	<small>▣ ▣</small>	<small>▣ ▣</small>	<small>▣ ▣</small>	<small>▣ ▣</small>	<small>▣ ▣</small>
1	IN	Vermillion Co	01-Fuel Comb. Elec. Util.	0	58,834
2	IN	Vermillion Co	02-Fuel Comb. Industrial	2.48	2,193
3	IN	Vermillion Co	03-Fuel Comb. Other	67.0	0
4	IN	Vermillion Co	07-Other Industrial Processes	0	66.9
5	IN	Vermillion Co	10-Waste Disposal & Recycling	3.18	0.94
6	IN	Vermillion Co	11-Highway Vehicles	31.0	0
7	IN	Vermillion Co	12-Off-Highway	44.8	0
8	IN	Vermillion Co	14-Miscellaneous	0.15	0
Grand Total				149	61,095

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission

Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Vermillion Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

8 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
SORT	<input type="checkbox"/> <input type="checkbox"/>				
1	IN	Vermillion Co	01-Fuel Comb. Elec. Util.	0	10,295
2	IN	Vermillion Co	02-Fuel Comb. Industrial	61.7	845
3	IN	Vermillion Co	03-Fuel Comb. Other	52.5	0
4	IN	Vermillion Co	07-Other Industrial Processes	0	32.7
5	IN	Vermillion Co	10-Waste Disposal & Recycling	9.98	269
6	IN	Vermillion Co	11-Highway Vehicles	924	0
7	IN	Vermillion Co	12-Off-Highway	560	0
8	IN	Vermillion Co	14-Miscellaneous	0.56	0
Grand Total				1,609	11,442

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission

Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Vigo Co, IN

Pollutant: Particulate (size < 2.5 micrometers)

Year: 2001

Emissions In Tons Per Year

13 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	PM2.5 Area Source Emissions	PM2.5 Point Source Emissions
SORT	▲ ▼	▲ ▼	▲ ▼	▲ ▼	▲ ▼
1	IN	Vigo Co	01-Fuel Comb. Elec. Util.	0	3,205
2	IN	Vigo Co	02-Fuel Comb. Industrial	34.4	365
3	IN	Vigo Co	03-Fuel Comb. Other	322	109
4	IN	Vigo Co	04-Chemical & Allied Product Mfg	0	9.30
5	IN	Vigo Co	05-Metals Processing	0	77.8
6	IN	Vigo Co	06-Petroleum & Related Industries	0	0.48
7	IN	Vigo Co	07-Other Industrial Processes	35.9	173
8	IN	Vigo Co	08-Solvent Utilization	0	2.15
9	IN	Vigo Co	09-Storage & Transport	0	52.1
10	IN	Vigo Co	10-Waste Disposal & Recycling	155	5.95
11	IN	Vigo Co	11-Highway Vehicles	74.6	0
12	IN	Vigo Co	12-Off-Highway	84.0	0
13	IN	Vigo Co	14-Miscellaneous	1,115	8.16
Grand Total				1,820	4,007

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Vigo Co, IN

Pollutant: Sulfur Dioxide

Year: 2001

Emissions In Tons Per Year

9 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	SO2 Area Source Emissions	SO2 Point Source Emissions
SORT	▾ ▾	▾ ▾	▾ ▾	▾ ▾	▾ ▾
1	IN	Vigo Co	01-Fuel Comb. Elec. Util.	0	52,778
2	IN	Vigo Co	02-Fuel Comb. Industrial	13.5	3,391
3	IN	Vigo Co	03-Fuel Comb. Other	214	812
4	IN	Vigo Co	05-Metals Processing	0	4.50
5	IN	Vigo Co	07-Other Industrial Processes	0	15.6
6	IN	Vigo Co	10-Waste Disposal & Recycling	15.2	8.44
7	IN	Vigo Co	11-Highway Vehicles	138	0
8	IN	Vigo Co	12-Off-Highway	115	0
9	IN	Vigo Co	14-Miscellaneous	0.26	0
Grand Total				496	57,010

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

Comma

Tab

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a

State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.



AirData

You are here: [EPA Home](#) [Air & Radiation](#) [AirData](#) [Reports and Maps](#) [Select Geography](#)
[Select Report/Map](#) [Emissions by Category Report](#) [Criteria](#) [Emissions by Category Report](#)

Emissions by Category Report - Criteria Air Pollutants

Geographic Area: Vigo Co, IN

Pollutant: Nitrogen Oxides

Year: 2001

Emissions In Tons Per Year

9 Rows

See [Disclaimer](#)

Row #	State	County	Tier-1	NOx Area Source Emissions	NOx Point Source Emissions
SORT	<input type="checkbox"/> <input type="checkbox"/>				
1	IN	Vigo Co	01-Fuel Comb. Elec. Util.	0	10,826
2	IN	Vigo Co	02-Fuel Comb. Industrial	334	630
3	IN	Vigo Co	03-Fuel Comb. Other	333	124
4	IN	Vigo Co	05-Metals Processing	0	6.20
5	IN	Vigo Co	06-Petroleum & Related Industries	0	2.55
6	IN	Vigo Co	10-Waste Disposal & Recycling	46.4	3.17
7	IN	Vigo Co	11-Highway Vehicles	3,743	0
8	IN	Vigo Co	12-Off-Highway	1,324	0
9	IN	Vigo Co	14-Miscellaneous	1.09	0
Grand Total				5,782	11,592

Page 1 of 1

Export this report to a text file

Create comma-delimited or tab-delimited values, compatible with PC spreadsheets and databases.

[About exporting](#)

Disclaimer: Information for this report comes from an extract of EPA's National Emission Inventory (NEI) database. Data were extracted in August 2005 from the Final 1999 NEI Version 3. NEI is an emissions database developed by EPA. It is based partially on emission data obtained from State and local agencies, but it is not a database of official State emissions data. Please contact the appropriate State agency to obtain information on a

State's official emission inventory. Please contact EPA to report errors.

Readers are cautioned not to infer a qualitative ranking order of geographic areas based on AirData reports. Air pollution levels measured in the vicinity of a particular monitoring site may not be representative of the prevailing air quality of a county or urban area. Pollutants emitted from a particular source may have little impact on the immediate geographic area, and the amount of pollutants emitted does not indicate whether the source is complying with applicable regulations.

Emissions Report Delaware Cty, IN**2001 Area Source Emissions (Tons Per Year)**

	PM 2.5	% of MSA	SO2	% of MSA	NOX	% of MSA
Delaware Cty	1895	100.0%	410	100.0%	6124	100.0%
Total	1895		410		6124	

THE UNIVERSITY OF CHICAGO
DIVISION OF THE PHYSICAL SCIENCES
DEPARTMENT OF CHEMISTRY
5708 SOUTH CAMPUS DRIVE
CHICAGO, ILLINOIS 60637