



INITIAL REGISTRATION FOR UNDERGROUND STORAGE TANK SYSTEMS

State Form 56548 (R2 / 1-19)
Indiana Department of Environmental Management
Underground Storage Tanks Branch

RETURN COMPLETED FORMS TO:
INDIANA DEPARTMENT OF ENVIRONMENTAL
MANAGEMENT
USTRegistration@idem.in.gov
UST: (317) 234-0343

Agency Interest ID Number:

Owner Entity Number:

The information requested is required by 329 IAC 9. This form should only be used for UST facilities not registered with the IDEM Underground Storage Tank program.

A		FACILITY NAME / LOCATION			
FACILITY NAME		FACILITY ADDRESS (number and street)			
ADDRESS (line 2)		CITY	STATE	ZIP CODE	COUNTY
TELEPHONE NUMBER	PARCEL NUMBER	LATITUDE (37.789707 to 41.759891)		LONGITUDE (-88.027868 to -84.804754)	
B		CONTACT AT UST FACILITY			
PREFIX	FIRST NAME	MI	LAST NAME		SUFFIX
TELEPHONE NUMBER	JOB TITLE		E-MAIL ADDRESS		
C		TYPE OF FACILITY (Check all that apply.)			
<input type="checkbox"/>	Auto Dealership	<input type="checkbox"/>	Commercial	<input type="checkbox"/>	Airport Hydrant System
<input type="checkbox"/>	Hospital	<input type="checkbox"/>	Gas Station	<input type="checkbox"/>	Industrial
<input type="checkbox"/>	Petroleum Distributor	<input type="checkbox"/>	Railroad	<input type="checkbox"/>	Residential
<input type="checkbox"/>	Trucking or Transport	<input type="checkbox"/>	Utilities	<input type="checkbox"/>	Unmanned
<input type="checkbox"/>	Marina	<input type="checkbox"/>	School	<input type="checkbox"/>	Other:
D		UST OWNER			
Option 1: UST OWNER NAME (Business Name as registered with the Secretary of State)			BUSINESS ID (From the Secretary of State)		
Option 2: UST OWNER NAME (If a Public Agency or other entity)					
Option 3: UST OWNER NAME (If in Individual Capacity)					
PREFIX	FIRST NAME	MI	LAST NAME		SUFFIX
PRINCIPAL OFFICE ADDRESS or PRIMARY RESIDENTIAL ADDRESS (Number and Street, no P.O. Box)			ADDRESS (line 2)		
CITY		STATE	ZIP CODE	EFFECTIVE DATE OF OWNERSHIP (MM/DD/YYYY)	
TELEPHONE NUMBER		E-MAIL ADDRESS			
E		TYPE OF OWNER			
<input type="checkbox"/>	Federal Government	<input type="checkbox"/>	State Government	<input type="checkbox"/>	City / Local Government
<input type="checkbox"/>	Commercial	<input type="checkbox"/>	Private	<input type="checkbox"/>	Other:

F	UST OPERATOR			
Option 1: UST OPERATOR NAME <i>(Business Name as registered with the Secretary of State)</i>			BUSINESS ID <i>(From the Secretary of State)</i>	
Option 2: UST OPERATOR NAME <i>(If a Public Agency or other entity)</i>				
Option 3: UST OPERATOR NAME <i>(If in Individual Capacity)</i>				
PREFIX	FIRST NAME	MI	LAST NAME	SUFFIX
PRINCIPAL OFFICE ADDRESS or PRIMARY RESIDENTIAL ADDRESS <i>(Number and Street, no P.O. Box)</i>			ADDRESS <i>(line 2)</i>	
CITY	STATE	ZIP CODE	DATE BEGAN OPERATING <i>(MM/DD/YYYY)</i>	
TELEPHONE NUMBER		E-MAIL ADDRESS		
G	PROPERTY OWNER			
Option 1: PROPERTY OWNER NAME <i>(Business Name as registered with the Secretary of State)</i>			BUSINESS ID <i>(From the Secretary of State)</i>	
Option 2: PROPERTY OWNER NAME <i>(If a Public Agency or other entity)</i>				
Option 3: PROPERTY OWNER NAME <i>(If in Individual Capacity)</i>				
PREFIX	FIRST NAME	MI	LAST NAME	SUFFIX
PRINCIPAL OFFICE ADDRESS or PRIMARY RESIDENTIAL ADDRESS <i>(Number and Street, no P.O. Box)</i>			ADDRESS <i>(line 2)</i>	
CITY	STATE	ZIP CODE	EFFECTIVE DATE OF OWNERSHIP <i>(MM/DD/YYYY)</i>	
TELEPHONE NUMBER		E-MAIL ADDRESS		
H	CONTRACTOR			
CONTRACTOR/CONSULTANT NAME <i>(Business Name)</i>		CONTRACTOR ADDRESS <i>(Number and Street)</i>		
CONTRACTOR ADDRESS <i>(line 2)</i>		CONTRACTOR CITY	CONTRACTOR STATE	CONTRACTOR ZIP CODE
CONTRACTOR TELEPHONE NUMBER		CONTRACTOR E-MAIL ADDRESS		
OATH: I swear or affirm, under penalty of perjury as specified by IC 35-44.1-2-1 and other penalties specified by IC 13-30-10 and IC 13-23-14-2, that work performed on the tank system complies with methods specified in 329 IAC 9 and 40 CFR 280, Subpart C.				
CERTIFIED INDIVIDUAL NAME <i>(Print or Type)</i>				
PREFIX	FIRST NAME	MI	LAST NAME	SUFFIX
SIGNATURE		INDIANA DEPARTMENT OF HOMELAND SECURITY/DIVISION OF FIRE AND BUILDING SAFETY CERTIFICATION NUMBER		DATE <i>(MM/DD/YYYY)</i>
I	UST OWNER CERTIFICATION			
I swear or affirm, under penalty of perjury as specified by IC 35-44.1-2-1 and other penalties specified by IC 13-30-10 and IC 13-23-14-2, that the statements and representations in this document are true, accurate, and complete. I further certify compliance with the following requirements in accordance with 329 IAC 9-2-2(e): (1) Installation of all tanks and piping under 40 CFR 280.20. (2) Cathodic protection of steel tanks and piping under 40 CFR 280.20. (3) Release detection under 40 CFR 280 Subpart D. (4) Financial responsibility under 329 IAC 9-8.				
OWNER'S AUTHORIZED REPRESENTATIVE <i>(Print or Type)</i>				
PREFIX	FIRST NAME	MI	LAST NAME	SUFFIX
TITLE OF OWNER'S AUTHORIZED REPRESENTATIVE		COMPANY NAME <i>(If Individual Leave Blank)</i>		
SIGNATURE				DATE <i>(MM/DD/YYYY)</i>

J	UST OPERATOR CERTIFICATION			
<p>I swear or affirm, under penalty of perjury as specified by IC 35-44.1-2-1 and other penalties specified by IC 13-30-10 and IC 13-23-14-2, that the statements and representations in this document are true, accurate, and complete. I further certify compliance with the following requirements in accordance with 329 IAC 9-2-2(e):</p> <p>(1) Installation of all tanks and piping under 40 CFR 280.20.</p> <p>(2) Cathodic protection of steel tanks and piping under 40 CFR 280.20.</p> <p>(3) Release detection under 40 CFR 280 Subpart D.</p> <p>(4) Financial responsibility under 329 IAC 9-8.</p>				
OPERATOR'S AUTHORIZED REPRESENTATIVE (<i>Print or Type</i>)				
Prefix	First Name	MI	Last Name	Suffix
TITLE OF OPERATOR'S AUTHORIZED REPRESENTATIVE		COMPANY NAME (<i>If Individual Leave Blank</i>)		
SIGNATURE				DATE (MM/DD/YYYY)
K	POTENTIALLY INTERESTED PARTIES			
INTERESTED PARTY NAME		E-MAIL ADDRESS		
INTERESTED PARTY NAME		E-MAIL ADDRESS		
INTERESTED PARTY NAME		E-MAIL ADDRESS		
L	FINANCIAL RESPONSIBILITY			
	Federal/State Government Entity, which does not fall under financial responsibility requirements			
	I have met the financial responsibility requirements (in accordance with 329 IAC 9-8) by using one or a combination of the following mechanisms: (<i>Check all that apply.</i>) If you are using the ELTF it must be checked.			
	Financial Test of Self Insurance		Guarantee	
	Insurance and Risk Retention Group Coverage		Surety Bond	
	Letter of Credit		Excess Liability Trust Fund (State Fund)	
	Trust Fund		Standby Trust Fund	

M**FACILITY SITE MAP**

In the space below, sketch the facility (tanks, piping, tank manway locations, vents, pump islands, buildings, etc.). Include tank sizes and type of product stored. Label streets or other landmarks. Show North if direction known.

N	ATTRIBUTES OF UNDERGROUND STORAGE TANK									
Complete a separate 'Section N' portion of the form for each UST.										
UST Number (<i>IDEM Only</i>)				Tank Manufacturer and Model						
Owner UST ID										
Fill Port Latitude						Fill Port Longitude				
Status of UST										
Compartment Number		C-1		C-2		C-3		C-4		
Date of Installation (<i>mm/dd/yyyy</i>)										
Date Brought into Use (<i>mm/dd/yyyy</i>)										
UST Construction Material (Check all that apply.)										
Steel				Fiberglass				Steel Clad (Fiberglass Jacket)		
Double-walled				Other:				Product stored in tank is compatible		
Release Detection										
		Tank	Manufacturer and Model			Pipe	Manufacturer and Model			
Automatic Tank Gauging										
Interstitial Monitoring (<i>required for new or replaced tanks or piping</i>)										
Statistical Inventory Reconciliation										
Tightness Testing										
Groundwater Monitoring										
Automatic Line Leak Detector										
Manual Tank Gauging										
Inventory Control										
Other:										
UST Corrosion Protection										
	Interior Lining	Compartment 1		Compartment 2		Compartment 3		Compartment 4		
		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		
	Sacrificial Anodes (Galvanic)				Date of Installation (<i>mm/dd/yyyy</i>)					
	Impressed Current				Date of Installation (<i>mm/dd/yyyy</i>)					
	Other:				Date of Installation (<i>mm/dd/yyyy</i>)					
Containment Sumps										
	Under Dispenser Containment Sumps				Manufacturer and Model					
	Submersible Turbine Pump (STP) Sumps				Manufacturer and Model					
	Other:				Manufacturer and Model					
Number of Sumps for this Tank:										

CERTIFICATION OF INSTALLATION *(Complete for UST Systems Installed after December 22, 1988 and for Airport Hydrant Distribution Systems and Field-Constructed USTs Installed After October 13, 2015.)*

Installation Inspected by a Registered Engineer.	Registration ID	Registration Date (mm/dd/yyyy)
Manufacturer's Installation Checklists Have Been Completed and Included.	Installer Certified by Tank and Piping Manufacturer.	
Work Inspected by Indiana Department of Homeland Security / Division of Fire and Building Safety.	Inspection Date (mm/dd/yyyy)	

Substance Currently Stored in UST

If tanks are NOT compartmented, complete C-1 only. If the tanks are compartmented, list compartment sizes and substances stored (C-1, C-2, C-3, C-4).

GSL - Gasoline	DSL - Diesel	DSB - Diesel Containing >20% Biodiesel	VGL - Virgin Oil	UOL - Used Oil	KER - Kerosene
E85 - E85 Gasoline Blend	E15 - E15 Gasoline Blend	RCF - Racing Fuel (lead)	AVG - AV Gas (lead)	MXT - Mixture of Substances (<i>List Substances</i>)	OTH - Other (<i>specify</i>)
HZS - Hazardous Substance (<i>Put CAS Number and CERCLA Name.</i>)					

Compartment Number	C-1	C-2	C-3	C-4
Substance				
Other Substance (<i>specify</i>)				
Capacity (<i>in gallons</i>)				
Max Ethanol %				
Max Biodiesel %				

Spill and Overfill Protection

Compartment Number	C-1	C-2	C-3	C-4
Catchment Basins (<i>Manufacturer and Model</i>)				
Auto Shutoff (fill pipe) (<i>Type, Manufacturer, and Model</i>)				
Overfill Alarm (exterior) (<i>Manufacturer and Model</i>)				
Flow Restrictor (<i>Type, Manufacturer, and Model</i>)				
Other (<i>Type, Manufacturer and Model</i>)				

Piping				
Compartment Number	C-1	C-2	C-3	C-4
Piping Installation Dates (mm/dd/yyyy)				
Piping Manufacturer and Model				
Flexible Connector Manufacturer and Model				
Pipe Sealant/Adhesive Manufacturer and Model				
Submersible Turbine Pump Manufacturer and Model				
Piping Delivery Method				
Compartment Number	C-1	C-2	C-3	C-4
	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized
	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction
	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction
	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A
Piping Construction (Check all that apply.)				
Compartment Number	C-1	C-2	C-3	C-4
Fiberglass Reinforced Plastic				
Flexible Composite / Plastic				
Airport Hydrant Piping				
Copper				
Cathodically Protected (sacrificial anodes)				
Cathodically Protected (impressed current)				
Secondary Containment				
Double-walled				
Manifolded				
Other:				

N	ATTRIBUTES OF UNDERGROUND STORAGE TANK									
Complete a separate 'Section N' portion of the form for each UST.										
UST Number (<i>IDEM Only</i>)				Tank Manufacturer and Model						
Owner UST ID										
Fill Port Latitude						Fill Port Longitude				
Status of UST										
Compartment Number		C-1		C-2		C-3		C-4		
Date of Installation (<i>mm/dd/yyyy</i>)										
Date Brought into Use (<i>mm/dd/yyyy</i>)										
UST Construction Material (<i>Check all that apply.</i>)										
Steel				Fiberglass				Steel Clad (Fiberglass Jacket)		
Double-walled				Other:				Product stored in tank is compatible		
Release Detection										
		Tank	Manufacturer and Model			Pipe	Manufacturer and Model			
Automatic Tank Gauging										
Interstitial Monitoring (<i>required for new or replaced tanks or piping</i>)										
Statistical Inventory Reconciliation										
Tightness Testing										
Groundwater Monitoring										
Automatic Line Leak Detector										
Manual Tank Gauging										
Inventory Control										
Other:										
UST Corrosion Protection										
	Interior Lining	Compartment 1		Compartment 2		Compartment 3		Compartment 4		
		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		
	Sacrificial Anodes (Galvanic)				Date of Installation (<i>mm/dd/yyyy</i>)					
	Impressed Current				Date of Installation (<i>mm/dd/yyyy</i>)					
	Other:				Date of Installation (<i>mm/dd/yyyy</i>)					
Containment Sumps										
	Under Dispenser Containment Sumps				Manufacturer and Model					
	Submersible Turbine Pump (STP) Sumps				Manufacturer and Model					
	Other:				Manufacturer and Model					
Number of Sumps for this Tank:										

CERTIFICATION OF INSTALLATION *(Complete for UST Systems Installed after December 22, 1988 and for Airport Hydrant Distribution Systems and Field-Constructed USTs Installed After October 13, 2015.)*

Installation Inspected by a Registered Engineer.	Registration ID	Registration Date (mm/dd/yyyy)
Manufacturer's Installation Checklists Have Been Completed and Included.	Installer Certified by Tank and Piping Manufacturer.	
Work Inspected by Indiana Department of Homeland Security / Division of Fire and Building Safety.	Inspection Date (mm/dd/yyyy)	

Substance Currently Stored in UST

If tanks are NOT compartmented, complete C-1 only. If the tanks are compartmented, list compartment sizes and substances stored (C-1, C-2, C-3, C-4).

GSL - Gasoline	DSL - Diesel	DSB - Diesel Containing >20% Biodiesel	VGL - Virgin Oil	UOL - Used Oil	KER - Kerosene
E85 - E85 Gasoline Blend	E15 - E15 Gasoline Blend	RCF - Racing Fuel (lead)	AVG - AV Gas (lead)	MXT - Mixture of Substances (List Substances)	OTH - Other (specify)
HZS - Hazardous Substance (Put CAS Number and CERCLA Name.)					

Compartment Number	C-1	C-2	C-3	C-4
Substance				
Other Substance (specify)				
Capacity (in gallons)				
Max Ethanol %				
Max Biodiesel %				

Spill and Overfill Protection

Compartment Number	C-1	C-2	C-3	C-4
Catchment Basins (Manufacturer and Model)				
Auto Shutoff (fill pipe) (Type, Manufacturer, and Model)				
Overfill Alarm (exterior) (Manufacturer and Model)				
Flow Restrictor (Type, Manufacturer, and Model)				
Other (Type, Manufacturer and Model)				

Piping				
Compartment Number	C-1	C-2	C-3	C-4
Piping Installation Dates (mm/dd/yyyy)				
Piping Manufacturer and Model				
Flexible Connector Manufacturer and Model				
Pipe Sealant/Adhesive Manufacturer and Model				
Submersible Turbine Pump Manufacturer and Model				
Piping Delivery Method				
Compartment Number	C-1	C-2	C-3	C-4
	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized
	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction
	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction
	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A
Piping Construction (Check all that apply.)				
Compartment Number	C-1	C-2	C-3	C-4
Fiberglass Reinforced Plastic				
Flexible Composite / Plastic				
Airport Hydrant Piping				
Copper				
Cathodically Protected (sacrificial anodes)				
Cathodically Protected (impressed current)				
Secondary Containment				
Double-walled				
Manifolded				
Other:				

N	ATTRIBUTES OF UNDERGROUND STORAGE TANK									
Complete a separate 'Section N' portion of the form for each UST.										
UST Number (<i>IDEM Only</i>)				Tank Manufacturer and Model						
Owner UST ID										
Fill Port Latitude						Fill Port Longitude				
Status of UST										
Compartment Number		C-1		C-2		C-3		C-4		
Date of Installation (<i>mm/dd/yyyy</i>)										
Date Brought into Use (<i>mm/dd/yyyy</i>)										
UST Construction Material (<i>Check all that apply.</i>)										
Steel				Fiberglass				Steel Clad (Fiberglass Jacket)		
Double-walled				Other:				Product stored in tank is compatible		
Release Detection										
		Tank	Manufacturer and Model			Pipe	Manufacturer and Model			
Automatic Tank Gauging										
Interstitial Monitoring (<i>required for new or replaced tanks or piping</i>)										
Statistical Inventory Reconciliation										
Tightness Testing										
Groundwater Monitoring										
Automatic Line Leak Detector										
Manual Tank Gauging										
Inventory Control										
Other:										
UST Corrosion Protection										
	Interior Lining	Compartment 1		Compartment 2		Compartment 3		Compartment 4		
		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		
	Sacrificial Anodes (Galvanic)				Date of Installation (<i>mm/dd/yyyy</i>)					
	Impressed Current				Date of Installation (<i>mm/dd/yyyy</i>)					
	Other:				Date of Installation (<i>mm/dd/yyyy</i>)					
Containment Sumps										
	Under Dispenser Containment Sumps				Manufacturer and Model					
	Submersible Turbine Pump (STP) Sumps				Manufacturer and Model					
	Other:				Manufacturer and Model					
Number of Sumps for this Tank:										

CERTIFICATION OF INSTALLATION *(Complete for UST Systems Installed after December 22, 1988 and for Airport Hydrant Distribution Systems and Field-Constructed USTs Installed After October 13, 2015.)*

Installation Inspected by a Registered Engineer.	Registration ID	Registration Date (mm/dd/yyyy)
Manufacturer's Installation Checklists Have Been Completed and Included.	Installer Certified by Tank and Piping Manufacturer.	
Work Inspected by Indiana Department of Homeland Security / Division of Fire and Building Safety.	Inspection Date (mm/dd/yyyy)	

Substance Currently Stored in UST

If tanks are NOT compartmented, complete C-1 only. If the tanks are compartmented, list compartment sizes and substances stored (C-1, C-2, C-3, C-4).

GSL - Gasoline	DSL - Diesel	DSB - Diesel Containing >20% Biodiesel	VGL - Virgin Oil	UOL - Used Oil	KER - Kerosene
E85 - E85 Gasoline Blend	E15 - E15 Gasoline Blend	RCF - Racing Fuel (lead)	AVG - AV Gas (lead)	MXT - Mixture of Substances (<i>List Substances</i>)	OTH - Other (<i>specify</i>)
HZS - Hazardous Substance (<i>Put CAS Number and CERCLA Name.</i>)					

Compartment Number	C-1	C-2	C-3	C-4
Substance				
Other Substance (<i>specify</i>)				
Capacity (<i>in gallons</i>)				
Max Ethanol %				
Max Biodiesel %				

Spill and Overfill Protection

Compartment Number	C-1	C-2	C-3	C-4
Catchment Basins (<i>Manufacturer and Model</i>)				
Auto Shutoff (fill pipe) (<i>Type, Manufacturer, and Model</i>)				
Overfill Alarm (exterior) (<i>Manufacturer and Model</i>)				
Flow Restrictor (<i>Type, Manufacturer, and Model</i>)				
Other (<i>Type, Manufacturer and Model</i>)				

Piping				
Compartment Number	C-1	C-2	C-3	C-4
Piping Installation Dates (mm/dd/yyyy)				
Piping Manufacturer and Model				
Flexible Connector Manufacturer and Model				
Pipe Sealant/Adhesive Manufacturer and Model				
Submersible Turbine Pump Manufacturer and Model				
Piping Delivery Method				
Compartment Number	C-1	C-2	C-3	C-4
	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized
	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction
	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction
	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A
Piping Construction (Check all that apply.)				
Compartment Number	C-1	C-2	C-3	C-4
Fiberglass Reinforced Plastic				
Flexible Composite / Plastic				
Airport Hydrant Piping				
Copper				
Cathodically Protected (sacrificial anodes)				
Cathodically Protected (impressed current)				
Secondary Containment				
Double-walled				
Manifolded				
Other:				

N	ATTRIBUTES OF UNDERGROUND STORAGE TANK									
Complete a separate 'Section N' portion of the form for each UST.										
UST Number (<i>IDEM Only</i>)				Tank Manufacturer and Model						
Owner UST ID										
Fill Port Latitude						Fill Port Longitude				
Status of UST										
Compartment Number		C-1		C-2		C-3		C-4		
Date of Installation (<i>mm/dd/yyyy</i>)										
Date Brought into Use (<i>mm/dd/yyyy</i>)										
UST Construction Material (<i>Check all that apply.</i>)										
Steel				Fiberglass				Steel Clad (Fiberglass Jacket)		
Double-walled				Other:				Product stored in tank is compatible		
Release Detection										
		Tank	Manufacturer and Model			Pipe	Manufacturer and Model			
Automatic Tank Gauging										
Interstitial Monitoring (<i>required for new or replaced tanks or piping</i>)										
Statistical Inventory Reconciliation										
Tightness Testing										
Groundwater Monitoring										
Automatic Line Leak Detector										
Manual Tank Gauging										
Inventory Control										
Other:										
UST Corrosion Protection										
	Interior Lining	Compartment 1		Compartment 2		Compartment 3		Compartment 4		
		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		
	Sacrificial Anodes (Galvanic)				Date of Installation (<i>mm/dd/yyyy</i>)					
	Impressed Current				Date of Installation (<i>mm/dd/yyyy</i>)					
	Other:				Date of Installation (<i>mm/dd/yyyy</i>)					
Containment Sumps										
	Under Dispenser Containment Sumps				Manufacturer and Model					
	Submersible Turbine Pump (STP) Sumps				Manufacturer and Model					
	Other:				Manufacturer and Model					
Number of Sumps for this Tank:										

CERTIFICATION OF INSTALLATION *(Complete for UST Systems Installed after December 22, 1988 and for Airport Hydrant Distribution Systems and Field-Constructed USTs Installed After October 13, 2015.)*

Installation Inspected by a Registered Engineer.	Registration ID	Registration Date (mm/dd/yyyy)
Manufacturer's Installation Checklists Have Been Completed and Included.	Installer Certified by Tank and Piping Manufacturer.	
Work Inspected by Indiana Department of Homeland Security / Division of Fire and Building Safety.	Inspection Date (mm/dd/yyyy)	

Substance Currently Stored in UST

If tanks are NOT compartmented, complete C-1 only. If the tanks are compartmented, list compartment sizes and substances stored (C-1, C-2, C-3, C-4).

GSL - Gasoline	DSL - Diesel	DSB - Diesel Containing >20% Biodiesel	VGL - Virgin Oil	UOL - Used Oil	KER - Kerosene
E85 - E85 Gasoline Blend	E15 - E15 Gasoline Blend	RCF - Racing Fuel (leaded)	AVG - AV Gas (leaded)	MXT - Mixture of Substances (<i>List Substances</i>)	OTH - Other (<i>specify</i>)
HZS - Hazardous Substance (<i>Put CAS Number and CERCLA Name.</i>)					

Compartment Number	C-1	C-2	C-3	C-4
Substance				
Other Substance (<i>specify</i>)				
Capacity (<i>in gallons</i>)				
Max Ethanol %				
Max Biodiesel %				

Spill and Overfill Protection

Compartment Number	C-1	C-2	C-3	C-4
Catchment Basins (<i>Manufacturer and Model</i>)				
Auto Shutoff (fill pipe) (<i>Type, Manufacturer, and Model</i>)				
Overfill Alarm (exterior) (<i>Manufacturer and Model</i>)				
Flow Restrictor (<i>Type, Manufacturer, and Model</i>)				
Other (<i>Type, Manufacturer and Model</i>)				

Piping				
Compartment Number	C-1	C-2	C-3	C-4
Piping Installation Dates (mm/dd/yyyy)				
Piping Manufacturer and Model				
Flexible Connector Manufacturer and Model				
Pipe Sealant/Adhesive Manufacturer and Model				
Submersible Turbine Pump Manufacturer and Model				
Piping Delivery Method				
Compartment Number	C-1	C-2	C-3	C-4
	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized
	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction
	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction
	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A
Piping Construction (Check all that apply.)				
Compartment Number	C-1	C-2	C-3	C-4
Fiberglass Reinforced Plastic				
Flexible Composite / Plastic				
Airport Hydrant Piping				
Copper				
Cathodically Protected (sacrificial anodes)				
Cathodically Protected (impressed current)				
Secondary Containment				
Double-walled				
Manifolded				
Other:				

N	ATTRIBUTES OF UNDERGROUND STORAGE TANK									
Complete a separate 'Section N' portion of the form for each UST.										
UST Number (<i>IDEM Only</i>)				Tank Manufacturer and Model						
Owner UST ID										
Fill Port Latitude						Fill Port Longitude				
Status of UST										
Compartment Number		C-1		C-2		C-3		C-4		
Date of Installation (<i>mm/dd/yyyy</i>)										
Date Brought into Use (<i>mm/dd/yyyy</i>)										
UST Construction Material (<i>Check all that apply.</i>)										
Steel				Fiberglass				Steel Clad (Fiberglass Jacket)		
Double-walled				Other:				Product stored in tank is compatible		
Release Detection										
		Tank	Manufacturer and Model			Pipe	Manufacturer and Model			
Automatic Tank Gauging										
Interstitial Monitoring (<i>required for new or replaced tanks or piping</i>)										
Statistical Inventory Reconciliation										
Tightness Testing										
Groundwater Monitoring										
Automatic Line Leak Detector										
Manual Tank Gauging										
Inventory Control										
Other:										
UST Corrosion Protection										
	Interior Lining	Compartment 1		Compartment 2		Compartment 3		Compartment 4		
		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		
	Sacrificial Anodes (Galvanic)				Date of Installation (<i>mm/dd/yyyy</i>)					
	Impressed Current				Date of Installation (<i>mm/dd/yyyy</i>)					
	Other:				Date of Installation (<i>mm/dd/yyyy</i>)					
Containment Sumps										
	Under Dispenser Containment Sumps				Manufacturer and Model					
	Submersible Turbine Pump (STP) Sumps				Manufacturer and Model					
	Other:				Manufacturer and Model					
Number of Sumps for this Tank:										

CERTIFICATION OF INSTALLATION *(Complete for UST Systems Installed after December 22, 1988 and for Airport Hydrant Distribution Systems and Field-Constructed USTs Installed After October 13, 2015.)*

Installation Inspected by a Registered Engineer.	Registration ID	Registration Date (mm/dd/yyyy)
Manufacturer's Installation Checklists Have Been Completed and Included.	Installer Certified by Tank and Piping Manufacturer.	
Work Inspected by Indiana Department of Homeland Security / Division of Fire and Building Safety.	Inspection Date (mm/dd/yyyy)	

Substance Currently Stored in UST

If tanks are NOT compartmented, complete C-1 only. If the tanks are compartmented, list compartment sizes and substances stored (C-1, C-2, C-3, C-4).

GSL - Gasoline	DSL - Diesel	DSB - Diesel Containing >20% Biodiesel	VGL - Virgin Oil	UOL - Used Oil	KER - Kerosene
E85 - E85 Gasoline Blend	E15 - E15 Gasoline Blend	RCF - Racing Fuel (lead)	AVG - AV Gas (lead)	MXT - Mixture of Substances (<i>List Substances</i>)	OTH - Other (<i>specify</i>)
HZS - Hazardous Substance (<i>Put CAS Number and CERCLA Name.</i>)					

Compartment Number	C-1	C-2	C-3	C-4
Substance				
Other Substance (<i>specify</i>)				
Capacity (<i>in gallons</i>)				
Max Ethanol %				
Max Biodiesel %				

Spill and Overfill Protection

Compartment Number	C-1	C-2	C-3	C-4
Catchment Basins (<i>Manufacturer and Model</i>)				
Auto Shutoff (fill pipe) (<i>Type, Manufacturer, and Model</i>)				
Overfill Alarm (exterior) (<i>Manufacturer and Model</i>)				
Flow Restrictor (<i>Type, Manufacturer, and Model</i>)				
Other (<i>Type, Manufacturer and Model</i>)				

Piping				
Compartment Number	C-1	C-2	C-3	C-4
Piping Installation Dates (mm/dd/yyyy)				
Piping Manufacturer and Model				
Flexible Connector Manufacturer and Model				
Pipe Sealant/Adhesive Manufacturer and Model				
Submersible Turbine Pump Manufacturer and Model				
Piping Delivery Method				
Compartment Number	C-1	C-2	C-3	C-4
	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized
	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction
	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction
	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A
Piping Construction (Check all that apply.)				
Compartment Number	C-1	C-2	C-3	C-4
Fiberglass Reinforced Plastic				
Flexible Composite / Plastic				
Airport Hydrant Piping				
Copper				
Cathodically Protected (sacrificial anodes)				
Cathodically Protected (impressed current)				
Secondary Containment				
Double-walled				
Manifolded				
Other:				

N	ATTRIBUTES OF UNDERGROUND STORAGE TANK									
Complete a separate 'Section N' portion of the form for each UST.										
UST Number (<i>IDEM Only</i>)				Tank Manufacturer and Model						
Owner UST ID										
Fill Port Latitude						Fill Port Longitude				
Status of UST										
Compartment Number		C-1		C-2		C-3		C-4		
Date of Installation (<i>mm/dd/yyyy</i>)										
Date Brought into Use (<i>mm/dd/yyyy</i>)										
UST Construction Material (<i>Check all that apply.</i>)										
Steel				Fiberglass				Steel Clad (Fiberglass Jacket)		
Double-walled				Other:				Product stored in tank is compatible		
Release Detection										
		Tank	Manufacturer and Model			Pipe	Manufacturer and Model			
Automatic Tank Gauging										
Interstitial Monitoring (<i>required for new or replaced tanks or piping</i>)										
Statistical Inventory Reconciliation										
Tightness Testing										
Groundwater Monitoring										
Automatic Line Leak Detector										
Manual Tank Gauging										
Inventory Control										
Other:										
UST Corrosion Protection										
	Interior Lining	Compartment 1		Compartment 2		Compartment 3		Compartment 4		
		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		Install Date (<i>mm/dd/yyyy</i>)		
	Sacrificial Anodes (Galvanic)				Date of Installation (<i>mm/dd/yyyy</i>)					
	Impressed Current				Date of Installation (<i>mm/dd/yyyy</i>)					
	Other:				Date of Installation (<i>mm/dd/yyyy</i>)					
Containment Sumps										
	Under Dispenser Containment Sumps				Manufacturer and Model					
	Submersible Turbine Pump (STP) Sumps				Manufacturer and Model					
	Other:				Manufacturer and Model					
Number of Sumps for this Tank:										

CERTIFICATION OF INSTALLATION *(Complete for UST Systems Installed after December 22, 1988 and for Airport Hydrant Distribution Systems and Field-Constructed USTs Installed After October 13, 2015.)*

Installation Inspected by a Registered Engineer.	Registration ID	Registration Date (mm/dd/yyyy)
Manufacturer's Installation Checklists Have Been Completed and Included.	Installer Certified by Tank and Piping Manufacturer.	
Work Inspected by Indiana Department of Homeland Security / Division of Fire and Building Safety.	Inspection Date (mm/dd/yyyy)	

Substance Currently Stored in UST

If tanks are NOT compartmented, complete C-1 only. If the tanks are compartmented, list compartment sizes and substances stored (C-1, C-2, C-3, C-4).

GSL - Gasoline	DSL - Diesel	DSB - Diesel Containing >20% Biodiesel	VGL - Virgin Oil	UOL - Used Oil	KER - Kerosene
E85 - E85 Gasoline Blend	E15 - E15 Gasoline Blend	RCF - Racing Fuel (lead)	AVG - AV Gas (lead)	MXT - Mixture of Substances (<i>List Substances</i>)	OTH - Other (<i>specify</i>)
HZS - Hazardous Substance (<i>Put CAS Number and CERCLA Name.</i>)					

Compartment Number	C-1	C-2	C-3	C-4
Substance				
Other Substance (<i>specify</i>)				
Capacity (<i>in gallons</i>)				
Max Ethanol %				
Max Biodiesel %				

Spill and Overfill Protection

Compartment Number	C-1	C-2	C-3	C-4
Catchment Basins (<i>Manufacturer and Model</i>)				
Auto Shutoff (fill pipe) (<i>Type, Manufacturer, and Model</i>)				
Overfill Alarm (exterior) (<i>Manufacturer and Model</i>)				
Flow Restrictor (<i>Type, Manufacturer, and Model</i>)				
Other (<i>Type, Manufacturer and Model</i>)				

Piping				
Compartment Number	C-1	C-2	C-3	C-4
Piping Installation Dates (mm/dd/yyyy)				
Piping Manufacturer and Model				
Flexible Connector Manufacturer and Model				
Pipe Sealant/Adhesive Manufacturer and Model				
Submersible Turbine Pump Manufacturer and Model				
Piping Delivery Method				
Compartment Number	C-1	C-2	C-3	C-4
	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized	<input type="checkbox"/> Pressurized
	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction	<input type="checkbox"/> European Suction
	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction	<input type="checkbox"/> American Suction
	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A
Piping Construction (Check all that apply.)				
Compartment Number	C-1	C-2	C-3	C-4
Fiberglass Reinforced Plastic				
Flexible Composite / Plastic				
Airport Hydrant Piping				
Copper				
Cathodically Protected (sacrificial anodes)				
Cathodically Protected (impressed current)				
Secondary Containment				
Double-walled				
Manifolded				
Other:				