


**LINE ITEM 42
BLACKHAWK
CQB/RIGGERS BELT**



The Blackhawk CQB/Rigger's Belt is MIL-standard certified and built with parachute-grade buckles and adapters for unparalleled strength and support. The heavy duty 1.75" Nylon webbing will completely fill most belt loops and minimize belt movement on the draw when carrying a holster. Additionally, the belt is stiff enough that it will not roll when carrying a heavy load of magazines or other equipment. Solid colors feature a tensile strength of 7000 lbs, multicam belts feature a tensile strength of 5000 lbs.

Sizing Information

- Small: Up to 34"
- Medium: Up to 41"
- Large: 41"-51"

Features

- Parachute grade buckles
- Constructed of 1.75" webbing
- Hook-&-Loop secures running end

Made In United States of America



LINE ITEM 51 - BLACKHAWK CONCEALMENT HOSTER

Featuring our patented SERPA Auto Lock release, the SERPA CQC Concealment Holster delivers a smooth draw, easy re-holster and unparalleled weapon security in a sleek package that is perfect for concealed carry. SERPA Auto Lock release. Passive retention detent adjustment screw. Speed-cut design for rapid draw, target acquisition and re-holster. Includes Belt Loop Platform and Paddle Platform. Fits Shoulder, S.T.R.I.K.E., Quick Disconnect and Tactical Holster Platforms.;Gun Fit-Smith & Wesson 5900 Series ;Gun Fit- Smith & Wesson 4000 Series

**LINE ITEM 56 - DUTY HOLSTER
SAFARILAND 6360**



DETAILS

SAFARILAND ALS/SLS 6360 LEVEL III MID RIDE DUTY HOLSTER

Automatic Locking System secures your weapon in all directions simply by re-holstering. Simply rotate the hood back for level III retention. Hood Guard helps protect the SLS from impact and premature release especially in an attempted takeaway. Unique design locks into the ejection port and is operated by your thumb once the Self Locking System (SLS) is released.

SPECS


- Safarilaminate™ construction
- Unique design locks into the ejection port and is operated by your thumb once the Self Locking System (SLS) is released
- Hood Guard helps protect the SLS from impact and premature release especially in an attempted takeaway
- ALS secures weapon when holstered
- Slim, compact design rides close to body
- Smooth, straight up draw when all releases are activated



Clip on badge holder with chain - Photo is an example of the style, however, please keep in mind the shape will change with the cut.

LINE ITEM 59
ID CREDENTIAL CASE

Removable Flip-Out Badge Case



Removable Flip-out cases have the unique features of displaying your badge either in your breast pocket, on your belt or around your neck.
(Optional chain).

Dress Case

Side opening, double ID with framed windows.

Model	ID Size	Maximum Badge Width
88950	3" x 4 1/2"	2 3/8"

Please specify if you want a divider between the windows or a chain.

**LINE ITEM 60
WALLET - STRONG 88950**



**LINE ITEM 61 - KEY HOLDER
WITH FLAP - 5448**

Key Holder with flap – 5448 - To be custom made with heavy duty, reverse mounted key snap with split ring. This custom made item in process of being manufactured for DOC approval.



DESIGN A BADGE™

Blackinton

NEW SecureShift®
State Seal Program



Now on Design-a-Badge!

Color-shifting micro-flakes embedded into your state seal's rim shift from blue to purple when slightly turned, allowing you to verify badge authenticity instantly!

This economic anti-counterfeiting solution is a perfect way for all departments to secure their communities.


The text separator can only be applied on circle panels.

The separator you chose will appear as they do on the badge below.

Lettering spacing will vary without text separators.

STEP 3 BUILD YOUR BADGE or CHOOSE A DIFFERENT BADGE

QUICK SHIP	No	▼
FINISH	Gold	▼
ENAMEL TYPE	Regular Enamel	▼
STRIKE SOLID	No	▼
LETTERING FONT	Block Black	▼
TOP PANEL	RANK	
MIDDLE TOP PANEL	DEPT. OF	
SEAL STYLE	indiana	▼
	Clear	
MIDDLE BOTTOM PANEL	CORRECTION	
BOTTOM PANEL	NUMBER	
ATTACHMENT	Safety Catch	▼
TEXT SEPARATOR	NONE	▼



Not shown Actual Size -
Style B957: 2 1/2 (H) x 1 13/16 (W)

**LINE ITEM 72 BADGE B957
CUSTOM - BLACKINTON**



DESIGN A BADGE™

Blackinton



Now on Design-a-Badge!
Color-shifting micro-flakes embedded into your state seal's rim shift from blue to purple when slightly turned, allowing you to verify badge authenticity instantly!

This economic anti-counterfeiting solution is a perfect way for all departments to secure their communities.


The text separator can only be applied on circle panels.

The separator you chose will appear as they do on the badge below.

Lettering spacing will vary without text separators.

STEP 3 BUILD YOUR BADGE or CHOOSE A DIFFERENT BADGE

QUICK SHIP	No	▼
FINISH	Rhodium on Gold	▼
ENAMEL TYPE	Hard Enamel	▼
STRIKE SOLID	Yes	▼
LETTERING FONT	Block Black	▼
TOP PANEL		
TOP MIDDLE PANEL	DEPT. OF	
SEAL STYLE	indiana	Clear
BOTTOM MIDDLE PANEL	CORRECTION	
BOTTOM PANEL	NUMBER	
ATTACHMENT	Safety Catch	▼
TEXT SEPARATOR	NONE	▼




Not shown Actual Size -
Style B1674: 2 1/5 (H) x 2 1/8 (W)

**LINE ITEM 73 BADGE B1674
CUSTOM - BLACKINTON**

**DOUBLE STAGGERED
MAG POUCH**

Holds most double-stack pistol
magazines
Size: 6" x 4-1/4" 6422



**LINE ITEM 74
MAG HOLDER - ATLANCO**

LINE ITEM 52 - RIOT HELMET PREMIER CROWN 906 SERIES



Premier Crown 906 Series Riot Helmet

Details

TacElite EPR™ polycarbonate alloy helmet shell.

Expanded polystyrene liner with padded, sweat-wicking inner liner

Permanently mounted neck protector with Kydex® penetration shield and shock absorbent foam pad

Detachable .150" (3.8mm) thick face shield with liquid seal prevents liquids from seeping into officer's eyes

Molded lip on top edge of face shield prevents shield from closing over integral visor and striking the face

Double D-ring fastener provides maximum strength and slip resistance. *Optional NIJ compliant quick release buckle available.*

Snap-on nape pad with Kydex® penetration shield, shock-absorbent foam pads and chemical-resistant black Cordura® cover

Plastic chin cup for added comfort when harness is tightened. *Optional chin pad available.*

Size	English
Universal	6 1/2" - 7 5/8"
XL	7 3/4" - 8 1/8"