

Attachment I

Quantity and Specifications

DJI Avata 2

- **(18)** DJI Avata 2 Fly More Combo
 - (1) DJI Avata 2 Aircraft
 - (1) DJI Goggles 3
 - (1) DJI RC Motion 3
 - (3) DJI Avata 2 Intelligent Flight Battery
 - (1) DJI Avata 2 Two-way Charging Hub
 - (4) DJI Avata 2 Propellers (Pair)
 - (16) DJI Avata 2 Propeller Screw
 - (1) DJI Avata 2 Gimbal Protector
 - (1) DJI Goggles 3-2.0D Corrective Lenses (Pair)
 - (1) USB-C OTG Cable
 - (1) Type-C to Type-C PD Cable
 - (1) DJI RC Motion 3 Lanyard
 - (1) Screwdriver
- **(18)** DJI FPV Remote Controller 3
- **(18)** Hard Case (Avata 2)
 - Closed cell foam precision cut to holder specific items:
 - Avata 2
 - DJI Goggles 3
 - DJI FPV Remote Controller 3
 - DJI RC Motion 3
 - DJI Avata 2 Two-way Charging Hub w/ 3 batteries
 - Additional Accessories
 - Color: Black
 - Waterproof and dust tight design (MIL-C-4150J)
 - Molded-in hinge for added protection
 - Trigger release latch system
 - Snap-down rubber over-molded cushion grip handle
 - Ambient pressure equalization valve (MIL-STD-648C)
 - Resistant to UV, solvents, corrosion, fungus (MIL-STD-810F)
 - Resistant to impact damage (MIL-STD-810F)
 -
- **(18)** DJI Care Refresh 2-Year Plan (Avata 2)

DJI Matrice 30T Quantity, Items & Specifications:

- **(3)** DJI Matrice 30T (NA) SP Plus Care
 - Matrice 30T Aircraft
 - 48 MP 1/2" CMOS sensor zoom camera (5×~16× optical and 200× digital)
 - 12 MP wide-angle camera
 - 8K photos
 - 4K/30 FPS video
 - Laser range finder with precision up to 1,200 meters away
 - 640×512 px radiometric thermal camera
 - IP55 ingress protection
 - Operating temperatures from -4 to 122 Fahrenheit (-20 to -50 Celsius)
 - FPV pilot camera
 - OcuSync 3 Enterprise
 - Support for D-RTK 2 Mobile station
 - Foldable legs
 - 41-minute flight time
 - Dual TB30 batteries (400 cycles, 20% to 90% in 30 minutes)
 - 8.16 lb. take-off weight (3.7 kg)48-megapixel 1/2" CMOS sensor zoom camera
 - DJI RC Plus Smart Controller
 - 1671 Propeller-CW (pair)
 - 1671 Propeller-CCW (pair)
 - USB-C to USB-C Cable
 - Carrying Case
 - BS30 Battery station
- **(18)** Matrice 30 Series TB30 Intelligent Flight Battery
 - Capacity: 5,880 mAh
 - Weight: Approx. 685 g
 - Voltage: 26.1 V
 - Operating Temperature: -20 to 50 °C (-4° to 122° F)
- **(3)** DJI WB37 Battery Charging Hub
 - Charge two WB37 Batteries
 - 65W PD fast charging
- **(3)** DJI RC Plus Strap & Bracket Kit
 - Strap
 - Bracket (including screws)

DJI Mavic 3T Quantity, Items & Specifications:

- **(20) DJI Mavic 3T (NA) SP Plus Care**
 - Mavic 3T Aircraft
 - 20MP Wide, 12MP Tele & Thermal Lenses
 - 640×512 px radiometric thermal camera
 - 56x Hybrid Zoom
 - Up to 9-Mile Range via O3 Transmission
 - Omnidirectional Obstacle Avoidance
 - Auto Obstacle Rerouting with APAS 5.0
 - Automatic Return to Home
 - Up to 45 Minutes of Flight Time
 - Mavic 3 Intelligent Flight Battery
 - microSD Card 64GB
 - Gimbal Protector
 - (3) Mavic 3 Enterprise Series Propellers (Pair)
 - RC Pro Enterprise
 - USB-C Power Adapter (100W)
 - 100W Power Adaptor AC Cable
 - USB-C Cable
 - USB-C to USB-C Cable
 - Protective Hard Case
 - Screwdriver
- **(20) Mavic 3 Enterprise Series RTK Module**
 - Dimensions: 50.2×40.2×66.2 mm (L×W×H)
 - Weight: 24 ± 2 grams
 - Interface: USB-C
 - Rated Power: Approx. 1.2 W
 - RTK Positioning Accuracy: RTK fix: Horizontal: 1 cm + 1 ppm; Vertical: 1.5 cm + 1 ppm
 - System and Frequency Points:
 - GPS: L1C/A L2C/L2P
 - BDS: B1I B2I
 - GLO: G1 G2
 - GAL: E1 E5b
 - QZSS: L1 L2
- **(20) Mavic 3 Enterprise Battery Kit**
 - (2) DJI Mavic 3 Intelligent Flight Battery
 - (1) DJI Mavic 3 100W Battery Charging Hub
 - (1) DJI 65W Car Charger
 - (3) DJI Mavic 3 Low-Noise Propellers (pair)
 - (1) DJI Convertible Carrying Bag