

## **Tables**

Remediation Work Plan - Revision 2  
Former Exide Corporation 303 Water  
Street Logansport, IN 46947

**Table 1**  
**Soil Analytical Results - Metals**

| Project ID                                                                | Sample ID | Lab ID | Collected Date | Units      | Antimony  | Arsenic   | Barium    | Beryllium | Cadmium   | Chromium Total | Copper    | Lead      | Mercury   | Nickel    | Selenium  | Silver    | Thallium - 6020 | Zinc      |
|---------------------------------------------------------------------------|-----------|--------|----------------|------------|-----------|-----------|-----------|-----------|-----------|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|-----------|
|                                                                           |           |        |                | CAS Number | 7440-36-0 | 7440-38-2 | 7440-39-3 | 7440-41-7 | 7440-43-9 | 7440-47-3      | 7440-50-8 | 7439-92-1 | 7439-97-6 | 7440-02-0 | 7782-49-2 | 7440-22-4 | 7440-28-0       | 7440-66-6 |
| RbCG Residential Direct Contact Human Health Level <sup>1</sup>           |           |        |                | mg/kg      | 40        | 10        | 20000     | 200       | 100       | ---            | 4000      | 400       | 3         | 2000      | 500       | 500       | 1               | 30000     |
| RbCG Commercial/Industrial Direct Contact Human Health Level <sup>1</sup> |           |        |                | mg/kg      | 500       | 30        | 100000    | 3000      | 1000      | --             | 50000     | 800       | 3         | 20000     | 6000      | 6000      | 10              | 100000    |
| RbCG Excavation Direct Contact Human Health Level <sup>1</sup>            |           |        |                | mg/kg      | 800       | 900       | 100000    | 4000      | 2000      | ---            | 80000     | 1000      | 3         | 40000     | 10000     | 10000     | 20              | 100000    |
| RCG Soil Migration to GW Screening Level <sup>2</sup>                     |           |        |                | mg/kg      | 5.4       | 5.9       | 1700      | 63        | 7.5       | 1000000        | 920       | 270       | 2.1       | 510       | 5.3       | 16        | 2.9             | 7500      |

**Former Exide Corporation - 2021 Phase II**

|                     |                |             |                  |       |        |      |      |        |        |        |      |      |        |        |        |        |        |        |      |
|---------------------|----------------|-------------|------------------|-------|--------|------|------|--------|--------|--------|------|------|--------|--------|--------|--------|--------|--------|------|
| Former Exide 20-224 | SB-1 0-1'      | 50275469021 | 12/07/2020 09:20 | mg/kg | <0.27  | 18.3 | 133  | 2.5    | 2.1    | 14.6   | 29.2 | 85.4 | 0.12 J | 23.1   | <0.35  | <0.31  | 1.7    | 216    |      |
| Former Exide 20-224 | SB-2 0-1'      | 50275469022 | 12/07/2020 09:40 | mg/kg | <0.21  | 5.2  | 35.2 | <0.014 | 0.45 J | 7.6    | 17.5 | 70.4 | <0.087 | 8.1    | <0.27  | <0.24  | <0.22  | 60.7   |      |
| Former Exide 20-224 | SB-3 0-1'      | 50275469023 | 12/07/2020 10:20 | mg/kg |        | 2.8  | 16.5 | 113    | 0.99   | 0.78   | 14.9 | 60.0 | 1160   | 0.22   | 17.2   | <0.30  | <0.26  | <0.24  | 149  |
| Former Exide 20-224 | SB-4 3-4'      | 50275469024 | 12/07/2020 09:50 | mg/kg | <0.26  | 19.7 | 151  | 0.96   | 0.59 J | 14.7   | 32.5 | 125  | 0.23 J | 19.3   | <0.34  | <0.30  | 0.33 J | 110    |      |
| Former Exide 20-224 | SB-5 0-1'      | 50275469025 | 12/07/2020 10:05 | mg/kg |        | 3.0  | 12.4 | 54.1   | 0.41 J | 0.42 J | 9.4  | 34.4 | 873    | <0.087 | 15.7   | <0.29  | <0.25  | 0.25 J | 87.8 |
| Former Exide 20-224 | SB-6 0-2'      | 50275469026 | 12/07/2020 14:50 | mg/kg |        | 16.4 | 11.0 | 192    | 0.11 J | 0.98   | 6.6  | 22.5 | 6630   | <0.088 | 8.4    | 0.61 J | <0.23  | <0.21  | 108  |
| Former Exide 20-224 | SB-7 0-2'      | 50275469028 | 12/07/2020 14:25 | mg/kg |        | 3.4  | 5.0  | 123    | <0.014 | 0.30 J | 4.4  | 8.9  | 1990   | <0.081 | 5.1    | 0.42 J | <0.24  | <0.45  | 52.3 |
| Former Exide 20-224 | SB-8 0-2'      | 50275469030 | 12/08/2020 09:10 | mg/kg |        | 24.8 | 10.5 | 35.8   | 0.12 J | 1.1    | 29.8 | 85.0 | 1470   | <0.054 | 20.4   | 0.38 J | 0.36 J | <0.21  | 131  |
| Former Exide 20-224 | SB-9 2-4'      | 50275469034 | 12/07/2020 15:20 | mg/kg | <0.21  | 14.1 | 144  | 0.29 J | 3.3    | 8.6    | 286  | 1170 | 1.5    | 11.3   | <0.27  | <0.24  | <0.22  | 6710   |      |
| Former Exide 20-224 | SB-10 2-4'     | 50275469036 | 12/08/2020 09:35 | mg/kg | 0.41 J | 6.0  | 123  | 1.0    | 0.48 J | 12.1   | 30.5 | 57.3 | <0.11  | 15.2   | 0.46 J | <0.30  | 0.52 J | 123    |      |
| Former Exide 20-224 | SB-11 0-2'     | 50275469038 | 12/08/2020 10:35 | mg/kg | 0.28 J | 5.9  | 130  | 0.40 J | 0.43 J | 8.8    | 16.4 | 95.6 | <0.098 | 9.5    | <0.30  | <0.26  | <0.24  | 67.6   |      |
| Former Exide 20-224 | SB-12 0-2'     | 50275469040 | 12/08/2020 10:05 | mg/kg |        | 4.1  | 17.3 | 76.7   | 0.80   | 1.6    | 13.7 | 120  | 1090   | 0.20 J | 17.2   | 0.32 J | <0.25  | <0.23  | 310  |
| Former Exide 20-224 | SB-13 0-2'     | 50275469042 | 12/08/2020 10:55 | mg/kg |        | 13.3 | 16.8 | 50.5   | 0.62 J | 1.0    | 20.7 | 89.6 | 2420   | 0.21 J | 20.9   | 2.1    | 1.2    | <0.32  | 286  |
| Former Exide 20-224 | SB-14 1-2'     | 50275469043 | 12/08/2020 10:40 | mg/kg |        | 2.9  | 11.4 | 53.8   | 0.58   | 0.63   | 12.5 | 56.7 | 573    | 0.19 J | 20.6   | <0.28  | <0.25  | 0.24 J | 139  |
| Former Exide 20-224 | SB-14 1-2' DUP | 50275469044 | 12/08/2020 10:40 | mg/kg |        | 3.5  | 10.8 | 43.6   | 0.61   | 0.50 J | 11.4 | 98.7 | 2140   | <0.085 | 18.5   | <0.29  | <0.25  | 0.37 J | 127  |
| Former Exide 20-224 | SB-15 0-2'     | 50275469045 | 12/07/2020 14:10 | mg/kg |        | 3.2  | 10.1 | 50.7   | 0.76   | 0.55   | 8.7  | 59.0 | 140    | 0.11 J | 12.7   | <0.30  | <0.26  | 0.39 J | 128  |
| Former Exide 20-224 | SB-16 0-2'     | 50275469047 | 12/07/2020 13:20 | mg/kg | <0.19  | 12.9 | 11.8 | <0.013 | 0.18 J | 6.8    | 9.6  | 28.7 | <0.079 | 7.6    | <0.25  | <0.22  | <0.20  | 53.8   |      |
| Former Exide 20-224 | SB-17 0-2'     | 50275469050 | 12/07/2020 11:50 | mg/kg |        | 5.9  | 16.9 | 68.8   | 1.3    | 1.7    | 14.7 | 62.0 | 517    | <0.13  | 20.7   | 1.0 J  | <0.36  | 0.67 J | 390  |
| Former Exide 20-224 | SB-18 0-2'     | 50275469052 | 12/07/2020 12:30 | mg/kg | 0.30 J | 16.7 | 219  | 0.36 J | 0.75   | 11.0   | 26.0 | 91.4 | <0.085 | 23.9   | <0.27  | <0.24  | <0.43  | 110    |      |
| Former Exide 20-224 | SB-19 0-2'     | 50275469054 | 12/07/2020 11:35 | mg/kg |        | 1.5  | 11.2 | 69.5   | 2.3    | 0.50 J | 12.9 | 63.9 | 162    | <0.095 | 18.2   | 0.72 J | <0.26  | 1.1    | 112  |
| Former Exide 20-224 | SB-20 0-2'     | 50275469057 | 12/07/2020 11:15 | mg/kg |        | 1.7  | 13.9 | 48.4   | 1.3    | 1.2    | 11.3 | 93.8 | 162    | 0.10 J | 18.4   | <0.29  | <0.25  | 0.73 J | 680  |
| Former Exide 20-224 | SS-1           | 50275469059 | 12/07/2020 10:00 | mg/kg |        |      |      |        |        |        |      |      | 7360   |        |        |        |        |        |      |
| Former Exide 20-224 | SS-2           | 50275469060 | 12/09/2020 10:30 | mg/kg |        |      |      |        |        |        |      |      | 6070   |        |        |        |        |        |      |
| Former Exide 20-224 | SS-4           | 50275469062 | 12/09/2020 10:34 | mg/kg |        |      |      |        |        |        |      |      | 8570   |        |        |        |        |        |      |
| Former Exide 20-224 | SS-5           | 50275469063 | 12/09/2020 10:36 | mg/kg |        |      |      |        |        |        |      |      | 5620   |        |        |        |        |        |      |
| Former Exide 20-224 | SS-6           | 50275469064 | 12/09/2020 10:40 | mg/kg |        |      |      |        |        |        |      |      | 6200   |        |        |        |        |        |      |
| Former Exide 20-224 | SS-7           | 50275469065 | 12/09/2020 10:42 | mg/kg |        |      |      |        |        |        |      |      | 4510   |        |        |        |        |        |      |
| Former Exide 20-224 | SS-8           | 50275469066 | 12/09/2020 10:44 | mg/kg |        |      |      |        |        |        |      |      | 10300  |        |        |        |        |        |      |
| Former Exide 20-224 | SS-9           | 50275469067 | 12/09/2020 10:46 | mg/kg |        |      |      |        |        |        |      |      | 4840   |        |        |        |        |        |      |

|                                                     |  |  |   |       |      |       |      |       |      |       |        |        |       |      |      |       |      |
|-----------------------------------------------------|--|--|---|-------|------|-------|------|-------|------|-------|--------|--------|-------|------|------|-------|------|
| Field Duplicate RPD (SB-14 1-2' & Dup) <sup>2</sup> |  |  | % | 18.8% | 5.4% | 20.9% | 5.0% | 23.0% | 9.2% | 54.1% | 115.5% | 126.9% | 10.7% | 0.0% | 0.0% | 42.6% | 9.0% |
|-----------------------------------------------------|--|--|---|-------|------|-------|------|-------|------|-------|--------|--------|-------|------|------|-------|------|

## Former Exide Corporation - 2022 Supplemental Phase II

[illegible][illegible]

**Former Exide Corporation - 2022 2nd Supplemental Phase II**

[illegible][illegible]

**Former Exide Corporation - 2022 2nd Supplemental Phase II**

[illegible]

**Former Exide Corporation - 2023 Additional Soil Delineation - Round 1**

|       |                        |             |           |       |  |  |  |  |  |  |  |  |        |  |  |  |  |  |
|-------|------------------------|-------------|-----------|-------|--|--|--|--|--|--|--|--|--------|--|--|--|--|--|
| Exide | HS1 20E 0-1 ft         | 50352753073 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 46,900 |  |  |  |  |  |
| Exide | HS1 20E 1-2 ft         | 50352753074 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 3,520  |  |  |  |  |  |
| Exide | HS1 20S 0-1 ft         | 50352753071 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 2,640  |  |  |  |  |  |
| Exide | HS1 20S 1-2 ft         | 50352753072 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 284    |  |  |  |  |  |
| Exide | HS1 20W 1-2 ft         | 50352753075 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 474    |  |  |  |  |  |
| Exide | SP13 20E 0-6 in        | 50352753022 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 571    |  |  |  |  |  |
| Exide | SP13 20E 12-18 in      | 50352753024 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 554    |  |  |  |  |  |
| Exide | SP13 20E 18-24 in      | 50352753025 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 317    |  |  |  |  |  |
| Exide | SP13 20E 2-3 ft        | 50352753027 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 38.2   |  |  |  |  |  |
| Exide | SP13 20E 6-12 in       | 50352753023 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 358    |  |  |  |  |  |
| Exide | SP13 20N 0-6 in        | 50352753015 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 421    |  |  |  |  |  |
| Exide | SP13 20N 12-18 in      | 50352753017 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 571    |  |  |  |  |  |
| Exide | SP13 20N 18-24 in      | 50352753018 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 7.5    |  |  |  |  |  |
| Exide | SP13 20N 6-12 in       | 50352753016 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 444    |  |  |  |  |  |
| Exide | SP13 20S 0-6 in        | 50352753019 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 587    |  |  |  |  |  |
| Exide | SP13 20S 12-18 in      | 50352753021 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 106    |  |  |  |  |  |
| Exide | SP13 20S 6-12 in       | 50352753020 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 353    |  |  |  |  |  |
| Exide | SP13 20W 0-6 in        | 50352753028 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 1,460  |  |  |  |  |  |
| Exide | SP13 20W 12-18 in      | 50352753030 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 342    |  |  |  |  |  |
| Exide | SP13 20W 18-24 in      | 50352753031 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 28.1   |  |  |  |  |  |
| Exide | SP13 20W 6-12 in       | 50352753029 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 482    |  |  |  |  |  |
| Exide | SP13 N 40 0-6 in       | 50353055072 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 822    |  |  |  |  |  |
| Exide | SP13 N 40 0-6 in DUP   | 50353055073 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 627    |  |  |  |  |  |
| Exide | SP13 W 40-1 0-6 in     | 50353055078 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 1,150  |  |  |  |  |  |
| Exide | SP13 W 40-1 0-6 in DUP | 50353055079 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 1,160  |  |  |  |  |  |
| Exide | SP13 W 40-2 0-6 in     | 50353055074 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 2,060  |  |  |  |  |  |
| Exide | SP13 W 40-2 0-6 in DUP | 50353055075 | 8/21/2023 | mg/kg |  |  |  |  |  |  |  |  | 1,440  |  |  |  |  |  |

**Table 1**  
**Soil Analytical Results - Metals**

| Project ID                                                                | Sample ID              | Lab ID      | Collected Date | Units      | Antimony  | Arsenic   | Barium    | Beryllium | Cadmium   | Chromium Total | Copper    | Lead      | Mercury   | Nickel    | Selenium  | Silver    | Thallium - 6020 | Zinc      |  |
|---------------------------------------------------------------------------|------------------------|-------------|----------------|------------|-----------|-----------|-----------|-----------|-----------|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|-----------|--|
|                                                                           |                        |             |                | CAS Number | 7440-36-0 | 7440-38-2 | 7440-39-3 | 7440-41-7 | 7440-43-9 | 7440-47-3      | 7440-50-8 | 7439-92-1 | 7439-97-6 | 7440-02-0 | 7782-49-2 | 7440-22-4 | 7440-28-0       | 7440-66-8 |  |
| RbCG Residential Direct Contact Human Health Level <sup>1</sup>           |                        |             |                | mg/kg      | 40        | 10        | 20000     | 200       | 100       | --             | 4000      | 400       | 3         | 2000      | 500       | 500       | 1               | 30000     |  |
| RbCG Commercial/Industrial Direct Contact Human Health Level <sup>1</sup> |                        |             |                | mg/kg      | 500       | 30        | 100000    | 3000      | 1000      | --             | 50000     | 800       | 3         | 20000     | 6000      | 6000      | 10              | 100000    |  |
| RbCG Excavation Direct Contact Human Health Level <sup>1</sup>            |                        |             |                | mg/kg      | 800       | 900       | 100000    | 4000      | 2000      | --             | 80000     | 1000      | 3         | 40000     | 10000     | 10000     | 20              | 100000    |  |
| RCG Soil Migration to GW Screening Level <sup>2</sup>                     |                        |             |                | mg/kg      | 5.4       | 5.9       | 1700      | 63        | 7.5       | 1000000        | 920       | 270       | 2.1       | 510       | 5.3       | 16        | 2.9             | 7500      |  |
| Exide                                                                     | SP13 W 60-1 0-6 in     | 50353055076 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 1,120     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP13 W 60-1 0-6 in DUP | 50353055077 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 1,190     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 20E 0-6 in        | 50352753041 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 151       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 20E 2-3 ft        | 50352753043 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 110       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 20E 6-12 in       | 50352753042 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 162       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 20N 0-6 in        | 50352753032 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 659       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 20N 12-18 in      | 50352753034 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 180       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 20N 3-4 ft        | 50352753035 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 677       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 20N 4-5 ft        | 50352753036 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 48.4      |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 20N 6-12 in       | 50352753033 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 223       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 20S 0-6 in        | 50352753037 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 501       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 20S 12-18 in      | 50352753039 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 171       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 20S 18-24 in      | 50352753040 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 61.8      |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 20S 6-12 in       | 50352753038 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 719       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 20W 0-6 in        | 50352753045 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 1,050     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 20W 12-18 in      | 50352753047 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 97.5      |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 20W 6-12 in       | 50352753046 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 697       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 S 40 0-6 in       | 50353055080 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 640       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 W 40-1 0-6 in     | 50353055084 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 764       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP14 W 40-2 0-6 in     | 50353055082 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 857       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP30 20E 0-6 in        | 50352753008 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 192       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP30 20E 12-18 in      | 50352753010 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 386       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP30 20E 18-24 in      | 50352753011 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 19.1      |           |           |           |           |                 |           |  |
| Exide                                                                     | SP30 20E 6-12 in       | 50352753009 | 8/21/2023      | mg/kg      |           |           |           |           |           |                |           | 626</     |           |           |           |           |                 |           |  |

Table 1  
Soil Analytical Results - Metals

| Project ID                                                                | Sample ID                       | Lab ID      | Collected Date   | Units      | Antimony  | Arsenic   | Barium    | Beryllium | Cadmium   | Chromium Total | Copper    | Lead      | Mercury   | Nickel    | Selenium  | Silver    | Thallium - 6020 | Zinc      |  |
|---------------------------------------------------------------------------|---------------------------------|-------------|------------------|------------|-----------|-----------|-----------|-----------|-----------|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|-----------|--|
|                                                                           |                                 |             |                  | CAS Number | 7440-36-0 | 7440-38-2 | 7440-39-3 | 7440-41-7 | 7440-43-9 | 7440-47-3      | 7440-50-8 | 7439-92-1 | 7439-97-6 | 7440-02-0 | 7782-49-2 | 7440-22-4 | 7440-28-0       | 7440-66-6 |  |
| RbCG Residential Direct Contact Human Health Level <sup>1</sup>           |                                 |             |                  | mg/kg      | 40        | 10        | 20000     | 200       | 100       | ---            | 4000      | 400       | 3         | 2000      | 500       | 500       | 1               | 30000     |  |
| RbCG Commercial/Industrial Direct Contact Human Health Level <sup>1</sup> |                                 |             |                  | mg/kg      | 500       | 30        | 100000    | 3000      | 1000      | ---            | 50000     | 800       | 3         | 20000     | 6000      | 6000      | 10              | 100000    |  |
| RbCG Excavation Direct Contact Human Health Level <sup>1</sup>            |                                 |             |                  | mg/kg      | 800       | 900       | 100000    | 4000      | 2000      | ---            | 80000     | 1000      | 3         | 40000     | 10000     | 10000     | 20              | 100000    |  |
| RCG Soil Migration to GW Screening Level <sup>2</sup>                     |                                 |             |                  | mg/kg      | 5.4       | 5.9       | 1700      | 63        | 7.5       | 1000000        | 920       | 270       | 2.1       | 510       | 5.3       | 16        | 2.9             | 7500      |  |
| Exide                                                                     | SP9 40E 30S 12-18 in            | 50353055031 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 656       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 40E 30S 3-4 ft              | 50353055032 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 39.7      |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 40S 0-6 in                  | 50353055013 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 244       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 40S 6-12 in                 | 50353055014 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 625       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 40W 12-18 in                | 50353055019 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 27.9      |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 40W 18-24 in                | 50353055020 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 652       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 40W 2-3 ft                  | 50353055021 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 1,140     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 40W 30N 12-18 in            | 50353055037 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 88.8      |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 40W 30N 18-24 in            | 50353055038 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 4,930     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 40W 30N 2-3 ft              | 50353055039 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 1,380     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 40W 30N 2-3 ft (reanalysis) | 50353055039 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 2,330     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 40W 30S 2-3 ft              | 50353055035 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 260       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 40W 30S 3-4 ft              | 50353055036 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 3,140     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 40W 30W 18-24 in            | 50353055040 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 2,980     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 40W 30W 2-3 ft              | 50353055041 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 639       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 40W 3-4 ft                  | 50353055022 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 127       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 60 SW 0-6 in                | 50353055049 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 174       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 60 SW 12-18 in              | 50353055060 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 84.2      |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 75 NW 12-18 in              | 50353055062 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 40,500    |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 75 NW 18-24 in              | 50353055053 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 15,500    |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 75 NW 2-3 ft                | 50353055054 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 1,020     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 75 NW 3-4 ft                | 50353055055 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 1,430     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 75 NW 4-5 ft                | 50353055056 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 17.7      |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 75 NW 6-12 in               | 50353055051 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 31,900    |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 75 SE 12-18 in              | 50353055046 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 457       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 75 SE 18-24 in              | 50353055047 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 172       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 75 SE 2-3 ft                | 50353055048 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 49.5      |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 75 SSE 0-6 in               | 50353055042 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 2,090     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 75 SSE 12-18 in             | 50353055044 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 2,850     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 75 SSE 18-24 in             | 50353055045 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 946       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP9 75 SSE 6-12 in              | 50353055043 | 8/22/2023        | mg/kg      |           |           |           |           |           |                |           | 473       |           |           |           |           |                 |           |  |
| Exide                                                                     | SS-101 (0-6')                   | 50353353001 | 9/6/2023         | mg/kg      |           |           |           |           |           |                |           | 4,260     |           |           |           |           |                 |           |  |
| Exide                                                                     | SS-108 (0-6')                   | 50353353002 | 9/6/2023         | mg/kg      |           |           |           |           |           |                |           | 1,800     |           |           |           |           |                 |           |  |
| Exide                                                                     | SS-111 (0-6')                   | 50353353003 | 9/6/2023         | mg/kg      |           |           |           |           |           |                |           | 5,460     |           |           |           |           |                 |           |  |
| Exide                                                                     | SS-112 (0-6')                   | 50353353004 | 9/6/2023         | mg/kg      |           |           |           |           |           |                |           | 3,560     |           |           |           |           |                 |           |  |
| Exide                                                                     | SS-113 (0-6')                   | 50353353005 | 9/6/2023         | mg/kg      |           |           |           |           |           |                |           | 5,700     |           |           |           |           |                 |           |  |
| Exide                                                                     | SS-114 (0-6')                   | 50353353006 | 9/6/2023         | mg/kg      |           |           |           |           |           |                |           | 18,700    |           |           |           |           |                 |           |  |
| Exide                                                                     | SS-116 (0-6')                   | 50353353007 | 9/6/2023         | mg/kg      |           |           |           |           |           |                |           | 5,900     |           |           |           |           |                 |           |  |
| Exide                                                                     | SS-117 (0-6')                   | 50353353008 | 9/6/2023         | mg/kg      |           |           |           |           |           |                |           | 2,300     |           |           |           |           |                 |           |  |
| Exide                                                                     | SS-118 (0-6')                   | 50353353009 | 9/6/2023         | mg/kg      |           |           |           |           |           |                |           | 3,900     |           |           |           |           |                 |           |  |
| Exide                                                                     | SS-121 (0-6')                   | 50353353010 | 9/6/2023         | mg/kg      |           |           |           |           |           |                |           | 3,040     |           |           |           |           |                 |           |  |
| Exide                                                                     | SS-122 (0-6')                   | 50353353011 | 9/6/2023         | mg/kg      |           |           |           |           |           |                |           | 15,900    |           |           |           |           |                 |           |  |
| Exide                                                                     | SS-123 (0-6')                   | 50353353012 | 9/6/2023         | mg/kg      |           |           |           |           |           |                |           | 3,510     |           |           |           |           |                 |           |  |
| Exide                                                                     | SS-124 (0-6')                   | 50353353013 | 9/6/2023         | mg/kg      |           |           |           |           |           |                |           | 3,040     |           |           |           |           |                 |           |  |
| Exide                                                                     | SS-125 (0-6')                   | 50353353014 | 9/6/2023         | mg/kg      |           |           |           |           |           |                |           | 2,880     |           |           |           |           |                 |           |  |
| Exide                                                                     | SS-126 (0-6')                   | 50353353015 | 9/6/2023         | mg/kg      |           |           |           |           |           |                |           | 4,600     |           |           |           |           |                 |           |  |
| Field Duplicate RPD (SP13 N 40 0-6 in & DUP) <sup>2</sup>                 |                                 |             |                  |            |           |           |           |           |           |                |           | 26.9%     |           |           |           |           |                 |           |  |
| Field Duplicate RPD (SP13 W 40-1 0-6 in & DUP) <sup>2</sup>               |                                 |             |                  |            |           |           |           |           |           |                |           | 0.9%      |           |           |           |           |                 |           |  |
| Field Duplicate RPD (SP13 W 40-2 0-6 in & DUP) <sup>2</sup>               |                                 |             |                  |            |           |           |           |           |           |                |           | 35.4%     |           |           |           |           |                 |           |  |
| Field Duplicate RPD (SP13 W 60-1 0-6 in & DUP) <sup>2</sup>               |                                 |             |                  |            |           |           |           |           |           |                |           | 6.1%      |           |           |           |           |                 |           |  |
| Field Duplicate RPD (SP44 20S 6-12 in & DUP) <sup>2</sup>                 |                                 |             |                  |            |           |           |           |           |           |                |           | 79.0%     |           |           |           |           |                 |           |  |
| Field Duplicate RPD (SP44 W 40-1 0-6 in & DUP) <sup>2</sup>               |                                 |             |                  |            |           |           |           |           |           |                |           | 38.4%     |           |           |           |           |                 |           |  |
| Field Duplicate RPD (SP44 W 40-2 0-6 in & DUP) <sup>2</sup>               |                                 |             |                  |            |           |           |           |           |           |                |           | 2.0%      |           |           |           |           |                 |           |  |
| Field Duplicate RPD (SP7 20S 6-12 in & DUP) <sup>2</sup>                  |                                 |             |                  |            |           |           |           |           |           |                |           | 88.6%     |           |           |           |           |                 |           |  |
| Former Exide Corporation - 2023 Additional Soil Delineation - Round 1     |                                 |             |                  |            |           |           |           |           |           |                |           |           |           |           |           |           |                 |           |  |
| Exide                                                                     | SP12R 12-18                     | 50359080011 | 11/01/2023 11:20 | mg/kg      |           |           |           |           |           |                |           | 4,260     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP12R 6-12                      | 50359080010 | 11/01/2023 11:20 | mg/kg      |           |           |           |           |           |                |           | 1,300     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP3R 0-6                        | 50359080017 | 11/02/2023 09:23 | mg/kg      |           |           |           |           |           |                |           | 699       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP3R 12-18                      | 50359080020 | 11/02/2023 09:23 | mg/kg      |           |           |           |           |           |                |           | 234       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP3R 5E 0-6                     | 50359080014 | 11/03/2023 12:36 | mg/kg      |           |           |           |           |           |                |           | 898       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP3R 5E 18-24                   | 50359080016 | 11/03/2023 12:36 | mg/kg      |           |           |           |           |           |                |           | 1,020     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP3R 5E 6-12                    | 50359080015 | 11/03/2023 12:36 | mg/kg      |           |           |           |           |           |                |           | 536       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP3R 5W 18-24                   | 50359080013 | 11/03/2023 12:29 | mg/kg      |           |           |           |           |           |                |           | 267       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP3R 5W 6-12                    | 50359080012 | 11/03/2023 12:29 | mg/kg      |           |           |           |           |           |                |           | 193       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP3R 6-12                       | 50359080019 | 11/02/2023 09:23 | mg/kg      |           |           |           |           |           |                |           | 234       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP3R 6-12 DUP                   | 50359080019 | 11/02/2023 09:23 | mg/kg      |           |           |           |           |           |                |           | 407       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-46 1-2                       | 50359339001 | 11/01/2023 15:40 | mg/kg      |           |           |           |           |           |                |           | 367       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-46 2-3                       | 50359339002 | 11/01/2023 15:40 | mg/kg      |           |           |           |           |           |                |           | 755       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-47 12-18                     | 50359339004 | 11/01/2023 17:03 | mg/kg      |           |           |           |           |           |                |           | 113       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-47 6-12                      | 50359339003 | 11/01/2023 17:03 | mg/kg      |           |           |           |           |           |                |           | 957       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-48 12-18                     | 50359339006 | 11/01/2023 16:48 | mg/kg      |           |           |           |           |           |                |           | 15.7      |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-48 6-12                      | 50359339005 | 11/01/2023 16:48 | mg/kg      |           |           |           |           |           |                |           | 791       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-49 0-6                       | 50359339007 | 11/01/2023 16:38 | mg/kg      |           |           |           |           |           |                |           | 100       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-49 12-18                     | 50359339009 | 11/01/2023 16:38 | mg/kg      |           |           |           |           |           |                |           | 1,310     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-49 12-18 Dup                 | 50359339009 | 11/01/2023 16:38 | mg/kg      |           |           |           |           |           |                |           | 983       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-50 0-6                       | 50359339010 | 11/01/2023 16:24 | mg/kg      |           |           |           |           |           |                |           | 164       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-50 12-18                     | 50359339011 | 11/01/2023 16:24 | mg/kg      |           |           |           |           |           |                |           | 93.2      |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-51 0-6                       | 50359339012 | 11/01/2023 16:14 | mg/kg      |           |           |           |           |           |                |           | 156       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-51 12-18                     | 50359339013 | 11/01/2023 16:14 | mg/kg      |           |           |           |           |           |                |           | 173       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-52 12-18                     | 50359339014 | 11/01/2023 14:47 | mg/kg      |           |           |           |           |           |                |           | 17.5      |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-53 18-24                     | 50359339016 | 11/01/2023 15:04 | mg/kg      |           |           |           |           |           |                |           | 307       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-53 6-12                      | 50359339015 | 11/01/2023 15:04 | mg/kg      |           |           |           |           |           |                |           | 844       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-54 12-18                     | 50359339018 | 11/01/2023 12:32 | mg/kg      |           |           |           |           |           |                |           | 159       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-54 6-12                      | 50359339017 | 11/01/2023 12:32 | mg/kg      |           |           |           |           |           |                |           | 965       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-55 0-6                       | 50359339019 | 11/01/2023 12:45 | mg/kg      |           |           |           |           |           |                |           | 1,800     |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-55 12-18                     | 50359339021 | 11/01/2023 12:45 | mg/kg      |           |           |           |           |           |                |           | 640       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-55 18-24                     | 50359339022 | 11/01/2023 12:45 | mg/kg      |           |           |           |           |           |                |           | 489       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-55 6-12                      | 50359339020 | 11/01/2023 12:45 | mg/kg      |           |           |           |           |           |                |           | 730       |           |           |           |           |                 |           |  |
| Exide                                                                     | SP-56 12-18                     | 50359338003 | 11/01/20         |            |           |           |           |           |           |                |           |           |           |           |           |           |                 |           |  |

Table 1  
Soil Analytical Results - Metals

| Project ID                                                                | Sample ID       | Lab ID      | Collected Date   | Units      | Antimony  | Arsenic   | Barium    | Beryllium | Cadmium   | Chromium Total | Copper    | Lead      | Mercury   | Nickel    | Selenium  | Silver    | Thallium - 6020 | Zinc      |
|---------------------------------------------------------------------------|-----------------|-------------|------------------|------------|-----------|-----------|-----------|-----------|-----------|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|-----------|
|                                                                           |                 |             |                  | CAS Number | 7440-36-0 | 7440-38-2 | 7440-39-3 | 7440-41-7 | 7440-43-9 | 7440-47-3      | 7440-50-8 | 7439-92-1 | 7439-97-6 | 7440-02-0 | 7782-49-2 | 7440-22-4 | 7440-28-0       | 7440-66-6 |
| RbCG Residential Direct Contact Human Health Level <sup>1</sup>           |                 |             |                  | mg/kg      | 40        | 10        | 20000     | 200       | 100       | ---            | 4000      | 400       | 3         | 2000      | 500       | 500       | 1               | 30000     |
| RbCG Commercial/Industrial Direct Contact Human Health Level <sup>1</sup> |                 |             |                  | mg/kg      |           | 30        | 100000    | 3000      | 1000      | ---            | 50000     | 800       | 3         | 20000     | 6000      | 6000      | 10              | 100000    |
| RbCG Excavation Direct Contact Human Health Level <sup>1</sup>            |                 |             |                  | mg/kg      | 800       | 900       | 100000    | 4000      | 2000      | ---            | 80000     | 1000      | 3         | 40000     | 10000     | 10000     | 20              | 100000    |
| RCG Soil Migration to GW Screening Level <sup>2</sup>                     |                 |             |                  | mg/kg      | 5.4       | 5.9       | 1700      | 63        | 7.5       | 1000000        | 920       | 270       | 2.1       | 510       | 5.3       | 16        | 2.9             | 7500      |
| Exide                                                                     | SP-65 18-24     | 50359340002 | 11/01/2023 10:46 | mg/kg      |           |           |           |           |           |                |           | 146       |           |           |           |           |                 |           |
| Exide                                                                     | SP-66 0-6       | 50359340003 | 11/01/2023 17:15 | mg/kg      |           |           |           |           |           |                |           | 851       |           |           |           |           |                 |           |
| Exide                                                                     | SP-66 12-18     | 50359340005 | 11/01/2023 17:15 | mg/kg      |           |           |           |           |           |                |           | 59.3      |           |           |           |           |                 |           |
| Exide                                                                     | SP-66 6-12      | 50359340004 | 11/01/2023 17:15 | mg/kg      |           |           |           |           |           |                |           | 119       |           |           |           |           |                 |           |
| Exide                                                                     | SP-67 12-18     | 50359340006 | 11/03/2023 09:10 | mg/kg      |           |           |           |           |           |                |           | 783       |           |           |           |           |                 |           |
| Exide                                                                     | SP-67 18-24     | 50359340007 | 11/03/2023 09:10 | mg/kg      |           |           |           |           |           |                |           | 151       |           |           |           |           |                 |           |
| Exide                                                                     | SP-68 0-6       | 50359340008 | 11/03/2023 09:28 | mg/kg      |           |           |           |           |           |                |           | 172       |           |           |           |           |                 |           |
| Exide                                                                     | SP-68 6-12      | 50359340009 | 11/03/2023 09:28 | mg/kg      |           |           |           |           |           |                |           | 57.7      |           |           |           |           |                 |           |
| Exide                                                                     | SP-69 0-6       | 50359340010 | 11/03/2023 09:36 | mg/kg      |           |           |           |           |           |                |           | 11,800    |           |           |           |           |                 |           |
| Exide                                                                     | SP-69 12-18     | 50359340011 | 11/03/2023 09:36 | mg/kg      |           |           |           |           |           |                |           | 1,210     |           |           |           |           |                 |           |
| Exide                                                                     | SP6R 12-18      | 50359080003 | 11/02/2023 09:56 | mg/kg      |           |           |           |           |           |                |           | 240       |           |           |           |           |                 |           |
| Exide                                                                     | SP6R 18-24      | 50359080004 | 11/02/2023 09:56 | mg/kg      |           |           |           |           |           |                |           | 170       |           |           |           |           |                 |           |
| Exide                                                                     | SP-70 0-6       | 50359340012 | 11/03/2023 09:45 | mg/kg      |           |           |           |           |           |                |           | 874       |           |           |           |           |                 |           |
| Exide                                                                     | SP-70 12-18     | 50359340015 | 11/03/2023 09:45 | mg/kg      |           |           |           |           |           |                |           | 308       |           |           |           |           |                 |           |
| Exide                                                                     | SP-70 18-24     | 50359340016 | 11/03/2023 09:45 | mg/kg      |           |           |           |           |           |                |           | 103       |           |           |           |           |                 |           |
| Exide                                                                     | SP-70 6-12      | 50359340013 | 11/03/2023 09:45 | mg/kg      |           |           |           |           |           |                |           | 1,540     |           |           |           |           |                 |           |
| Exide                                                                     | SP-70 6-12 Dup  | 50359340013 | 11/03/2023 09:45 | mg/kg      |           |           |           |           |           |                |           | 1,400     |           |           |           |           |                 |           |
| Exide                                                                     | SP-71 0-6       | 50359340017 | 11/03/2023 09:52 | mg/kg      |           |           |           |           |           |                |           | 3,260     |           |           |           |           |                 |           |
| Exide                                                                     | SP-71 18-24     | 50359340019 | 11/03/2023 09:52 | mg/kg      |           |           |           |           |           |                |           | 109       |           |           |           |           |                 |           |
| Exide                                                                     | SP-71 6-12      | 50359340018 | 11/03/2023 09:52 | mg/kg      |           |           |           |           |           |                |           | 760       |           |           |           |           |                 |           |
| Exide                                                                     | SP-72 0-6       | 50359340020 | 11/03/2023 10:09 | mg/kg      |           |           |           |           |           |                |           | 504       |           |           |           |           |                 |           |
| Exide                                                                     | SP-72 6-12      | 50359340021 | 11/03/2023 10:09 | mg/kg      |           |           |           |           |           |                |           | 304       |           |           |           |           |                 |           |
| Exide                                                                     | SP-73 0-6       | 50359340022 | 11/03/2023 10:25 | mg/kg      |           |           |           |           |           |                |           | 437       |           |           |           |           |                 |           |
| Exide                                                                     | SP-73 6-12      | 50359472001 | 11/03/2023 10:25 | mg/kg      |           |           |           |           |           |                |           | 344       |           |           |           |           |                 |           |
| Exide                                                                     | SP-74 0-6       | 50359472002 | 11/03/2023 10:37 | mg/kg      |           |           |           |           |           |                |           | 99.1      |           |           |           |           |                 |           |
| Exide                                                                     | SP-74 12-18     | 50359472004 | 11/03/2023 10:37 | mg/kg      |           |           |           |           |           |                |           | 202       |           |           |           |           |                 |           |
| Exide                                                                     | SP-74 12-18 DUP | 50359472004 | 11/03/2023 10:37 | mg/kg      |           |           |           |           |           |                |           | 205       |           |           |           |           |                 |           |
| Exide                                                                     | SP-75 6-12      | 50359472006 | 11/03/2023 10:50 | mg/kg      |           |           |           |           |           |                |           | 160       |           |           |           |           |                 |           |
| Exide                                                                     | SP-76 0-6       | 50359472005 | 11/03/2023 11:00 | mg/kg      |           |           |           |           |           |                |           | 651       |           |           |           |           |                 |           |
| Exide                                                                     | SP-76 6-12      | 50359472007 | 11/03/2023 11:00 | mg/kg      |           |           |           |           |           |                |           | 249       |           |           |           |           |                 |           |
| Exide                                                                     | SP-77 3-4       | 50359472008 | 11/03/2023 11:25 | mg/kg      |           |           |           |           |           |                |           | 38,400    |           |           |           |           |                 |           |
| Exide                                                                     | SP-77 4-5       | 50359472009 | 11/03/2023 11:25 | mg/kg      |           |           |           |           |           |                |           | 16,300    |           |           |           |           |                 |           |
| Exide                                                                     | SP-77 5-7       | 50359472010 | 11/03/2023 11:25 | mg/kg      |           |           |           |           |           |                |           | 55        |           |           |           |           |                 |           |
| Exide                                                                     | SP-78 2-3       | 50359472011 | 11/03/2023 11:40 | mg/kg      |           |           |           |           |           |                |           | 559       |           |           |           |           |                 |           |
| Exide                                                                     | SP-78 3-4       | 50359472012 | 11/03/2023 11:40 | mg/kg      |           |           |           |           |           |                |           | 1,630     |           |           |           |           |                 |           |
| Exide                                                                     | SP-79 12-18     | 50359472013 | 11/03/2023 12:11 | mg/kg      |           |           |           |           |           |                |           | 380       |           |           |           |           |                 |           |
| Exide                                                                     | SP-79 3-4       | 50359472014 | 11/03/2023 12:11 | mg/kg      |           |           |           |           |           |                |           | 174       |           |           |           |           |                 |           |
| Exide                                                                     | SP7R 12-18      | 50359080006 | 11/02/2023 10:05 | mg/kg      |           |           |           |           |           |                |           | 486       |           |           |           |           |                 |           |
| Exide                                                                     | SP7R 6-12       | 50359080005 | 11/02/2023 10:05 | mg/kg      |           |           |           |           |           |                |           | 523       |           |           |           |           |                 |           |
| Exide                                                                     | SP-80 0-12      | 50359472015 | 11/03/2023 12:45 | mg/kg      |           |           |           |           |           |                |           | 150       |           |           |           |           |                 |           |
| Exide                                                                     | SP-80 12-18     | 50359472016 | 11/03/2023 12:45 | mg/kg      |           |           |           |           |           |                |           | 1,300     |           |           |           |           |                 |           |
| Exide                                                                     | SP-80 9-10      | 50359472017 | 11/03/2023 12:45 | mg/kg      |           |           |           |           |           |                |           | 1,930     |           |           |           |           |                 |           |
| Exide                                                                     | SP-81 3-4       | 50359472018 | 11/03/2023 13:01 | mg/kg      |           |           |           |           |           |                |           | 514       |           |           |           |           |                 |           |
| Exide                                                                     | SP-82 4-5       | 50359472020 | 11/03/2023 14:05 | mg/kg      |           |           |           |           |           |                |           | 423       |           |           |           |           |                 |           |
| Exide                                                                     | SP-82 6-12      | 50359472019 | 11/03/2023 14:05 | mg/kg      |           |           |           |           |           |                |           | 306       |           |           |           |           |                 |           |
| Exide                                                                     | SP-83 2-3       | 50359472021 | 11/03/2023 14:36 | mg/kg      |           |           |           |           |           |                |           | 276       |           |           |           |           |                 |           |
| Exide                                                                     | SP-83 4-5       | 50359472022 | 11/03/2023 14:36 | mg/kg      |           |           |           |           |           |                |           | 259       |           |           |           |           |                 |           |
| Exide                                                                     | SP8R 0-6        | 50359080007 | 11/01/2023 15:56 | mg/kg      |           |           |           |           |           |                |           | 1,220     |           |           |           |           |                 |           |
| Exide                                                                     | SP8R 12-18      | 50359080009 | 11/01/2023 15:56 | mg/kg      |           |           |           |           |           |                |           | 162       |           |           |           |           |                 |           |
| Exide                                                                     | SP8R 6-12       | 50359080008 | 11/01/2023 15:56 | mg/kg      |           |           |           |           |           |                |           | 377       |           |           |           |           |                 |           |
| Field Duplicate RPD (SP3R 6-12 & DUP) <sup>3</sup>                        |                 |             |                  |            |           |           |           |           |           |                |           | 54.0%     |           |           |           |           |                 |           |
| Field Duplicate RPD (SP-49 12-18 & DUP) <sup>2</sup>                      |                 |             |                  |            |           |           |           |           |           |                |           | 28.5%     |           |           |           |           |                 |           |
| Field Duplicate RPD (SP-56 12-18 & DUP) <sup>2</sup>                      |                 |             |                  |            |           |           |           |           |           |                |           | 11.2%     |           |           |           |           |                 |           |
| Field Duplicate RPD (SP-70 6-12 & DUP) <sup>2</sup>                       |                 |             |                  |            |           |           |           |           |           |                |           | 9.5%      |           |           |           |           |                 |           |
| Field Duplicate RPD (SP-74 12-18 & DUP) <sup>2</sup>                      |                 |             |                  |            |           |           |           |           |           |                |           | 1.5%      |           |           |           |           |                 |           |

Notes:  
Samples alyzed using EPA Method 6010, 6020, 7471, or 7199 (Metals)  
**mg/kg** = milligrams per kilogram  
**ppm** - parts per million  
**BDL** - Below Detection Limits  
Blank cells = Not Analyzed  
--- No value given in the Risk-based Closure Guide  
<sup>1</sup> Risk-based Closure Guide (R2), Risk Screening Table, Table 1: Human Health Level Table - 2023  
<sup>2</sup> Remediation Closure Guide, Appendix A, Table A-6: Summary Table - 2022  
<sup>3</sup> RPD = relative percent difference =ABS((X-Y)/((X+Y)/2)) --- if both values are below Reporting Limit, then the RPD is considered 0%

Table 2  
Soil Lead / TCLP Lead Results

| Project ID   | Sample ID          | Collected Date | Lead (mg/kg) | TCLP Lead (mg/L) |
|--------------|--------------------|----------------|--------------|------------------|
| Exide        | SS-114 (0-6')      | 9/6/2023       | 18,700       | 221              |
| Exide        | SS-122 (0-6')      | 9/6/2023       | 15,900       | 88               |
| Exide        | SS-113 (0-6')      | 9/6/2023       | 5,700        | 65.6             |
| Exide        | HS1 20E 0-1 ft     | 8/21/2023      | 46,900       | 63.3             |
| Exide        | SS-116 (0-6')      | 9/6/2023       | 5,900        | 60               |
| Exide        | SS-101 (0-6')      | 9/6/2023       | 4,260        | 43.9             |
| Exide        | SP44 20W 0-6 in    | 8/21/2023      | 4,850        | 40.7             |
| Exide        | SS-123 (0-6')      | 9/6/2023       | 3,510        | 29.8             |
| Exide        | SS-111 (0-6')      | 9/6/2023       | 5,460        | 28.2             |
| Exide        | SS-118 (0-6')      | 9/6/2023       | 3,900        | 27.7             |
| Exide        | SP9 75 NW 12-18 in | 8/22/2023      | 40,500       | 23               |
| Exide        | SS-126 (0-6')      | 9/6/2023       | 4,600        | 23               |
| Exide        | SP9 20W 18-24 in   | 8/22/2023      | 7,430        | 22.7             |
| Exide        | SS-108 (0-6')      | 9/6/2023       | 1,800        | 21.1             |
| Exide        | SS-112 (0-6')      | 9/6/2023       | 3,560        | 20.8             |
| Exide        | SS-121 (0-6')      | 9/6/2023       | 3,040        | 19.2             |
| Exide        | SS-125 (0-6')      | 9/6/2023       | 2,880        | 18               |
| Exide        | SS-124 (0-6')      | 9/6/2023       | 3,040        | 17.2             |
| Exide 22-238 | SB-5 (0-0.5')      | 11/23/2022     | 2240         | 15.1             |
| Exide        | SS-117 (0-6')      | 9/6/2023       | 2,300        | 14.6             |
| Exide        | SP-57 0-6          | 11/1/2023      | 1,880        | 14.0             |
| Exide        | SP9 75 NW 18-24 in | 8/22/2023      | 15,500       | 12               |
| Exide        | SP9 40W 30N 2-3 ft | 8/22/2023      | 1,380        | 11               |
| Exide        | SP5R 0-6           | 11/2/2023      | 3,000        | 9.2              |
| Exide        | SP44 W 40-1 0-6 in | 8/21/2023      | 1,490        | 2.7              |
| Exide        | SP-70 6-12 Dup     | 11/3/2023      | 1,540        | 2.4              |
| Exide        | SP8R 0-6           | 11/1/2023      | 1,220        | 2.1              |
| Exide        | SP9 40W 2-3 ft     | 8/21/2023      | 1,140        | 1.5              |
| Exide 22-238 | SB-44 (0-1')       | 11/23/2022     | 2220         | 1.5              |
| Exide        | SP-78 3-4          | 11/3/2023      | 1,630        | 1.4              |
| Exide 22-238 | SB-13 (0-1')       | 11/23/2022     | 504          | 1.1              |
| Exide        | SP44 20E 0-6 in    | 8/21/2023      | 1,230        | 0.92             |
| Exide        | SP9 75 NW 2-3 ft   | 8/22/2023      | 1,020        | 0.67             |
| Exide        | SP7 20W 6-12 in    | 8/21/2023      | 1,010        | 0.61             |
| Exide 22-238 | SB-6 (0-0.5')      | 11/23/2022     | 790          | 0.51             |
| Exide 22-238 | SB-30 (1-3')       | 11/23/2022     | 1760         | 0.44             |
| Exide        | SP13 20W 0-6 in    | 8/21/2023      | 1,460        | 0.42             |
| Exide        | SP9 100 S 12-18 in | 8/22/2023      | 1,530        | 0.36             |
| Exide        | SP9 100 S 0-6 in   | 8/22/2023      | 804          | 0.34             |
| Exide 22-238 | SB-14 (0-1')       | 11/23/2022     | 278          | 0.062            |

Notes:

**mg/kg** = milligrams per kilogram

**mg/L** = milligram per liter

TCLP limit for characteristic hazardous waste = 5.0 mg/L

Table 3  
Soil Analytical Results - VOCs

| Project ID                                                                | Sample ID | Collected Date | Units      | 1,1-Dichloroethene | cis-1,2-Dichloroethene | trans-1,2-Dichloroethene | Tetrachloroethene | 1,1,1-Trichloroethane | 1,1,2-Trichloroethane | Trichloroethene | Vinyl chloride | Other VOCs |
|---------------------------------------------------------------------------|-----------|----------------|------------|--------------------|------------------------|--------------------------|-------------------|-----------------------|-----------------------|-----------------|----------------|------------|
|                                                                           |           |                | CAS Number | 75-35-4            | 156-59-2               | 156-60-5                 | 127-18-4          | 71-55-6               | 79-00-5               | 79-01-6         | 75-01-4        | Varies     |
| RbCG Residential Direct Contact Human Health Level <sup>1</sup>           |           |                | mg/kg      | ---                | ---                    | ---                      | ---               | ---                   | ---                   | ---             | ---            | Varies     |
| RbCG Commercial/Industrial Direct Contact Human Health Level <sup>1</sup> |           |                | mg/kg      | ---                | ---                    | ---                      | ---               | ---                   | ---                   | ---             | ---            | Varies     |
| RbCG Excavation Direct Contact Human Health Level <sup>1</sup>            |           |                | mg/kg      | 1000               | 2000                   | 2000                     | 200               | 600                   | 30                    | 200             | 1000           | Varies     |
| RCG Soil Migration to GW Screening Level <sup>2</sup>                     |           |                | mg/kg      | 0.05               | 0.41                   | 0.62                     | 0.045             | 1.4                   | 0.032                 | 0.036           | 0.014          | Varies     |

Former Exide Corporation - 2020 Phase II

|                     |             |                  |       |          |          |          |           |          |          |          |          |      |
|---------------------|-------------|------------------|-------|----------|----------|----------|-----------|----------|----------|----------|----------|------|
| Former Exide 20-224 | SB-6 8'     | 12/07/2020 14:55 | mg/kg | <0.00031 | <0.00037 | <0.00030 | <0.00020  | <0.00031 | <0.00039 | <0.00031 | <0.00025 | <HHL |
| Former Exide 20-224 | SB-7 8'     | 12/07/2020 14:30 | mg/kg | <0.00035 | <0.00043 | <0.00035 | <0.00023  | <0.00036 | <0.00045 | <0.00035 | <0.00029 | <HHL |
| Former Exide 20-224 | SB-8 6'     | 12/08/2020 09:15 | mg/kg | <0.00039 | <0.00048 | <0.00039 | <0.00025  | <0.00039 | <0.00049 | <0.00039 | <0.00032 | <HHL |
| Former Exide 20-224 | SB-8 6' DUP | 12/08/2020 09:15 | mg/kg | <0.00035 | <0.00043 | <0.00035 | <0.00023  | <0.00035 | <0.00044 | <0.00035 | <0.00029 | <HHL |
| Former Exide 20-224 | SB-9 14.5'  | 12/07/2020 15:30 | mg/kg | <0.00029 | <0.00035 | <0.00029 | <0.00019  | <0.00029 | <0.00037 | <0.00029 | <0.00024 | <HHL |
| Former Exide 20-224 | SB-10 3'    | 12/08/2020 09:35 | mg/kg | <0.00047 | <0.00057 | <0.00046 | <0.00030  | <0.00047 | <0.00059 | <0.00047 | <0.00038 | <HHL |
| Former Exide 20-224 | SB-11 11'   | 12/08/2020 10:45 | mg/kg | <0.00020 | <0.00016 | <0.00025 | <0.00014  | <0.00016 | <0.00015 | <0.00015 | <0.00025 | <HHL |
| Former Exide 20-224 | SB-12 9'    | 12/08/2020 10:10 | mg/kg | <0.00036 | <0.00043 | <0.00035 | <0.00023  | <0.00036 | <0.00045 | <0.00036 | <0.00029 | <HHL |
| Former Exide 20-224 | SB-15 12'   | 12/07/2020 14:20 | mg/kg | <0.00026 | <0.00032 | <0.00026 | <0.00017  | <0.00026 | <0.00033 | <0.00026 | <0.00021 | <HHL |
| Former Exide 20-224 | SB-16 8'    | 12/07/2020 13:40 | mg/kg | <0.00015 | <0.00018 | <0.00014 | <0.000094 | <0.00015 | <0.00018 | <0.00015 | <0.00012 | <HHL |
| Former Exide 20-224 | SB-17 13.5' | 12/07/2020 11:50 | mg/kg | <0.00026 | <0.00032 | <0.00026 | <0.00017  | <0.00026 | <0.00033 | <0.00026 | <0.00021 | <HHL |
| Former Exide 20-224 | SB-18 14'   | 12/07/2020 12:40 | mg/kg | <0.00027 | <0.00033 | <0.00027 | <0.00018  | <0.00028 | <0.00034 | <0.00027 | <0.00022 | <HHL |
| Former Exide 20-224 | SB-19 8'    | 12/07/2020 11:40 | mg/kg | <0.00028 | <0.00034 | <0.00028 | <0.00018  | <0.00028 | <0.00036 | <0.00028 | <0.00023 | <HHL |
| Former Exide 20-224 | SB-20 11'   | 12/07/2020 11:25 | mg/kg | <0.00029 | <0.00035 | <0.00028 | <0.00019  | <0.00029 | <0.00036 | <0.00029 | <0.00023 | <HHL |
| Former Exide 20-224 | TB          | 12/08/2020 08:00 | mg/kg | <0.00036 | <0.00043 | <0.00035 | <0.00023  | <0.00036 | <0.00045 | <0.00036 | <0.00029 | <HHL |

|                                  |   |      |      |      |      |      |      |      |      |      |      |
|----------------------------------|---|------|------|------|------|------|------|------|------|------|------|
| Field Duplicate RPD <sup>3</sup> | % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
|----------------------------------|---|------|------|------|------|------|------|------|------|------|------|

Former Exide Corporation - 2022 2nd Supplemental Phase II

|              |             |                  |       |          |         |         |         |          |          |          |          |      |
|--------------|-------------|------------------|-------|----------|---------|---------|---------|----------|----------|----------|----------|------|
| Exide 22-238 | HS-1 2'     | 10/14/2022 10:53 | mg/kg | 0.0045 J | 1.7     | 0.010   | 11.6    | <0.0024  | 6.7      | 210      | <0.00039 | <HHL |
| Exide 22-238 | HS-1 6'     | 10/14/2022 10:53 | mg/kg | <0.0044  | 2.7     | <0.0026 | 0.11    | <0.0031  | 0.14     | 288      | <0.00051 | <HHL |
| Exide 22-238 | HS-2 5'     | 10/14/2022 10:15 | mg/kg | <0.0030  | <0.0016 | <0.0018 | <0.0020 | 0.71     | <0.0011  | <0.0023  | <0.00035 | <HHL |
| Exide 22-238 | HS-2 6'     | 10/14/2022 10:15 | mg/kg | 0.0040 J | <0.0013 | <0.0015 | <0.0017 | 0.46     | <0.00090 | <0.0019  | <0.00029 | <HHL |
| Exide 22-238 | HS-2 7'     | 10/14/2022 10:15 | mg/kg | 0.0074   | <0.0016 | <0.0018 | <0.0020 | 1.5      | <0.0011  | <0.0023  | <0.00035 | <HHL |
| Exide 22-238 | HS-2 7' DUP | 10/14/2022 10:15 | mg/kg | 0.015    | <0.0017 | <0.0020 | <0.0022 | 1.1      | <0.0012  | <0.0025  | <0.00038 | <HHL |
| Exide 22-238 | HS-3 5'     | 10/14/2022 09:38 | mg/kg | <0.0023  | <0.0012 | <0.0014 | <0.0015 | 0.0051   | <0.00082 | 0.0022 J | <0.00027 | <HHL |
| Exide 22-238 | HS-3 6'     | 10/14/2022 09:38 | mg/kg | <0.0043  | <0.0022 | <0.0026 | <0.0029 | 0.0057 J | <0.0015  | 0.0041 J | <0.00050 | <HHL |
| Exide 22-238 | HS-3 8'     | 10/14/2022 09:38 | mg/kg | <0.0030  | <0.0016 | <0.0018 | <0.0020 | 0.010    | <0.0011  | 0.031    | <0.00035 | <HHL |
| Exide 22-238 | HS-4 5'     | 10/14/2022 09:52 | mg/kg | <0.0033  | <0.0017 | <0.0020 | <0.0022 | 0.026    | <0.0012  | <0.0025  | <0.00038 | <HHL |
| Exide 22-238 | HS-4 6'     | 10/14/2022 09:52 | mg/kg | <0.0030  | <0.0016 | <0.0018 | <0.0020 | <0.0021  | <0.0011  | <0.0023  | <0.00035 | <HHL |
| Exide 22-238 | HS-4 8'     | 10/14/2022 09:52 | mg/kg | <0.0031  | <0.0016 | <0.0019 | <0.0021 | 0.029    | <0.0011  | <0.0024  | <0.00036 | <HHL |
| Exide 22-238 | TB          | 10/14/2022 08:00 | mg/kg | <0.0031  | <0.0016 | <0.0018 | <0.0021 | <0.0022  | <0.0011  | <0.0024  | <0.00036 | <HHL |

|                                  |   |       |      |      |      |       |      |      |      |      |
|----------------------------------|---|-------|------|------|------|-------|------|------|------|------|
| Field Duplicate RPD <sup>3</sup> | % | 67.9% | 0.0% | 0.0% | 0.0% | 30.8% | 0.0% | 0.0% | 0.0% | 0.0% |
|----------------------------------|---|-------|------|------|------|-------|------|------|------|------|

Former Exide Corporation - 2023 Additional Soil Delineation - Round 1

|       |                   |                  |       |          |          |           |          |          |          |           |          |     |
|-------|-------------------|------------------|-------|----------|----------|-----------|----------|----------|----------|-----------|----------|-----|
| Exide | HS-1 20E 4-5'     | 08/21/2023 14:19 | mg/kg | <0.00037 | <0.00039 | <0.00040  | <0.00039 | <0.00037 | <0.00040 | <0.00046  | <0.00039 | BDL |
| Exide | HS-1 20E 5-6'     | 08/21/2023 14:24 | mg/kg | <0.00034 | <0.00035 | <0.00037  | <0.00035 | <0.00033 | <0.00036 | <0.00042  | <0.00035 | BDL |
| Exide | HS-1 20E 6-7'     | 08/21/2023 14:24 | mg/kg | <0.00033 | <0.00034 | <0.00036  | <0.00035 | <0.00032 | <0.00035 | <0.00041  | <0.00034 | BDL |
| Exide | HS-1 20E 7-8'     | 08/21/2023 14:24 | mg/kg | <0.00035 | <0.00037 | <0.00038  | <0.00037 | <0.00035 | <0.00037 | 0.00069 J | <0.00037 | BDL |
| Exide | HS-1 20E 8-9'     | 08/21/2023 14:24 | mg/kg | <0.00030 | <0.00031 | <0.00032  | <0.00031 | <0.00029 | <0.00031 | 0.0049    | <0.00031 | BDL |
| Exide | HS-1 20E 12-12.5' | 08/21/2023 14:29 | mg/kg | <0.00028 | 0.019    | 0.00050 J | 0.0015 J | <0.00028 | <0.00030 | 0.18      | <0.00030 | BDL |
| Exide | HS-1 20S 3-4'     | 08/21/2023 14:45 | mg/kg | <0.00033 | <0.00035 | <0.00036  | <0.00035 | <0.00032 | <0.00035 | <0.00041  | <0.00035 | BDL |
| Exide | HS-1 20S 5-6'     | 08/21/2023 14:50 | mg/kg | <0.00034 | <0.00035 | <0.00037  | <0.00036 | <0.00033 | <0.00036 | <0.00042  | <0.00035 | BDL |
| Exide | HS-1 20S 6-7'     | 08/21/2023 14:50 | mg/kg | <0.00032 | <0.00033 | <0.00034  | <0.00033 | <0.00031 | <0.00034 | 0.0018 J  | <0.00033 | BDL |
| Exide | HS-1 20S 7-8'     | 08/21/2023 14:50 | mg/kg | <0.00044 | <0.00046 | <0.00048  | <0.00046 | <0.00043 | <0.00047 | <0.00055  | <0.00046 | BDL |
| Exide | HS-1 20S 8-9'     | 08/21/2023 14:50 | mg/kg | <0.00037 | <0.00038 | <0.00040  | <0.00039 | <0.00036 | <0.00039 | 0.012     | <0.00038 | BDL |
| Exide | HS-1 20S 8-9' DUP | 08/21/2023 14:50 | mg/kg | <0.00034 | <0.00036 | <0.00037  | <0.00036 | <0.00033 | <0.00036 | 0.012     | <0.00035 | BDL |
| Exide | HS-1 20S 10-11'   | 08/21/2023 14:55 | mg/kg | <0.00030 | 0.022    | 0.00075 J | <0.00032 | <0.00030 | <0.00032 | <0.00038  | <0.00032 | BDL |
| Exide | HS-1 20W 4-5'     | 08/21/2023 15:30 | mg/kg | <0.00045 | <0.00047 | <0.00048  | 0.0053 J | <0.00044 | <0.00047 | 1.9       | <0.00047 | BDL |
| Exide | HS-1 20W 5-6'     | 08/21/2023 15:35 | mg/kg | <0.00039 | <0.00041 | <0.00043  | <0.00041 | <0.00038 | <0.00042 | 0.026     | <0.00041 | BDL |
| Exide | HS-1 20W 6-7'     | 08/21/2023 15:35 | mg/kg | <0.00033 | <0.00034 | <0.00035  | 0.0017 J | <0.00032 | <0.00035 | 0.14      | <0.00034 | BDL |
| Exide | HS-1 20W 7-8'     | 08/21/2023 15:35 | mg/kg | <0.00029 | <0.00030 | <0.00031  | 0.0045   | <0.00028 | <0.00030 | 1.1       | <0.00030 | BDL |
| Exide | HS-1 20W 8-9'     | 08/21/2023 15:35 | mg/kg | <0.00034 | <0.00036 | <0.00037  | 0.0046 J | <0.00034 | <0.00036 | 0.68      | <0.00036 | BDL |
| Exide | TB-1              | 08/21/2023 08:00 | mg/kg | <0.00035 | <0.00037 | <0.00038  | <0.00037 | <0.00034 | <0.00037 | <0.00044  | <0.00037 | BDL |

|                                                        |   |      |      |      |      |      |      |      |      |      |
|--------------------------------------------------------|---|------|------|------|------|------|------|------|------|------|
| Field Duplicate RPD (HS-1 20S 8-9' & DUP) <sup>2</sup> | % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
|--------------------------------------------------------|---|------|------|------|------|------|------|------|------|------|

Former Exide Corporation - 2023 Additional Soil Delineation - Round 2

|       |                  |                  |       |           |           |           |          |          |           |          |          |     |
|-------|------------------|------------------|-------|-----------|-----------|-----------|----------|----------|-----------|----------|----------|-----|
| Exide | HS-1 10E 1'      | 11/02/2023 10:20 | mg/kg | <0.025    | <0.030    | <0.035    | 0.10 J   | <0.027   | <0.025    | 9.5      | <0.030   | BDL |
| Exide | HS-1 10E 1' DUP  | 11/02/2023 10:20 | mg/kg | <0.00055  | <0.00066  | <0.00076  | 0.0027 J | <0.00058 | <0.00054  | 0.36     | <0.00065 | BDL |
| Exide | HS-1 10E 7'      | 11/02/2023 10:25 | mg/kg | <0.00041  | <0.00043  | <0.00044  | <0.00043 | <0.00040 | <0.00043  | 0.022    | <0.00043 | BDL |
| Exide | HS-1 10S 1'      | 11/02/2023 10:40 | mg/kg | <0.00039  | <0.00041  | <0.00042  | <0.00041 | <0.00038 | <0.00041  | 0.019    | <0.00041 | BDL |
| Exide | HS-1 10S 5'      | 11/02/2023 10:40 | mg/kg | <0.00053  | <0.00056  | <0.00058  | 0.0019 J | <0.00052 | <0.00056  | 0.4      | <0.00056 | BDL |
| Exide | HS-1 10S 7.5-10' | 11/02/2023 10:45 | mg/kg | <0.00031  | 0.00057 J | <0.00034  | <0.00033 | <0.00031 | <0.00033  | 0.052    | <0.00033 | BDL |
| Exide | HS-1 10W 2'      | 11/02/2023 11:00 | mg/kg | 0.00092 J | 0.01      | 0.0019 J  | 0.36     | <0.00051 | 0.3       | 29.5     | <0.00057 | BDL |
| Exide | HS-1 10W 3-4'    | 11/02/2023 11:00 | mg/kg | 0.33 J    | 0.38 J    | <0.065    | 6.5      | <0.050   | 8.3       | 746      | <0.056   | BDL |
| Exide | HS-1 10W 5'      | 11/02/2023 11:00 | mg/kg | 0.094 J   | 0.91      | <0.073    | 1.4      | <0.056   | 3.9       | 297      | <0.063   | BDL |
| Exide | HS-1 10W 7-8'    | 11/02/2023 11:05 | mg/kg | <0.00039  | 0.069     | 0.00078 J | 0.0067   | <0.00041 | 0.014     | 5.7      | <0.00046 | BDL |
| Exide | HS-5 20E 4'      | 11/02/2023 11:35 | mg/kg | <0.00036  | <0.00044  | <0.00050  | <0.00046 | 0.026    | <0.00036  | 0.0013 J | <0.00043 | BDL |
| Exide | HS-5 20E 9'      | 11/02/2023 11:40 | mg/kg | <0.00034  | 0.009     | <0.00046  | <0.00042 | 0.044    | 0.00086 J | 0.1      | <0.00040 | BDL |
| Exide | HS-5 20N 7.5'    | 11/02/2023 12:10 | mg/kg | <0.00030  | <0.00036  | <0.00042  | <0.00038 | 0.0010 J | <0.00030  | 0.026    | <0.00036 | BDL |
| Exide | HS-5 20W 3'      | 11/02/2023 12:40 | mg/kg | 0.26 J    | 9.7       | 0.51      | 10.8     | 0.24 J   | 16.8      | 1040     | <0.031   | BDL |
| Exide | HS-5 20W 4.5'    | 11/02/2023 12:40 | mg/kg | 0.00038 J | 0.13      | 0.0011 J  | 0.0026 J | <0.00035 | 0.024     | 2.4      | <0.00039 | BDL |

Table 3  
Soil Analytical Results - VOCs

| Project ID                                                                | Sample ID | Collected Date | Units      | 1,1-Dichloroethene | cis-1,2-Dichloroethene | trans-1,2-Dichloroethene | Tetrachloroethene | 1,1,1-Trichloroethane | 1,1,2-Trichloroethane | Trichloroethene | Vinyl chloride | Other VOCs |
|---------------------------------------------------------------------------|-----------|----------------|------------|--------------------|------------------------|--------------------------|-------------------|-----------------------|-----------------------|-----------------|----------------|------------|
|                                                                           |           |                | CAS Number | 75-35-4            | 156-59-2               | 156-60-5                 | 127-18-4          | 71-55-6               | 79-00-5               | 79-01-6         | 75-01-4        | Varies     |
| RbCG Residential Direct Contact Human Health Level <sup>1</sup>           |           |                | mg/kg      | ---                | ---                    | ---                      | ---               | ---                   | ---                   | ---             | ---            | Varies     |
| RbCG Commercial/Industrial Direct Contact Human Health Level <sup>1</sup> |           |                | mg/kg      | ---                | ---                    | ---                      | ---               | ---                   | ---                   | ---             | ---            | Varies     |
| RbCG Excavation Direct Contact Human Health Level <sup>1</sup>            |           |                | mg/kg      | 1000               | 2000                   | 2000                     | 200               | 600                   | 30                    | 200             | 1000           | Varies     |
| RCG Soil Migration to GW Screening Level <sup>2</sup>                     |           |                | mg/kg      | 0.05               | 0.41                   | 0.62                     | 0.045             | 1.4                   | 0.032                 | 0.036           | 0.014          | Varies     |

|       |             |                  |       |          |          |           |          |          |          |           |          |     |
|-------|-------------|------------------|-------|----------|----------|-----------|----------|----------|----------|-----------|----------|-----|
| Exide | HS-5 20W 6' | 11/02/2023 12:45 | mg/kg | <0.00032 | 0.046    | 0.00056 J | 0.0011 J | <0.00031 | 0.013    | 0.8       | <0.00033 | BDL |
| Exide | HS-5 3'     | 11/02/2023 13:10 | mg/kg | <0.17    | 0.27 J   | <0.19     | 5.1      | 0.53 J   | 0.73 J   | 87.2      | <0.18    | BDL |
| Exide | HS-5 6'     | 11/02/2023 13:15 | mg/kg | 0.0066   | 0.33     | 0.012     | 0.18     | 0.034    | 0.067    | 33.4      | <0.00042 | BDL |
| Exide | HS-5 8-10'  | 11/02/2023 13:15 | mg/kg | <0.00029 | 0.0048   | <0.00032  | 0.0063   | 0.0011 J | 0.0020 J | 1.1       | <0.00031 | BDL |
| Exide | TB-1        | 11/02/2023 08:00 | mg/kg | <0.00035 | <0.00037 | <0.00038  | <0.00037 | <0.00034 | <0.00037 | 0.00093 J | <0.00037 | BDL |

|                                                      |  |   |      |      |      |        |      |      |        |      |      |
|------------------------------------------------------|--|---|------|------|------|--------|------|------|--------|------|------|
| Field Duplicate RPD (HS-1 10E 1' & DUP) <sup>2</sup> |  | % | 0.0% | 0.0% | 0.0% | 189.5% | 0.0% | 0.0% | 185.4% | 0.0% | 0.0% |
|------------------------------------------------------|--|---|------|------|------|--------|------|------|--------|------|------|

Former Exide Corporation - 2024 HS-5 Soil Delineation

|              |                   |                  |       |          |          |           |          |          |          |           |          |      |
|--------------|-------------------|------------------|-------|----------|----------|-----------|----------|----------|----------|-----------|----------|------|
| 24-066 Exide | HS520-14NE 1'     | 08/23/2024 13:20 | mg/kg | <0.00062 | 0.0042 J | 0.00085 J | 0.012    | 0.0020 J | 0.0017 J | 8.8       | <0.00075 | <HHL |
| 24-066 Exide | HS520-14NE 4'     | 08/23/2024 13:20 | mg/kg | <0.00067 | 0.0054   | <0.00065  | 0.0016 J | 0.0014 J | 0.0012 J | 0.86      | <0.00080 | <HHL |
| 24-066 Exide | HS520-14NE 6'     | 08/23/2024 13:05 | mg/kg | <0.00071 | 0.0021 J | <0.00069  | 0.0012 J | <0.00066 | <0.00076 | 0.25      | <0.00086 | <HHL |
| 24-066 Exide | HS520-14NE 9'     | 08/23/2024 13:05 | mg/kg | <0.00059 | <0.00058 | <0.00058  | <0.00055 | <0.00055 | <0.00063 | 0.055     | <0.00071 | <HHL |
| 24-066 Exide | HS520-14SW 3'     | 08/23/2024 12:30 | mg/kg | 0.0028 J | 0.081    | 0.0053 J  | <0.00079 | 0.0014 J | <0.00092 | 143       | <0.0010  | <HHL |
| 24-066 Exide | HS520-14SW 3' DUP | 08/23/2024 12:30 | mg/kg | 0.0082   | 0.27     | 0.024     | 0.0037 J | 0.0042 J | <0.0010  | 109       | <0.0012  | <HHL |
| 24-066 Exide | HS520-14SW 6.5'   | 08/23/2024 12:35 | mg/kg | <0.00075 | 0.0026 J | <0.00073  | <0.00069 | <0.00069 | <0.00080 | 0.19      | <0.00090 | <HHL |
| 24-066 Exide | HS520-14SW 9'     | 08/23/2024 12:35 | mg/kg | <0.00049 | <0.00048 | <0.00048  | <0.00046 | <0.00046 | <0.00053 | 0.016     | <0.00059 | <HHL |
| 24-066 Exide | HS520-20N 3'      | 08/23/2024 10:10 | mg/kg | 0.0031 J | 0.035    | 0.0076    | <0.00080 | 0.0033 J | <0.00093 | 35.4      | <0.0010  | <HHL |
| 24-066 Exide | HS520-20N 6.5'    | 08/23/2024 10:15 | mg/kg | <0.00068 | 0.0012 J | <0.00066  | <0.00063 | <0.00063 | <0.00073 | 0.021     | <0.00082 | <HHL |
| 24-066 Exide | HS520-20N 9'      | 08/23/2024 10:15 | mg/kg | <0.00069 | 0.011    | <0.00067  | 0.0028 J | <0.00063 | <0.00074 | 0.46      | <0.00083 | <HHL |
| 24-066 Exide | HS520-20S 1'      | 08/23/2024 09:50 | mg/kg | <0.052   | 0.37 J   | <0.050    | <0.048   | <0.048   | <0.055   | 0.096 J   | <0.062   | <HHL |
| 24-066 Exide | HS520-20S 3'      | 08/23/2024 09:50 | mg/kg | <0.00089 | 0.061    | 0.0038 J  | <0.00082 | <0.00082 | <0.00095 | 0.0013 J  | <0.0011  | <HHL |
| 24-066 Exide | HS520-20S 6'      | 08/23/2024 09:55 | mg/kg | <0.00060 | 0.0095   | <0.00058  | <0.00055 | <0.00055 | <0.00064 | 0.012     | <0.00072 | <HHL |
| 24-066 Exide | HS520-20S 6' DUP  | 08/23/2024 09:55 | mg/kg | <0.00061 | 0.014    | <0.00060  | <0.00057 | <0.00057 | <0.00066 | 0.021     | <0.00074 | <HHL |
| 24-066 Exide | HS520-20S 9'      | 08/23/2024 09:55 | mg/kg | <0.00065 | 0.019    | <0.00063  | <0.00060 | <0.00060 | <0.00069 | 0.1       | <0.00078 | <HHL |
| 24-066 Exide | HS520-20W 2'      | 08/23/2024 10:30 | mg/kg | 0.0014 J | 0.015    | 0.0026 J  | 0.03     | <0.00067 | 0.13     | 11.2      | <0.00087 | <HHL |
| 24-066 Exide | HS520-20W 6'      | 08/23/2024 10:35 | mg/kg | <0.00068 | <0.00066 | <0.00066  | <0.00063 | <0.00063 | 0.0025 J | 0.11      | <0.00082 | <HHL |
| 24-066 Exide | HS520-20W 9'      | 08/23/2024 10:35 | mg/kg | <0.00047 | 0.0012 J | <0.00046  | 0.0067   | <0.00043 | 0.01     | 0.76      | <0.00057 | <HHL |
| 24-066 Exide | HS520-28NW 3'     | 08/23/2024 12:10 | mg/kg | <0.00088 | <0.00086 | <0.00086  | <0.00081 | <0.00081 | <0.00094 | 0.2       | <0.0011  | <HHL |
| 24-066 Exide | HS520-28NW 6'     | 08/23/2024 12:15 | mg/kg | <0.00054 | <0.00053 | <0.00053  | <0.00050 | <0.00050 | <0.00058 | 0.0028 J  | <0.00065 | <HHL |
| 24-066 Exide | HS520-28NW 9'     | 08/23/2024 12:15 | mg/kg | <0.00062 | <0.00060 | <0.00060  | <0.00057 | <0.00057 | <0.00066 | 0.0012 J  | <0.00074 | <HHL |
| 24-066 Exide | HS520-28SW 3'     | 08/23/2024 11:30 | mg/kg | <0.00085 | <0.00083 | <0.00083  | <0.00079 | <0.00079 | <0.00091 | <0.00080  | <0.0010  | <HHL |
| 24-066 Exide | HS520-28SW 6'     | 08/23/2024 11:35 | mg/kg | <0.00073 | <0.00071 | <0.00071  | <0.00068 | <0.00068 | <0.00079 | <0.00069  | <0.00088 | BDL  |
| 24-066 Exide | HS520-28SW 9'     | 08/23/2024 11:35 | mg/kg | <0.00060 | <0.00058 | <0.00059  | <0.00056 | <0.00056 | <0.00064 | <0.00057  | <0.00072 | BDL  |
| 24-066 Exide | HS520-40W 1'      | 08/23/2024 11:05 | mg/kg | <0.0011  | <0.0011  | <0.0011   | <0.0010  | <0.0010  | <0.0012  | 0.24      | <0.0014  | <HHL |
| 24-066 Exide | HS520-40W 5'      | 08/23/2024 11:05 | mg/kg | <0.00064 | <0.00062 | <0.00062  | <0.00059 | <0.00059 | <0.00068 | 0.00063 J | <0.00077 | <HHL |
| 24-066 Exide | HS520-40W 7.5'    | 08/23/2024 11:10 | mg/kg | <0.00069 | <0.00067 | <0.00067  | <0.00064 | <0.00064 | <0.00074 | 0.0023 J  | <0.00083 | <HHL |
| 24-066 Exide | TRIP BLANK        | 08/23/2024 08:00 | mg/kg | <0.00065 | <0.00064 | <0.00064  | <0.00060 | <0.00060 | <0.00070 | <0.00062  | <0.00079 | BDL  |

|                                                        |  |   |       |        |        |        |        |      |       |      |      |
|--------------------------------------------------------|--|---|-------|--------|--------|--------|--------|------|-------|------|------|
| Field Duplicate RPD (HS520-14SW 3' & DUP) <sup>2</sup> |  | % | 98.2% | 107.7% | 127.6% | 161.4% | 100.0% | 0.0% | 27.0% | 0.0% | 0.0% |
| Field Duplicate RPD (HS520-20S 6' & DUP) <sup>2</sup>  |  | % | 0.0%  | 38.3%  | 0.0%   | 0.0%   | 0.0%   | 0.0% | 54.5% | 0.0% | 0.0% |

Notes:

Samples analyzed using EPA SW-846 Method 8260

**mg/kg** = milligrams per kilogram

**VOCs** = Volatile Organic Compounds

**BDL** - Below Detection Limits

<sup>1</sup> Risk-based Closure Guide (R2), Risk Screening Table, Table 1: Human Health Level Table - 2023

<sup>2</sup> Remediation Closure Guide, Appendix A, Table A-6: Summary Table - 2022

<sup>3</sup> RPD = relative percent difference =ABS((X-Y)/((X+Y)/2)) --- if both values are below Reporting Limit, then the RPD is considered 0%

Table 4  
Soil Analytical Results - PAHs

| Project ID                                                            | Sample ID      | Collected Date   | Units | Acenaphthene | Acenaphthylene | Anthracene | Benzo(a)anthracene | Benzo(a)pyrene | Benzo(b)fluoranthene | Benzo(g,h,i)perylene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene | Fluoranthene | Fluorene | Indeno(1,2,3-cd)pyrene | 1-Methylnaphthalene | 2-Methylnaphthalene | Naphthalene | Phenanthrene | Pyrene   |
|-----------------------------------------------------------------------|----------------|------------------|-------|--------------|----------------|------------|--------------------|----------------|----------------------|----------------------|----------------------|----------|-----------------------|--------------|----------|------------------------|---------------------|---------------------|-------------|--------------|----------|
|                                                                       | CAS Number     |                  |       | 83-32-9      | 208-96-8       | 120-12-7   | 56-55-3            | 50-32-8        | 205-99-2             | 191-24-2             | 207-08-9             | 218-01-9 | 53-70-3               | 206-44-0     | 86-73-7  | 193-39-5               | 90-12-0             | 91-57-6             | 91-20-3     | 85-01-8      | 129-00-0 |
| RCG Residential Direct Contact Screening Level <sup>1</sup>           |                |                  | mg/kg | 5000         | ---            | 25000      | 16                 | 1.6            | 16                   | ---                  | 160                  | 1600     | 1.6                   | 3400         | 3400     | 16                     | 250                 | 340                 | 53          | ---          | 2500     |
| RCG Commercial/Industrial Direct Contact Screening Level <sup>1</sup> |                |                  | mg/kg | 45000        | ---            | 100000     | 210                | 21             | 210                  | ---                  | 2100                 | 21000    | 21                    | 30000        | 30000    | 21                     | 390                 | 3000                | 170         | ---          | 23000    |
| RCG Excavation Screening Level <sup>1</sup>                           |                |                  | mg/kg | 100000       | ---            | 100000     | 12000              | 500            | 12000                | ---                  | 10000                | 100000   | 1200                  | 68000        | 68000    | 12000                  | 390                 | 6800                | 3100        | ---          | 51000    |
| RCG Soil Migration to GW Screening Level <sup>1</sup>                 |                |                  | mg/kg | 110          | ---            | 1200       | 2.1                | 4.7            | 60                   | ---                  | 590                  | 1800     | 19                    | 1800         | 110      | 200                    | 1.2                 | 3.7                 | 0.11        | ---          | 260      |
| Former Exide 20-224                                                   | SB-1 0-1'      | 12/07/2020 09:20 | mg/kg | <0.0072      | 0.027          | 0.025      | 0.13               | 0.14           | 0.21                 | 0.12                 | 0.093                | 0.19     | 0.059                 | 0.20         | <0.0071  | 0.096                  | 0.086               | 0.070               | 0.040       | 0.29         | 0.18     |
| Former Exide 20-224                                                   | SB-2 0-1'      | 12/07/2020 09:40 | mg/kg | <0.0064      | 0.039          | 0.023      | 0.073              | 0.096          | 0.13                 | 0.099                | 0.058                | 0.095    | 0.026                 | 0.080        | <0.0063  | 0.064                  | 0.074               | 0.061               | 0.024       | 0.14         | 0.084    |
| Former Exide 20-224                                                   | SB-3 0-1'      | 12/07/2020 10:20 | mg/kg | 0.013 J      | 0.040          | 0.065      | 0.32               | 0.29           | 0.43                 | 0.24                 | 0.12                 | 0.43     | 0.063                 | 0.56         | 0.015 J  | 0.17                   | 0.10                | 0.11                | 0.065       | 0.89         | 0.63     |
| Former Exide 20-224                                                   | SB-4 3-4'      | 12/07/2020 09:50 | mg/kg | <0.0025      | 0.0074         | 0.012      | 0.035              | 0.033          | 0.058                | 0.033                | 0.018                | 0.047    | 0.0092                | 0.071        | <0.0024  | 0.026                  | 0.016               | 0.015               | 0.019       | 0.098        | 0.067    |
| Former Exide 20-224                                                   | SB-5 0-1'      | 12/07/2020 10:05 | mg/kg | 0.012 J      | 0.22           | 0.19       | 0.44               | 0.51           | 0.86                 | 0.59                 | 0.40                 | 0.64     | 0.13                  | 0.69         | 0.028    | 0.37                   | 0.24                | 0.25                | 0.14        | 0.88         | 0.71     |
| Former Exide 20-224                                                   | SB-6 0-2'      | 12/07/2020 14:50 | mg/kg | <0.0062      | 0.065          | 0.048      | 0.14               | 0.15           | 0.22                 | 0.17                 | 0.099                | 0.18     | 0.043                 | 0.24         | <0.0061  | 0.11                   | 0.097               | 0.10                | 0.058       | 0.36         | 0.22     |
| Former Exide 20-224                                                   | SB-7 0-2'      | 12/07/2020 14:25 | mg/kg | <0.0056      | 0.018          | 0.021      | 0.066              | 0.065          | 0.11                 | 0.063                | 0.030                | 0.093    | 0.018                 | 0.13         | <0.0055  | 0.043                  | 0.045               | 0.045               | 0.027       | 0.22         | 0.11     |
| Former Exide 20-224                                                   | SB-8 0-2'      | 12/08/2020 09:10 | mg/kg | <0.0057      | <0.0053        | 0.0096 J   | 0.033              | 0.028          | 0.047                | 0.027                | 0.014 J              | 0.041    | <0.0070               | 0.060        | <0.0056  | 0.019                  | 0.013 J             | 0.013 J             | <0.0053     | 0.064        | 0.054    |
| Former Exide 20-224                                                   | SB-9 0-2'      | 12/07/2020 15:20 | mg/kg | <0.0020      | <0.0019        | <0.0025    | 0.0035 J           | <0.0030        | 0.0044 J             | 0.0035 J             | <0.0023              | 0.0047 J | <0.0025               | 0.0051       | <0.0020  | <0.0026                | <0.0020             | <0.0019             | <0.0019     | 0.0048 J     | 0.0060   |
| Former Exide 20-224                                                   | SB-10 2-4'     | 12/08/2020 09:35 | mg/kg | 0.031        | 0.018 J        | 0.072      | 0.12               | 0.077          | 0.13                 | 0.090                | 0.054                | 0.17     | 0.022                 | 0.26         | 0.028    | 0.056                  | 0.092               | 0.092               | 0.089       | 0.76         | 0.21     |
| Former Exide 20-224                                                   | SB-11 0-2'     | 12/08/2020 10:35 | mg/kg | 0.018        | 0.047          | 0.097      | 0.26               | 0.25           | 0.28                 | 0.18                 | 0.13                 | 0.28     | 0.050                 | 0.51         | 0.030    | 0.13                   | 0.043               | 0.032               | 0.030       | 0.55         | 0.56     |
| Former Exide 20-224                                                   | SB-12 0-2'     | 12/08/2020 10:05 | mg/kg | 0.020        | 0.11           | 0.16       | 0.59               | 0.56           | 0.67                 | 0.46                 | 0.32                 | 0.66     | 0.12                  | 0.98         | 0.034    | 0.32                   | 0.10                | 0.12                | 0.083       | 0.91         | 1.1      |
| Former Exide 20-224                                                   | SB-13 0-1'     | 12/08/2020 10:55 | mg/kg | 0.013        | 0.042          | 0.064      | 0.24               | 0.27           | 0.36                 | 0.24                 | 0.15                 | 0.34     | 0.066                 | 0.45         | 0.012    | 0.16                   | 0.092               | 0.11                | 0.072       | 0.48         | 0.46     |
| Former Exide 20-224                                                   | SB-14 1-2'     | 12/08/2020 10:40 | mg/kg | <0.0059      | 0.042          | 0.072      | 0.18               | 0.14           | 0.21                 | 0.11                 | 0.090                | 0.23     | 0.023                 | 0.48         | 0.010 J  | 0.077                  | 0.21                | 0.22                | 0.13        | 1.3          | 0.35     |
| Former Exide 20-224                                                   | SB-15 0-2'     | 12/07/2020 14:10 | mg/kg | 0.064 J      | 0.096          | 0.18       | 0.47               | 0.36           | 0.46                 | 0.27                 | 0.18                 | 0.64     | 0.055 J               | 1.0          | 0.077 J  | 0.16                   | 0.51                | 0.51                | 0.30        | 3.4          | 0.80     |
| Former Exide 20-224                                                   | SB-16 0-2'     | 12/07/2020 13:20 | mg/kg | <0.0021      | <0.0020        | <0.0027    | 0.0072             | 0.0081         | 0.013                | 0.0084               | 0.0063               | 0.011    | <0.0026               | 0.015        | <0.0021  | 0.0062                 | 0.0036 J            | 0.0043 J            | 0.0037 J    | 0.016        | 0.012    |
| Former Exide 20-224                                                   | SB-17 2-4'     | 12/07/2020 11:50 | mg/kg | <0.0022      | <0.0020        | <0.0027    | <0.0032            | <0.0032        | <0.0030              | <0.0032              | <0.0025              | 0.0041 J | <0.0026               | <0.0037      | <0.0021  | <0.0027                | <0.0022             | <0.0021             | <0.0020     | 0.0043 J     | <0.0037  |
| Former Exide 20-224                                                   | SB-18 0-2'     | 12/07/2020 12:30 | mg/kg | <0.0068      | 0.026          | 0.030      | 0.13               | 0.13           | 0.19                 | 0.088                | 0.057                | 0.15     | 0.017                 | 0.20         | <0.0067  | 0.068                  | 0.061               | 0.057               | 0.028       | 0.37         | 0.20     |
| Former Exide 20-224                                                   | SB-19 0-2'     | 12/07/2020 11:35 | mg/kg | <0.0072      | 0.047          | 0.029      | 0.057              | 0.040          | 0.072                | 0.038                | 0.016 J              | 0.086    | <0.0088               | 0.15         | 0.016 J  | 0.022                  | 0.15                | 0.12                | 0.18        | 0.58         | 0.12     |
| Former Exide 20-224                                                   | SB-19 0-2' DUP | 12/07/2020 11:35 | mg/kg | <0.0066      | 0.020          | 0.035      | 0.086              | 0.076          | 0.090                | 0.047                | 0.031                | 0.081    | <0.0081               | 0.20         | 0.013 J  | 0.038                  | <0.0066             | <0.0063             | <0.0061     | 0.18         | 0.18     |
| Former Exide 20-224                                                   | SB-20 0-2'     | 12/07/2020 11:15 | mg/kg | <0.068       | <0.064         | 0.12 J     | 0.40               | 0.31           | 0.48                 | 0.25                 | 0.19                 | 0.51     | <0.084                | 0.76         | <0.067   | 0.18                   | 0.90                | 0.88                | 0.50        | 2.7          | 0.64     |
| Field Duplicate RPD (SP-3 4-6' & Dup) <sup>2</sup>                    |                |                  | %     | 0.0%         | 80.6%          | 18.8%      | 40.6%              | 62.1%          | 22.2%                | 21.2%                | 63.8%                | 6.0%     | 0.0%                  | 28.6%        | 20.7%    | 53.3%                  | 191.4%              | 189.8%              | 193.3%      | 105.3%       | 40.0%    |

Notes:  
Samples analyzed using EPA SW-846 Method 8270 SIM  
**mg/kg** = milligrams per kilogram  
**ppm** - parts per million  
**PAHs** - Polynuclear Aromatic Hydrocarbons  
**SVOCs** = Semi-volatile organic compounds  
**BDL** - Below Detection Limits  
<SL - Below RCG Screening Levels  
Blank cells = Not Analyzed  
--- No value given in the Remediation Closure Guide

<sup>1</sup> Remediation Closure Guide, Appendix A, Table A-6: Screening Level Summary Table - 2020  
<sup>2</sup> RPD = relative percent difference =ABS((X-Y)/((X+Y)/2)) --- if both values are below Reporting Limit, then the RPD is considered 0%

Table 5  
Soil Analytical Results - Herbicides

| Project ID                                                    | Sample ID  | Collected Date | Units | 3,5-Dichlorobenzoic acid | Acifluorfen | Bentazon   | 2,4-D   | Dalapon | 2,4-DB  | DCPA (dacthal) | Dicamba   | Dichloroprop | Dinoseb | MCPA    | MCPP    | Pentachlorophenol | Picloram  | 2,4,5-T | 2,4,5-TP (Silvex) |
|---------------------------------------------------------------|------------|----------------|-------|--------------------------|-------------|------------|---------|---------|---------|----------------|-----------|--------------|---------|---------|---------|-------------------|-----------|---------|-------------------|
|                                                               | CAS Number |                |       | 51-36-5                  | 50594-66-6  | 25057-89-0 | 94-75-7 | 75-99-0 | 94-82-6 | 2136-79-0      | 1918-00-9 | 15165-67-0   | 88-85-7 | 94-74-6 | 93-65-2 | 87-86-5           | 1918-02-1 | 93-76-5 | 93-72-1           |
| RbCG Residential Direct Contact Human Health Level*           |            |                | mg/kg | ---                      | ---         | 3000       | 1000    | 3000    | 3000    | ---            | 3000      | ---          | 90      | 40      | 90      | 10                | 6000      | 900     | 700               |
| RbCG Commercial/Industrial Direct Contact Human Health Level* |            |                | mg/kg | ---                      | ---         | 30000      | 10000   | 30000   | 30000   | ---            | 30000     | ---          | 800     | 400     | 800     | 40                | 60000     | 8000    | 700               |
| RbCG Excavation Direct Contact Human Health Level*            |            |                | mg/kg | ---                      | ---         | 500000     | 20000   | 50000   | 50000   | ---            | 50000     | ---          | 2000    | 900     | 2000    | 3000              | 100000    | 20000   | 10000             |
| RCG Soil Migration to GW Screening Level <sup>1</sup>         |            |                | mg/kg | ---                      | ---         | ---        | ---     | ---     | ---     | ---            | ---       | ---          | ---     | ---     | ---     | ---               | ---       | ---     | ---               |

Former Exide Corporation - 2020 Phase II

|                                                     |                |                  |       |        |        |        |        |        |        |        |        |        |        |      |      |        |        |        |        |
|-----------------------------------------------------|----------------|------------------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|------|--------|--------|--------|--------|
| Former Exide 20-224                                 | SB-15 0-2'     | 12/07/2020 14:10 | mg/kg | <0.036 | <0.039 | <0.051 | <0.037 | <0.041 | <0.047 | <0.046 | <0.044 | <0.035 | <0.030 | <4.0 | <4.1 | <0.040 | <0.041 | <0.039 | <0.041 |
| Former Exide 20-224                                 | SB-16 0-2'     | 12/07/2020 13:20 | mg/kg | <0.034 | <0.036 | <0.047 | <0.034 | <0.038 | <0.044 | <0.043 | <0.041 | <0.033 | <0.028 | <3.7 | <3.9 | <0.037 | <0.038 | <0.036 | <0.038 |
| Former Exide 20-224                                 | SB-16 0-2' DUP | 12/07/2020 13:20 | mg/kg | <0.035 | <0.037 | <0.048 | <0.035 | <0.039 | <0.045 | <0.044 | <0.042 | <0.033 | <0.028 | <3.8 | <3.9 | <0.038 | <0.039 | <0.037 | <0.039 |
| Former Exide 20-224                                 | SB-17 2-4'     | 12/09/2020 11:50 | mg/kg | <0.037 | <0.040 | <0.052 | <0.038 | <0.042 | <0.048 | <0.047 | <0.045 | <0.036 | <0.031 | <4.0 | <4.2 | <0.041 | <0.042 | <0.039 | <0.042 |
| Former Exide 20-224                                 | SB-20 0-2'     | 12/07/2020 11:15 | mg/kg | <0.037 | <0.040 | <0.052 | <0.038 | <0.042 | <0.048 | <0.047 | <0.045 | <0.036 | <0.031 | <4.0 | <4.2 | <0.041 | <0.041 | <0.039 | <0.042 |
| Field Duplicate RPD (SP-16 0-2' & Dup) <sup>2</sup> |                |                  | %     | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0% | 0.0% | 0.0%   | 0.0%   | 0.0%   | 0.0%   |

Notes:  
Samples analyzed using EPA SW-846 Method 8270 SIM  
**mg/kg** = milligrams per kilogram  
**ppm** - parts per million  
**BDL** - Below Detection Limits  
<SL - Below RCG Screening Levels  
Blank cells = Not Analyzed  
--- No value given in the Remediation Closure Guide

<sup>1</sup> Remediation Closure Guide, Appendix A, Table A-6: Screening Level Summary Table - 2020  
<sup>2</sup> RPD = relative percent difference =ABS((X-Y)/((X+Y)/2)) --- if both values are below Reporting Limit, then the RPD is considered 0%

**Table 6**  
**Concrete Analytical Results - VOCs**

| Project ID                                                       | Sample ID    | Collected Date   | Units      | Acetone | Benzene  | cis-1,2-Dichloroethene | trans-1,2-Dichloroethene | Ethylbenzene | n-Hexane | 1-Methylnaphthalene | 2-Methylnaphthalene | Naphthalene | n-Propylbenzene | Tetrachloroethene | Toluene  | Trichloroethene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Vinyl chloride | Xylene (Total) | Other VOCs |
|------------------------------------------------------------------|--------------|------------------|------------|---------|----------|------------------------|--------------------------|--------------|----------|---------------------|---------------------|-------------|-----------------|-------------------|----------|-----------------|------------------------|------------------------|----------------|----------------|------------|
|                                                                  |              |                  | CAS Number | 67-64-1 | 71-43-2  | 156-59-2               | 156-60-5                 | 100-41-4     | 110-54-3 | 90-12-0             | 91-57-6             | 91-20-3     | 103-65-1        | 127-18-4          | 108-88-3 | 79-01-6         | 95-63-6                | 108-67-8               | 75-01-4        | 1330-20-7      | Varies     |
| <b>R2 Residential Direct Contact Published Levels*</b>           |              |                  | mg/kg      | ---     | ---      | ---                    | ---                      | ---          | ---      | 300                 | 300                 | 30          | ---             | ---               | ---      | ---             | ---                    | ---                    | ---            | ---            | Varies     |
| <b>R2 Commercial/Industrial Direct Contact Published Levels*</b> |              |                  | mg/kg      | ---     | ---      | ---                    | ---                      | ---          | ---      | 400                 | 3000                | 90          | ---             | ---               | ---      | ---             | ---                    | ---                    | ---            | ---            | Varies     |
| <b>R2 Excavation Direct Contact Published Levels*</b>            |              |                  | mg/kg      | 100000  | 2000     | 1000                   | 2000                     | 500          | 100      | 400                 | 7000                | 3000        | 300             | 200               | 800      | 100             | 200                    | 200                    | 1000           | 300            | Varies     |
| <b>RCG Soil Migration to GW Screening Level*</b>                 |              |                  | mg/kg      | 74      | 0.051    | 0.41                   | 0.62                     | 16           | 210      | 1.2                 | 3.7                 | 0.079       | 25              | 0.045             | 14       | 0.036           | 1.6                    | 1.7                    | 0.014          | 200            | Varies     |
| Exide 24-066                                                     | CS1-0712     | 07/12/2024 11:22 | mg/kg      | 0.033 J | <0.00018 | <0.00035               | <0.00048                 | 0.00080 J    | 0.020    | 0.0016 J            | <0.0029             | <0.0020     | 0.00023 J       | <0.00032          | 0.0015 J | 0.0028 J        | 0.0019 J               | 0.00046 J              | <0.0011        | 0.0043 J       | BDL        |
| Exide 24-066                                                     | CS1-0712 DUP | 07/12/2024 11:22 | mg/kg      | 0.033 J | <0.00025 | <0.00049               | <0.00068                 | 0.00068 J    | 0.028    | 0.0013 J            | <0.0041             | <0.0028     | <0.00031        | <0.00046          | 0.0012 J | 0.0032 J        | 0.0020 J               | <0.00038               | <0.0016        | 0.0040 J       | BDL        |
| Exide 24-066                                                     | CS2-0712     | 07/12/2024 11:55 | mg/kg      | <0.023  | <0.00040 | <0.00055               | <0.00082                 | <0.00039     | 0.038    | <0.0033             | <0.0033             | <0.0014     | <0.00045        | <0.00045          | <0.0021  | <0.00086        | 0.0032 J               | 0.0012 J               | <0.00041       | 0.0022 J       | BDL        |
| RPD (CS1-0701 & Duplicate)                                       |              |                  | %          | 0.0%    | 0.0%     | 0.0%                   | 0.0%                     | 16.2%        | 33.3%    | 20.7%               | 0.0%                | 0.0%        | 39.0%           | 0.0%              | 22.2%    | 13.3%           | 5.1%                   | 83.1%                  | 0.0%           | 7.2%           | 0.0%       |

Notes:

Samples analyzed using EPA SW-846 Method 8260

mg/kg = milligrams per kilogram

VOCs = Volatile Organic Compounds

BDL - Below Detection Limits

<sup>1</sup> Risk-based Closure Guide (R2), Risk Screening Table, Table 1: Published Levels Table - 2024

<sup>2</sup> RPD = relative percent difference =ABS((X-Y)/((X+Y)/2)) --- if both values are below Reporting Limit, then the RPD is considered 0%

# Table 7

## Concrete Analytical Results - Metals

| Project ID                                                | Sample ID    | Collected Date | Units            | Antimony  | Arsenic   | Barium    | Beryllium | Cadmium   | Chromium Total | Chromium VI - 7196 | Copper    | Lead      | Mercury   | Nickel    | Selenium  | Silver    | Thallium - 6010 | Zinc      |
|-----------------------------------------------------------|--------------|----------------|------------------|-----------|-----------|-----------|-----------|-----------|----------------|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|-----------|
|                                                           |              |                | CAS Number       | 7440-36-0 | 7440-38-2 | 7440-39-3 | 7440-41-7 | 7440-43-9 | 7440-47-3      | 18540-29-9         | 7440-50-8 | 7439-92-1 | 7439-97-6 | 7440-02-0 | 7782-49-2 | 7440-22-4 | 7440-28-0       | 7440-66-6 |
| R2 Residential Direct Contact Published Levels*           |              |                | mg/kg            | 40        | 10        | 20000     | 200       | 10        | ---            | 4                  | 4000      | 400       | 3         | 2000      | 500       | 500       | 1               | 30000     |
| R2 Commercial/Industrial Direct Contact Published Levels* |              |                | mg/kg            | 500       | 30        | 100000    | 2000      | 100       | ---            | 60                 | 50000     | 800       | 3         | 20000     | 6000      | 6000      | 10              | 100000    |
| R2 Excavation Direct Contact Published Levels*            |              |                | mg/kg            | 800       | 900       | 100000    | 4000      | 200       | ---            | 3000               | 80000     | 1000      | 3         | 40000     | 10000     | 10000     | 20              | 100000    |
| RCG Soil Migration to GW Screening Level*                 |              |                | mg/kg            | 5.4       | 5.9       | 1700      | 63        | 7.5       | 1000000        | 0.14               | 920       | 270       | 2.1       | 510       | 5.3       | 16        | 2.9             | 7500      |
| Exide 24-066                                              | CS1-0712     | 50378004004    | 07/12/2024 11:22 | mg/kg     | <0.75     | 2.9       | 24.7      | 0.36 J    | 0.057 J        | 10.3               | 7.4       | 4.2       | <0.023    | 8.7       | 2.1       | <0.21     | <0.42           | 18.5      |
| Exide 24-066                                              | CS2-0712     | 50378004005    | 07/12/2024 11:55 | mg/kg     | <0.72     | 3.7       | 29.2      | 0.40 J    | <0.043         | 11.4               | 3.1       | 8.2       | <0.023    | 9.3       | 2.5       | <0.20     | <0.41           | 22.7      |
| Exide 24-066                                              | CS3-0712     | 50378004006    | 07/12/2024 12:50 | mg/kg     | <0.68     | 3.9       | 45        | 0.30 J    | <0.041         | 17.2               | 3.1       | 8.3       | <0.022    | 12        | 1.7 J     | <0.19     | <0.38           | 25.8      |
| Exide 24-066                                              | CS4-0712     | 50378004007    | 07/12/2024 13:07 | mg/kg     | <0.70     | 3.8       | 41.2      | 0.32 J    | 0.073 J        | 22.2               | 2.0 J     | 8.5       | <0.025    | 12.6      | 1.7 J     | <0.20     | <0.39           | 26        |
| Exide 24-066                                              | CS4-0712 DUP | 50378004008    | 07/12/2024 13:07 | mg/kg     | <0.70     | 4         | 40.9      | 0.31 J    | 0.072 J        | 22.7               |           | 9.9       | <0.024    | 13.6      | 1.7 J     | <0.20     | <0.39           | 28.1      |
| Exide 24-066                                              | CS5-0712     | 50378004009    | 07/12/2024 13:30 | mg/kg     | <0.76     | 2.9       | 26.2      | 0.34 J    | 0.051 J        | 11.1               | 39.6      | 6.1       | <0.024    | 7.6       | 2.4       | <0.21     | 0.51 J          | 34.3      |
| Exide 24-066                                              | CS6-0712     | 50378004010    | 07/12/2024 13:46 | mg/kg     | <0.72     | 2.5       | 27.7      | 0.20 J    | 0.078 J        | 6.7                | 5.4       | 4.2       | <0.024    | 6.2       | 2.2       | <0.20     | <0.41           | 14.7      |
| Exide 24-066                                              | CS7-0712     | 50378004011    | 07/12/2024 14:05 | mg/kg     | <0.74     | 3.5       | 23.5      | 0.37 J    | 0.063 J        | 10.2               | 6.6       | 8.9       | <0.023    | 8.3       | 1.8 J     | <0.21     | <0.42           | 35.7      |
| Exide 24-066                                              | CS8-0712     | 50378004012    | 07/12/2024 14:20 | mg/kg     | <0.73     | 3.3       | 25.4      | 0.34 J    | 0.061 J        | 10.1               | 6.5       | 3.8       | <0.025    | 8.6       | 1.8 J     | <0.21     | <0.41           | 22.6      |
| Exide 24-066                                              | CS9-0712     | 50378004013    | 07/12/2024 14:35 | mg/kg     | <0.75     | 5.6       | 70.6      | 0.23 J    | 0.045 J        | 16                 | 1.3 J     | 9.8       | <0.025    | 13.2      | 1.5 J     | <0.21     | <0.42           | 62.4      |
| Exide 24-066                                              | CS10-0712    | 50378004014    | 07/12/2024 14:50 | mg/kg     | <0.73     | 3.6       | 43.4      | 0.34 J    | 0.055 J        | 9.5                | 8.3       | 4.4       | <0.023    | 9.2       | 1.9 J     | <0.20     | <0.41           | 26.5      |
| RPD (CS4-0712 & Duplicate)                                |              |                | %                | 0.0%      | 5.1%      | 0.7%      | 3.2%      | 1.4%      | 2.2%           | 0.0%               | 15.2%     | 28.4%     | 0.0%      | 7.6%      | 0.0%      | 0.0%      | 0.0%            | 7.8%      |

### Notes:

Samples analyzed using EPA Method 6010, 6020, 7471, 7196 (Metals)

mg/kg = milligrams per kilogram

ppm - parts per million

Blank cells = Not Analyzed

--- No value given in the Remediation Closure Guide

<sup>1</sup> Risk-based Closure Guide (R2), Risk Screening Table, Table 1: Published Levels Table - 2024

<sup>2</sup> RPD = relative percent difference =  $\frac{ABS((X-Y)/(X+Y)/2)}{1}$  --- if both values are below Reporting Limit, then the RPD is considered 0%

**Table 8**  
**Concrete Analytical Results - PCBs**

| Project ID                                                | Sample ID    | Lab ID      | Collected Date   | Units      | PCB-1016 (Aroclor 1016) | PCB-1221 (Aroclor 1221) | PCB-1232 (Aroclor 1232) | PCB-1242 (Aroclor 1242) | PCB-1248 (Aroclor 1248) | PCB-1254 (Aroclor 1254) | PCB-1260 (Aroclor 1260) |
|-----------------------------------------------------------|--------------|-------------|------------------|------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
|                                                           |              |             |                  | CAS Number | 12674-11-2              | 11104-28-2              | 11141-16-5              | 53469-21-9              | 12672-29-6              | 11097-69-1              | 11096-82-5              |
| R2 Residential Direct Contact Published Levels*           |              |             |                  | mg/kg      | 6                       | 3                       | 2                       | 3                       | 3                       | 2                       | 3                       |
| R2 Commercial/Industrial Direct Contact Published Levels* |              |             |                  | mg/kg      | 50                      | 8                       | 7                       | 10                      | 9                       | 10                      | 10                      |
| R2 Excavation Direct Contact Published Levels*            |              |             |                  | mg/kg      | 100                     | 500                     | 500                     | 60                      | 600                     | 30                      | 600                     |
| RCG Soil Migration to GW Screening Level*                 |              |             |                  | mg/kg      | 2.7                     | 0.016                   | 0.016                   | 0.24                    | 0.24                    | 0.41                    | 1.1                     |
| Exide 24-066                                              | CS1-0712     | 50378004004 | 07/12/2024 11:22 | mg/kg      | <0.021                  | <0.063                  | <0.033                  | <0.026                  | <0.028                  | <0.020                  | <0.028                  |
| Exide 24-066                                              | CS2-0712     | 50378004005 | 07/12/2024 11:55 | mg/kg      | <0.023                  | <0.071                  | <0.038                  | <0.029                  | <0.032                  | <0.023                  | <0.032                  |
| Exide 24-066                                              | CS3-0712     | 50378004006 | 07/12/2024 12:50 | mg/kg      | <0.020                  | <0.061                  | <0.032                  | <0.025                  | <b>0.027 J</b>          | <b>0.046 J</b>          | <0.027                  |
| Exide 24-066                                              | CS4-0712     | 50378004007 | 07/12/2024 13:07 | mg/kg      | <0.020                  | <0.061                  | <0.032                  | <0.025                  | <b>0.053 J</b>          | <b>0.21 J</b>           | <b>0.056 J</b>          |
| Exide 24-066                                              | CS4-0712 DUP | 50378004008 | 07/12/2024 13:07 | mg/kg      | <0.025                  | <0.076                  | <0.040                  | <0.031                  | <b>0.042 J</b>          | <b>0.20 J</b>           | <b>0.049 J</b>          |
| Exide 24-066                                              | CS5-0712     | 50378004009 | 07/12/2024 13:30 | mg/kg      | <0.013                  | <0.040                  | <0.021                  | <0.016                  | <b>0.086 J</b>          | <b>0.12 J</b>           | <b>0.033 J</b>          |
| Exide 24-066                                              | CS6-0712     | 50378004010 | 07/12/2024 13:46 | mg/kg      | <0.024                  | <0.072                  | <0.038                  | <0.030                  | <b>0.077 J</b>          | <b>0.76</b>             | <b>0.31 J</b>           |
| Exide 24-066                                              | CS7-0712     | 50378004011 | 07/12/2024 14:05 | mg/kg      | <0.014                  | <0.043                  | <0.023                  | <0.018                  | <0.019                  | <b>0.014 J</b>          | <0.019                  |
| Exide 24-066                                              | CS8-0712     | 50378004012 | 07/12/2024 14:20 | mg/kg      | <0.023                  | <0.071                  | <0.037                  | <0.029                  | <0.032                  | <0.023                  | <0.032                  |
| Exide 24-066                                              | CS9-0712     | 50378004013 | 07/12/2024 14:35 | mg/kg      | <0.013                  | <0.041                  | <0.021                  | <0.017                  | <0.018                  | <b>0.032 J</b>          | <0.018                  |
| Exide 24-066                                              | CS10-0712    | 50378004014 | 07/12/2024 14:50 | mg/kg      | <0.023                  | <0.069                  | <0.037                  | <0.028                  | <0.031                  | <0.022                  | <0.031                  |
| 24-066 Concrete                                           | CS-11        | 50381074001 | 08/23/2024 13:45 | mg/kg      | <0.014                  | <0.043                  | <0.023                  | <0.018                  | <0.020                  | <b>0.039 J</b>          | <0.019                  |
| 24-066 Concrete                                           | CS-12        | 50381074002 | 08/23/2024 14:00 | mg/kg      | <0.013                  | <0.039                  | <0.020                  | <0.016                  | <0.017                  | <b>0.47</b>             | <b>0.044 J</b>          |
| 24-066 Concrete                                           | CS-13        | 50381074003 | 08/23/2024 14:05 | mg/kg      | <0.014                  | <0.043                  | <0.023                  | <0.018                  | <0.019                  | <0.014                  | <0.019                  |
| 24-066 Concrete                                           | CS-14        | 50381074004 | 08/23/2024 14:10 | mg/kg      | <0.014                  | <0.044                  | <0.023                  | <0.018                  | <0.020                  | <0.014                  | <0.019                  |
| 24-066 Concrete                                           | CS-15        | 50381074005 | 08/23/2024 14:15 | mg/kg      | <0.020                  | <0.062                  | <0.033                  | <0.025                  | <0.028                  | <b>0.33 J</b>           | <0.027                  |
| 24-066 Concrete                                           | CS-16        | 50381074006 | 08/23/2024 14:20 | mg/kg      | <0.019                  | <0.060                  | <0.032                  | <0.024                  | <0.027                  | <b>0.23 J</b>           | <0.027                  |
| 24-066 Concrete                                           | CS-17        | 50381074007 | 08/23/2024 14:25 | mg/kg      | <0.018                  | <0.057                  | <0.030                  | <0.023                  | <0.025                  | <b>0.092 J</b>          | <0.025                  |
| 24-066 Concrete                                           | CS-18        | 50381074008 | 08/23/2024 14:30 | mg/kg      | <0.021                  | <0.064                  | <0.034                  | <0.026                  | <0.029                  | <b>0.25 J</b>           | <0.028                  |

Notes:

Samples analyzed using EPA Method 8082A

**mg/kg** = milligrams per kilogram

**ppm** - parts per million

Blank cells = Not Analyzed

--- No value given in the Remediation Closure Guide

<sup>1</sup> Risk-based Closure Guide (R2), Risk Screening Table, Table 1: Published Levels Table - 2024

<sup>2</sup> RPD = relative percent difference =  $ABS((X-Y)/((X+Y)/2))$  --- if both values are below Reporting Limit, then the RPD is considered 0%

Table 9  
Groundwater Analytical Results - VOCs

|                                                              |           |                |            | cis-1,2-Dichloroethene | Tetrachloroethene | 1,1,1-Trichloroethane | Trichloroethene | Vinyl chloride | Other VOCs |
|--------------------------------------------------------------|-----------|----------------|------------|------------------------|-------------------|-----------------------|-----------------|----------------|------------|
| Project ID                                                   | Sample ID | Collected Date | Units      |                        |                   |                       |                 |                |            |
|                                                              |           |                | CAS Number | 156-59-2               | 127-18-4          | 71-55-6               | 79-01-6         | 75-01-4        | Varies     |
| RbCG Residential Groundwater Human Health Level <sup>1</sup> |           |                | ug/L       | 70                     | 5                 | 200                   | 5               | 2              | Varies     |

Former Exide Corporation - 2020 Phase II ESA

|                     |             |                  |      |       |       |       |        |       |     |
|---------------------|-------------|------------------|------|-------|-------|-------|--------|-------|-----|
| Former Exide 20-224 | SB-GW-6     | 12/09/2020 14:05 | ug/L | 6.7   | <0.83 | 66.0  | 49.1   | <0.42 | BDL |
| Former Exide 20-224 | SB-GW-7     | 12/09/2020 12:47 | ug/L | 4.3 J | <0.83 | <0.52 | 18.7   | <0.42 | BDL |
| Former Exide 20-224 | SB-GW-8     | 12/09/2020 14:46 | ug/L | <1.3  | <0.83 | <0.52 | <1.1   | <0.42 | BDL |
| Former Exide 20-224 | SB-GW-8 DUP | 12/09/2020 14:46 | ug/L | <1.3  | <0.83 | <0.52 | <1.1   | <0.42 | BDL |
| Former Exide 20-224 | SB-GW-9     | 12/09/2020 15:40 | ug/L | <1.3  | <0.83 | <0.52 | <1.1   | <0.42 | BDL |
| Former Exide 20-224 | SB-GW-10    | 12/09/2020 16:17 | ug/L | <1.3  | <0.83 | <0.52 | <1.1   | <0.42 | BDL |
| Former Exide 20-224 | SB-GW-11    | 12/09/2020 17:47 | ug/L | <0.96 | <0.75 | <0.70 | <0.73  | <0.46 | BDL |
| Former Exide 20-224 | SB-GW-12    | 12/09/2020 16:59 | ug/L | <0.96 | <0.75 | <0.70 | <0.73  | <0.46 | BDL |
| Former Exide 20-224 | SB-GW-15    | 12/09/2020 11:46 | ug/L | <0.96 | <0.75 | <0.70 | <0.73  | <0.46 | BDL |
| Former Exide 20-224 | SB-GW-16    | 12/09/2020 10:45 | ug/L | <0.96 | <0.75 | <0.70 | <0.73  | <0.46 | BDL |
| Former Exide 20-224 | SB-GW-17    | 12/09/2020 08:52 | ug/L | <0.96 | <0.75 | <0.70 | <0.73  | <0.46 | BDL |
| Former Exide 20-224 | SB-GW-18    | 12/08/2020 14:10 | ug/L | <1.3  | <0.83 | <0.52 | <1.1   | <0.42 | BDL |
| Former Exide 20-224 | SB-GW-19    | 12/08/2020 15:13 | ug/L | <1.3  | <0.83 | <0.52 | <1.1   | <0.42 | BDL |
| Former Exide 20-224 | SB-GW-20    | 12/08/2020 16:16 | ug/L | <0.96 | <0.75 | <0.70 | <0.73  | <0.46 | BDL |
| Former Exide 20-224 | DRUM        | 12/09/2020 18:30 | ug/L | <0.96 | <0.75 | <0.70 | 0.87 J | <0.46 | BDL |
| Former Exide 20-224 | EB-1        | 12/08/2020 16:55 | ug/L | <0.96 | <0.75 | <0.70 | <0.73  | <0.46 | BDL |
| Former Exide 20-224 | EB-2        | 12/09/2020 18:20 | ug/L | <0.96 | <0.75 | <0.70 | <0.73  | <0.46 | BDL |
| Former Exide 20-224 | TB          | 12/08/2020 08:00 | ug/L | <0.96 | 1.1 J | <0.70 | <0.73  | <0.46 | BDL |

|                                                  |  |   |      |      |      |      |      |      |      |
|--------------------------------------------------|--|---|------|------|------|------|------|------|------|
| Field Duplicate RPD (SB-GW-8 & Dup) <sup>2</sup> |  | % | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
|--------------------------------------------------|--|---|------|------|------|------|------|------|------|

Former Exide Corporation - 2022 Supplemental Phase II ESA

|       |              |                  |      |       |       |       |        |       |     |
|-------|--------------|------------------|------|-------|-------|-------|--------|-------|-----|
| Exide | SB-GW-21     | 03/31/2022 12:26 | ug/L | <0.79 | <0.70 | <0.69 | <0.73  | <0.42 | BDL |
| Exide | SB-GW-22     | 03/31/2022 13:23 | ug/L | <0.79 | <0.70 | <0.69 | <0.73  | <0.42 | BDL |
| Exide | SB-GW-23     | 03/31/2022 10:38 | ug/L | 1.3 J | <0.70 | 1.8 J | 5.1    | <0.42 | BDL |
| Exide | SB-GW-23 DUP | 03/31/2022 10:38 | ug/L | 1.3 J | <0.70 | 1.6 J | 5.1    | <0.42 | BDL |
| Exide | SB-GW-24     | 03/31/2022 16:02 | ug/L | <0.79 | <0.70 | <0.69 | 1.0 J  | <0.42 | BDL |
| Exide | SB-GW-25     | 03/31/2022 09:34 | ug/L | <0.79 | <0.70 | <0.69 | 0.84 J | <0.42 | BDL |
| Exide | SB-GW-26     | 03/31/2022 14:28 | ug/L | <0.79 | <0.70 | <0.69 | <0.73  | <0.42 | BDL |
| Exide | MW-5         | 04/01/2022 09:54 | ug/L | 6.8   | <0.70 | <0.69 | 35.2   | <0.42 | BDL |
| Exide | EB-1         | 04/01/2022 15:27 | ug/L | <0.79 | <0.70 | <0.69 | <0.73  | <0.42 | BDL |
| Exide | TB-1         | 04/01/2022 16:00 | ug/L | <0.79 | <0.70 | <0.69 | <0.73  | <0.42 | BDL |

|                                                   |  |   |      |      |       |      |      |      |      |
|---------------------------------------------------|--|---|------|------|-------|------|------|------|------|
| Field Duplicate RPD (SB-GW-23 & Dup) <sup>2</sup> |  | % | 0.0% | 0.0% | 11.8% | 0.0% | 0.0% | 0.0% | 0.0% |
|---------------------------------------------------|--|---|------|------|-------|------|------|------|------|

Former Exide Corporation - 2023 Additional Soil Delineation - Round 2

|                 |             |                  |      |       |       |       |       |       |     |
|-----------------|-------------|------------------|------|-------|-------|-------|-------|-------|-----|
| Exide GW 23-227 | HS1-10E     | 11/07/2023 15:17 | ug/L | 7.4   | <0.36 | <0.31 | 41.6  | <0.40 | BDL |
| Exide GW 23-227 | HS1-10W     | 11/07/2023 14:28 | ug/L | 6.1   | <0.36 | <0.31 | 63.9  | <0.40 | BDL |
| Exide GW 23-227 | HS1-10W Dup | 11/07/2023 14:28 | ug/L | 6.0   | <0.36 | <0.31 | 65    | <0.40 | BDL |
| Exide GW 23-227 | MW-5 (SB-7) | 11/07/2023 15:58 | ug/L | 16.9  | <0.36 | <0.31 | 67.6  | <0.40 | BDL |
| Exide GW 23-227 | HS-5        | 11/07/2023 17:20 | ug/L | 22.0  | 5.6   | 2.9 J | 468   | <0.35 | BDL |
| Exide GW 23-227 | EB-1        | 11/07/2023 18:20 | ug/L | <0.34 | <0.35 | <0.30 | 1.0 J | <0.35 | BDL |
| Exide GW 23-227 | TB-1        | 11/07/2023 08:00 | ug/L | <0.34 | <0.35 | <0.30 | <0.31 | <0.35 | BDL |

|                                      |  |   |      |    |    |      |    |    |    |
|--------------------------------------|--|---|------|----|----|------|----|----|----|
| Field Duplicate RPD (HS1-10W & DUP)2 |  | % | 1.7% | 0% | 0% | 1.7% | 0% | 0% | 0% |
|--------------------------------------|--|---|------|----|----|------|----|----|----|

Former Exide Corporation -2024 HS5 Delineation

|               |                |                  |      |       |       |       |       |       |     |
|---------------|----------------|------------------|------|-------|-------|-------|-------|-------|-----|
| 24-066 GW VOC | HS520-14NE     | 08/26/2024 11:46 | ug/L | <0.24 | <0.25 | <0.23 | 15.7  | <0.33 | BDL |
| 24-066 GW VOC | HS520-14NE DUP | 08/26/2024 11:46 | ug/L | <0.24 | <0.25 | <0.23 | 16    | <0.33 | BDL |
| 24-066 GW VOC | HS520-20W      | 08/26/2024 12:41 | ug/L | <0.24 | <0.25 | <0.23 | 5.9   | <0.33 | BDL |
| 24-066 GW VOC | HS520-28SW     | 08/26/2024 13:37 | ug/L | <0.24 | <0.25 | <0.23 | <0.31 | <0.33 | BDL |
| 24-066 GW VOC | EB-1           | 08/26/2024 13:56 | ug/L | <0.24 | <0.25 | <0.23 | <0.31 | <0.33 | <R2 |
| 24-066 GW VOC | TB-1           | 08/26/2024 08:00 | ug/L | <0.24 | <0.25 | <0.23 | <0.31 | <0.33 | BDL |

|                                      |  |   |    |    |    |      |    |    |    |
|--------------------------------------|--|---|----|----|----|------|----|----|----|
| Field Duplicate RPD (HS1-10W & DUP)2 |  | % | 0% | 0% | 0% | 1.9% | 0% | 0% | 0% |
|--------------------------------------|--|---|----|----|----|------|----|----|----|

Notes:

Samples analyzed using EPA SW-846 Method 5030B/8260

ug/L = micrograms per liter

VOCs = Volatile Organic Compounds

BDL = Below Detection Limits

<sup>1</sup> Risk-based Closure Guide (R2), Risk Screening Table, Table 1: Human Health Level Table - 2023

<sup>2</sup> RPD = relative percent difference =ABS((X-Y)/((X+Y)/2)) --- if both values are below Reporting Limit, then the RPD is considered 0%

# Table 10

## Groundwater Analytical Results - Metals

| Project ID                                                   | Sample ID | Collected Date | Units      | Antimony  | Arsenic   | Arsenic - Field Filtered | Barium    | Barium - Field Filtered | Beryllium | Beryllium - Field Filter | Cadmium   | Chromium (Total) 601 | Chromium VI 7199 | Copper    | Lead      | Lead - Field Filtered | Mercury   | Nickel    | Selenium  | Silver    | Thallium 6020 | Zinc      |
|--------------------------------------------------------------|-----------|----------------|------------|-----------|-----------|--------------------------|-----------|-------------------------|-----------|--------------------------|-----------|----------------------|------------------|-----------|-----------|-----------------------|-----------|-----------|-----------|-----------|---------------|-----------|
|                                                              |           |                | CAS Number | 7440-36-0 | 7440-38-2 | 7440-38-2                | 7440-39-3 | 7440-39-3               | 7440-41-7 | 7440-41-7                | 7440-43-9 | 7440-47-3            | 18540-29-9       | 7440-50-8 | 7439-92-1 | 7439-92-1             | 7439-97-6 | 7440-02-0 | 7782-49-2 | 7440-22-4 | 7440-28-0     | 7440-66-6 |
| RbCG Residential Groundwater Human Health Level <sup>1</sup> |           |                | ug/L       | 6         | 10        | 10                       | 2000      | 4                       | 4         | 5                        | 5         | 100                  | 0.4              | 1000      | 20        | 20                    | 2         | 400       | 50        | 90        | 2             | 6000      |

### Former Exide Corporation - 2021 Phase II

|                     |             |                  |      |       |       |       |      |     |        |       |        |       |         |       |       |      |        |       |      |      |         |        |
|---------------------|-------------|------------------|------|-------|-------|-------|------|-----|--------|-------|--------|-------|---------|-------|-------|------|--------|-------|------|------|---------|--------|
| Former Exide 20-224 | SB-GW-6     | 12/09/2020 14:05 | ug/L | <4.3  | 78.5  | 4.7 J | 554  |     | 1.6 J  |       | 1.2 J  | 99.3  |         | 108   | 1100  | 40.3 | 0.27 J | 109   | <4.5 | <1.4 | 1.8     | 263    |
| Former Exide 20-224 | SB-GW-6 DUP | 12/09/2020 14:05 | ug/L | <4.3  | 52.7  |       | 406  |     | 0.87 J |       | 0.74 J | 67.1  |         | 70.8  | 726   |      | 0.18 J | 73.8  | <4.5 | <1.4 | 1.2     | 174    |
| Former Exide 20-224 | SB-GW-7     | 12/09/2020 12:47 | ug/L | <4.3  | 189   | 33.2  | 791  |     | 2.4 J  |       | 1.4 J  | 156   | 0.0997J | 135   | 634   | 101  | 0.13 J | 147   | <4.5 | <1.4 | 1.8     | 418    |
| Former Exide 20-224 | SB-GW-8     | 12/09/2020 14:46 | ug/L | <4.3  | 15.2  |       | 166  |     | <0.29  |       | 0.81 J | 35.8  |         | 82.2  | 37.4  |      | <0.12  | 52.6  | <4.5 | <1.4 | 0.69 J  | 142    |
| Former Exide 20-224 | SB-GW-9     | 12/09/2020 15:40 | ug/L | <4.3  | 42.0  | 9.1 J | 281  |     | <0.29  |       | 1.6 J  | 85.8  |         | 127   | 331   | 32.2 | <0.12  | 72.3  | <4.5 | <1.4 | 0.99 J  | 1690   |
| Former Exide 20-224 | SB-GW-10    | 12/09/2020 16:17 | ug/L | <4.3  | 19.5  |       | 183  |     | <0.29  |       | <0.41  | 9.3 J |         | 8.2 J | 8.9 J |      | <0.12  | 9.6 J | <4.5 | <1.4 | 0.086 J | 29.9   |
| Former Exide 20-224 | SB-GW-11    | 12/09/2020 17:47 | ug/L | <4.3  | 32.1  |       | 294  |     | <0.29  |       | 0.48 J | 33.4  |         | 47.6  | 55.0  |      | <0.12  | 29.8  | <4.5 | <1.4 | 0.36 J  | 89.4   |
| Former Exide 20-224 | SB-GW-12    | 12/09/2020 16:59 | ug/L | <4.3  | 5.2 J |       | 139  |     | <0.29  |       | <0.41  | 9.4 J |         | 5.2 J | 5.1 J |      | <0.12  | 8.3 J | <4.5 | <1.4 | 0.064 J | 21.0   |
| Former Exide 20-224 | SB-GW-15    | 12/09/2020 11:46 | ug/L | <4.3  | 11.3  |       | 148  |     | <0.29  |       | 0.48 J | 19.7  |         | 14.9  | 17.2  |      | <0.12  | 20.4  | <4.5 | <1.4 | 0.26 J  | 45.4   |
| Former Exide 20-224 | SB-GW-16    | 12/09/2020 10:45 | ug/L | <4.3  | 6.4 J |       | 38.2 |     | <0.29  |       | <0.41  | 4.6 J |         | 2.8 J | <3.5  |      | <0.12  | 9.0 J | <4.5 | <1.4 | <0.052  | <8.7   |
| Former Exide 20-224 | SB-GW-17    | 12/09/2020 08:52 | ug/L | <21.5 | 462   | <3.8  | 2230 | 135 | 8.0    | <0.18 | 3.9    | 480   | <0.0400 | 446   | 302   | <2.3 | 1.9 J  | 402   | <4.5 | <1.4 | 1.7     | 1260   |
| Former Exide 20-224 | SB-GW-18    | 12/08/2020 14:10 | ug/L | <4.3  | 5.7 J |       | 109  |     | <0.29  |       | <0.41  | 8.0 J |         | 6.2 J | <3.5  |      | <0.12  | 7.9 J | <4.5 | <1.4 | 0.060 J | 14.0 J |
| Former Exide 20-224 | SB-GW-19    | 12/08/2020 15:13 | ug/L | <4.3  | 5.2 J |       | 325  |     | <0.29  |       | <0.41  | 4.5 J |         | 3.0 J | <3.5  |      | <0.12  | 2.7 J | <4.5 | <1.4 | <0.052  | <8.7   |
| Former Exide 20-224 | SB-GW-20    | 12/08/2020 16:16 | ug/L | <12.9 | 202   | 41.9  | 645  |     | 4.4    | 2.0 J | 4.3    | 217   | <0.0400 | 307   | 172   | 41.1 | 0.20 J | 309   | <4.5 | <1.4 | 2.6 J   | 809    |
| Former Exide 20-224 | DRUM        | 12/09/2020 18:30 | ug/L | <4.3  | 75.1  |       | 430  |     | 0.95 J |       | 1.2 J  | 90.3  |         | 120   | 233   |      | <0.12  | 89.9  | <4.5 | <1.4 | 1.1     | 530    |

|                     |      |                  |      |      |      |  |       |  |       |  |       |      |  |       |      |  |       |      |      |      |        |      |
|---------------------|------|------------------|------|------|------|--|-------|--|-------|--|-------|------|--|-------|------|--|-------|------|------|------|--------|------|
| Former Exide 20-224 | EB-1 | 12/08/2020 16:55 | ug/L | <4.3 | <2.6 |  | <0.79 |  | <0.29 |  | <0.41 | <1.9 |  | 2.7 J | <3.5 |  | <0.12 | <1.2 | <4.5 | <1.4 | <0.052 | <8.7 |
| Former Exide 20-224 | EB-2 | 12/09/2020 18:20 | ug/L | <4.3 | <2.6 |  | <0.79 |  | <0.29 |  | <0.41 | <1.9 |  | <1.8  | <3.5 |  | <0.12 | <1.2 | <4.5 | <1.4 | <0.052 | <8.7 |

|                                                  |  |  |   |      |       |  |       |  |       |  |       |       |  |       |       |  |       |       |      |      |       |       |
|--------------------------------------------------|--|--|---|------|-------|--|-------|--|-------|--|-------|-------|--|-------|-------|--|-------|-------|------|------|-------|-------|
| Field Duplicate RPD (SB-GW-6 & Dup) <sup>3</sup> |  |  | % | 0.0% | 39.3% |  | 30.8% |  | 59.1% |  | 47.4% | 38.7% |  | 41.6% | 41.0% |  | 40.0% | 38.5% | 0.0% | 0.0% | 40.0% | 40.7% |
|--------------------------------------------------|--|--|---|------|-------|--|-------|--|-------|--|-------|-------|--|-------|-------|--|-------|-------|------|------|-------|-------|

### Former Exide Corporation - 2022 Supplemental Phase II

|       |          |                  |      |  |       |      |  |  |  |  |  |  |  |  |       |      |  |  |  |  |  |  |
|-------|----------|------------------|------|--|-------|------|--|--|--|--|--|--|--|--|-------|------|--|--|--|--|--|--|
| Exide | MW-1     | 04/01/2022 12:37 | ug/L |  | 7.5 J | <3.8 |  |  |  |  |  |  |  |  | 13.2  | <2.3 |  |  |  |  |  |  |
| Exide | MW-2     | 04/01/2022 11:46 | ug/L |  | 4.6 J | <3.8 |  |  |  |  |  |  |  |  | <2.3  | <2.3 |  |  |  |  |  |  |
| Exide | MW-3     | 04/01/2022 10:50 | ug/L |  | 4.8 J | <3.8 |  |  |  |  |  |  |  |  | <2.3  | <2.3 |  |  |  |  |  |  |
| Exide | MW-4     | 04/01/2022 13:15 | ug/L |  | <3.8  | <3.8 |  |  |  |  |  |  |  |  | <2.3  | <2.3 |  |  |  |  |  |  |
| Exide | MW-4 DUP | 04/01/2022 13:15 | ug/L |  | <3.8  |      |  |  |  |  |  |  |  |  | <2.3  |      |  |  |  |  |  |  |
| Exide | MW-5     | 04/01/2022 09:54 | ug/L |  | <3.8  | <3.8 |  |  |  |  |  |  |  |  | 2.4 J | <2.3 |  |  |  |  |  |  |

|                                               |  |  |   |  |      |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |
|-----------------------------------------------|--|--|---|--|------|--|--|--|--|--|--|--|--|--|------|--|--|--|--|--|--|--|
| Field Duplicate RPD (MW-4 & Dup) <sup>3</sup> |  |  | % |  | 0.0% |  |  |  |  |  |  |  |  |  | 0.0% |  |  |  |  |  |  |  |
|-----------------------------------------------|--|--|---|--|------|--|--|--|--|--|--|--|--|--|------|--|--|--|--|--|--|--|

#### Notes:

Samples analyzed using EPA Methods 6010, 6020, and 7471 (Metals)

Hexavalent Chromium samples Field Filtered and analyzed using EPA Method 7199

ug/L -- micrograms per Liter

ppb - parts per billion

Blank cells - Not Analyzed

<sup>1</sup> Risk-based Closure Guide (R2), Risk Screening Table, Table 1: Human Health Level Table - 2023

<sup>2</sup> RPD = relative percent difference = ABS((X-Y)/(X+Y)/2) --- If both values are below Reporting Limit, then the RPD is considered 0%

Table 11  
Groundwater Analytical Results - PAHs

| Project ID                                               | Sample ID | Collected Date | Units      | Acenaphthene | Acenaphthylene | Anthracene | Benzo(a)anthracene | Benzo(a)pyrene | Benzo(b)fluoranthene | Benzo(g,h,i)perylene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene | Fluoranthene | Fluorene | Indeno(1,2,3-cd)pyrene | 1-Methylnaphthalene | 2-Methylnaphthalene | Naphthalene | Phenanthrene | Pyrene   |
|----------------------------------------------------------|-----------|----------------|------------|--------------|----------------|------------|--------------------|----------------|----------------------|----------------------|----------------------|----------|-----------------------|--------------|----------|------------------------|---------------------|---------------------|-------------|--------------|----------|
|                                                          |           |                | CAS Number | 83-32-9      | 208-96-8       | 120-12-7   | 56-55-3            | 50-32-8        | 205-99-2             | 191-24-2             | 207-08-9             | 218-01-9 | 53-70-3               | 206-44-0     | 86-73-7  | 193-39-5               | 90-12-0             | 91-57-6             | 91-20-3     | 85-01-8      | 129-00-0 |
| RCG Residential Groundwater Screening Level <sup>1</sup> |           |                | ug/L       | 530          | ---            | 1800       | 0.3                | 0.2            | 2.5                  | ---                  | 25                   | 250      | 0.25                  | 800          | 290      | 2.5                    | 11                  | 36                  | 1.7         | ---          | 120      |
| Vapor Exposure GW Screening Level - Residential          |           |                | ug/L       | ---          | ---            | ---        | ---                | ---            | ---                  | ---                  | ---                  | ---      | ---                   | ---          | ---      | ---                    | ---                 | ---                 | 110         | ---          | ---      |
| Vapor Exposure GW Screening Level - Com/Ind              |           |                | ug/L       | ---          | ---            | ---        | ---                | ---            | ---                  | ---                  | ---                  | ---      | ---                   | ---          | ---      | ---                    | ---                 | ---                 | 460         | ---          | ---      |

|                     |             |                  |      |        |        |        |        |        |        |        |        |        |        |        |        |        |       |       |       |        |        |
|---------------------|-------------|------------------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|--------|--------|
| Former Exide 20-224 | SB-GW-6     | 12/09/2020 14:05 | ug/L | <0.086 | <0.075 | <0.069 | <0.066 | <0.080 | <0.046 | <0.058 | <0.10  | <0.040 | <0.059 | <0.036 | <0.077 | <0.061 | <0.11 | <0.12 | <0.11 | <0.055 | <0.076 |
| Former Exide 20-224 | SB-GW-6 DUP | 12/09/2020 14:05 | ug/L | <0.082 | <0.071 | <0.066 | <0.063 | <0.076 | <0.044 | <0.055 | <0.095 | <0.038 | <0.056 | <0.034 | <0.073 | <0.058 | <0.10 | <0.11 | <0.11 | <0.052 | <0.072 |
| Former Exide 20-224 | SB-GW-7     | 12/09/2020 12:47 | ug/L | <0.082 | <0.071 | <0.066 | <0.063 | <0.076 | <0.044 | <0.055 | <0.095 | <0.038 | <0.056 | <0.034 | <0.073 | <0.058 | <0.10 | <0.11 | <0.11 | <0.052 | <0.072 |
| Former Exide 20-224 | SB-GW-8     | 12/09/2020 14:46 | ug/L | <0.082 | <0.071 | <0.066 | <0.063 | <0.076 | <0.044 | <0.055 | <0.095 | <0.038 | <0.056 | <0.034 | <0.073 | <0.058 | <0.10 | <0.11 | <0.11 | <0.052 | <0.072 |
| Former Exide 20-224 | SB-GW-9     | 12/09/2020 15:40 | ug/L | <0.089 | <0.077 | <0.071 | <0.068 | <0.082 | <0.048 | <0.059 | <0.10  | <0.041 | <0.061 | <0.037 | <0.079 | <0.063 | <0.11 | <0.12 | <0.12 | <0.056 | <0.078 |
| Former Exide 20-224 | SB-GW-10    | 12/09/2020 16:17 | ug/L | <0.082 | <0.071 | <0.066 | <0.063 | <0.076 | <0.044 | <0.055 | <0.095 | <0.038 | <0.056 | <0.034 | <0.073 | <0.058 | <0.10 | <0.11 | <0.11 | <0.052 | <0.072 |
| Former Exide 20-224 | SB-GW-11    | 12/09/2020 17:47 | ug/L | <0.089 | <0.077 | <0.071 | <0.068 | <0.082 | <0.048 | <0.059 | <0.10  | <0.041 | <0.061 | <0.037 | <0.079 | <0.063 | <0.11 | <0.12 | <0.12 | <0.056 | <0.078 |
| Former Exide 20-224 | SB-GW-12    | 12/09/2020 16:59 | ug/L | <0.082 | <0.071 | <0.066 | <0.063 | <0.076 | <0.044 | <0.055 | <0.095 | <0.038 | <0.056 | <0.034 | <0.073 | <0.058 | <0.10 | <0.11 | <0.11 | <0.052 | <0.072 |
| Former Exide 20-224 | SB-GW-15    | 12/09/2020 11:46 | ug/L | <0.091 | <0.079 | <0.073 | <0.070 | <0.084 | <0.049 | <0.061 | <0.11  | <0.042 | <0.062 | <0.038 | <0.081 | <0.064 | <0.11 | <0.13 | <0.12 | <0.058 | <0.080 |
| Former Exide 20-224 | SB-GW-16    | 12/09/2020 10:45 | ug/L | <0.082 | <0.071 | <0.066 | <0.063 | <0.076 | <0.044 | <0.055 | <0.095 | <0.038 | <0.056 | <0.034 | <0.073 | <0.058 | <0.10 | <0.11 | <0.11 | <0.052 | <0.072 |
| Former Exide 20-224 | SB-GW-17    | 12/09/2020 08:52 | ug/L | <0.082 | <0.071 | <0.066 | <0.063 | <0.076 | <0.044 | <0.055 | <0.095 | <0.038 | <0.056 | <0.034 | <0.073 | <0.058 | <0.10 | <0.11 | <0.11 | <0.052 | <0.072 |
| Former Exide 20-224 | SB-GW-18    | 12/08/2020 14:10 | ug/L | <0.082 | <0.071 | <0.066 | <0.063 | <0.076 | <0.044 | <0.055 | <0.095 | <0.038 | <0.056 | <0.034 | <0.073 | <0.058 | <0.10 | <0.11 | <0.11 | <0.052 | <0.072 |
| Former Exide 20-224 | SB-GW-19    | 12/08/2020 15:13 | ug/L | <0.082 | <0.071 | <0.066 | <0.063 | <0.076 | <0.044 | <0.055 | <0.095 | <0.038 | <0.056 | <0.034 | <0.073 | <0.058 | <0.10 | <0.11 | <0.11 | <0.052 | <0.072 |
| Former Exide 20-224 | SB-GW-20    | 12/08/2020 16:16 | ug/L | <0.091 | <0.079 | <0.073 | <0.070 | <0.084 | <0.049 | <0.061 | <0.11  | <0.042 | <0.062 | <0.038 | <0.081 | <0.064 | <0.11 | <0.13 | <0.12 | <0.058 | <0.080 |

|                                                  |      |                  |      |        |        |        |        |        |        |        |        |        |        |        |        |        |       |       |       |        |        |
|--------------------------------------------------|------|------------------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|--------|--------|
| Former Exide 20-224                              | EB-1 | 12/08/2020 16:55 | ug/L | <0.082 | <0.071 | <0.066 | <0.063 | <0.076 | <0.044 | <0.055 | <0.095 | <0.038 | <0.056 | <0.034 | <0.073 | <0.058 | <0.10 | <0.11 | <0.11 | <0.052 | <0.072 |
| Former Exide 20-224                              | EB-2 | 12/09/2020 18:20 | ug/L | <0.082 | <0.071 | <0.066 | <0.063 | <0.076 | <0.044 | <0.055 | <0.095 | <0.038 | <0.056 | <0.034 | <0.073 | <0.058 | <0.10 | <0.11 | <0.11 | <0.052 | <0.072 |
|                                                  |      |                  |      |        |        |        |        |        |        |        |        |        |        |        |        |        |       |       |       |        |        |
| Field Duplicate RPD (SP-GW-1 & Dup) <sup>2</sup> |      |                  | %    | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%   | 0.0%  | 0.0%  | 0.0%  | 0.0%   | 0.0%   |
|                                                  |      |                  |      |        |        |        |        |        |        |        |        |        |        |        |        |        |       |       |       |        |        |

Notes:

Samples analyzed using EPA SW-846 Method 8270 SIM

ug/L -- micrograms per kilogram

**ppb** - parts per billion

**PAHs** - Polynuclear Aromatic Hydrocarbons

**BDL** - Below Detection Limits

--- No value given in the Remediation Closure Guide

Blank cells = Not Analyzed

<sup>1</sup> Remediation Closure Guide, Appendix A, Table A-6: Screening Level Summary Table - 2020

<sup>2</sup> RPD = relative percent difference =ABS((X-Y)/((X+Y)/2)) --- if both values are below Reporting Limit, then the RPD is considered 0%

**Table 12**  
**Exterior Soil Gas Analytical Results – VOCs**

| Project ID                                                             | Sample ID | Lab ID     | Collected Date | Matrix   | Units      | 1,1,1-Trichloroethane | cis-1,2-Dichloroethene | Tetrachloroethene | Trichloroethene | Vinyl chloride | Other VOCs |
|------------------------------------------------------------------------|-----------|------------|----------------|----------|------------|-----------------------|------------------------|-------------------|-----------------|----------------|------------|
|                                                                        |           |            |                |          | CAS Number | 71-55-6               | 156-59-2               | 127-18-4          | 79-01-6         | 75-01-4        |            |
| RbCG Residential Exterior Soil Gas Human Health Levels                 |           |            |                |          | ug/m3      | 50000                 | ---                    | 400               | 20              | 20             | Varies     |
| RbCG Commercial/Industrial Exterior Soil Gas Human Health Levels       |           |            |                |          | ug/m3      | 200000                | ---                    | 2000              | 90              | 300            | Varies     |
| RbCG Large Commercial/Industrial Exterior Soil Gas Human Health Levels |           |            |                |          | ug/m3      | 2000000               | ---                    | 20000             | 900             | 3000           | Varies     |
| Exide 22-238                                                           | A-1       | 0006580-02 | 09/27/2022     | Soil Gas | µg/m³      | 0.86                  | <0.94                  | <1.22             | 2.87            | <0.62          | NA         |
|                                                                        | A-2       | 0006580-03 | 09/27/2022     | Soil Gas | µg/m³      | 976 E                 | <0.94                  | <1.21             | 15.1            | 1.28           | NA         |
|                                                                        | A-3       | 0006580-04 | 09/27/2022     | Soil Gas | µg/m³      | 843 E                 | <0.94                  | 1.73              | 42              | 0.84           | NA         |
|                                                                        | A-5       | 0006580-05 | 09/27/2022     | Soil Gas | µg/m³      | 3.2                   | 49.5                   | 296               | 5,720 E         | 3.14           | NA         |
|                                                                        | B-1       | 0006580-06 | 09/27/2022     | Soil Gas | µg/m³      | 0.7                   | <0.94                  | <1.22             | 18.3            | <0.62          | NA         |
|                                                                        | B-2       | 0006580-07 | 09/27/2022     | Soil Gas | µg/m³      | 260 E                 | <0.94                  | <1.21             | 8.11            | 1.2            | NA         |
|                                                                        | B-3       | 0006580-08 | 09/27/2022     | Soil Gas | µg/m³      | 24.5                  | <0.94                  | 3.75              | 47.9            | <0.61          | NA         |
|                                                                        | B-5       | 0006580-09 | 09/27/2022     | Soil Gas | µg/m³      | 8.84                  | <0.93                  | 6.17              | 299             | <0.61          | NA         |
|                                                                        | C-1       | 0006580-10 | 09/27/2022     | Soil Gas | µg/m³      | 0.52                  | <0.94                  | <1.22             | <1.51           | <0.62          | NA         |
|                                                                        | C-2       | 0006580-11 | 09/27/2022     | Soil Gas | µg/m³      | 8.48                  | <0.94                  | <1.22             | 11.1            | <0.62          | NA         |
|                                                                        | C-3       | 0006580-12 | 09/27/2022     | Soil Gas | µg/m³      | 1.5                   | <0.94                  | 1.96              | 80.4            | <0.61          | NA         |
|                                                                        | C-4       | 0006580-13 | 09/27/2022     | Soil Gas | µg/m³      | 1.05                  | <0.94                  | 1.47              | 5.8             | <0.61          | NA         |
|                                                                        | C-5       | 0006580-14 | 09/27/2022     | Soil Gas | µg/m³      | 0.82                  | <0.94                  | <1.21             | <1.50           | <0.61          | NA         |
|                                                                        | C-6       | 0006580-15 | 09/27/2022     | Soil Gas | µg/m³      | 0.6                   | <0.93                  | <1.21             | <1.50           | <0.61          | NA         |
|                                                                        | D-1       | 0006580-16 | 09/27/2022     | Soil Gas | µg/m³      | 0.66                  | <0.94                  | <1.22             | <1.51           | <0.62          | NA         |
|                                                                        | D-2       | 0006580-17 | 09/27/2022     | Soil Gas | µg/m³      | 0.67                  | <0.94                  | <1.22             | <1.51           | <0.62          | NA         |
|                                                                        | D-3       | 0006580-18 | 09/27/2022     | Soil Gas | µg/m³      | 1.43                  | <0.94                  | <1.21             | 2.93            | <0.61          | NA         |
|                                                                        | D-4       | 0006580-19 | 09/27/2022     | Soil Gas | µg/m³      | 0.83                  | <0.94                  | <1.21             | <1.50           | <0.61          | NA         |
|                                                                        | D-5       | 0006580-20 | 09/27/2022     | Soil Gas | µg/m³      | 0.98                  | <0.93                  | <1.21             | <1.50           | <0.61          | NA         |
|                                                                        | D-6       | 0006580-21 | 09/27/2022     | Soil Gas | µg/m³      | 0.52                  | <0.93                  | <1.21             | <1.50           | <0.61          | NA         |
|                                                                        | SGeS-1    | 0006580-22 | 09/27/2022     | Soil Gas | µg/m³      | <0.47                 | <0.94                  | <1.22             | <1.51           | <0.62          | NA         |
|                                                                        | SGeS-2    | 0006580-23 | 09/27/2022     | Soil Gas | µg/m³      | <0.47                 | <0.94                  | <1.21             | <1.50           | <0.61          | NA         |
|                                                                        | SGeS-3    | 0006580-24 | 09/27/2022     | Soil Gas | µg/m³      | 0.8                   | <0.94                  | <1.21             | <1.50           | <0.61          | NA         |
|                                                                        | TB        | 0006580-01 | 09/27/2022     | Air      | µg/m³      | <0.47                 | <0.93                  | <1.21             | <1.50           | <0.61          | NA         |

Notes:

VOCs = Volatile Organic Compounds

BDL = Below Detection Limits

Risk-based Closure Guide (R2), Risk Screening Table, Table 1: Human Health Level Table - 2022

R2 Table 1 is calculated as described in IDEM's Risk-based Closure Guide Chapter 3 and Appendix A assuming a total HQ of 1 and a risk level of 10<sup>-6</sup>.

**Table 13**  
**Sub-Slab Soil Gas and Conduit Vapor**  
**Analytical Results – VOCs**

| Project ID                                                                      | Sample ID | Collected Date | Matrix | Units | 1,1,1-Trichloroethane | 1,1-Dichloroethane | cis-1,2-Dichloroethene | Tetrachloroethene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl chloride | Other VOCs |
|---------------------------------------------------------------------------------|-----------|----------------|--------|-------|-----------------------|--------------------|------------------------|-------------------|--------------------------|-----------------|----------------|------------|
|                                                                                 |           | CAS Number     |        |       | 71-55-6               | 75-34-3            | 156-59-2               | 127-18-4          | 156-60-5                 | 79-01-6         | 75-01-4        | Varies     |
| Residential Sub-Slab Soil Gas Human Health Levels                               |           |                |        | ug/m3 | 200000                | 600                | ---                    | 1000              | 1,000                    | 70              | 60             | Varies     |
| Commercial/Industrial Sub-Slab Soil Gas and Sewer Gas Human Health Levels       |           |                |        | ug/m3 | 700000                | 3,000              | ---                    | 6000              | 6,000                    | 300             | 900            | Varies     |
| LARGE Commercial/Industrial Sub-Slab Soil Gas and Sewer Gas Human Health Levels |           |                |        | ug/m3 | 7000000               | 30,000             | ---                    | 60000             | 60,000                   | 3000            | 9000           | Varies     |

  

|              |         |            |           |       |      |         |       |      |        |      |        |    |
|--------------|---------|------------|-----------|-------|------|---------|-------|------|--------|------|--------|----|
| Exide 22-238 | CV-1    | 09/27/2022 | Sewer Gas | µg/m³ | 19.3 |         | <0.94 | 47   |        | 18   | <0.62  | NA |
| EXIDE        | SGSAN-1 | 8/29/2023  | Sewer Gas | ug/m3 | 2.06 | 0.657 J | 0.856 | 2.74 | <0.267 | 4.3  | <0.243 | NA |
| EXIDE        | SGSAN-2 | 8/29/2023  | Sewer Gas | ug/m3 | 6.36 | 1.11    | 2.87  | 4.62 | <0.267 | 15.7 | <0.243 | NA |

  

|              |            |            |          |       |         |      |        |        |         |         |        |    |
|--------------|------------|------------|----------|-------|---------|------|--------|--------|---------|---------|--------|----|
| Exide 22-238 | SGss-1     | 09/27/2022 | Soil Gas | µg/m³ | 299 E   |      | 2.61   | 30     |         | 2,600 E | 2.13   | NA |
| Exide 22-238 | SGss-2     | 09/27/2022 | Soil Gas | µg/m³ | 1,270 E |      | <0.94  | <1.22  |         | 27.6    | 2.51   | NA |
| EXIDE        | SGSS-1 (2) | 8/29/2023  | Soil Gas | ug/m3 | 9,300   | 54.5 | 1,210  | 9,300  | 354     | 257,000 | <4.86  | NA |
| EXIDE        | SGSS-2 (2) | 8/29/2023  | Soil Gas | ug/m3 | 974     | 41.7 | 56.3   | 1.85   | 9.67    | 41.6    | <0.243 | NA |
| EXIDE        | SGSS-3     | 8/29/2023  | Soil Gas | ug/m3 | 30,000  | 16.8 | 1.01   | 9.23   | 0.408 J | 1030    | <0.243 | NA |
| EXIDE        | SGSS-4     | 8/29/2023  | Soil Gas | ug/m3 | 9,030   | 93.4 | <0.311 | 1.06 J | <0.267  | 3.09    | <0.243 | NA |
| EXIDE        | SGSS-5     | 8/29/2023  | Soil Gas | ug/m3 | 4,090   | 1.64 | <0.311 | 8.89   | <0.267  | 1.99    | <0.243 | NA |
| EXIDE        | SGSS-6     | 8/29/2023  | Soil Gas | ug/m3 | 351     | <2.9 | 7.25 J | 217    | 20.7    | 99,700  | <2.43  | NA |

Notes:

VOCs = Volatile Organic Compounds

Blank Cells - Not Analyzed

Risk-based Closure Guide (R2), Risk Screening Table, Table 1: Human Health Level Table - 2022

R2 Table 1 is calculated as described in IDEM's Risk-based Closure Guide Chapter 3 and Appendix A assuming a total HQ of 1 and a risk level of 10