

Uniform Physical Condition Standards - Comprehensive Listing
Inspectable Area: Site

Property ID / Name: _____

Inspection Date: _____

Inspectable Item	Observable Deficiency	NOD	Level			NA	H&S
			1	2	3		
Fencing and Gates	Damaged/Falling/Leaning						NLT
	Holes						NLT
	Missing Sections						NLT
Grounds	Erosion/Rutting Areas						NLT
	Overgrown/Penetrating Vegetation						
	Ponding/Site Drainage						
Health & Safety	Air Quality - Sewer Odor Detected						NLT
	Air Quality - Propane/Natural Gas/Methane Gas Detected						LT
	Electrical Hazards - Exposed Wires/Open Panels						LT
	Electrical Hazards - Water Leaks on/near Electrical Equipment						LT
	Flammable Materials - Improperly Stored						NLT
	Garbage and Debris - Outdoors						NLT
	Hazards - Other						NLT
	Hazards - Sharp Edges						NLT
	Hazards - Tripping						NLT
	Infestation - Insects						NLT
Mailboxes/Project Signs	Mailbox Missing/Damaged						
	Signs Damaged						
Market Appeal	Graffiti						
	Litter						
Parking Lots/Driveways/Roads	Cracks						
	Ponding						
	Potholes/Loose Material						
	Settlement/Heaving						
Play Areas and Equipment	Damaged/Broken Equipment						NLT
	Deteriorated Play Area Surface						
Refuse Disposal	Broken/Damaged Enclosure-Inadequate Outside Storage Space						
Retaining Walls	Damaged/Falling/Leaning						NLT
Storm Drainage	Damaged/Obstructed						
Walkways/Steps	Broken/Missing Hand Railing						NLT
	Cracks/Settlement/Heaving						
	Spalling						

- In order to accurately categorize a deficiency as a "Level 1", "Level 2" or "Level 3" (including independent Health & Safety items), you must refer to the Final Dictionary of Deficiency Definitions (PASS) Version 2.3, dated 03/08/2000. This document can be found at "http://www.hud.gov/offices/reac/pdf/pass_dict2.3.pdf" (325 Pages, 343 KB)
- Additional clarification to these definitions is contained in the REAC PASS Compilation Bulletin which can be found at "http://www.hud.gov/offices/reac/pdf/pass_bulletin.pdf" (24 Pages, 275 KB)
- Only level 3 is applied to independent Health & Safety deficiencies.
- In the H&S column, NLT is a "Non-Life Threatening" Health & Safety concern whereas LT is a "Life Threatening" concern which calls for immediate attention or remedy and will show up on the Exigent Health and Safety Report at the end of an inspection.

Uniform Physical Condition Standards - Comprehensive Listing
Inspectable Area: Building Exterior

Page: _____ of _____

Property ID / Name: _____

Inspection Date: _____

Building Number: _____

Inspectable Item	Observable Deficiency	NOD	Level			NA	H&S
			1	2	3		
Doors	Damaged Frames/Threshold/Lintels/Trim						NLT
	Damaged Hardware/Locks						
	Damaged Surface (Holes/Paint/Rusting/Glass)						
	Damaged/Missing Screen/Storm/Security Door						NLT
	Deteriorated/Missing Caulking/Seals						
	Missing Door						
Fire Escapes	Blocked Egress/Ladders						LT
	Visibly Missing Components						LT
Foundations	Cracks/Gaps						
	Spalling/Exposed Rebar						
Health and Safety	Electrical Hazards - Exposed Wires/Open Panels						LT
	Electrical Hazards - Water Leaks on/near Electrical Equipment						LT
	Emergency Fire Exits - Emergency/Fire Exits Blocked/Unusable						LT
	Emergency Fire Exits - Missing Exit Signs						NLT
	Flammable/Combustible Materials - Improperly Stored						NLT
	Garbage and Debris - Outdoors						NLT
	Hazards - Other						NLT
	Hazards - Sharp Edges						NLT
	Hazards - Tripping						NLT
	Infestation - Insects						NLT
	Infestation - Rats/Mice/Vermin						NLT
Lighting	Broken Fixtures/Bulbs						
Roofs	Damaged Soffits/Fascia						
	Damaged Vents						
	Damaged/Clogged Drains						
	Damaged/Torn Membrane/Missing Ballast						
	Missing/Damaged Components from Downspout/Gutter						
	Missing/Damaged Shingles						
	Ponding						
Walls	Cracks/Gaps						
	Damaged Chimneys						NLT
	Missing/Damaged Caulking/Mortar						
	Missing Pieces/Holes/Spalling						
	Stained/Peeling/Needs Paint						
Windows	Broken/Missing/Cracked Panes						NLT
	Damaged Sills/Frames/Lintels/Trim						
	Damaged/Missing Screens						
	Missing/Deteriorated Caulking/Seals/Glazing Compound						
	Peeling/Needs Paint						
	Security Bars Prevent Egress						LT

- In order to accurately categorize a deficiency as a "Level 1", "Level 2" or "Level 3" (including independent Health & Safety items), you must refer to the Final Dictionary of Deficiency Definitions (PASS) Version 2.3, dated 03/08/2000. This document can be found at "http://www.hud.gov/offices/reac/pdf/pass_dict2.3.pdf" (325 Pages, 343 KB)

- Additional clarification to these definitions is contained in the REAC PASS Compilation Bulletin which can be found at "http://www.hud.gov/offices/reac/pdf/pass_bulletin.pdf" (24 Pages, 275 KB)

- Only level 3 is applied to independent Health & Safety deficiencies.

- In the H&S column, NLT is a "Non-Life Threatening" Health & Safety concern whereas LT is a "Life Threatening" concern which calls for immediate attention or remedy and will show up on the Exigent Health and Safety Report at the end of an inspection.

Uniform Physical Condition Standards - Comprehensive Listing
Inspectable Area: Building Systems

Property ID / Name: _____
 Building Number: _____

Inspection Date: _____

Inspectable Item	Observable Deficiency	NOD	Level			NA	H&S
			1	2	3		
Domestic Water	Leaking Central Water Supply						
	Misaligned Chimney/Ventilation System						LT
	Missing Pressure Relief Valve						NLT
	Rust/Corrosion on Heater Chimney						NLT
	Water Supply Inoperable						NLT
Electrical System	Blocked Access/Improper Storage						NLT
	Burnt Breakers						NLT
	Evidence of Leaks/Corrosion						NLT
	Frayed Wiring						
	Missing Breakers/Fuses						LT
	Missing Covers						LT
Elevators	Not Operable						NLT
Emergency Power	Auxiliary Lighting Inoperable						
	Run-Up Records/Documentation Not Available						
Fire Protection	Missing Sprinkler Head						NLT
	Missing/Damaged/Expired Extinguishers						LT
Health & Safety	Air Quality - Mold and/or Mildew Observed						NLT
	Air Quality - Propane/Natural Gas/Methane Gas Detected						LT
	Air Quality - Sewer Odor Detected						NLT
	Electrical Hazards - Exposed Wires/Open Panels						LT
	Electrical Hazards - Water Leaks on/near Electrical Equipment						LT
	Elevator - Tripping						NLT
	Emergency Fire Exits - Emergency/Fire Exits Blocked/Unusable						LT
	Emergency Fire Exits - Missing Exit Signs						NLT
	Flammable Materials - Improperly Stored						NLT
	Garbage and Debris - Indoors						NLT
	Hazards - Other						NLT
	Hazards - Sharp Edges						NLT
	Hazards - Tripping						NLT
	Infestation - Insects						NLT
	Infestation - Rats/Mice/Vermin						NLT
HVAC	Boiler/Pump Leaks						
	Fuel Supply Leaks						NLT
	General Rust/Corrosion						NLT
	Misaligned Chimney/Ventilation System						LT
Roof Exhaust System	Roof Exhaust Fan(s) Inoperable						
Sanitary System	Broken/Leaking/Clogged Pipes or Drains						NLT
	Missing Drain/Cleanout/Manhole Covers						

- In order to accurately categorize a deficiency as a "Level 1", "Level 2" or "Level 3" (including independent Health & Safety items), you must refer to the Final Dictionary of Deficiency Definitions (PASS) Version 2.3, dated 03/08/2000. This document can be found at "http://www.hud.gov/offices/reac/pdf/pass_dict2.3.pdf" (325 Pages, 343 KB)

- Additional clarification to these definitions is contained in the REAC PASS Compilation Bulletin which can be found at "http://www.hud.gov/offices/reac/pdf/pass_bulletin.pdf" (24 Pages, 275 KB)

- Only level 3 is applied to independent Health & Safety deficiencies.

- In the H&S column, NLT is a "Non-Life Threatening" Health & Safety concern whereas LT is a "Life Threatening" concern which calls for immediate attention or remedy and will show up on the Exigent Health and Safety Report at the end of an inspection.

Uniform Physical Condition Standards - Comprehensive Listing
Inspectable Area: Common Areas

Property ID / Name: _____

Inspection Date: _____

Building Number: _____

X	Inspectable Item Location	Observable Deficiency	NOD	Level			NA	H&S
				1	2	3		
	Basement/Garage/Carport	Baluster/Side Railings - Damaged						
	Closet/Utility/Mechanical	Cabinets - Missing/Damaged						
	Community Room	Call for Aid - Inoperable						NLT
	Day Care	Ceiling - Bulging/Buckling						
	Halls/Corridors/Stairs	Ceiling - Holes/Missing Tiles/Panels/Cracks						
	Kitchen	Ceiling - Peeling/Needs Paint						
	Laundry Room	Ceiling - Water Stains/Water Damage/Mold/Mildew						
	Lobby	Countertops - Missing/Damaged						
	Office	Dishwasher/Garbage Disposal - Inoperable						
	Other Community Spaces	Doors - Damaged Frames/Threshold/Lintels/Trim						NLT
	Patio/Porch/Balcony	Doors - Damaged Hardware/Locks						
	Restrooms/Pool Structures	Doors - Damaged Surface (Holes/Paint/Rust/Glass)						
	Storage	Doors - Damaged/Missing Screen/Storm/Security Door						NLT
		Doors - Deteriorated/Missing Seals (Entry Only)						
		Doors - Missing Door						
		Dryer Vent -Missing/Damaged/Inoperable						
		Electrical - Blocked Access to Electrical Panel						NLT
		Electrical - Burnt Breakers						NLT
		Electrical - Evidence of Leaks/Corrosion						NLT
		Electrical - Frayed Wiring						
		Electrical - Missing Breakers						LT
		Electrical - Missing Covers						LT
		Floors - Bulging/Buckling						
		Floors - Floor Covering Damaged						
		Floors - Missing Floor/Tiles						
		Floors - Peeling/Needs Paint						
		Floors - Rot/Deteriorated Subfloor						
		Floors - Water Stains/Water Damage/Mold/Mildew						
		GFI - Inoperable						NLT
		Graffiti						
		HVAC - Convection/Radiant Heat System Covers Missing/Damaged						
		HVAC - General Rust/Corrosion						
		HVAC - Inoperable						
		HVAC - Misaligned Chimney/Ventilation System						LT
		HVAC - Noisy/Vibrating/Leaking						
		Lavatory Sink - Damaged/Missing						NLT
		Lighting - Missing/Damaged/Inoperable Fixture						
		Mailbox - Missing/Damaged						
		Outlets/Switches/Cover Plates - Missing/Broken						LT
		Pedestrian/Wheelchair Ramp						
		Plumbing - Clogged Drains						NLT
		Plumbing - Leaking Faucet/Pipes						NLT
		Range Hood /Exhaust Fans - Excessive Grease/Inoperable						
		Range/Stove - Missing/Damaged/Inoperable						
		Refrigerator - Damaged/Inoperable						
		Restroom Cabinet - Damaged/Missing						
		Shower/Tub - Damaged/Missing						
		Sink - Missing/Damaged						NLT
		Smoke Detector - Missing/Inoperable						LT
		Stairs - Broken/Damaged/Missing Steps						NLT
		Stairs - Broken/Missing Hand Railing						NLT
		Ventilation/Exhaust System - Inoperable						
		Walls - Bulging/Buckling						
		Walls - Damaged						
		Walls - Damaged/Deteriorated Trim						
		Walls - Peeling/Needs Paint						
		Walls - Water Stains/Water Damage/Mold/Mildew						
		Water Closet/Toilet - Damaged/Clogged/Missing						
		Windows - Cracked/Broken/Missing Panes						NLT
		Windows - Damaged Window Sill						
		Windows - Inoperable/Not Lockable						NLT

	Windows - Missing/Deteriorated Caulking/Seals/Glazing Compound						
	Windows - Peeling/Needs Paint						
	Windows - Security Bars Prevent Egress						LT
Health & Safety	Air Quality - Mold and/or Mildew Observed						NLT
	Air Quality - Propane/Natural Gas/Methane Gas Detected						LT
	Air Quality - Sewer Odor Detected						NLT
	Electrical Hazards - Exposed Wires/Open Panels						LT
	Electrical Hazards - Water Leaks on/near Electrical Equipment						LT
	Emergency Fire Exits - Emergency/Fire Exits Blocked/Unusable						LT
	Emergency Fire Exits - Missing Exit Signs						NLT
	Flammable/Combustible Materials - Improperly Stored						NLT
	Garbage and Debris - Indoors						NLT
	Garbage and Debris - Outdoors						NLT
	Hazards - Other						NLT
	Hazards - Sharp Edges						NLT
	Hazards - Tripping						NLT
	Infestation - Insects						NLT
	Infestation - Rats/Mice/Vermin						NLT
Pools and Related Structures	Fencing - Damaged/Not Intact						
	Pool - Not Operational						
Trash Collection Areas	Chutes - Damaged/Missing Components						

- In order to accurately categorize a deficiency as a "Level 1", "Level 2" or "Level 3" (including independent Health & Safety items), you must refer to the Final Dictionary of Deficiency Definitions (PASS) Version 2.3, dated 03/08/2000. This document can be found at "http://www.hud.gov/offices/reac/pdf/pass_dict2.3.pdf" (325 Pages, 343 KB)
- Additional clarification to these definitions is contained in the REAC PASS Compilation Bulletin which can be found at "http://www.hud.gov/offices/reac/pdf/pass_bulletin.pdf" (24 Pages, 275 KB)
- Only level 3 is applied to independent Health & Safety deficiencies.
- In the H&S column, NLT is a "Non-Life Threatening" Health & Safety concern whereas LT is a "Life Threatening" concern which calls for immediate attention or remedy and will show up on the Exigent Health and Safety Report at the end of an inspection.

Uniform Physical Condition Standards - Comprehensive Listing

Inspectable Area: Unit

Property ID / Name: _____

Inspection Date: _____

Building/Unit Nbr: _____

Inspectable Item	Observable Deficiency	NOD	Level			NA	H&S
			1	2	3		
Bathroom	Bathroom Cabinets - Damaged/Missing						
	Lavatory Sink - Damaged/Missing						NLT
	Plumbing - Clogged Drains						NLT
	Plumbing - Leaking Faucet/Pipes						NLT
	Shower/Tub - Damaged/Missing						NLT
	Ventilation/Exhaust System - Inoperable						
	Water Closet/Toilet - Damaged/Clogged/Missing						NLT
Call-for-Aid	Inoperable						NLT
Ceiling	Bulging/Buckling						
	Holes/Missing Tiles/Panels/Cracks						
	Peeling/Needs Paint						
	Water Stains/Water Damage/Mold/Mildew						
Doors	Damaged Frames/Threshold/Lintels/Trim						NLT
	Damaged Hardware/Locks						
	Damaged/Missing Screen/Storm/Security Door						NLT
	Damaged Surface - Holes/Paint/Rusting/Glass						
	Deteriorated/Missing Seals (Entry Only)						
	Missing Door						NLT
Electrical System	Blocked Access to Electrical Panel						NLT
	Burnt Breakers						NLT
	Evidence of Leaks/Corrosion						NLT
	Frayed Wiring						
	GFI - Inoperable						NLT
	Missing Breakers/Fuses						LT
	Missing Covers						LT
Floors	Bulging/Buckling						
	Floor Covering Damage						
	Missing Flooring Tiles						
	Peeling/Needs Paint						
	Rot/Deteriorated Subfloor						
	Water Stains/Water Damage/Mold/Mildew						
Health & Safety	Air Quality - Mold and/or Mildew Observed						NLT
	Air Quality - Sewer Odor Detected						NLT
	Air Quality - Propane/Natural Gas/Methane Gas Detected						LT
	Electrical Hazards - Exposed Wires/Open Panels						LT
	Electrical Hazards - Water Leaks on/near Electrical Equipment						LT
	Emergency Fire Exits - Emergency/Fire Exits Blocked/Unusable						LT
	Emergency Fire Exits - Missing Exit Signs						NLT
	Flammable Materials - Improperly Stored						NLT
	Garbage and Debris - Indoors						NLT
	Garbage and Debris - Outdoors						NLT
	Hazards - Other						NLT
	Hazards - Sharp Edges						NLT
	Hazards - Tripping						NLT
	Infestation - Insects						NLT
Infestation - Rats/Mice/Vermin						NLT	
Hot Water Heater	Misaligned Chimney/Ventilation System						LT
	Inoperable Unit/Components						NLT
	Leaking Valves/Tanks/Pipes						
	Pressure Relief Valve Missing						NLT
	Rust/Corrosion						NLT
HVAC System	Convection/Radiant Heat System Covers Missing/Damaged						
	Inoperable						
	Misaligned Chimney/Ventilation System						LT

	Noisy/Vibrating/Leaking					
	Rust/Corrosion					
Kitchen	Cabinets - Missing/Damaged					NLT
	Countertops - Missing/Damaged					NLT
	Dishwasher/Garbage Disposal - Inoperable					
	Plumbing - Clogged Drains					NLT
	Plumbing - Leaking Faucet/Pipes					NLT
	Range Hood/Exhaust Fans - Excessive Grease/Inoperable					
	Range/Stove - Missing/Damaged/Inoperable					
	Refrigerator-Missing/Damaged/Inoperable					NLT
	Sink - Damaged/Missing					NLT
Laundry Area (Room)	Dryer Vent - Missing/Damaged/Inoperable					
Lighting	Missing/Inoperable Fixture					NLT
Outlets/Switches	Missing					LT
	Missing/Broken Cover Plates					LT
Patio/Porch/Balcony	Baluster/Side Railings Damaged					
Smoke Detector	Missing/Inoperable					LT
Stairs	Broken/Damaged/Missing Steps					NLT
	Broken/Missing Hand Railing					NLT
Walls	Bulging/Buckling					
	Damaged					
	Damaged/Deteriorated Trim					
	Peeling/Needs Paint					
	Water Stains/Water Damage/Mold/Mildew					
Windows	Cracked/Broken/Missing Panes					NLT
	Damaged Window Sill					
	Missing/Deteriorated Caulking/Seals/Glazing Compound					
	Inoperable/Not Lockable					NLT
	Peeling/Needs Paint					
	Security Bars Prevent Egress					LT

- In order to accurately categorize a deficiency as a "Level 1", "Level 2" or "Level 3" (including independent Health & Safety items), you must refer to the Final Dictionary of Deficiency Definitions (PASS) Version 2.3, dated 03/08/2000. This document can be found at "http://www.hud.gov/offices/reac/pdf/pass_dict2.3.pdf" (325 Pages, 343 KB)

- Additional clarification to these definitions is contained in the REAC PASS Compilation Bulletin which can be found at "http://www.hud.gov/offices/reac/pdf/pass_bulletin.pdf" (24 Pages, 275 KB)

- Only level 3 is applied to independent Health & Safety deficiencies.

- In the H&S column, NLT is a "Non-Life Threatening" Health & Safety concern whereas LT is a "Life Threatening" concern which calls for immediate attention or remedy and will show up on the Exigent Health and Safety Report at the end of an inspection.