Posey County Commissioners

Application to Cut and Occupy County Right of Way Permit: _____ C.E.: _____ Petitioner: _____ Address: ____ Telephone #_____ Road (S) Affected: Type of Base Construction: Stone____ Gravel___ Earth__ ___ Type of Pavement: Concrete___ HAC__ Chip & Seal___ Gravel___ __ Type of Opening: Bore_____ Cut___ Opening Dimensions: _____ Long____ Wide____ Deep Size of Insert: _____ Gas ____ Water _____ San. Sewer _____ Culvert Submit Through The Posey County Highway Department. Please Attach (If Applicable) Plan Sheet with Cut Dimensions Shown Relative to Pavement, Plus all Relevant Dimensions. Applicant Shall be Bound by all additional instructions of this form. Received for Review: By____ Site Inspection: _____None Needed _____ Attached Comments Action Needed: _____ The Undersigned stipulates that he/she has read and understands and furthermore agrees to fully comply with the conditions, standards, and guidelines set forth in the four (4) pages of this document and has the authority to enter into this binding document. Company: _____ Address: Ву: _____ Title: Approved: _____Yes _____No

The Undersigned has contracted the Engineering or Right-of-Way Departments of the Utilities Listed Below to Determine the Location of their Plant and/or Utility within the Limits of the Proposed Work.

	Center Point:	Yes Yes	No (G No (El	50000 F.B	
	Waterworks:	Yes	No		
	Sewer Dept.:	Yes	No		
į	AT & T	Yes	No		
	Pipeline (Oil)	Yes	No		
ĺ	Drainage Board	Yes	No		
,	Cable TV:	Yes	No		
i	Other:	Yes	No	Who:	
		Company:			
		Ву:			ā
		Title:			-
As Surety,	, and firmly bound m of 100% of the	l into contract	# i	tion Principal. And n Penal Sum of \$ -of-way and/or roadw	, which is
Recommende	ed for Approval: _		County Highwa	y Superintendent	
Date:		rosey	Lounty mgmwa	y Superintendent	
Attest:	Approve:				
Posey County	Auditor	Posey County Commissioner			
		Posey County Commissioner			
	2		Posev County Commissioner		

The Applicant agrees to erect and maintain all necessary barricades, detour signs, warning lights, and/or any other devices required to safely direct traffic over or around the work until acceptable to The Board of County Commissioners and/or their duly appointed representative, and in accordance with section "D" of the "Indiana Manual of Uniform Traffic Control Devices."

The Applicant agrees roads will not be blocked from Traffic, except in accordance with an acceptable schedule of time and dates. This schedule shall be submitted to the County Commissioners 48 Hours or more in advance of the schedule blockages.

The Applicant further agrees to remove all residue and construction material, that might be hazardous to traffic, at the end of each day.

The Applicant agrees to assume all liability for any injury of damage to property resulting directly or indirectly from work permitted and/or performed by this Applicant.

The Applicant agrees that said work will not interfere with any existing structure and/or utility, along or across said roadway, without permission from the owner of said structure or utility.

The Applicant agrees to stop work at any time upon direction by The Posey County Highway Superintendent or his duty appointed representative.

The Applicant agrees that a copy of this permit will be maintained on the site while work is in progress.

The Applicant agrees to guarantee said construction for a minimum of 365 days from the date of completion.

On any work to install a permanent utility plant, or other structure, sketches will be included that denote all baffles, shoring, or bulkheads left in place and with dimensions relative to edge of roadway.

Finished road surfaces will be compatible to existing surfaces and straight to a plane within 1/8" IN 10'.

All utility lines are to be installed in a straight line, and within the boundaries prescribed.

PARALLEL TO ROADBED (SHOULDER) CUTS

The trench shall be compacted with original excavated material to within 9" of the finished surface.

The uppermost 9" shall consist of compactible aggregate or originally excavated material compacted using mechanical (Wacker) methods or hand tampers until satisfactory compaction is obtained. The Lower fill material shall be placed in maximum 12" lifts and compacted by the above methods.

No Excessive Mounds Or Depressions will be accepted.

IN ROADBED CUTS

Backfill Material: Flowable Fill is preferred but "B" borrow is acceptable unless otherwise

Directed by the Posey County Supervisor or his Representative.

Concrete Streets: Total concrete depth shall be 9 1/4". Concrete Streets shall be saw cut a

Minimum of 1" prior to removal.

H.A.C. Streets: H.A.C. surface shall be placed to a depth of 1 ½" and tacked on top pf 7 ½"

of H.A.C. Base. The base shall be compacted in 2 different lifts.