

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source  
Code

Manufacturer  
Product Names

Approval Number

ADDITION RATE:  
FL OZ / 100 LBS  
CEMENTITIOUS

SM Material Code: 912M00100

AIR-ENTRAINING\*

\* For Air-Entraining Admixtures only

*The dosage of AEA may be outside of limits shown as needed.*

8278	CHRYSO-----	W118611	0.25 TO 5.0*
	CHRYSO AIR 260		
8278	CHRYSO-----	W158668	0.2 TO 5.0*
	CHRYSO AIR 260 ULTRA		
8284	DARCOLE PRODUCTS, INC-----	W258600	0.25 TO 2.0*
	DARECOLE SYNTHETIC AIR 112 (DSA 112)		
8268	THE EUCLID CHEMICAL CO-----	W168660	0.10 TO 4.0*
	EUCON AIR MAC6		
8268	THE EUCLID CHEMICAL CO-----	W158661	0.10 TO 4.0*
	EUCON AIR MAC12		
8268	THE EUCLID CHEMICAL CO-----	W028605	0.1 TO 4.0*
	EUCON AEA-92		
8268	THE EUCLID CHEMICAL CO-----	W118630	0.5 TO 2.0*
	EUCON AEA-92S		
8296	FRITZ-PAK CORP.-----	W188600	0.5 TO 2.5* (Powder)
	AIR PLUS		
8296	FRITZ-PAK CORP.-----	W188601	0.25 TO 1.25* (Powder)
	SUPER AIR PLUS		
8266	GCP APPLIED TECHNOLOGIES INC-----	W218600	0.5 TO 3.0*
	AIRALON 7000		
8266	GCP APPLIED TECHNOLOGIES INC-----	W028617	0.5 TO 3.0*
	DARAVAIR 1400		
8266	GCP APPLIED TECHNOLOGIES INC-----	W028619	0.2 TO 7.5*
	DAREX II AEA		
8266	GCP APPLIED TECHNOLOGIES INC-----	W088613	0.5 TO 8.0*
	TERAPAVE AEA		
9581	MAPEI CORPORATION-----	W198605	0.2 TO 2.0*
	MAPEAIR SA (Formerly POLYCHEM SA)		

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source Code	Manufacturer Product Names	Approval Number	ADDITION RATE: FL OZ / 100 LBS CEMENTITIOUS
-------------	----------------------------	-----------------	---

\* For Air-Entraining Admixtures only  
*The dosage of AEA may be outside of limits shown as needed.*

9581	MAPEI CORPORATION----- MAPEAIR SA 50 (Formerly POLYCHEM SA 50)	W198606	0.5 TO 3.0*
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERAIR AE 90	W028608	0.25 TO 4.0*
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERAIR AE 200	W028611	0.125 TO 4.0*
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERAIR AE 400	W078612	0.25 TO 4.0*
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERAIR VR 10	W028610	0.25 TO 4.0*
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- CONAIR	W088635	0.2 TO 3.0*
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- CONAIR X	W158610	0.5 TO 3.0*
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- CONAIR 260	W088623	0.2 TO 3.0*
8272	RUSSTECH INC.----- RAE-260	W168611	0.5 TO 2.0*
8272	RUSSTECH INC.----- RSA-10	W028614	0.5 TO 4.0*
9514	SIKA CORPORATION----- SIKA AEA-14	W078634	1.0 TO 3.0*
9514	SIKA CORPORATION----- SIKA AIR-260	W128603	0.1 TO 6.0*
9514	SIKA CORPORATION----- SIKA AIR-360	W128604	0.1 TO 6.0*
9514	SIKA CORPORATION----- SIKACONTROL AIR-160	W228609	0.1 TO 6.0*

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source Code	Manufacturer Product Names	Approval Number	ADDITION RATE: FL OZ / 100 LBS CEMENTITIOUS
-------------	----------------------------	-----------------	---

SM Material Code: 912M00010

Type A

8278	CHRYSO----- CHRYSO ENVIROMIX 159	W118626	3.0 TO 12.0
8278	CHRYSO----- CHRYSO ENVIROMIX 310	W238602	2.0 TO 6.0
8278	CHRYSO----- CHRYSO ENVIROMIX 350	W158669	3.0 TO 10.0
8278	CHRYSO----- CHRYSO FLUID OPTIMA 256 EMX	W118629	2.0 TO 7.0
8278	CHRYSO----- CHRYSO FLUID OPTIMA 258 EMX	W148621	2.0 TO 7.0
8278	CHRYSO----- CHRYSO OPTIMA 249	W208606	2.0 TO 4.0
8278	CHRYSO----- CHRYSO OPTIMA 1240	W258602	2.0 TO 6.0
8278	CHRYSO----- CHRYSO QUAD 842	W228611	2.0 TO 10.0
8278	CHRYSO----- CHRYSO QUAD 940	W258603	2.0 TO 8.0
8284	DARCOLE PRODUCTS, INC----- DARCOLE WATER REDUCER 385 (DWR 385)	W248608	3.0 TO 6.0
8284	DARCOLE PRODUCTS, INC----- DARNLOK 785 (DNL785)	W218603	6.0 TO 12.0
8268	THE EUCLID CHEMICAL CO----- EUCON A+	W028628	3.0 TO 18.0
8268	THE EUCLID CHEMICAL CO----- EUCON MR	W028631	4.0 TO 10.0
8268	THE EUCLID CHEMICAL CO----- EUCON SE	W188610	2.0 TO 4.0
8268	THE EUCLID CHEMICAL CO----- EUCON WR	W148620	2.0 TO 6.0
8268	THE EUCLID CHEMICAL CO----- EUCON WRX	W228604	5.0 TO 7.0

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source Code	Manufacturer Product Names	Approval Number	ADDITION RATE: FL OZ / 100 LBS CEMENTITIOUS
8268	THE EUCLID CHEMICAL CO----- EUCON WR-91	W028630	2.0 TO 6.0
8268	THE EUCLID CHEMICAL CO----- EUCON X15	W238603	4.0 TO 8.0
8268	THE EUCLID CHEMICAL CO----- PLASTOL 6420	W218606	2.0 TO 5.0
8268	THE EUCLID CHEMICAL CO----- PLASTOL 6425	W178620	3.0 TO 6.0
8266	GCP APPLIED TECHNOLOGIES INC----- ADVA 140M	W098610	4.0 TO 9.0
8266	GCP APPLIED TECHNOLOGIES INC----- ADVA CAST 575	W188611	1.5 TO 3.0
8266	GCP APPLIED TECHNOLOGIES INC----- ADVA CAST 600	W188612	1.5 TO 3.0
8266	GCP APPLIED TECHNOLOGIES INC----- CONCERA SA8080	W198619	2.0 TO 8.0
8266	GCP APPLIED TECHNOLOGIES INC----- MIRA 62	W098612	2.0 TO 6.0
8266	GCP APPLIED TECHNOLOGIES INC----- MIRA 110	W108613	3.0 TO 9.0
8266	GCP APPLIED TECHNOLOGIES INC----- WRDA 82	W028296	2.0 TO 5.0
8266	GCP APPLIED TECHNOLOGIES INC----- ZYLA 630	W098651	2.0 TO 3.0
9581	MAPEI CORPORATION----- DYNAMON SX	W208604	2.0 TO 5.0
9581	MAPEI CORPORATION----- DYNAMON SX 37	W248605	1.0 TO 11.0
9581	MAPEI CORPORATION----- MAPEPLAST KB-1200 (Formerly KB-1200)	W198608	3.0 TO 12.0
9581	MAPEI CORPORATION----- MAPEPLAST PAVER PLUS (Formerly POLYCHEM PAVER PLUS)	W198609	2.0 TO 8.0
9581	MAPEI CORPORATION----- MAPEPLAST 400 NC	W208668	3.0 TO 8.0

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source Code	Manufacturer Product Names	Approval Number	ADDITION RATE: FL OZ / 100 LBS CEMENTITIOUS
-------------	----------------------------	-----------------	---

(Formerly POLYCHEM 400 NC)

8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTEREASE 5000	W248604	2.0 TO 5.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERGLENIUUM 7500	W088215	2.0 TO 3.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERGLENIUUM 7511	W118625	2.0 TO 5.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERGLENIUUM 7920	W228610	2.0 TO 3.5
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERGLENIUUM 7925	W228606	2.0 TO 4.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERGLENIUUM 7960	W248602	2.0 TO 8.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERPOLYHEED 900	W038611	3.0 TO 15.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERPOLYHEED 997	W028634	3.0 TO 6.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERPOLYHEED 1020	W048600	3.0 TO 5.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERPOZZOLITH 80	W048636	3.0 TO 5.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERPOZZOLITH 700	W128630	3.0 TO 5.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTER X-SEED 66	W228602	4.0 TO 15.0
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- OPTIFLO MR	W088211	4.0 TO 12.0
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- ECOFLO GREEN	W248600	4.0 TO 8.0
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- OPTIFLO PLUS	W078630	5.0 TO 10.0
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- OPTIFLO 50	W078637	3.0 TO 8.0
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- OPTIFLO 500	W088203	2.0 TO 3.5

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source Code	Manufacturer Product Names	Approval Number	ADDITION RATE: FL OZ / 100 LBS CEMENTITIOUS
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- OPTIFLO 700	W138614	4.0 TO 10.0
8272	RUSSTECH INC.----- EXTENDFLO X90	W178635	2.0 TO 12.0
8272	RUSSTECH INC.----- FINISHEASE NC	W028641	3.0 TO 7.0
8272	RUSSTECH INC.----- LC-400P	W028642	3.0 TO 5.0
8272	RUSSTECH INC.----- LC-500	W028295	3.0 TO 5.0
8272	RUSSTECH INC.----- LC-600L	W238606	3.0 to 8.0
8272	RUSSTECH INC.----- SUPERFLO 2000 RM	W148610	1.0 to 5.0
9514	SIKA CORPORATION----- SIKA PLASTOCRETE - 10 N	W128614	1.5 TO 3.5
9514	SIKA CORPORATION----- SIKA PLASTOCRETE - 250	W188606	2.0 TO 5.0
9514	SIKA CORPORATION----- SIKAMENT AFM	W178612	3.0 TO 6.0
9514	SIKA CORPORATION----- SIKAMENT-475	W168613	3.0 TO 7.0
9514	SIKA CORPORATION----- SIKAMENT-686	W068213	3.0 TO 6.5
9514	SIKA CORPORATION----- SIKAPLAST-200	W128613	3.0 TO 12.0
9514	SIKA CORPORATION----- SIKAPLAST-300GP	W128610	2.0 TO 12.0
9514	SIKA CORPORATION----- SIKA VISCOCRETE-1000	W138612	2.0 TO 5.0
9514	SIKA CORPORATION----- SIKA VISCOCRETE-2100	W168610	1.0 TO 3.0
9514	SIKA CORPORATION----- SIKA VISCOFLOW-2020	W188605	2.0 TO 6.0

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source Code	Manufacturer Product Names	Approval Number	ADDITION RATE: FL OZ / 100 LBS CEMENTITIOUS
-------------	----------------------------	-----------------	---

SM Material Code: 912M00020

Type B

8278	CHRYSO-----	W158671	1.0 TO 12.0
	CHRYSO NUTRALSET TC CAUTION - PRODUCT IS A HYDRATION STABILIZER. THE HIGH DOSAGE SIGNIFICANTLY DELAYS OR STOPS HYDRATION		
8284	DARCOLE PRODUCTS, INC.-----	W248650	1.0 to 12.0
	DARCOLE HYDRATION STABILIZER (DHS) CAUTION-PRODUCT IS A HYDRATION STABILIZER. THE HIGH DOSAGE SIGNIFICANTLY DELAYS OR STOPS HYDRATION		
8268	THE EUCLID CHEMICAL CO-----	W148650	2.0 TO 6.0
	EUCON RETARDER 100		
8268	THE EUCLID CHEMICAL CO-----	W168653	1.0 TO 16.0
	EUCON STASIS CAUTION - PRODUCT IS A HYDRATION STABILIZER. THE HIGH DOSAGE SIGNIFICANTLY DELAYS OR STOPS HYDRATION.		
8268	THE EUCLID CHEMICAL CO-----	W148651	5.0 TO 10.0
	EUCON WR		
8268	THE EUCLID CHEMICAL CO-----	W118652	5.0 TO 10.0
	EUCON WR 91		
8266	GCP APPLIED TECHNOLOGIES INC-----	W218601	2.0 TO 6.0
	RECOVER		
8266	GCP APPLIED TECHNOLOGIES INC-----	W098251	2.0 TO 8.0
	ZYLA R		
9581	MAPEI CORPORATION-----	W248606	1.0 TO 12.0
	MAPECRETE RESOLVE CAUTION - PRODUCT IS A HYDRATION STABILIZER. THE HIGH DOSAGE SIGNIFICANTLY DELAYS OR STOPS HYDRATION.		
8265	MASTER BUILDERS SOLUTIONS,LLC-----	W028657	2.0 TO 5.0
	MASTERSET DELVO CAUTION - PRODUCT IS A HYDRATION STABILIZER. THE HIGH DOSAGE SIGNIFICANTLY DELAYS OR STOPS HYDRATION.		
8265	MASTER BUILDERS SOLUTIONS,LLC-----	W058601	5.0 TO 10.0
	MASTERPOZZOLITH 80		
8265	MASTER BUILDERS SOLUTIONS,LLC-----	W128652	5.0 TO 7.0
	MASTERPOZZOLITH 700		
8265	MASTER BUILDERS SOLUTIONS,LLC-----	W028653	1.0 TO 4.0
	MASTERSET R 100		

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source Code	Manufacturer Product Names	Approval Number	ADDITION RATE: FL OZ / 100 LBS CEMENTITIOUS
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERSET R 961	W198617	3.0 TO 5.0
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- PROLONG L CAUTION - PRODUCT IS A HYDRATION STABILIZER. THE HIGH DOSAGE SIGNIFICANTLY DELAYS OR STOPS HYDRATION.	W138653	2.0 TO 6.0
9514	SIKA CORPORATION----- SIKA PLASTOCRETE-10N	W128650	3.5 TO 5.0
9514	SIKA CORPORATION----- SIKA PLASTIMENT	W048224	2.0 TO 4.0
9514	SIKA CORPORATION----- SIKA PLASTIMENT XR	W158663	2.0 TO 5.0
9514	SIKA CORPORATION----- SIKATARD 440 CAUTION - PRODUCT IS A HYDRATION STABILIZER. THE HIGH DOSAGE SIGNIFICANTLY DELAYS OR STOPS HYDRATION.	W128653	2.0 TO 8.0

SM Material Code: 912M00030

Type C

8278	CHRYSO----- CHRYSO TURBOCAST NCT	W158672	8.0 TO 90.0
8278	CHRYSO----- CHRYSO TURBOCAST 650A	W078615	8.0 TO 54.0
8284	DARCOLE PRODUCTS, INC----- DARNSET 130 (DNS 130)	W238601	9.0 TO 54.0
8268	THE EUCLID CHEMICAL CO----- EUCON CIA	W028660	10.0 TO 90.0
8268	THE EUCLID CHEMICAL CO----- ACCELGUARD G3	W168665	10.0 TO 90.0
8268	THE EUCLID CHEMICAL CO----- ACCELGUARD NCA	W118651	12.0 TO 75.0
8268	THE EUCLID CHEMICAL CO----- ACCELGUARD 80	W118650	12.0 TO 90.0
8268	THE EUCLID CHEMICAL CO-----	W078660	10.0 TO 90.0

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source Code	Manufacturer Product Names	Approval Number	ADDITION RATE: FL OZ / 100 LBS CEMENTITIOUS
	ACCELGUARD 90		
8266	GCP APPLIED TECHNOLOGIES INC----- DARASET 400	W058628	10.0 TO 60.0
8266	GCP APPLIED TECHNOLOGIES INC----- DCI	W148629	40.0 TO 120.0
8266	GCP APPLIED TECHNOLOGIES INC----- POLARSET	W028666	8.0 TO 60.0
9581	MAPEI CORPORATION----- MAPESHIELD CI 300 (Formerly POLYCHEM CI)	W228608	8.0 TO 90.0
9581	MAPEI CORPORATION----- MAPEFAST SUPER SET PLUS (Formerly POLYCHEM SUPER SET PLUS)	W208666	8.0 TO 32.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERLIFE CI 30	W068216	50.0 TO 150.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERSET AC 534	W028662	10.0 TO 45.0
7217	OZINGA----- OZ-SET 2	W228660	10.0 TO 90.0
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- IMPEDE CNI	W138616	10.0 TO 90.0
8272	RUSSTECH INC.----- LCNC-166	W028664	8.0 TO 90.0
9514	SIKA CORPORATION----- SIKASET NC	W068217	10.0 TO 45.0
9514	SIKA CORPORATION----- SIKA RAPID - 1	W138622	8.0 TO 48.0
9514	SIKA CORPORATION----- SIKA - CNI	W178655	10.0 TO 120.0
9514	SIKA CORPORATION----- SIKA PLASTOCRETE 161FL	W218202	6.0 TO 64.0

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source Code	Manufacturer Product Names	Approval Number	ADDITION RATE: FL OZ / 100 LBS CEMENTITIOUS
-------------	----------------------------	-----------------	---

SM Material Code: 912M00040

Type D

8284	DARCOLE PRODUCTS, INC----- DARCOLE HYDRATION STABILIZER (DHS) CAUTION-PRODUCT IS A HYDRATION STABILIZER. THE HIGH DOSAGE SIGNIFICANTLY DELAYS OR STOPS HYDRATION	W248651	1.0 to 12.0
8268	THE EUCLID CHEMICAL CO----- EUCON RETARDER 100	W028670	2.0 TO 6.0
8268	THE EUCLID CHEMICAL CO----- EUCON SE	W188608	3.0 TO 5.0
8268	THE EUCLID CHEMICAL CO----- EUCON STASIS CAUTION - PRODUCT IS A HYDRATION STABILIZER. THE HIGH DOSAGE SIGNIFICANTLY DELAYS OR STOPS HYDRATION.	W168690	1.0 TO 16.0
8268	THE EUCLID CHEMICAL CO----- EUCON WR	W148670	5.0 TO 10.0
8268	THE EUCLID CHEMICAL CO----- EUCON WR 91	W118670	5.0 TO 10.0
8296	FRITZ-PAK CORP.----- DELAYED SET, STANDARD & MINI	W188602	1.0 TO 1.7 (Powder)
8266	GCP APPLIED TECHNOLOGIES INC----- RECOVER CAUTION - PRODUCT IS A HYDRATION STABILIZER. THE HIGH DOSAGE SIGNIFICANTLY DELAYS OR STOPS HYDRATION.	W048214	6.0 TO 12.0
8266	GCP APPLIED TECHNOLOGIES INC----- WRDA 82	W178600	5.0 TO 10.0
8266	GCP APPLIED TECHNOLOGIES INC----- ZYLA R	W098621	2.0 TO 8.0
8266	GCP APPLIED TECHNOLOGIES INC----- ZYLA 63	W148626	3.0 TO 7.0
9581	MAPEI CORPORATION----- MAPETARD R (Formerly POLYCHEM R)	W208672	2.0 TO 5.0
9581	MAPEI CORPORATION ----- MAPECRETE RESOLVE CAUTION - PRODUCT IS A HYDRATION STABILIZER. THE HIGH DOSAGE SIGNIFICANTLY DELAYS OR STOPS HYDRATION.	W248607	1.0 TO 12.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERPOZZOLITH 80	W048602	5.0 TO 10.0

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source Code	Manufacturer Product Names	Approval Number	ADDITION RATE: FL OZ / 100 LBS CEMENTITIOUS
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERPOZZOLITH 700	W128670	5.0 TO 7.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERSET R 99	W258601	2.0 TO 4.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERSET R 100	W028672	1.0 TO 4.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERSET R 961	W198618	3.0 TO 5.0
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- OPTIFLO 50	W138624	6.0 TO 12.0
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- OPTIFLO 100R	W088622	3.0 TO 8.0
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- OPTIFLO 500	W138625	3.5 TO 8.0
8272	RUSSTECH INC.----- LC-400P	W028677	5.0 TO 8.0
8272	RUSSTECH INC.----- LC-400R	W028678	3.0 TO 6.0
P8272	RUSSTECH INC.----- LC-500	W028297	3.0 TO 5.0
8272	RUSSTECH INC.----- RUSSTECH RENU CAUTION - PRODUCT IS A HYDRATION STABILIZER. THE HIGH DOSAGE SIGNIFICANTLY DELAYS OR STOPS HYDRATION	W138623	1.0 TO 12.0
9514	SIKA CORPORATION----- SIKA PLASTIMENT	W048223	2.0 TO 4.0
9514	SIKA CORPORATION----- SIKA PLASTIMENT XR	W158664	2.0 TO 5.0
9514	SIKA CORPORATION----- SIKA PLASTOCRETE-10 N	W128620	3.5 TO 5.0
9514	SIKA CORPORATION----- SIKA PLASTOCRETE - 250	W188607	5.0 TO 9.0
9514	SIKA CORPORATION----- SIKATARD 440	W178650	2.0 TO 8.0

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source Code	Manufacturer Product Names	Approval Number	ADDITION RATE: FL OZ / 100 LBS CEMENTITIOUS
-------------	----------------------------	-----------------	---

SM Material Code: 912M00050

Type E

8268	THE EUCLID CHEMICAL CO ACCELGUARD G3	-----W168641	10.0 TO 90.0
8268	THE EUCLID CHEMICAL CO ACCELGUARD NCA	-----W118661	12.0 TO 75.0
8268	THE EUCLID CHEMICAL CO ACCELGUARD 80	-----W118660	12.0 TO 90.0
8268	THE EUCLID CHEMICAL CO ACCELGUARD 90	-----W078661	10.0 TO 90.0
8296	FRITZ-PAK CORP. FRITZ-PAK NCA	-----W188603	16.0 TO 48.0 (Powder)
8279	PREMIERE CONCRETE ADMIXTURES, LLC NITROCAST K	-----W138661	10.0 TO 90.0
8279	PREMIERE CONCRETE ADMIXTURES, LLC NITROCAST NC	-----W198611	10.0 TO 90.0
8272	RUSSTECH INC. LCNC-166	-----W028683	8.0 TO 90.0
9514	SIKA CORPORATION SIKASET NC	-----W068218	10.0 TO 45.0
9514	SIKA CORPORATION SIKA PLASTOCRETE 161FL	-----W218203	6.0 TO 64.0

SM Material Code: 912M00060

Type F\*\*

\*\* For Type F Admixtures only

*The dosage at which a HRWR admixture meets the performance requirements in ASTM C 494 with a specific cement may be higher or lower when tested with different concrete ingredients and proportions (ACI 212.3R, Chapter 6). An adjusted dosage rate of Type F admixture will be permitted based on a trial batch conducted by the ready mix concrete producer. Dosage rates outside of the ranges shown shall be noted in the remarks on CMDS.*

8278	CHRYSO CHRYSO ENVIROMIX 159	-----W208667	12.0 TO 20.0
------	--------------------------------	--------------	--------------

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source Code	Manufacturer Product Names	Approval Number	ADDITION RATE: FL OZ / 100 LBS CEMENTITIOUS
8278	CHRYSO----- CHRYSO ENVIROMIX 310	W228612	6.0 TO 16.0
8278	CHRYSO----- CHRYSO ENVIROMIX 350	W198613	10.0 TO 18.0
8278	CHRYSO----- CHRYSO FLUID OPTIMA 256 EMX	W158666	7.0 TO 16.0
8278	CHRYSO----- CHRYSO FLUID OPTIMA 258 EMX	W148623	7.0 TO 16.0
8278	CHRYSO----- CHRYSO FLUID PREMIA 150	W228600	5.0 TO 40.0
8278	CHRYSO----- CHRYSO OPTIMA 249	W208603	4.0 TO 12.0
8278	CHRYSO----- CHRYSO OPTIMA 1240	W258604	4.0 TO 16.0
8278	CHRYSO----- CHRYSO QUAD 842	W228613	10.0 TO 20.0
8278	CHRYSO----- CHRYSO QUAD 940	W258605	4.0 TO 20.0
8284	DARCOLE PRODUCTS, INC----- SUPERFLO 1443SCC (DSF1443)	W218605	3.0 TO 26.0
8268	THE EUCLID CHEMICAL CO----- EUCON MR	W028691	10.0 TO 15.0
8268	THE EUCLID CHEMICAL CO----- EUCON WRX	W228606	7.0 TO 12.0
8268	THE EUCLID CHEMICAL CO----- EUCON X15	W238604	8.0 TO 15.0
8268	THE EUCLID CHEMICAL CO----- EUCON 1037	W028212	8.0 TO 25.0
8268	THE EUCLID CHEMICAL CO----- PLASTOL 5700	W088202	2.0 TO 10.0
8268	THE EUCLID CHEMICAL CO----- PLASTOL 6400	W158662	3.0 TO 12.0
8268	THE EUCLID CHEMICAL CO----- PLASTOL 6420	W218607	6.0 TO 10.0
8268	THE EUCLID CHEMICAL CO-----	W158667	5.0 TO 15.0

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source Code	Manufacturer Product Names	Approval Number	ADDITION RATE: FL OZ / 100 LBS CEMENTITIOUS
	PLASTOL 6425		
8268	THE EUCLID CHEMICAL CO----- PLASTOL ULTRA 209	W168673	2.0 TO 12.0
8296	FRITZ-PAK CORP.----- SUPERCIZER 5	W188604	5.0 TO 7.0 (Powder)
8296	FRITZ-PAK CORP.----- SUPERCIZER 7	W228603	4.0 TO 12.0 (Powder)
8266	GCP APPLIED TECHNOLOGIES INC----- ADVA 140M	W078631	9.0 TO 20.0
8266	GCP APPLIED TECHNOLOGIES INC----- ADVA CAST 575	W078617	3.0 TO 20.0
8266	GCP APPLIED TECHNOLOGIES INC----- ADVA CAST 600	W138621	3.0 TO 10.0
8266	GCP APPLIED TECHNOLOGIES INC----- CONCERA SA8080	W188201	8.0 TO 20.0
8266	GCP APPLIED TECHNOLOGIES INC----- MIRA 62	W098615	6.0 TO 15.0
8266	GCP APPLIED TECHNOLOGIES INC----- MIRA 110	W088615	10.0 TO 15.0
9581	MAPEI CORPORATION----- DYNAMON SX	W208669	3.0 TO 15.0
9581	MAPEI CORPORATION----- DYNAMON SX 37	W228607	2.0 TO 11.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERGLENium 3400	W058614	2.0 TO 6.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERGLENium 7500	W088204	3.0 TO 12.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERGLENium 7511	W118627	5.0 TO 15.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERGLENium 7700	W088195	4.0 TO 12.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERGLENium 7710	W158673	5.5 TO 12.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERGLENium 7920	W148632	3.5 TO 12.0

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source Code	Manufacturer Product Names	Approval Number	ADDITION RATE: FL OZ / 100 LBS CEMENTITIOUS
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERGLENIUM 7925	W228607	4.0 TO 15.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERGLENIUM 7960	W248603	8.0 TO 12.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERPOLYHEED 997	W028697	7.0 TO 15.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERPOLYHEED 1020	W048601	6.0 TO 12.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERPOLYHEED 1025	W098630	6.0 TO 12.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERPOLYHEED 1720	W098631	10.0 TO 12.0
8265	MASTER BUILDERS SOLUTIONS,LLC----- MASTERRHEOBUILD 1000	W028693	8.0 TO 20.0
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- ECOFLO GREEN	W138627	8.0 TO 16.0
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- ULTRAFLO DP	W078627	4.0 TO 14.0
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- ULTRAFLO 2000	W098613	6.0 TO 12.0
8279	PREMIERE CONCRETE ADMIXTURES, LLC----- ULTRAFLO 5600	W138629	7.0 TO 14.0
8272	RUSSTECH INC.----- SUPERFLO 2000 RM	W028698	5.0 TO 20.0
8272	RUSSTECH INC.----- SUPERFLO 2000 SCC	W148627	6.0 to 26.0
9514	SIKA CORPORATION----- SIKAMENT AFM	W178660	6.0 TO 18.0
9514	SIKA CORPORATION----- SIKAMENT SPMN	W128622	10.0 TO 40.0
9514	SIKA CORPORATION----- SIKAMENT-475	W168615	7.0 TO 20.0
9514	SIKA CORPORATION----- SIKAMENT-686	W068219	6.0 TO 12.0

April 15, 2025

PCC ADMIXTURES AND ADMIXTURE SYSTEMS

Specification Reference: 912.03

SM Material Code: 912M00010 to 912M00100

Source Code	Manufacturer Product Names	Approval Number	ADDITION RATE: FL OZ / 100 LBS CEMENTITIOUS
9514	SIKA CORPORATION----- SIKA VISCOCRETE-1000	W128623	4.0 TO 12.0
9514	SIKA CORPORATION----- SIKA VISCOCRETE-2100	W068220	3.0 TO 6.0
9514	SIKA CORPORATION----- SIKA VISCOCRETE-2110	W108205	3.0 TO 12.0
9514	SIKA CORPORATION----- SIKA VISCOCRETE-4100	W068221	3.0 TO 12.0
9514	SIKA CORPORATION----- SIKA VISCOCRETE-6100	W048221	3.0 TO 12.0
9514	SIKA CORPORATION----- SIKA VISCOFLOW-2020	W248601	6.0 TO 15.0

SM Material Code: 912M00070

Type G

8278	CHRYSO----- CHRYSO FLUID OPTIMA 100	W228601	7.0 TO 30.0
9514	SIKA CORPORATION----- SIKAPLAST-200	W158665	10.0 TO 15.0