


Seventh Congressional District Nutrient and Sediment Load Reductions

Accomplished By Private Landowners and the Indiana Conservation Partnership



Comparison of Land Use Across District



Sediment Reduced: 2,511,799 lbs.

Enough to fill 13 freight cars!



Phosphorus Reduced: 1,215 lbs.

Enough to fill 1 truck beds (8' bed)!



Nitrogen Reduced: 2,374 lbs.

Enough to fill 2 truck beds (8' bed)!



Practices do not include the many unassisted practices designed and installed by private landowners without ICP assistance. Nutrient estimates only consider sediment bound N and P, not dissolved components. Load reductions are calculated using the EPA's Region 5 Load Reduction Model.

Year	Practices Installed	Active Practices	Sediment Reduction (lbs)	Phosphorus Reduction (lbs)	Nitrogen Reduction (lbs)
2016	33	45	1,009	917	1,770
2017	36	58	1,088	1,039	2,013
2018	29	57	858	723	1,381
2019	23	60	915	789	1,524
2020	25	77	834	696	1,336
2021	26	82	1,255	1,215	2,374
2013-21	225	-	8,320	7,652	14,812

The "practices installed" column indicates the number of newly installed practices within a given year, while the "active practices" column indicates the number of practices that are actively reducing sediment and nutrient loading regardless of the year of installation. Please Note: Calendar year 2013 through 2015 metrics are excluded from the table due to space limitations, but are present in the "2013-21" summations.

Data provided by: Indiana State Department of Agriculture, Indiana Department of Natural Resources, Indiana Department of Environmental Management, Indiana Soil and Water Conservation Districts, and the USDA Natural Resource Conservation Service.

For more information visit:
<http://www.in.gov/isda/2991.htm>
 or contact ISDA NutrientReduction@isda.in.gov
 Last updated: 4/20/2022