

INFANT MORTALITY DISPARITIES 2015

For more information on infant mortality in your area, please see the Indiana State Department of Health Mortality Report, Tables 2 and 8 (<http://www.in.gov/isdh/reports/mortality/2015/toc.htm>)

2011 – 2015

HOSPITAL REGION	IMR	WHITE IMR	BLACK IMR	RATIO
CENTRAL Brown, Hamilton, Hancock, Hendricks, Johnson, Lawrence, Marion, Monroe, Morgan, Shelby	7.1	5.4	12.3	2.3
CENTRAL SOUTHWESTERN Clay, Greene, Owen, Parke, Putnam, Sullivan, Vermillion, Vigo	6.6	6.4	*	*
EASTERN Blackford, Delaware, Grant, Henry, Howard, Jay, Madison, Randolph, Tipton	7.7	7.2	15.0	2.1
MIDWESTERN Cass, Fulton, Jasper, Miami, Newton, Pulaski, Starke, White	8.4	8.0	*	*
NORTHEASTERN Adams, Allen, DeKalb, Huntington, Kosciusko, LaGrange, Noble, Steuben, Wabash, Wells, Whitley	6.9	6.1	19.1	3.1
NORTHERN Elkhart, LaPorte, Marshall, St. Joseph	7.6	5.7	16.0	2.8
NORTHWESTERN Lake, Porter	7.4	5.5	14.2	2.6
SOUTHEASTERN Dearborn, Decatur, Fayette, Franklin, Ohio, Ripley, Rush, Union, Wayne	6.7	6.2	*	*
SOUTHERN Bartholomew, Clark, Crawford, Floyd, Harrison, Jackson, Jefferson, Jennings, Orange, Scott, Switzerland, Washington	6.9	6.6	*	*
SOUTHWESTERN Daviess, Dubois, Gibson, Knox, Martin, Perry, Pike, Posey, Spencer, Vanderburgh, Warrick	7.2	6.9	*	*
WESTERN Benton, Boone, Carroll, Clinton, Fountain, Montgomery, Tippecanoe, Warren	6.7	6.1	20.1	3.3
INDIANA	7.2	6.1	14.0	2.3

*Rates have been suppressed due to unstable rates (numerator less than 20).

WHAT IS INFANT MORTALITY?

Infant mortality is defined as the death of a baby before his or her first birthday.

The infant mortality rate (IMR) is the number of babies who die in the first year of life, per 1,000 live births.

If Indiana (7.3) had the same IMR as the U.S. (5.9), 118 more babies would have survived 2015.

UNACCEPTABLE DISPARITIES

There is a substantial difference in how infant mortality impacts different races. Between 2011 and 2015, Black babies in Indiana were 2.3 times more likely to die in the first year of life than White babies.

- Indiana's White IMR in 2015 was 6.3 per 1,000 live births, compared to the Black IMR of 13.2 deaths per 1,000 live births.

- If Black infants had the same IMR as White infants, 72 additional Black infants would have survived in 2015.

- This disparity has been consistent for years in Indiana.


- There is a clear disparity at the national level. The U.S. White IMR in 2015 was 4.82; the same rate for Blacks was 11.73. Black babies in the U.S. are 2.4 times more likely to die before their first birthday than White babies.

The difference in infant mortality rates across races is seen around the nation. Eliminating the disparity is a goal at the national, state and local level.






DISPARITIES IN INDIANA

2015

For more information on birth outcomes in your area, please see the Indiana State Department of Health Natality Report, Table 32 (<http://www.in.gov/isdh/reports/natality/2015/toc.htm>)



Causes of Infant Mortality by Race Indiana, 2015



SUIDs = Sudden Unexpected Infant Deaths
PNC = Prenatal Care