

Acknowledgements

TA1 Interchange Acknowledgement Outbound

TA1 or Interchange Acknowledgements validate the envelopes only. ISDH will generate an Interchange acknowledgment only in the event there are envelope errors. ISDH will not generate TA1 acknowledgements for accepted envelopes. The software used by ISDH is Mercator's Healthcare Integration Package. Mercator's method for creating TA1 acknowledgements is to run data through a compliance map. The compliance map is defined to validate the EDI data against the complete HIPAA standard transaction set definition.

ISDH's direction was to take the standard HIPAA compliance maps created by Mercator without modifications.

If the ISA or IEA envelope contain error(s), the entire ISA*IEA is rejected.

If the GS or GE envelope contain error(s) the entire GS*GE is rejected. In this case, any additional functional groups within the ISA-IEA is accepted provided data meets enveloping rules.

Segment Name	Transaction Set Header
Segment ID	TA1
Loop	N/A
Usage	Required
Segment Notes	
Example	TA1*0000000001*000101*0000*R*022

Element ID	Usage	Guide Description/Valid Values	Comments
TA101	R	Interchange Control Number	This is the interchange control number of the original interchange that this TA1 is acknowledging.
TA102	R	Interchange Date	This is the date of the original interchange to be acknowledged (YYMMDD)
TA103	R	Interchange Time	This is the time of the original interchange being acknowledged
TA104	R	Interchange Acknowledgment Code See code list in the IG	Indicates "E" for accepted but errors noted or "R" for Rejected because of errors.
TA105	R	Interchange Note Code See code list in the IG	See IG for list of codes and descriptions

Example of TA1 Interchange Acknowledgement

This example illustrates an Interchange rejected due to an invalid Usage Indicator (ISA15):

```
ISA*00*                *00*                *ZZ*ISDH
*ZZ*RECVR              *030919*1326*U*00401*000000001*0*X* :
TA1*000000003*010806*1200*R*020
IEA*0*00000000
```