

**INDIANA WIC AUTHORIZED FORMULAS**

(Print in **COLOR** for ease in reading)

WIC Eligible	Formula Name	Formula	Unit of Measure	Infant Fully Formula (*IFF) & Infant BF some (**IBPs)			Infant BF Mostly (**IBPm)				****Women & Children (Fd. Pkg. III)	Exempt or WIC Eligible Nutritional	Product Yield/ Unit in fluid ounces
			Concentrate	A	B	C	A	B	C	D			
			RTU	0-3mo / 4-5mo / 6-11mo			0 to 1/ 1-3/ 4-5/ 6-11						
<b>Contract Formulas (Milk Based Formulas)</b>				<b>MAX CONTAINERS</b>			<b>MAX CONTAINERS</b>				<b>MAX CONTAINERS</b>		
I	Gerber Good Start <b>Gentle</b>	Ne	12.7 oz powder	5-9	6-10	5-7	1	1-4/	1-5/	1-4			90
I	Gerber Good Start <b>Gentle</b>	Ne	12.1 oz concentrate	17-34	20-37	14-26	5	5-16/	5-19/	5-13			24.2
I	Gerber Good Start <b>Gentle</b>	Ne	8.45-oz RTU, <b>4 pack</b>	13-25	15-27	11-19	4	4-12/	4-14/	4-10			33.8
I	Gerber Good Start <b>Soothe</b>	Ne	12.4 oz. powder	5-9	6-10	5-7	1	1-4/	1-5/	1-4			90
<b>Contract Formulas (Soy Based Formulas)</b>													
I	Gerber Good Start <b>Soy</b>	Ne	12.9 oz powder	5-9	6-10	5-7	1	1-4/	1-5/	1-4			91
I	Gerber Good Start <b>Soy</b>	Ne	12.1 oz concentrate	17-34	20-37	14-26	5	5-16/	5-19/	5-13			24.2
I	Gerber Good Start <b>Soy</b>	Ne	8.45-oz RTU, <b>4 pack</b>	13-25	15-27	11-19	4	4-12/	4-14/	4-10			33.8
<b>Not Available</b>													

**INDIANA WIC AUTHORIZED FORMULAS**

(Print in **COLOR** for ease in reading)

WIC Eligible	Formula Name	Formula	Unit of Measure	Infant Fully Formula (*IFF) & Infant BF some (**IBPs)			Infant BF Mostly (**IBPm)				****Women & Children (Fd. Pkg. III)	Exempt or WIC Eligible Nutritional	Product Yield/ Unit in fluid ounces
			Concentrate	A	B	C	A	B	C	D			
			RTU	0-3mo / 4-5mo / 6-11mo			0 to 1/ 1-3/ 4-5/ 6-11						
			Powder										
Formulas Requiring Medical Documentation			MAX CONTAINERS			MAX CONTAINERS				MAX CONTAINERS			
I	Alfamino Infant (0-12 mo. old)	Ne	14.1-oz powder (400 gms)	5-9	6-10	5-7	1	1-4/	1-5/	1-4		E	96
W-C	Alfamino Junior (1+ years)	Ne	14.1-oz powder (400 gms)								14	WEN	62
W-C	Boost (Any Flavor)	Ne	8-oz RTU, <b>6 pk</b>								18	WEN	48
C	Boost Kid Essentials 1.0 Cal. (Any flavor)	Ne	8.25-oz. RTU, <b>4 pack</b>								27	WEN	33
W-C	Boost Kid Essentials 1.5 Cal. (Any flavor)	Ne	8-oz RTU, 27 pack( <b>cs</b> )								4	WEN	216
W-C	Boost Kid Essentials 1.5 Cal.w/Fiber (Any Flavor)	Ne	8-oz RTU, 27 pack( <b>cs</b> )								4	WEN	216
W-C	Bright Beginnings Soy Pediatric Drink	PE	8-oz RTU, <b>6 pk</b>								18	WEN	48
I	EleCare for Infants	Ab	14.1-oz powdered	5-9	6-10	5-7	1	1-4/	1-5/	1-4	14	E	95
W-C	EleCare Jr (Any Flavor)	Ab	14.1-oz powdered								14	WEN	62
I	Enfamil Enfacare [Lipil]	Me	2-oz bottles (48/ <b>cs</b> )	5-8	5-9	4-6	1	1-4/	1-4/	1-3		E	96
I	Enfamil Enfacare [Lipil]	Me	8 oz RTU-- <b>6 packs</b>	8-17	10-19	7-13	1	1-7/	1-9/	1-6		E	48
I-C	Enfamil Enfacare [Lipil]	Me	12.8-oz powdered	6-10	7-11	5-8	1	1-5/	1-6/	1-4	11	E	87
W-I-C	(Enfamil) <b>Puramino</b> DHA/ARA	Me	14.1 oz. powdered	5-9	6-10	5-7	1	1-4/	1-5/	1-4	9	E	98
W-I-C	(Enfamil) <b>Nutramigen</b> DHA/ARA	Me	13-oz concentrate	15-31	18-34	13-24	4	14	17	12	35	E	26
W-I-C	(Enfamil) <b>Nutramigen</b> DHA/ARA	Me	1-quart RTU	13-26	15-28	11-20	3	12	14	10	28	E	32
I-C	(Enfamil) <b>Nutramigen w/Enflora LGG</b>	Me	12.6 oz powdered	6-10	7-11	5-8	1	1-5/	1-6/	1-4	10	E	87
I	Enfamil Premature <b>20</b>	Me	2-oz bottles(48/ <b>cs</b> )=[8/6pks]	5-8	5-9	4-6	1	1-4/	1-4/	1-3		E	96
I	Enfamil Premature <b>24</b>	Me	2-oz bottles(48/ <b>cs</b> )=[8/6pks]	5-8	5-9	4-6	1	1-4/	1-4/	1-3		E	96
W-C	Ensure (Any Flavor)	Ab	8-oz RTU, <b>6 pk</b>								18	WEN	48
W-C	Ensure Plus (Any Flavor)	Ab	8-oz RTU, <b>6 pk</b>								18	WEN	48
I	Gerber Extensive HA	Ne	14.1-oz powder (400 gms)	5-9	6-10	5-7	1	1-4/	1-5/	1-4		E	96
C	KetoCal <b>3:1</b>	Nu	11-oz powdered								13	WEN	69
C	KetoCal <b>4:1</b>	Nu	11-oz powdered								13	WEN	70.5
W-C	Neocate Splash (Any Flavor)	Nu	8-oz RTU 27/ <b>case</b>								4	WEN	216
I	Neocate Infant w/DHA & ARA	Nu	14.1 oz. powdered	5-9	6-10	5-7	1	1-4/	1-5/	1-4		E	97
C	Neocate Junior (Any Flavor)	Nu	14.1-oz. powdered								15	WEN	60
C	Neocate Junior w/Prebiotics[Any Flavor]	Nu	14.1-oz. powdered								14	WEN	63
C	Nutren Junior	Ne	8.45-oz RTU, 24/ <b>cs</b>								4	WEN	202
C	Nutren Junior w/Fiber	Ne	8.45-oz RTU, 24/ <b>cs</b>								4	WEN	202

**INDIANA WIC AUTHORIZED FORMULAS**

(Print in **COLOR** for ease in reading)

WIC Eligible	Formula Name	Formula	Unit of Measure	Infant Fully Formula (*IFF) & Infant BF some (**IBPs) A B C 0-3mo / 4-5mo / 6-11mo	Infant BF Mostly (**IBPm) A B C D 0 to 1/ 1-3/ 4-5/ 6-11	****Women & Children (Fd. Pkg. III)	Exempt or WIC Eligible Nutritional	Product Yield/ Unit in fluid ounces
			Concentrate					
			RTU Powder					
	<b>Formulas Requiring Medical Documentation</b>			<b>MAX CONTAINERS</b>	<b>MAX CONTAINERS</b>	<b>MAX CONTAINERS</b>		
C	Pediasure Grow & Gain (Any flavor)	Ab	8-oz RTU, <b>6 Pack</b>			<b>18-6 pks</b>	<b>WEN</b>	48
C	Pediasure Grow & Gain w/Fiber (Any flavor)	Ab	8-oz RTU, <b>6 Pack</b>			<b>18-6 pks</b>	<b>WEN</b>	48
W-C	Pediasure 1.5 Cal (Any flavor)	Ab	8-oz RTU, <b>24/cs</b>			<b>4</b>	<b>WEN</b>	192
W-C	Pediasure 1.5 Cal w/Fiber (Any flavor)	Ab	8-oz RTU, <b>24/cs</b>			<b>4</b>	<b>WEN</b>	192
W-C	Pediasure Peptide 1.0 Cal.(Any flavor)--(formerly Vital Jr.)	Ab	8-oz RTU, <b>24/cs</b>			<b>4</b>	<b>WEN</b>	192
W-C	Peptamen	Ne	8.45-oz RTU, <b>24/cs</b>			<b>4</b>	<b>WEN</b>	202
C	Peptamen Junior	Ne	8.45-oz RTU, <b>24/cs</b>			<b>4</b>	<b>WEN</b>	202
C	Peptamen Junior Fiber	Ne	8.45-oz RTU, <b>24/cs</b>			<b>4</b>	<b>WEN</b>	202
C	Peptamen Junior 1.5	Ne	8.45-oz RTU, <b>24/cs</b>			<b>4</b>	<b>WEN</b>	202
W-I-C	Pregestimil (DHA & ARA)	Me	16-oz powdered	4-7 5-8 4-6	1 3 4 3	<b>8</b>	<b>E</b>	112
W-I-C	Pregestimil 20 calorie (DHA & ARA)	Me	2-oz bottles, <b>48/cs.</b>	5-8 5-9 4-6	1 1-4/ 1-4/ 1-3	<b>9</b>	<b>E</b>	96
W-I-C	Pregestimil 24 calorie (DHA & ARA)	Me	2-oz bottles, <b>48/cs.</b>	5-8 5-9 4-6	1 1-4/ 1-4/ 1-3	<b>9</b>	<b>E</b>	96
W-I-C	Similac <b>Alimentum</b>	Ab	12.1-oz powdered	6-10 7-11 5-8	1 1-5/ 1-6/ 1-4	<b>11</b>	<b>E</b>	87
W-I-C	Similac <b>Alimentum</b>	Ab	1-quart RTU	13-26 15-28 11-20	3 / 12 / 14 / 10	<b>28</b>	<b>E</b>	32
W-I-C	Similac <b>NeoSure</b>	Ab	13.1-oz powdered	6-10 7-11 5-8	1 1-5/ 1-6/ 1-4	<b>10</b>	<b>E</b>	87
W-I-C	Similac <b>NeoSure</b>	Ab	1-quart RTU	13-26 15-28 11-20	3 12 / 14/ 10	<b>28</b>	<b>E</b>	32
W-I-C	Similac <b>PM 60/40</b>	Ab	14.1 oz powdered	5-8 6-9 4-6	1 4 5 3	<b>8</b>	<b>E</b>	102
I	Similac Special Care w/Iron <b>24</b>	Ab	2-oz RTU, (6-8Pk) <b>cs</b>	5-8 5-9 4-6	1 1-4/ 1-4/ 1-3		<b>E</b>	96
	<b>Metabolic Formulas Requiring Medical Documentation</b>			<b>MAX CONTAINERS</b>	<b>MAX CONTAINERS</b>	<b>MAX CONTAINERS</b>		
W-I-C	BCAD 1	Me	16-oz powdered	4-7 5-8 4-6	1 can / 3 / 4 / 3	<b>8</b>	<b>E</b>	113
W-C	BCAD 2	Me	16-oz powdered			<b>9</b>	<b>WEN</b>	93
W-I-C	Calcilo-XD	Ab	13.2-oz. powder	5-9 6-10 5-7	1 1-4/ 1-5/ 1-4	<b>9</b>	<b>E</b>	96
W-C	Complex Essential MSD Drink Mix	Ap	16-oz powdered			<b>10</b>	<b>WEN</b>	90
I	Cyclinex-1	Ab	14.1-oz powdered	5-8 6-9 4-6	1 can / 4 / 5 / 3		<b>E</b>	102
W-C	Cyclinex-2	Ab	14.1-oz powdered			<b>10</b>	<b>WEN</b>	88
W-I-C	GA	Me	16 oz powdered	4-7 5-8 4-6	1 can / 3 / 4 / 3	<b>8</b>	<b>E</b>	113
W-C	GlutarAde GA-1 Amino Acid Blend	Ap	1 LB (454 g) powdered			<b>11</b>	<b>WEN</b>	81
W-C	GlutarAde Junior GA-1 Drink Mix	Ap	14.1 oz. (400 g) powdered			<b>9</b>	<b>WEN</b>	101

**INDIANA WIC AUTHORIZED FORMULAS**

(Print in **COLOR** for ease in reading)

WIC Eligible	Formula Name	Formula	Unit of Measure	Infant Fully Formula (*IFF) & Infant BF some (**IBPs)			Infant BF Mostly (**IBPm)				****Women & Children (Fd. Pkg. III)	Exempt or WIC Eligible Nutritional	Product Yield/ Unit in fluid ounces
			Concentrate	A	B	C	A	B	C	D			
			RTU	0-3mo / 4-5mo / 6-11mo			0 to 1/ 1-3/ 4-5/ 6-11						
			Powder										
<b>Metabolic Formulas Requiring Medical Documentation</b>			<b>MAX CONTAINERS</b>			<b>MAX CONTAINERS</b>				<b>MAX CONTAINERS</b>			
I	Glutarex-1	Ab	14.1-oz powdered	5-9	6-10	5-7	1	1-4/	1-5/	1-4		E	96
W-C	Glutarex-2	Ab	14.1-oz powdered								11	WEN	82
W-I-C	HCY 1	Me	16-oz powdered	4-7	5-8	4-6	1 can / 3	/ 4	/ 3		8	E	113
W-C	HCY 2	Me	16-oz powdered								9	WEN	93
I	Hominex-1	Ab	14.1-oz powdered	5-9	6-10	5-7	1	1-4/	1-5/	1-4		E	96
W-C	Hominex-2	Ab	14.1-oz powdered								11	WEN	82
I	I-Valex-1	Ab	14.1-oz powdered	5-9	6-10	5-7	1	1-4/	1-5/	1-4		E	96
W-C	I-Valex-2	Ab	14.1-oz powdered								11	WEN	82
I	Ketonex-1	Ab	14.1-oz powdered	5-9	6-10	5-7	1	1-4/	1-5/	1-4		E	96
W-C	Ketonex-2	Ab	14.1-oz powdered								11	WEN	82
W-C	Lipistart	Vit	400gm.Powdered[14.11 oz]								9	WEN	93
W-I-C	LMD	Me	16-oz powdered	4-7	5-8	4-6	1 can / 3	/ 4	/ 3		8	E	113
I-C	MSUD Anamix Early Years	Nu	14.1-oz powdered	5-9	6-10	5-7	1	1-4/	1-5/	1-4	9	E	90
W	MSUD Maxamum	Nu	16-oz powdered								13	WEN	69
W-I-C	OA 1	Me	16-oz powdered	4-7	5-8	4-6	1 can / 3	/ 4	/ 3		8	E	113
W-C	OA 2	Me	16-oz powdered								9	WEN	93
W	Periflex Advance	Nu	16-oz powdered								10	WEN	83
W-I-C	PFD Toddler (formerly PFD 1)	Me	16-oz powdered	4-7	5-8	4-5	1 can / 3	/ 4	/ 3		7	E	120
W-C	PFD 2	Me	16-oz powdered								10	WEN	91
I	Phenex-1	Ab	14.1-oz powdered	5-9	6-10	5-7	1	1-4/	1-5/	1-4		E	96
W-C	Phenex 2	Ab	14.1 oz powdered								11	WEN	82
W-C	Phenylade-60 Drink Mix	Ap	16-oz powdered								8	WEN	106
W-C	Phenylade Drink Mix	Ap	16-oz powdered								10	WEN	90
W-C	PhenyladeEssentialDrinkMix	Ap	16-oz powdered								10	WEN	90
I-C	Phenyl Free 1	Me	16-oz powdered	4-7	5-8	4-6	1 can / 3	/ 4	/ 3		8	E	113
W-C	Phenyl Free 2	Me	16-oz powdered								9	WEN	93
W-C	Phenyl Free 2 HP	Me	16-oz powdered								10	WEN	88
I-C	PKU Periflex Early Years	Nu	14.1-oz powdered	5-9	6-10	5-7	1	1-4/	1-5/	1-4	9	E	90
W-I-C	Product 3232A	Me	16-oz powdered	4-7	5-8	4-6	1 can / 3	/ 4	/ 3		8	E	113

**INDIANA WIC AUTHORIZED FORMULAS**

(Print in **COLOR** for ease in reading)

WIC Eligible	Formula Name	Formula	Unit of Measure			Infant Fully Formula (*IFF) & Infant BF some (**IBPs) A B C 0-3mo / 4-5mo / 6-11mo	Infant BF Mostly (**IBPm) A B C D 0 to 1/ 1-3/ 4-5/ 6-11	****Women & Children (Fd. Pkg. III)	Exempt or WIC Eligible Nutritional	Product Yield/ Unit in fluid ounces
			Concentrate							
			RTU							
			Powder							
Metabolic Formulas Requiring Medical Documentation			MAX CONTAINERS			MAX CONTAINERS			MAX CONTAINERS	
W-I-C	ProPhree	Ab	14.1-oz powdered	5-8	6-9	4-6	1 can / 4 / 5 / 3	8	WEN	102
W-I-C	Propimex-1	Ab	14.1-oz powdered	5-9	6-10	5-7	1 1-4/ 1-5/ 1-4	9	E	96
W-C	Propimex 2	Ab	14.1-oz powdered					11	WEN	82
W-C	ProViMin	Ab	5.3-oz powdered					5	WEN	167
W-I-C	Tyrex-1	Ab	14.1-oz powdered	5-9	6-10	5-7	1 1-4/ 1-5/ 1-4	9	E	96
W-C	Tyrex-2	Ab	14.1-oz powdered					11	WEN	82
W-I-C	TYROS 1	Me	16-oz powdered	4-7	5-8	4-6	1 can / 3 / 4 / 3	8	E	113
W-C	TYROS 2	Me	16-oz powdered					9	WEN	93
W-I-C	WND 1	Me	16-oz powdered	4-7	5-8	4-6	1 can / 3 / 4 / 3	8	E	113
W-C	WND 2	Me	16-oz powdered					9	WEN	93
W	XLEU Maxamum	Nu	16-oz powdered					13	WEN	69
W	XLys, XTrp Maxamum	Nu	16 oz powdered					13	WEN	69
W	XMET Maxamum	Nu	16-oz powdered					13	WEN	69
W-I-C	MMA-PA Anamix Early Years	Nu	14.1-oz powdered	5-9	6-10	5-7	1 1-4/ 1-5/ 1-4	9	E	90
W	XMTVI Maxamum	Nu	16-oz powdered					13	WEN	69
W	XPhe Maxamum	Nu	16-oz powdered					13	WEN	69
W-I-C	XPTM Analog	Nu	14.1-oz powdered	5-9	6-10	5-7	1 1-4/ 1-5/ 1-4	9	E	95

**INDIANA WIC AUTHORIZED FORMULAS**

(Print in **COLOR** for ease in reading)

WIC Eligible	Formula Name	Formula	Unit of Measure	Infant Fully Formula (*IFF) & Infant BF some (**IBPs)	Infant BF Mostly (**IBPm)	****Women & Children (Fd. Pkg. III)	Exempt or WIC Eligible Nutritional	Product Yield/ Unit in fluid ounces
			Concentrate	A B C 0-3mo / 4-5mo / 6-11mo	A B C D 0 to 1/ 1-3/ 4-5/ 6-11			
			RTU					
			Powder					
<b>Age and Formula Amount Information for IFF, IBPs, IBPm, Women &amp; Children</b>								
				<b>*IFF</b>				
				<b>Snap Shot Amounts</b>				
<b>*IFF-A: 0-3 mo.; B: 4-5 mo.; C: 6-11 mo.</b>				Conc./ RTU/ Powder				
<b>A: 806 oz. ¥ Concentrate OR 832 oz. RTU OR 870 oz. ¥ Powder.</b>				31 cans 26 9				
<b>B: 884 oz. ¥ Concentrate OR 913 oz. RTU OR 960 oz. ¥ Powder.</b>				34 cans 28 10				
<b>C: 624 oz. ¥ Concentrate OR 643 oz. RTU OR 696 oz. ¥ Powder.</b>				24 cans 20 7				
<b>**IBPs--Snap Shot Amounts</b>								
<b>**IBPs--A: 0 to 1mo; B: 1-3 mo; C: 4-5 mo; D: 6-11 mo</b>								
<b>A: 130oz/5cns-780oz/30cns ¥ Concentrate OR 128oz/4cns-800oz/25cns RTU OR 208/2cns-832oz/8cns ¥ Pwd</b>								
<b>B: 390oz/15cns-780oz/30cns ¥ Concentrate OR 416oz/13cns-800oz/25cns RTU OR 520oz/5cns-832oz/8cns ¥ Pwd</b>								
<b>C: 468oz/18cns-858oz/33cns ¥ Concentrate OR 480oz/15cns-864oz/27cns RTU OR 624oz/6cns-936oz/9cns ¥ Pwd</b>								
<b>D: 338oz/13cns-598oz/23cns ¥ Concentrate OR 352oz/11cns-608oz/19cns RTU OR 520oz/5cns-624oz/6cns ¥ Pwd</b>								
<b>***IBPm--A: 0 to 1 mo.; B: 1-3 mo.; C: 4-5 mo.; D: 6-11 mo.</b>				<b>***IBPm</b>				
				<b>Snap Shot Amounts</b>				
				Conc./ RTU/ Powder				
<b>A: 104 oz. ¥ Concentrate, OR RTU OR ¥ Pwd</b>				104 fluid ounces				
<b>B: 364oz. ¥ Concentrate OR 384oz RTU OR 435 oz ¥ Pwd.</b>				14 cans 12 4				
<b>C: 442oz ¥ Concentrate OR 474 oz RTU OR 522 oz ¥ Pwd.</b>				17 cans 14 5				
<b>D: 312oz ¥ Concentrate OR 338 oz RTU OR 384 oz ¥ Pwd.</b>				12 cans 10 4				
<b>****Women &amp; Children (W &amp; C) on Food Package III-Formula Amounts Includes:</b>								
<b>910 fl oz of reconstituted liquid concentrate; OR 910 fl oz RTU; OR 910 fl oz reconstituted powder--plus the f</b>								
<b>food package IV, V, VI or VII.</b>								
<b>¥=Reconstituted</b>								
<b>NOTE: Infants &gt;6 mo., on Food Pkg. III, who cannot consume foods orally,</b>								
<b>may receive increased formula at maximum level for 4-5 mo. olds. This <u>does not</u></b>								
<b>include Standard Contract Formula.</b>								