Adams	Allen	Bartholomew	Benton	Blackford	Boone
Brown	Carroll	Cass	Clark	Clay	Clinton
Crawford	Daviess	Dearborn	Decatur	DeKalb	Delaware
Dubois	Elkhart	Fayette	Floyd	Fountain	Franklin
Fulton	Gibson	Grant	Greene	Hamilton	Hancock
Harrison	Hendricks	Henry	Howard	Huntington	Jackson
Jasper	Jay	Jefferson	Jennings	Johnson	Knox
Kosciusko	LaGrange	Lake	LaPorte	Lawrence	Madison
Marion	Marshall	Martin	Miami	Monroe	Montgomery
Morgan	Newton	Noble	Ohio	Orange	Owen
Parke	Perry	Pike	Porter	Posey	Pulaski
Putnam	Randolph	Ripley	Rush	Scott	Shelby
Spencer	Starke	Steuben	St. Joseph	Sullivan	Switzerland
Tippecanoe	Tipton	Union	Vanderburgh	Vermillion	Vigo
Wabash	Warren	Warrick	Washington	Wayne	Wells
White	Whitley				

ADAMS COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	69	18	<5	<5	<5	43	6	<5	<5	<5	60	<5
Gender															
Male	<5	<5	<5	19	8	<5	<5	<5	9	<5	<5	<5	<5	16	<5
Female	<5	<5	<5	50	10	<5	<5	<5	34	<5	<5	<5	<5	44	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	58	16	<5	<5	<5	41	<5	<5	<5	<5	57	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	7	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	17	8	<5	<5	<5	14	<5	<5	<5	<5	19	<5
20-24	<5	<5	<5	30	8	<5	<5	<5	14	<5	<5	<5	<5	26	<5
25-29	<5	<5	<5	15	<5	<5	<5	<5	6	<5	<5	<5	<5	6	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	8	<5	<5	<5	<5	6	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

ALLEN COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	7	1931	609	<5	<5	9	1868	551	5	<5	8	2021	684
Gender															
Male	<5	<5	7	566	244	<5	<5	6	574	312	5	<5	<5	655	293
Female	<5	<5	<5	1365	365	<5	<5	<5	1294	239	<5	<5	<5	1366	391
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	7	801	173	<5	<5	<5	833	159	<5	<5	<5	839	188
Black	<5	<5	<5	861	380	<5	<5	7	812	342	<5	<5	<5	914	443
Hispanic	<5	<5	<5	121	27	<5	<5	<5	99	22	<5	<5	<5	132	25
Unknown	<5	<5	<5	148	29	<5	<5	<5	124	28	<5	<5	<5	136	28
Age Group															
14 or less	<5	<5	<5	18	5	<5	<5	<5	20	<5	<5	<5	<5	21	5
15-19	<5	<5	<5	597	159	<5	<5	<5	523	138	<5	<5	<5	567	148
20-24	<5	<5	<5	769	238	<5	<5	<5	769	200	<5	<5	6	786	260
25-29	<5	<5	<5	318	102	<5	<5	<5	318	97	<5	<5	<5	370	141
30-34	<5	<5	<5	148	49	<5	<5	<5	137	48	<5	<5	<5	154	70
35-39	<5	<5	<5	46	28	<5	<5	<5	57	31	<5	<5	<5	60	31
40-44	<5	<5	<5	21	13	<5	<5	<5	21	12	<5	<5	<5	33	14
45-49	<5	<5	<5	10	9	<5	<5	<5	10	11	<5	<5	<5	13	8
50-54	<5	<5	<5	<5	<5	<5	<5	<5	8	<5	<5	<5	<5	8	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

BARTHOLOMEW COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	27	<5	<5	<5	<5	32	5	<5	<5	<5	24	<5
Gender															
Male	<5	<5	<5	5	<5	<5	<5	<5	7	<5	<5	<5	<5	5	<5
Female	<5	<5	<5	22	<5	<5	<5	<5	25	<5	<5	<5	<5	19	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	25	<5	<5	<5	<5	24	5	<5	<5	<5	18	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	8	<5	<5	<5	<5	5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	8	<5
15-19	<5	<5	<5	10	<5	<5	<5	<5	11	<5	<5	<5	<5	11	<5
20-24	<5	<5	<5	10	<5	<5	<5	<5	10	<5	<5	<5	<5	<5	<5
25-29	<5	<5	<5	6	<5	<5	<5	<5	9	<5	<5	<5	<5	<5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	< 5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

BENTON COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	27	<5	<5	<5	<5	32	5	<5	<5	<5	24	<5
Gender															
Male	<5	<5	<5	5	<5	<5	<5	<5	7	<5	<5	<5	<5	5	<5
Female	<5	<5	<5	22	<5	<5	<5	<5	25	<5	<5	<5	<5	19	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	25	<5	<5	<5	<5	24	5	<5	<5	<5	18	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	8	<5	<5	<5	<5	5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	8	<5
15-19	<5	<5	<5	10	<5	<5	<5	<5	11	<5	<5	<5	<5	11	<5
20-24	<5	<5	<5	10	<5	<5	<5	<5	10	<5	<5	<5	<5	<5	<5
25-29	<5	<5	<5	6	<5	<5	<5	<5	9	<5	<5	<5	<5	<5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	< 5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

BLACKFORD COUNTY STD MORBDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	34	<5	<5	<5	<5	30	<5	<5	<5	<5	19	<5
Gender															
Male	<5	<5	<5	5	<5	<5	<5	<5	9	<5	<5	<5	<5	5	<5
Female	<5	<5	<5	29	<5	<5	<5	<5	21	<5	<5	<5	<5	14	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	32	<5	<5	<5	<5	29	<5	<5	<5	<5	15	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	13	<5	<5	<5	<5	10	<5	<5	<5	<5	5	<5
20-24	<5	<5	<5	15	<5	<5	<5	<5	11	<5	<5	<5	<5	9	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	<5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

BOONE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	121	26	<5	<5	<5	145	8	<5	<5	<5	157	31
Gender															
Male	<5	<5	<5	36	16	<5	<5	<5	46	5	<5	<5	<5	52	15
Female	<5	<5	<5	84	10	<5	<5	<5	99	<5	<5	<5	<5	105	16
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	93	16	<5	<5	<5	121	7	<5	<5	<5	141	29
Black	<5	<5	<5	11	5	<5	<5	<5	8	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	14	5	<5	<5	<5	15	<5	<5	<5	<5	13	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	28	5	<5	<5	<5	34	<5	<5	<5	<5	36	5
20-24	<5	<5	<5	54	6	<5	<5	<5	71	<5	<5	<5	<5	68	11
25-29	<5	<5	<5	17	10	<5	<5	<5	24	<5	<5	<5	<5	26	7
30-34	<5	<5	<5	12	<5	<5	<5	<5	10	<5	<5	<5	<5	15	<5
35-39	<5	<5	<5	9	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

BROWN COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	21	<5	<5	<5	<5	11	<5	<5	<5	<5	14	<5
Gender															
Male	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Female	<5	<5	<5	17	<5	<5	<5	<5	7	<5	<5	<5	<5	11	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	19	<5	<5	<5	<5	7	<5	<5	<5	<5	11	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
20-24	<5	<5	<5	9	<5	<5	<5	<5	7	<5	<5	<5	<5	6	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

CARROLL COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	37	<5	<5	<5	<5	23	<5	<5	<5	<5	57	<5
Gender															
Male	<5	<5	<5	11	<5	<5	<5	<5	<5	<5	<5	<5	<5	11	<5
Female	<5	<5	<5	26	<5	<5	<5	<5	19	<5	<5	<5	<5	44	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	28	<5	<5	<5	<5	20	<5	<5	<5	<5	31	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	8	<5	<5	<5	<5	<5	<5	<5	<5	<5	25	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	10	<5	<5	<5	<5	5	<5	<5	<5	<5	18	<5
20-24	<5	<5	<5	20	<5	<5	<5	<5	13	<5	<5	<5	<5	26	<5
25-29	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

CASS COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	122	6	<5	<5	<5	127	7	<5	<5	<5	145	11
Gender															
Male	<5	<5	<5	34	<5	<5	<5	<5	22	<5	<5	<5	<5	31	6
Female	<5	<5	<5	88	<5	<5	<5	<5	105	<5	<5	<5	<5	114	5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	86	5	<5	<5	<5	76	6	<5	<5	<5	88	9
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	16	<5	<5	<5	<5	32	<5	<5	<5	<5	42	<5
Unknown	<5	<5	<5	17	<5	<5	<5	<5	16	<5	<5	<5	<5	12	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	33	<5	<5	<5	<5	41	<5	<5	<5	<5	33	<5
20-24	<5	<5	<5	49	<5	<5	<5	<5	51	<5	<5	<5	<5	72	7
25-29	<5	<5	<5	19	<5	<5	<5	<5	19	<5	<5	<5	<5	24	<5
30-34	<5	<5	<5	8	<5	<5	<5	<5	12	<5	<5	<5	<5	8	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

CLARK COUNTY STD MORBIDTY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	5	<5	361	82	<5	<5	<5	400	93	<5	<5	<5	459	106
Gender															
Male	<5	<5	<5	90	42	<5	<5	<5	124	45	<5	<5	<5	143	57
Female	<5	<5	<5	271	40	<5	<5	<5	276	48	<5	<5	<5	316	49
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	232	44	<5	<5	<5	285	57	<5	<5	<5	207	54
Black	<5	<5	<5	76	31	<5	<5	<5	89	31	<5	<5	<5	75	21
Hispanic	<5	<5	<5	23	<5	<5	<5	<5	15	<5	<5	<5	<5	21	<5
Unknown	<5	<5	<5	30	<5	<5	<5	<5	11	<5	<5	<5	<5	156	28
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	6	<5
15-19	<5	<5	<5	123	16	<5	<5	<5	109	19	<5	<5	<5	136	22
20-24	<5	<5	<5	148	34	<5	<5	<5	169	35	<5	<5	<5	189	39
25-29	<5	<5	<5	49	11	<5	<5	<5	73	15	<5	<5	<5	62	18
30-34	<5	<5	<5	23	9	<5	<5	<5	29	10	<5	<5	<5	33	9
35-39	<5	<5	<5	9	<5	<5	<5	<5	5	6	<5	<5	<5	15	8
40-44	<5	<5	<5	5	<5	<5	<5	<5	5	<5	<5	<5	<5	11	5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

CLAY COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	73	<5	<5	<5	<5	78	<5	<5	<5	<5	78	9
Gender															
Male	<5	<5	<5	15	<5	<5	<5	<5	19	<5	<5	<5	<5	10	<5
Female	<5	<5	<5	58	<5	<5	<5	<5	59	<5	<5	<5	<5	68	6
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	54	<5	<5	<5	<5	62	<5	<5	<5	<5	49	7
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	18	<5	<5	<5	<5	15	<5	<5	<5	<5	28	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	24	<5	<5	<5	<5	27	<5	<5	<5	<5	24	<5
20-24	<5	<5	<5	34	<5	<5	<5	<5	28	<5	<5	<5	<5	33	<5
25-29	<5	<5	<5	10	<5	<5	<5	<5	9	<5	<5	<5	<5	11	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	9	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

CLINTON COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	86	5	<5	<5	<5	116	9	<5	<5	<5	131	11
Gender															
Male	<5	<5	<5	21	<5	<5	<5	<5	37	<5	<5	<5	<5	32	<5
Female	<5	<5	<5	65	<5	<5	<5	<5	79	8	<5	<5	<5	99	8
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	53	<5	<5	<5	<5	83	8	<5	<5	<5	71	8
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	8	<5	<5	<5	<5	20	<5	<5	<5	<5	15	<5
Unknown	<5	<5	<5	25	<5	<5	<5	<5	12	<5	<5	<5	<5	45	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	20	<5	<5	<5	<5	30	<5	<5	<5	<5	34	<5
20-24	<5	<5	<5	44	<5	<5	<5	<5	45	<5	<5	<5	<5	54	6
25-29	<5	<5	<5	15	<5	<5	<5	<5	21	<5	<5	<5	<5	25	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	9	<5	<5	<5	<5	8	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

CRAWFORD COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	21	<5	<5	<5	<5	18	<5	<5	<5	<5	22	<5
Gender															
Male	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
Female	<5	<5	<5	16	<5	<5	<5	<5	18	<5	<5	<5	<5	17	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	18	<5	<5	<5	<5	17	<5	<5	<5	<5	8	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	17	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	7	<5	<5	<5	<5	<5	<5	<5	<5	<5	11	<5
20-24	<5	<5	<5	12	<5	<5	<5	<5	11	<5	<5	<5	<5	8	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

DAVIESS COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	100	12	<5	<5	<5	104	10	<5	<5	<5	94	17
Gender															
Male	<5	<5	<5	17	<5	<5	<5	<5	23	<5	<5	<5	<5	25	8
Female	<5	<5	<5	83	8	<5	<5	<5	81	9	<5	<5	<5	69	9
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	87	11	<5	<5	<5	88	9	<5	<5	<5	60	13
Black	<5	<5	<5	<5	<5	<5	<5	<5	7	<5	<5	<5	<5	15	<5
Hispanic	<5	<5	<5	9	<5	<5	<5	<5	9	<5	<5	<5	<5	13	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	47	<5	<5	<5	<5	32	<5	<5	<5	<5	22	<5
20-24	<5	<5	<5	38	<5	<5	<5	<5	39	7	<5	<5	<5	40	9
25-29	<5	<5	<5	7	<5	<5	<5	<5	17	<5	<5	<5	<5	22	<5
30-34	<5	<5	<5	5	<5	<5	<5	<5	11	<5	<5	<5	<5	7	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

DEARBORN COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	101	16	<5	<5	<5	88	17	<5	<5	<5	110	27
Gender															
Male	<5	<5	<5	26	5	<5	<5	<5	13	<5	<5	<5	<5	34	5
Female	<5	<5	<5	75	11	<5	<5	<5	75	13	<5	<5	<5	76	22
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	93	16	<5	<5	<5	82	15	<5	<5	<5	78	18
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	31	7
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	46	<5	<5	<5	<5	36	<5	<5	<5	<5	37	<5
20-24	<5	<5	<5	37	6	<5	<5	<5	40	8	<5	<5	<5	47	8
25-29	<5	<5	<5	9	<5	<5	<5	<5	6	<5	<5	<5	<5	18	8
30-34	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

DECATUR COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	32	<5	<5	<5	<5	43	3	<5	<5	<5	73	7
Gender															
Male	<5	<5	<5	7	<5	<5	<5	<5	12	<5	<5	<5	<5	20	<5
Female	<5	<5	<5	25	<5	<5	<5	<5	31	<5	<5	<5	<5	53	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	30	<5	<5	<5	<5	41	<5	<5	<5	<5	49	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	23	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	12	<5	<5	<5	<5	16	<5	<5	<5	<5	15	<5
20-24	<5	<5	<5	10	<5	<5	<5	<5	19	<5	<5	<5	<5	33	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	8	<5	<5	<5	<5	14	<5
30-34	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

DEKALB COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	69	12	<5	<5	<5	61	15	<5	<5	<5	88	12
Gender															
Male	<5	<5	<5	19	<5	<5	<5	<5	18	5	<5	<5	<5	29	10
Female	<5	<5	<5	50	9	<5	<5	<5	43	10	<5	<5	<5	59	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<50	<5	<5	<5
Race															
White	<5	<5	<5	54	11	<5	<5	<5	47	11	<5	<5	<5	66	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	13	<5	<5	<5	<5	11	<5	<5	<5	<5	18	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	9	<5	<5	<5	<5	17	<5	<5	<5	<5	24	<5
20-24	<5	<5	<5	41	<5	<5	<5	<5	24	<5	<5	<5	<5	39	5
25-29	<5	<5	<5	13	5	<5	<5	<5	13	5	<5	<5	<5	12	7
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

DELAWARE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	611	94	<5	<5	<5	679	139	<5	<5	<5	672	198
Gender															
Male	<5	<5	<5	160	42	<5	<5	<5	179	68	<5	<5	<5	186	93
Female	<5	<5	<5	451	52	<5	<5	<5	500	71	<5	<5	<5	486	105
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	410	45	<5	<5	<5	455	77	<5	<5	<5	437	92
Black	<5	<5	<5	167	44	<5	<5	<5	190	50	<5	<5	<5	181	91
Hispanic	<5	<5	<5	8	<5	<5	<5	<5	5	6	<5	<5	<5	8	<5
Unknown	<5	<5	<5	26	5	<5	<5	<5	29	6	<5	<5	<5	46	11
Age Group															
14 or less	<5	<5	<5	10	<5	<5	<5	<5	8	<5	<5	<5	<5	6	<5
15-19	<5	<5	<5	217	21	<5	<5	<5	215	43	<5	<5	<5	189	43
20-24	<5	<5	<5	265	36	<5	<5	<5	309	54	<5	<5	<5	292	53
25-29	<5	<5	<5	67	19	<5	<5	<5	74	21	<5	<5	<5	98	47
30-34	<5	<5	<5	26	6	<5	<5	<5	45	9	<5	<5	<5	50	28
35-39	<5	<5	<5	16	<5	<5	<5	<5	19	6	<5	<5	<5	23	8
40-44	<5	<5	<5	<5	5	<5	<5	<5	7	<5	<5	<5	<5	8	5
45-49	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

DUBOIS COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	74	7	<5	<5	<5	102	14	<5	<5	<5	89	10
Gender															
Male	<5	<5	<5	15	<5	<5	<5	<5	20	5	<5	<5	<5	22	6
Female	<5	<5	<5	59	<5	<5	<5	<5	82	9	<5	<5	<5	67	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	65	5	<5	<5	<5	90	12	<5	<5	<5	73	9
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	7	<5	<5	<5	<5	10	<5	<5	<5	<5	12	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	21	<5	<5	<5	<5	34	5	<5	<5	<5	22	<5
20-24	<5	<5	<5	37	<5	<5	<5	<5	47	5	<5	<5	<5	42	<5
25-29	<5	<5	<5	9	<5	<5	<5	<5	12	<5	<5	<5	<5	18	<5
30-34	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	1	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

ELKHART COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	5	879	206	<5	<5	<5	845	202	<5	<5	<5	936	189
Gender															
Male	<5	<5	5	231	102	<5	<5	<5	223	84	<5	<5	<5	251	84
Female	<5	<5	<5	648	104	<5	<5	<5	622	118	<5	<5	<5	684	96
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	376	73	<5	<5	<5	408	79	<5	<5	<5	466	73
Black	<5	<5	<5	221	98	<5	<5	<5	209	106	<5	<5	<5	253	89
Hispanic	<5	<5	<5	168	14	<5	<5	<5	132	6	<5	<5	<5	142	14
Unknown	<5	<5	<5	114	21	<5	<5	<5	96	11	<5	<5	<5	75	13
Age Group															
14 or less	<5	<5	<5	8	<5	<5	<5	<5	<5	<5	<5	<5	<5	9	<5
15-19	<5	<5	<5	300	49	<5	<5	<5	243	40	<5	<5	<5	279	40
20-24	<5	<5	<5	336	69	<5	<5	<5	358	90	<5	<5	<5	346	78
25-29	<5	<5	<5	130	44	<5	<5	<5	150	33	<5	<5	<5	172	38
30-34	<5	<5	<5	66	15	<5	<5	<5	45	19	<5	<5	<5	78	14
35-39	<5	<5	<5	19	11	<5	<5	<5	24	8	<5	<5	<5	33	5
40-44	<5	<5	<5	15	9	<5	<5	<5	9	<5	<5	<5	<5	9	9
45-49	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	6	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

FAYETTE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	38	5	<5	<5	<5	77	10	<5	<5	<5	44	7
Gender															
Male	<5	<5	<5	8	<5	<5	<5	<5	17	6	<5	<5	<5	7	5
Female	<5	<5	<5	30	<5	<5	<5	<5	60	<5	<5	<5	<5	37	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	34	<5	<5	<5	<5	71	7	<5	<5	<5	43	5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	10	<5	<5	<5	<5	23	<5	<5	<5	<5	11	<5
20-24	<5	<5	<5	16	<5	<5	<5	<5	36	<5	<5	<5	<5	25	<5
25-29	<5	<5	<5	8	<5	<5	<5	<5	15	<5	<5	<5	<5	<5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

FLOYD COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	266	50	<5	<5	<5	312	65	<5	<5	5	308	75
Gender															
Male	<5	<5	<5	62	25	<5	<5	<5	73	28	<5	<5	<5	73	28
Female	<5	<5	<5	204	25	<5	<5	<5	239	37	<5	<5	<5	234	43
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	196	34	<5	<5	<5	219	46	<5	<5	<5	180	40
Black	<5	<5	<5	49	15	<5	<5	<5	70	14	<5	<5	<5	58	14
Hispanic	<5	<5	<5	9	<5	<5	<5	<5	12	<5	<5	<5	<5	7	<5
Unknown	<5	<5	<5	12	<5	<5	<5	<5	11	<5	<5	<5	<5	63	18
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	89	17	<5	<5	<5	100	15	<5	<5	<5	110	21
20-24	<5	<5	<5	120	16	<5	<5	<5	133	26	<5	<5	<5	126	30
25-29	<5	<5	<5	31	8	<5	<5	<5	55	9	<5	<5	<5	44	11
30-34	<5	<5	<5	17	<5	<5	<5	<5	10	5	<5	<5	<5	18	5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

FOUNTAIN COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	40	<5	<5	<5	<5	52	5	<5	<5	<5	62	<5
Gender															
Male	<5	<5	<5	5	<5	<5	<5	<5	14	<5	<5	<5	<5	19	<5
Female	<5	<5	<5	35	<5	<5	<5	<5	38	<5	<5	<5	<5	43	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	34	<5	<5	<5	<5	45	<5	<5	<5	<5	29	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	6	<5	<5	<5	<5	7	<5	<5	<5	<5	31	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	13	<5	<5	<5	<5	18	<5	<5	<5	<5	24	<5
20-24	<5	<5	<5	17	<5	<5	<5	<5	21	<5	<5	<5	<5	30	<5
25-29	<5	<5	<5	8	<5	<5	<5	<5	7	<5	<5	<5	<5	<5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

FRANKLIN COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	22	<5	<5	<5	<5	36	<5	<5	<5	<5	32	<5
Gender															
Male	<5	<5	<5	6	<5	<5	<5	<5	13	<5	<5	<5	<5	7	<5
Female	<5	<5	<5	16	<5	<5	<5	<5	23	<5	<5	<5	<5	25	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	22	<5	<5	<5	<5	35	<5	<5	<5	<5	26	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	5	<5	<5	<5	<5	7	<5	<5	<5	<5	10	<5
20-24	<5	<5	<5	11	<5	<5	<5	<5	18	<5	<5	<5	<5	11	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	7	<5	<5	<5	<5	6	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

FULTON COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	31	<5	<5	<5	<5	41	<5	<5	<5	<5	40	6
Gender															
Male	<5	<5	<5	6	<5	<5	<5	<5	8	<5	<5	<5	<5	11	<5
Female	<5	<5	<5	25	<5	<5	<5	<5	33	<5	<5	<5	<5	29	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	21	<5	<5	<5	<5	35	<5	<5	<5	<5	33	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	7	<5	<5	<5	<5	5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	15	<5	<5	<5	<5	11	<5	<5	<5	<5	10	<5
20-24	<5	<5	<5	9	<5	<5	<5	<5	20	<5	<5	<5	<5	19	<5
25-29	<5	<5	<5	5	<5	<5	<5	<5	8	<5	<5	<5	<5	6	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

GIBSON COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	98	41	<5	<5	<5	101	22	<5	<5	<5	67	18
Gender															
Male	<5	<5	<5	23	17	<5	<5	<5	27	6	<5	<5	<5	11	<5
Female	<5	<5	<5	75	24	<5	<5	<5	74	16	<5	<5	<5	56	17
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	91	34	<5	<5	<5	82	18	<5	<5	<5	60	13
Black	<5	<5	<5	6	6	<5	<5	<5	9	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	9	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	35	14	<5	<5	<5	22	<5	<5	<5	<5	24	6
20-24	<5	<5	<5	30	12	<5	<5	<5	57	10	<5	<5	<5	29	7
25-29	<5	<5	<5	7	6	<5	<5	<5	13	<5	<5	<5	<5	8	<5
30-34	<5	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

GRANT COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	331	98	<5	<5	<5	362	72	<5	<5	<5	243	47
Gender															
Male	<5	<5	<5	85	36	<5	<5	<5	90	23	<5	<5	<5	61	20
Female	<5	<5	<5	246	62	<5	<5	<5	272	49	<5	<5	<5	176	27
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	234	57	<5	<5	<5	247	41	<5	<5	<5	162	32
Black	<5	<5	<5	77	36	<5	<5	<5	92	25	<5	<5	<5	62	14
Hispanic	<5	<5	<5	15	<5	<5	<5	<5	17	5	<5	<5	<5	10	<5
Unknown	<5	<5	<5	5	<5	<5	<5	<5	6	<5	<5	<5	<5	9	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	97	12	<5	<5	<5	98	14	<5	<5	<5	68	9
20-24	<5	<5	<5	139	37	<5	<5	<5	157	27	<5	<5	<5	106	17
1725-29	<5	<5	<5	48	22	<5	<5	<5	51	12	<5	<5	<5	37	11
30-34	<5	<5	<5	24	9	<5	<5	<5	33	11	<5	<5	<5	17	7
35-39	<5	<5	<5	8	8	<5	<5	<5	9	<5	<5	<5	<5	7	<5
40-44	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

GREENE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	93	<5	<5	<5	<5	62	8	<5	<5	<5	61	14
Gender															
Male	<5	<5	<5	22	<5	<5	<5	<5	17	<5	<5	<5	<5	14	11
Female	<5	<5	<5	71	<5	<5	<5	<5	45	<5	<5	<5	<5	47	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	76	<5	<5	<5	<5	47	<5	<5	<5	<5	43	11
Black	<5	<5	<5	<50	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	11	<5	<5	<5	<5	13	<5	<5	<5	<5	17	<5
Age Group															
14 or less	<5	<5	<5	2	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	33	<5	<5	<5	<5	22	<5	<5	<5	<5	20	<5
20-24	<5	<5	<5	34	<5	<5	<5	<5	27	<5	<5	<5	<5	23	<5
25-29	<5	<5	<5	11	<5	<5	<5	<5	7	<5	<5	<5	<5	8	<5
30-34	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
35-39	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

HAMILTON COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	514	88	<5	<5	<5	564	81	<5	<5	<5	619	92
Gender															
Male	<5	<5	<5	138	44	<5	<5	<5	162	45	<5	<5	<5	166	49
Female	<5	<5	<5	376	44	<5	<5	<5	402	36	<5	<5	<5	452	42
Unknown	<5	<5	<5	<5	<50	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	317	57	<5	<5	<5	391	51	<5	<5	<5	441	59
Black	<5	<5	<5	49	19	<5	<5	<5	75	17	<5	<5	<5	71	20
Hispanic	<5	<5	<5	9	<5	<5	<5	<5	19	<5	<5	<5	<5	14	<5
Unknown	<5	<5	<5	139	12	<5	<5	<5	79	13	<5	<5	<5	93	11
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	146	23	<5	<5	<5	174	15	<5	<5	<5	175	17
20-24	<5	<5	<5	214	25	<5	<5	<5	203	32	<5	<5	<5	256	34
25-29	<5	<5	<5	79	11	<5	<5	<5	80	16	<5	<5	<5	88	17
30-34	<5	<5	<5	31	11	<5	<5	<5	46	10	<5	<5	<5	42	6
35-39	<5	<5	<5	20	5	<5	<5	<5	23	<5	<5	<5	<5	28	7
40-44	<5	<5	<5	10	5	<5	<5	<5	21	<5	<5	<5	<5	14	<5
45-49	<5	<5	<5	<5	6	<5	<5	<5	8	<5	<5	<5	<5	5	<5
50-54	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

HANCOCK COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	173	18	<5	<5	<5	167	24	<5	<5	<5	220	41
Gender															
Male	<5	<5	<5	40	6	<5	<5	<5	34	13	<5	<5	<5	59	23
Female	<5	<5	<5	131	12	<5	<5	<5	133	11	<5	<5	<5	161	18
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	115	13	<5	<5	<5	132	18	<5	<5	<5	180	31
Black	<5	<5	<5	13	3	<5	<5	<5	12	<5	<5	<5	<5	13	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
Unknown	<5	<5	<5	45	<5	<5	<5	<5	22	<5	<5	<5	<5	22	5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	45	<5	<5	<5	<5	53	<5	<5	<5	<5	79	9
20-24	<5	<5	<5	73	8	<5	<5	<5	67	9	<5	<5	<5	78	15
25-29	<5	<5	<5	30	6	<5	<5	<5	20	<5	<5	<5	<5	24	6
30-34	<5	<5	<5	6	<5	<5	<5	<5	9	<5	<5	<5	<5	13	<5
35-39	<5	<5	<5	12	<5	<5	<5	<5	8	<5	<5	<5	<5	12	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

HARRISON COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	90	14	<5	<5	<5	106	8	<5	<5	<5	113	16
Gender															
Male	<5	<5	<5	16	7	<5	<5	<5	28	<5	<5	<5	<5	22	10
Female	<5	<5	<5	74	7	<5	<5	<5	78	<5	<5	<5	<5	91	6
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	86	11	<5	<5	<5	103	8	<5	<5	<5	73	10
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	40	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	34	<5	<5	<5	<5	31	<5	<5	<5	<5	39	<5
20-24	<5	<5	<5	37	<5	<5	<5	<5	44	<5	<5	<5	<5	45	5
25-29	<5	<5	<5	7	5	<5	<5	<5	18	<5	<5	<5	<5	23	6
30-34	<5	<5	<5	9	<5	<5	<5	<5	9	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

HENDRICKS COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	349	54	<5	<5	<5	308	61	<5	<5	<5	376	66
Gender															
Male	<5	<5	<5	100	35	<5	<5	<`5	104	35	<5	<5	<5	130	31
Female	<5	<5	<5	249	19	<5	<5	<5	204	26	<5	<5	<5	246	35
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	222	35	<5	<5	<5	227	42	<5	<5	<5	252	40
Black	<5	<5	<5	40	9	<5	<5	<5	32	15	<5	<5	<5	46	14
Hispanic	<5	<5	<5	10	<5	<5	<5	<5	9	<5	<5	<5	<5	6	<5
Unknown	<5	<5	<5	77	7	<5	<5	<5	40	<5	<5	<5	<5	72	12
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	107	11	<5	<5	<5	82	14	<5	<5	<5	93	10
20-24	<5	<5	<5	149	27	<5	<5	<5	138	24	<5	<5	<5	153	18
25-29	<5	<5	<5	52	5	<5	<5	<5	48	9	<5	<5	<5	70	16
30-34	<5	<5	<5	20	<5	<5	<5	<5	19	5	<5	<5	<5	34	5
35-39	<5	<5	<5	11	<5	<5	<5	<5	10	5	<5	<5	<5	13	7
40-44	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	8	7
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

HENRY COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	121	18	<5	<5	<5	116	15	<5	<5	<5	103	15
Gender															
Male	<5	<5	<5	33	6	<5	<5	<5	24	<5	<5	<5	<5	25	5
Female	<5	<5	<5	88	12	<5	<5	<5	92	12	<5	<5	<5	78	10
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	119	13	<5	<5	<5	106	15	<5	<5	<5	96	13
Black	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	43	<5	<5	<5	<5	40	<5	<5	<5	<5	28	<5
20-24	<5	<5	<5	46	5	<5	<5	<5	55	10	<5	<5	<5	44	10
25-29	<5	<5	<5	17	6	<5	<5	<5	14	<5	<5	<5	<5	16	<5
30-34	<5	<5	<5	9	<5	<5	<5	<5	5	<5	<5	<5	<5	6	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

HOWARD COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	235	64	<5	<5	<5	273	72	<5	<5	<5	304	67
Gender															
Male	<5	<5	<5	55	28	<5	<5	<5	56	26	<5	<5	<5	70	25
Female	<5	<5	<5	180	56	<5	<5	<5	217	46	<5	<5	<5	234	42
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	161	29	<5	<5	<5	158	26	<5	<5	<5	133	23
Black	<5	<5	<5	61	31	<5	<5	<5	68	38	<5	<5	<5	58	20
Hispanic	<5	<5	<5	10	<5	<5	<5	<5	5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	42	8	<5	<5	<5	110	24
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	67	20	<5	<5	<5	93	12	<5	<5	<5	87	14
20-24	<5	<5	<5	98	18	<5	<5	<5	95	25	<5	<5	<5	100	16
25-29	<5	<5	<5	32	7	<5	<5	<5	45	18	<5	<5	<5	64	16
30-34	<5	<5	<5	19	8	<5	<5	<5	24	9	<5	<5	<5	18	8
35-39	<5	<5	<5	11	<5	<5	<5	<5	8	<5	<5	<5	<5	15	6
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	12	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

HUNTINGTON COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	91	7	<5	<5	<5	93	7	<5	<5	<5	87	9
Gender															
Male	<5	<5	<5	18	6	<5	<5	<5	29	<5	<5	<5	<5	26	<5
Female	<5	<5	<5	73	<5	<5	<5	<5	64	5	<5	<5	<5	61	6
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	86	7	<5	<5	<5	81	7	<5	<5	<5	79	9
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	24	<5	<5	<5	<5	35	<5	<5	<5	<5	22	9
20-24	<5	<5	<5	48	<5	<5	<5	<5	36	<5	<5	<5	<5	40	<5
25-29	<5	<5	<5	12	<5	<5	<5	<5	18	<5	<5	<5	<5	18	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

JACKSON COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	154	23	<5	<5	<5	117	19	<5	<5	<5	103	7
Gender															
Male	<5	<5	<5	36	13	<5	<5	<5	19	6	<5	<5	<5	15	<5
Female	<5	<5	<5	118	10	<5	<5	<5	98	13	<5	<5	<5	88	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	137	20	<5	<5	<5	98	19	<5	<5	<5	60	6
Black	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	14	<5	<5	<5	<5	11	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	38	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	43	5	<5	<5	<5	34	5	<5	<5	<5	33	<5
20-24	<5	<5	<5	76	8	<5	<5	<5	44	8	<5	<5	<5	37	<5
25-29	<5	<5	<5	19	6	<5	<5	<5	16	<5	<5	<5	<5	14	<5
30-34	<5	<5	<5	6	<5	<5	<5	<5	7	<5	<5	<5	<5	9	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	10	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

JASPER COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	66	5	<5	<5	<5	48	<5	<5	<5	<5	83	<5
Gender															
Male	<5	<5	<5	9	<5	<5	<5	<5	13	<5	<5	<5	<5	22	<5
Female	<5	<5	<5	57	<5	<5	<5	<5	35	<5	<5	<5	<5	61	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	49	<5	<5	<5	<5	41	<5	<5	<5	<5	62	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	<5
Unknown	<5	<5	<5	9	<5	<5	<5	<5	<5	<5	<5	<5	<5	9	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	26	<5	<5	<5	<5	11	<5	<5	<5	<5	19	<5
20-24	<5	<5	<5	22	<5	<5	<5	<5	22	<5	<5	<5	<5	37	<5
25-29	<5	<5	<5	10	<5	<5	<5	<5	11	<5	<5	<5	<5	19	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

JAY COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	68	<5	<5	<5	<5	51	<5	<5	<5	<5	51	<5
Gender															
Male	<5	<5	<5	14	<5	<5	<5	<5	9	<5	<5	<5	<5	17	<5
Female	<5	<5	<5	54	<5	<5	<5	<5	42	<5	<5	<5	<5	34	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	63	<5	<5	<5	<5	46	<5	<5	<5	<5	45	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	20	<5	<5	<5	<5	15	5	<5	<5	<5	14	<5
20-24	<5	<5	<5	34	<5	<5	<5	<5	22	<5	<5	<5	<5	22	<5
25-29	<5	<5	<5	7	<5	<5	<5	<5	5	<5	<5	<5	<5	5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5	5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

JEFFERSON COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	109	17	<5	<5	<5	88	16	<5	<5	<5	139	9
Gender															
Male	<5	<5	<5	26	5	<5	<5	<5	17	8	<5	<5	<5	27	<5
Female	<5	<5	<5	83	12	<5	<5	<5	71	8	<5	<5	<5	112	6
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	95	12	<5	<5	<5	78	14	<5	<5	<5	100	5
Black	<5	<5	<5	5	<5	<5	<5	<5	6	<5	<5	<5	<5	5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	34	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	37	6	<5	<5	<5	35	<5	<5	<5	<5	45	<5
20-24	<5	<5	<5	39	7	<5	<5	<5	42	8	<5	<5	<5	43	<5
25-29	<5	<5	<5	18	<5	<5	<5	<5	7	<5	<5	<5	<5	37	<5
30-34	<5	<5	<5	7	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5
35-39	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

JENNINGS COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	79	<5	<5	<5	<5	89	7	<5	<5	<5	56	5
Gender															
Male	<5	<5	<5	19	<5	<5	<5	<5	13	<5	<5	<5	<5	11	<5
Female	<5	<5	<5	60	<5	<5	<5	<5	76	5	<5	<5	<5	45	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	76	<5	<5	<5	<5	81	6	<5	<5	<5	33	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	23	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	34	<5	<5	<5	<5	31	<5	<5	<5	<5	16	<5
20-24	<5	<5	<5	26	<5	<5	<5	<5	35	<5	<5	<5	<5	27	<5
25-29	<5	<5	<5	16	<5	<5	<5	<5	14	<5	<5	<5	<5	6	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

JOHNSON COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	5	<5	460	61	<5	<5	<5	393	82	<5	<5	<5	451	99
Gender															
Male	<5	5	<5	118	28	<5	<5	<5	94	40	<5	<5	<5	124	50
Female	<5	<5	<5	341	33	<5	<5	<5	299	42	<5	<5	<5	325	49
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	307	46	<5	<5	<5	338	72	<5	<5	<5	354	72
Black	<5	<5	<5	24	<5	<5	<5	<5	21	<5	<5	<5	<5	30	14
Hispanic	<5	<5	<5	12	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	<5
Unknown	<5	<5	<5	117	8	<5	<5	<5	30	8	<5	<5	<5	60	12
Age Group															
14 or less	<5	<5	<5	2	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	145	8	<5	<5	<5	93	8	<5	<5	<5	102	13
20-24	<5	<5	<5	191	27	<5	<5	<5	186	25	<5	<5	<5	180	38
25-29	<5	<5	<5	65	15	<5	<5	<5	64	28	<5	<5	<5	88	20
30-34	<5	<5	<5	34	<5	<5	<5	<5	22	5	<5	<5	<5	40	13
35-39	<5	<5	<5	8	<5	<5	<5	<5	16	7	<5	<5	<5	27	10
40-44	<5	<5	<5	<5	<5	<5	<5	<5	6	6	<5	<5	<5	11	<5
45-49	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

KNOX COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	147	24	<5	<5	<5	144	13	<5	<5	<5	154	37
Gender															
Male	<5	<5	<5	27	10	<5	<5	<5	29	<5	<5	<5	<5	48	20
Female	<5	<5	<5	120	14	<5	<5	<5	115	9	<5	<5	<5	106	17
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	118	12	<5	<5	<5	115	5	<5	<5	<5	102	29
Black	<5	<5	<5	23	11	<5	<5	<5	28	8	<5	<5	<5	47	7
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	52	9	<5	<5	<5	59	8	<5	<5	<5	79	7
20-24	<5	<5	<5	68	13	<5	<5	<5	57	<5	<5	<5	<5	57	11
25-29	<5	<5	<5	17	<5	<5	<5	<5	18	<5	<5	<5	<5	12	5
30-34	<5	<5	<5	8	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

KOSCUISKO COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	162	37	<5	<5	<5	155	49	<5	<5	<5	152	37
Gender															
Male	<5	<5	<5	40	17	<5	<5	<5	44	20	<5	<5	<5	43	18
Female	<5	<5	<5	122	20	<5	<5	<5	111	28	<5	<5	<5	109	19
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	127	27	<5	<5	<5	88	33	<5	<5	<5	104	22
Black	<5	<5	<5	7	5	<5	<5	<5	<5	<5	<5	<5	<5	9	<5
Hispanic	<5	<5	<5	11	<5	<5	<5	<5	23	<5	<5	<5	<5	11	<5
Unknown	<5	<5	<5	17	5	<5	<5	<5	40	9	<5	<5	<5	28	9
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	70	15	<5	<5	<5	50	18	<5	<5	<5	50	5
20-24	<5	<5	<5	60	7	<5	<5	<5	52	15	<5	<5	<5	57	17
25-29	<5	<5	<5	17	6	<5	<5	<5	47	9	<5	<5	<5	24	8
30-34	<5	<5	<5	10	5	<5	<5	<5	9	5	<5	<5	<5	9	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	9	<5	<5	<5	<5	7	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

LAGRANGE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	28	7	<5	<5	<5	23	<5	<5	<5	<5	40	<5
Gender															
Male	<5	<5	<5	9	<5	<5	<5	<5	<5	<5	<5	<5	<5	13	<5
Female	<5	<5	<5	19	7	<5	<5	<5	19	<5	<5	<5	<5	27	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	23	7	<5	<5	<5	16	<5	<5	<5	<5	31	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5	7	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	7	<5	<5	<5	<5	10	<5	<5	<5	<5	10	<5
20-24	<5	<5	<5	17	<5	<5	<5	<5	6	<5	<5	<5	<5	19	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

LAKE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	8	8	6	2465	625	13	11	6	2549	597	8	27	8	2414	627
Gender															
Male	6	7	5	571	259	13	8	<5	669	258	5	23	5	628	297
Female	<5	<5	<5	1894	366	<5	<5	<5	1879	339	<5	<5	<5	1786	330
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	557	64	<5	<5	<5	578	61	<5	7	<5	544	73
Black	<5	6	<5	1527	499	7	11	<5	1612	495	6	19	8	1506	490
Hispanic	<5	<5	<5	308	44	<5	<5	<5	308	32	<5	<5	<5	270	51
Unknown	<5	<5	<5	73	18	<5	<5	<5	55	9	<5	<5	<5	94	13
Age Group															
14 or less	<5	<5	<5	25	5	<5	<5	<5	10	<5	<5	<5	<5	17	<5
15-19	<5	<5	<5	752	277	<5	<5	<5	769	164	<5	8	<5	718	147
20-24	<5	<5	<5	1061	245	6	<5	<5	1064	211	<5	8	<5	992	266
25-29	<5	<5	<5	365	110	<5	<5	<5	411	108	<5	<5	<5	382	102
30-34	<5	<5	<5	143	46	<5	<5	<5	141	44	<5	<5	<5	161	47
35-39	<5	<5	<5	65	19	<5	<5	<5	80	29	<5	<5	<5	76	30
40-44	<5	<5	<5	24	7	<5	<5	<5	39	16	<5	<5	<5	34	15
45-49	<5	<5	<5	15	6	<5	<5	<5	11	11	<5	<5	<5	21	12
50-54	<5	<5	<5	10	<5	<5	<5	<5	6	10	<5	<5	<5	7	<5
55-59	<5	<5	<5	<5	5	<5	<5	<5	9	<5	<5	<5	<5	<6	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	7	<5	<5	<5	<5	5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

LAPORTE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	399	129	<5	<5	<5	345	90	<5	6	<5	469	122
Gender															
Male	<5	<5	<5	81	56	<5	<5	<5	81	38	<5	<5	<5	121	51
Female	<5	<5	<5	317	73	<5	<5	<5	264	52	<5	<5	<5	348	71
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	169	30	<5	<5	<5	161	24	<5	<5	<5	227	48
Black	<5	<5	<5	119	86	<5	<5	<5	147	53	<5	<5	<5	189	70
Hispanic	<5	<5	<5	23	<5	<5	<5	<5	22	<5	<5	<5	<5	26	<5
Unknown	<5	<5	<5	88	9	<5	<5	<5	15	10	<5	<5	<5	27	<5
Age Group															
14 or less	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	137	30	<5	<5	<5	117	25	<5	<5	<5	159	37
20-24	<5	<5	<5	163	59	<5	<5	<5	129	37	<5	<5	<5	168	43
25-29	<5	<5	<5	62	22	<5	<5	<5	54	16	<5	<5	<5	71	18
30-34	<5	<5	<5	22	11	<5	<5	<5	26	<5	<5	<5	<5	45	10
35-39	<5	<5	<5	<5	<5	<5	<5	<5	10	<5	<5	<5	<5	15	7
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

LAWRENCE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	153	9	<5	<5	<5	139	5	<5	<5	<5	133	26
Gender															
Male	<5	<5	<5	36	<5	<5	<5	<5	29	<5	<5	<5	<5	30	10
Female	<5	<5	<5	117	5	<5	<5	<5	110	5	<5	<5	<5	103	16
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	136	8	<5	<5	<5	82	<5	<5	<5	<5	71	12
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	15	<5	<5	<5	<5	54	<5	<5	<5	<5	60	13
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	66	<5	<5	<5	<5	56	<5	<5	<5	<5	40	5
20-24	<5	<5	<5	62	<5	<5	<5	<5	60	<5	<5	<5	<5	34	10
25-29	<5	<5	<5	13	<5	<5	<5	<5	13	<5	<5	<5	<5	36	5
30-34	<5	<5	<5	8	<5	<5	<5	<5	<5	<5	<5	<5	<5	12	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

MADISON COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	482	131	<5	<5	<5	405	89	<5	5	<5	371	101
Gender															
Male	<5	<5	<5	121	57	<5	<5	<5	99	42	<5	<5	<5	111	50
Female	<5	<5	<5	361	74	<5	<5	<5	306	47	<5	<5	<5	260	51
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	297	70	<5	<5	<5	266	43	<5	<5	<5	232	50
Black	<5	<5	<5	158	54	<5	<5	<5	110	41	<5	<5	<5	113	46
Hispanic	<5	<5	<5	16	<5	<5	<5	<5	15	<5	<5	<5	<5	17	<5
Unknown	<5	<5	<5	11	5	<5	<5	<5	14	5	<5	<5	<5	9	<5
Age Group															
14 or less	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	169	19	<5	<5	<5	122	25	<5	<5	<5	101	24
20-24	<5	<5	<5	159	40	<5	<5	<5	163	30	<5	<5	<5	141	27
25-29	<5	<5	<5	76	35	<5	<5	<5	68	17	<5	<5	<5	66	20
30-34	<5	<5	<5	42	22	<5	<5	<5	26	7	<5	<5	<5	23	11
35-39	<5	<5	<5	20	<5	<5	<5	<5	19	<5	<5	<5	<5	17	10
40-44	<5	<5	<5	8	10	<5	<5	<5	<5	<5	<5	<5	<5	11	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

MARION COUNY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	36	99	92	9282	3191	22	74	84	9512	3374	62	103	129	8902	3241
Gender															
Male	35	93	89	3018	1648	21	70	80	2899	1728	48	96	124	2987	1683
Female	<5	6	3	6263	1542	<5	<5	<5	6605	1642	14	7	5	5912	1554
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	8	<5	<5	<5	<5	<5	<5
Race															
White	16	34	40	2239	660	10	29	36	2607	805	19	58	56	2514	871
Black	15	47	43	5350	2153	10	43	35	5749	2364	33	35	55	5105	2121
Hispanic	<5	12	8	444	83	<5	<5	9	611	85	9	9	14	550	86
Unknown	<5	6	<5	1249	295	<5	<5	<5	545	120	<5	<5	<5	733	163
Age Group															
14 or less	<5	<5	<5	99	28	<5	<5	<5	94	25	<5	<5	<5	<5	<5
15-19	<5	6	<5	2733	739	<5	<5	<5	2616	79	<5	<5	6	2291	647
20-24	8	34	25	3415	1076	<5	24	21	3600	1179	18	19	24	3318	1079
25-29	12	16	19	1607	599	7	16	19	1727	650	13	22	26	1739	689
30-34	<5	18	9	735	323	<5	8	12	763	355	10	25	22	787	348
35-39	<5	8	9	357	170	<5	11	8	355	189	9	15	18	362	198
40-44	<5	<5	8	176	111	<5	3	9	188	105	5	<5	13	183	114
45-49	<5	5	8	79	69	<5	6	<5	88	65	<5	<5	9	84	76
50-54	<5	6	6	42	40	<5	5	5	55	43	<5	<5	7	46	42
55-59	<5	<5	<5	16	20	<5	<5	5	15	22	<5	<5	<5	23	23
60+	<5	<5	<5	23	16	<5	<5	<5	11	22	<5	<5	<5	7	10

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

MARSHALL COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5`	<5	<5	57	6	<5	<5	<5	67	<5	<5	<5	<5	67	5
Gender															
Male	<5	<5	<5	12	<5	<5	<5	<5	15	<5	<5	<5	<5	12	<5
Female	<5	<5	<5	57	<5	<5	<5	<5	52	<5	<5	<5	<5	55	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	41	5	<5	<5	<5	40	<5	<5	<5	<5	43	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	6	<5	<5	<5	<5	7	<5	<5	<5	<5	20	<5
Unknown	<5	<5	<5	8	<5	<5	<5	<5	50	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	15	<5	<5	<5	<5	22	<5	<5	<5	<5	17	<5
20-24	<5	<5	<5	23	<5	<5	<5	<5	28	<5	<5	<5	<5	21	<5
25-29	<5	<5	<5	12	<5	<5	<5	<5	8	<5	<5	<5	<5	10	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	13	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

MARTIN COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	14	<5	<5	<5	<5	14	<5	<5	<5	<5	16	<5
Gender															
Male	<5	<5	<5	4	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Female	<5	<5	<5	10	<5	<5	<5	<5	11	<5	<5	<5	<5	15	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	14	<5	<5	<5	<5	14	<5	<5	<5	<5	15	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	<5
20-24	<5	<5	<5	5	<5	<5	<5	<5	10	<5	<5	<5	<5	6	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

MIAMI COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	85	11	<5	<5	<5	101	15	<5	<5	<5	98	28
Gender															
Male	<5	<5	<5	16	6	<5	<5	<5	16	<5	<5	<5	<5	22	12
Female	<5	<5	<5	69	5	<5	<5	<5	85	11	<5	<5	<5	76	16
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	55	8	<5	<5	<5	73	11	<5	<5	<5	72	17
Black	<5	<5	<5	5	2	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	2	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	23	1	<5	<5	<5	26	<5	<5	<5	<5	19	7
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	19	<5	<5	<5	<5	33	<5	<5	<5	<5	27	7
20-24	<5	<5	<5	42	5	<5	<5	<5	44	6	<5	<5	<5	37	9
25-29	<5	<5	<5	15	<5	<5	<5	<5	9	<5	<5	<5	<5	18	5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	7	<5	<5	<5	<5	7	5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

MONROE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	662	82	<5	<5	<5	771	94	<5	6	7	716	130
Gende1															
Male	<5	<5	<5	217	38	<5	<5	<5	256	59	<5	6	7	252	88
Female	<5	<5	<5	445	44	<5	<5	<5	514	35	<5	<5	<5	404	42
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	443	57	<5	<5	<5	493	50	<5	<5	<5	388	80
Black	<5	<5	<5	111	12	<5	<5	<5	97	23	<5	<5	<5	76	18
Hispanic	<5	<5	<5	22	5	<5	<5	<5	13	7	<5	<5	<5	15	<5
Unknown	<5	<5	<5	86	8	<5	<5	<5	168	14	<5	<5	<5	237	28
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	164	13	<5	<5	<5	187	16	<5	<5	<5	171	23
20-24	<5	<5	<5	364	38	<5	<5	<5	427	47	<5	<5	<5	401	57
25-29	<5	<5	<5	87	16	<5	<5	<5	101	15	<5	<5	<5	84	26
30-34	<5	<5	<5	26	7	<5	<5	<5	33	6	<5	<5	<5	39	11
35-39	<5	<5	<5	9	<5	<5	<5	<5	16	5	<5	<5	<5	13	<5
40-44	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

MONTGOMERY COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	104	14	<5	<5	<5	105	10	<5	<5	<5	165	39
Gender															
Male	<5	<5	<5	21	5	<5	<5	<5	20	<5	<5	<5	<5	48	17
Female	<5	<5	<5	83	9	<5	<5	<5	85	7	<5	<5	<5	117	22
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	81	10	<5	<5	<5	86	8	<5	<5	<5	86	23
Black	<5	<5	<5	4	1	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	3	<5	<5	<5	<5	5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	16	3	<5	<5	<5	11	<5	<5	<5	<5	70	15
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	40	<5	<5	<5	<5	31	<5	<5	<5	<5	53	11
20-24	<5	<5	<5	38	5	<5	<5	<5	42	<5	<5	<5	<5	64	13
25-29	<5	<5	<5	17	<5	<5	<5	<5	14	<5	<5	<5	<5	24	7
30-34	<5	<5	<5	<5	<5	<5	<5	<5	15	<5	<5	<5	<5	15	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

MORGAN COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	186	27	<5	<5	<5	206	21	<5	<5	<5	214	33
Gender															
Male	<5	<5	<5	41	13	<5	<5	<5	43	10	<5	<5	<5	38	12
Female	<5	<5	<5	145	14	<5	<5	<5	161	11	<5	<5	<5	176	21
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	147	24	<5	<5	<5	181	18	<5	<5	<5	177	28
Black	<5	<5	<5	<5	<5	<5	<5	<5	8	<5	<5	<5	<5	5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	36	<5	<5	<5	<5	16	<5	<5	<5	<5	30	5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	56	<5	<5	<5	<5	61	<5	<5	<5	<5	51	<5
20-24	<5	<5	<5	85	5	<5	<5	<5	83	8	<5	<5	<5	105	14
25-29	<5	<5	<5	29	7	<5	<5	<5	32	<5	<5	<5	<5	32	6
30-34	<5	<5	<5	13	6	<5	<5	<5	10	<5	<5	<5	<5	15	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

NEWTON COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	19	<5	<5	<5	<5	21	<5	<5	<5	<5	24	<5
Gender															
Male	<5	<5	<5	<5	<5	<5	<5	<5	10	<5	<5	<5	<5	6	<5
Female	<5	<5	<5	18	<5	<5	<5	<5	11	<5	<5	<5	<5	18	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	18	<5	<5	<5	<5	18	<5	<5	<5	<5	16	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	8	<5	<5	<5	<5	<5	<5	<5	<5	<5	10	<5
20-24	<5	<5	<5	7	<5	<5	<5	<5	10	<5	<5	<5	<5	7	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

NOBLE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	98	12	<5	<5	<5	119	22	<5	<5	<5	135	13
Gender															
Male	<5	<5	<5	22	5	<5	<5	<5	27	11	<5	<5	<5	33	6
Female	<5	<5	<5	76	7	<5	<5	<5	92	11	<5	<5	<5	102	7
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	80	9	<5	<5	<5	64	15	<5	<5	<5	107	8
Black	<5	<5	<5	<5	<5	<5	<5	<5	15	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	10	<5
Unknown	<5	<5	<5	6	<5	<5	<5	<5	36	6	<5	<5	<5	17	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	31	<5	<5	<5	<5	41	8	<5	<5	<5	42	<5
20-24	<5	<5	<5	35	<5	<5	<5	<5	48	7	<5	<5	<5	52	<5
25-29	<5	<5	<5	16	<5	<5	<5	<5	20	<5	<5	<5	<5	20	<5
30-34	<5	<5	<5	12	<5	<5	<5	<5	5	<5	<5	<5	<5	7	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

OHIO COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	12	<5	<5	<5	<5	10	<5	<5	<5	<5	12	<5
Gender															
Male	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Female	<5	<5	<5	9	<5	<5	<5	<5	7	<5	<5	<5	<5	8	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	11	<5	<5	<5	<5	10	<5	<5	<5	<5	9	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	5	<5
20-24	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
25-29	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

ORANGE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	50	<5	<5	<5	<5	64	6	<5	<5	<5	67	<5
Gender															
Male	<5	<5	<5	9	<5	<5	<5	<5	7	<5	<5	<5	<5	12	<5
Female	<5	<5	<5	41	<5	<5	<5	<5	57	<5	<5	<5	<5	55	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	49	<5	<5	<5	<5	60	5	<5	<5	<5	35	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	28	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	25	<5	<5	<5	<5	26	<5	<5	<5	<5	21	<5
20-24	<5	<5	<5	19	<5	<5	<5	<5	20	<5	<5	<5	<5	26	<5
25-29	<5	<5	<5	5	<5	<5	<5	<5	6	<5	<5	<5	<5	9	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	9	<5	<5	<5	<5	7	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

OWEN COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	45	<5	<5	<5	<5	27	<5	<5	<5	<5	43	<5
Gender															
Male	<5	<5	<5	8	<5	<5	<5	<5	10	<5	<5	<5	<5	8	<5
Female	<5	<5	<5	37	<5	<5	<5	<5	17	<5	<5	<5	<5	35	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	43	<5	<5	<5	<5	21	<5	<5	<5	<5	30	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5	13	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	19	<5	<5	<5	<5	<5	<5	<5	<5	<5	13	<5
20-24	<5	<5	<5	15	<5	<5	<5	<5	12	<5	<5	<5	<5	18	<5
25-29	<5	<5	<5	5	<5	<5	<5	<5	9	<5	<5	<5	<5	9	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

PARKE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	125	12	<5	<5	<5	71	7	<5	<5	<5	77	14
Gender															
Male	<5	<5	<5	5	<5	<5	<5	<5	8	<5	<5	<5	<5	6	<5
Female	<5	<5	<5	120	12	<5	<5	<5	63	7	<5	<5	<5	71	13
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	92	6	<5	<5	<5	40	<5	<5	<5	<5	43	10
Black	<5	<5	<5	24	5	<5	<5	<5	5	<5	<5	<5	<5	5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	6	<5	<5	<5	<5	24	<5	<5	<5	<5	27	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	7	<5	<5	<5	<5	14	<5	<5	<5	<5	6	<5
20-24	<5	<5	<5	48	<5	<5	<5	<5	30	<5	<5	<5	<5	27	<5
25-29	<5	<5	<5	37	<5	<5	<5	<5	15	<5	<5	<5	<5	26	<5
30-34	<5	<5	<5	20	5	<5	<5	<5	7	<5	<5	<5	<5	8	<5
35-39	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

PERRY COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	36	<5	<5	<5	<5	38	6	<5	<5	<5	26	<5
Gender															
Male	<5	<5	<5	10	<5	<5	<5	<5	13	<5	<5	<5	<5	8	<5
Female	<5	<5	<5	26	<5	<5	<5	<5	25	<5	<5	<5	<5	18	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	35	<5	<5	<5	<5	36	6	<5	<5	<5	25	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	16	<5	<5	<5	<5	14	<5	<5	<5	<5	12	<5
20-24	<5	<5	<5	13	<5	<5	<5	<5	9	<5	<5	<5	<5	9	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	10	<5	<5	<5	<5	<5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

PIKE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	24	<5	<5	<5	<5	36	<5	<5	<5	<5	24	<5
Gender															
Male	<5	<5	<5	<5	<5	<5	<5	<5	7	<5	<5	<5	<5	<5	<5
Female	<5	<5	<5	21	<5	<5	<5	<5	29	<5	<5	<5	<5	21	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	23	<5	<5	<5	<5	32	<5	<5	<5	<5	24	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	10	<5	<5	<5	<5	12	<5	<5	<5	<5	8	<5
20-24	<5	<5	<5	13	<5	<5	<5	<5	15	<5	<5	<5	<5	7	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	6	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

PORTER COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	374	30	<5	<5	<5	401	42	<5	<5	<5	401	57
Gender															
Male	<5	<5	<5	93	15	<5	<5	<5	106	21	<5	<5	<5	107	28
Female	<5	<5	<5	281	15	<5	<5	<5	295	21	<5	<5	<5	294	29
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	270	18	<5	<5	<5	287	24	<5	<5	<5	298	38
Black	<5	<5	<5	62	9	<5	<5	<5	62	12	<5	<5	<5	44	15
Hispanic	<5	<5	<5	28	<5	<5	<5	<5	32	<5	<5	<5	<5	38	<5
Unknown	<5	<5	<5	14	<5	<5	<5	<5	20	<5	<5	<5	<5	21	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	115	6	<5	<5	<5	91	6	<5	<5	<5	86	12
20-24	<5	<5	<5	163	7	<5	<5	<5	187	17	<5	<5	<5	188	16
25-29	<5	<5	<5	58	5	<5	<5	<5	71	9	<5	<5	<5	79	8
30-34	<5	<5	<5	26	5	<5	<5	<5	31	<5	<5	<5	<5	29	11
35-39	<5	<5	<5	5	5	<5	<5	<5	13	<5	<5	<5	<5	9	7
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

POSEY COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	47	<5	<5	<5	<5	35	5	<5	<5	<5	50	9
Gender															
Male	<5	<5	<5	9	<5	<5	<5	<5	11	<5	<5	<5	<5	14	5
Female	<5	<5	<5	38	<5	<5	<5	<5	24	<5	<5	<5	<5	36	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	43	<5	<5	<5	<5	30	<5	<5	<5	<5	45	8
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	9	<5	<5	<5	<5	18	<5	<5	<5	<5	14	<5
20-24	<5	<5	<5	25	<5	<5	<5	<5	15	<5	<5	<5	<5	21	<5
25-29	<5	<5	<5	7	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

PULASKI COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	15	<5	<5	<5	<5	19	<5	<5	<5	<5	28	<5
Gender															
Male	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	<5	<5
Female	<5	<5	<5	11	<5	<5	<5	<5	14	<5	<5	<5	<5	24	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	8	<5	<5	<5	<5	13	<5	<5	<5	<5	21	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	6	<5	<5	<5	<5	5	<5	<5	<5	<5	7	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	5	<5
20-24	<5	<5	<5	10	<5	<5	<5	<5	7	<5	<5	<5	<5	13	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

PUTNAM COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	120	13	<5	<5	<5	106	<5	<5	<5	<5	118	15
Gender															
Male	<5	<5	<5	33	<5	<5	<5	<5	28	<5	<5	<5	<5	27	9
Female	<5	<5	<5	87	9	<5	<5	<5	78	<5	<5	<5	<5	91	6
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	92	8	<5	<5	56	82	<5	<5	<5	<5	75	9
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	23	<5	<5	<5	<5	21	<5	<5	<5	<5	39	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	44	<5	<5	<5	22	34	<5	<5	<5	<5	28	<5
20-24	<5	<5	<5	54	7	<5	<5	24	51	<5	<5	<5	<5	62	7
25-29	<5	<5	<5	8	<5	<5	<5	9	13	<5	<5	<5	<5	10	<5
30-34	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

RANDOLPH COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	72	9	<5	<5	<5	64	10	<5	<5	<5	68	13
Gender															
Male	<5	<5	<5	11	<5	<5	<5	<5	14	<5	<5	<5	<5	10	<5
Female	<5	<5	<5	61	7	<5	<5	<5	50	6	<5	<5	<5	58	9
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	67	7	<5	<5	<5	56	10	<5	<5	<5	65	12
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	27	<5	<5	<5	<5	22	<5	<5	<5	<5	18	<5
20-24	<5	<5	<5	31	5	<5	<5	<5	24	<5	<5	<5	<5	34	<5
25-29	<5	<5	<5	11	<5	<5	<5	<5	9	<5	<5	<5	<5	12	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

RIPLEY COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	93	<5	<5	<5	<5	76	10	<5	<5	<5	74	9
Gender															
Male	<5	<5	<5	19	<5	<5	<5	<5	14	5	<5	<5	<5	14	<5
Female	<5	<5	<5	74	<5	<5	<5	<5	62	5	<5	<5	<5	59	7
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	85	<5	<5	<5	<5	72	9	<5	<5	<5	50	7
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	24	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	30	<5	<5	<5	<5	26	<5	<5	<5	<5	13	<5
20-24	<5	<5	<5	41	<5	<5	<5	<5	29	5	<5	<5	<5	20	<5
25-29	<5	<5	<5	14	<5	<5	<5	<5	11	<5	<5	<5	<5	12	<5
30-34	<5	<5	<5	5	<5	<5	<5	<5	6	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

RUSH COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	49	<5	<5	<5	<5	43	<5	<5	<5	<5	33	<5
Gender															
Male	<5	<5	<5	8	<5	<5	<5	<5	10	<5	<5	<5	<5	11	<5
Female	<5	<5	<5	41	<5	<5	<5	<5	33	<5	<5	<5	<5	22	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	45	<5	<5	<5	<5	41	<5	<5	<5	<5	27	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	13	<5	<5	<5	<5	13	<5	<5	<5	<5	5	<5
20-24	<5	<5	<5	17	<5	<5	<5	<5	18	<5	<5	<5	<5	16	<5
25-29	<5	<5	<5	11	<5	<5	<5	<5	9	<5	<5	<5	<5	6	<5
30-34	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

SCOTT COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorea
	<5	<5	<5	57	<5	<5	<5	<5	63	15	<5	<5	<5	82	11
Gender															
Male	<5	<5	<5	8	<5	<5	<5	<5	11	6	<5	<5	<5	17	<5
Female	<5	<5	<5	49	<5	<5	<5	<5	52	9	<5	<5	<5	65	7
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	55	<5	<5	<5	<5	59	13	<5	<5	<5	52	9
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	29	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	15	<5	<5	<5	<5	22	<5	<5	<5	<5	37	<5
20-24	<5	<5	<5	32	<5	<5	<5	<5	25	<5	<5	<5	<5	30	<5
25-29	<5	<5	<5	7	<5	<5	<5	<5	13	<5	<5	<5	<5	10	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

SHELBY COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	127	5	<5	<5	<5	135	17	<5	<5	<5	148	25
Gender															
Male	<5	<5	<5	32	<5	<5	<5	<5	31	9	<5	<5	<5	38	11
Female	<5	<5	<5	95	<5	<5	<5	<5	104	8	<5	<5	<5	110	14
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	101	5	<5	<5	<5	114	12	<5	<5	<5	122	19
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	6	<5
Unknown	<5	<5	<5	17	<5	<5	<5	<5	12	<5	<5	<5	<5	13	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	31	<5	<5	<5	<5	37	<5	<5	<5	<5	34	<5
20-24	<5	<5	<5	57	<5	<5	<5	<5	51	<5	<5	<5	<5	71	10
25-29	<5	<5	<5	20	<5	<5	<5	<5	24	5	<5	<5	<5	20	<5
30-34	<5	<5	<5	11	<5	<5	<5	<5	17	7	<5	<5	<5	13	<5
35-39	<5	<5	<5	6	<5	<5	<5	<5	5	<5	<5	<5	<5	7	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

SPENCER COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	34	5	<5	<5	<5	36	9	<5	<5	<5	39	6
Gender															
Male	<5	<5	<5	9	<5	<5	<5	<5	8	6	<5	<5	<5	5	<5
Female	<5	<5	<5	25	<5	<5	<5	<5	28	<5	<5	<5	<5	34	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	26	<5	<5	<5	<5	31	9	<5	<5	<5	32	5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	6	<5	<5	<5	<5	13	<5	<5	<5	<5	13	<5
20-24	<5	<5	<5	18	<5	<5	<5	<5	14	<5	<5	<5	<5	19	<5
25-29	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

STARKE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	39	<5	<5	<5	<5	24	<5	<5	<5	<5	28	<5
Gender															
Male	<5	<5	<5	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	8	<5
Female	<5	<5	<5	29	<5	<5	<5	<5	20	<5	<5	<5	<5	20	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	30	<5	<5	<5	<5	22	<5	<5	<5	<5	26	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	8	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	10	<5	<5	<5	<5	12	<5	<5	<5	<5	8	<5
20-24	<5	<5	<5	20	<5	<5	<5	<5	9	<5	<5	<5	<5	9	<5
25-29	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

STEUBEN COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	51	7	<5	<5	<5	64	12	<5	<5	<5	66	<5
Gender															
Male	<5	<5	<5	12	<5	<5	<5	<5	16	7	<5	<5	<5	14	<5
Female	<5	<5	<5	39	5	<5	<5	<5	48	5	<5	<5	<5	51	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	49	7	<5	<5	<5	49	11	<5	<5	<5	50	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	15	<5	<5	<5	<5	13	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	19	<5	<5	<5	<5	19	<5	<5	<5	<5	18	<5
20-24	<5	<5	<5	20	<5	<5	<5	<5	31	5	<5	<5	<5	31	<5
25-29	<5	<5	<5	6	<5	<5	<5	<5	12	<5	<5	<5	<5	7	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

ST. JOSEPH COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	7	874	223	<5	<5	5	832	226	<5	6	6	1044	358
Gender															
Male	<5	<5	5	207	97	<5	<5	5	218	114	<5	6	6	261	162
Female	<5	<5	2	667	126	<5	<5	<5	614	112	<5	<5	<5	783	196
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	227	47	<5	<5	<5	275	50	<5	<5	<5	369	71
Black	<5	<5	<5	398	128	<5	<5	<5	328	131	<5	<5	<5	479	233
Hispanic	<5	<5	<5	63	8	<5	<5	<5	45	10	<5	<5	<5	78	17
Unknown	<5	<5	<5	186	40	<5	<5	<5	184	35	<5	<5	<5	118	17
Age Group															
14 or less	<5	<5	<5	13	<5	<5	<5	<5	7	<5	<5	<5	<5	9	<5
15-19	<5	<5	<5	282	58	<5	<5	<5	225	64	<5	<5	<5	306	93
20-24	<5	<5	<5	356	92	<5	<5	<5	363	87	<5	<5	<5	435	136
25-29	<5	<5	<5	135	51	<5	<5	<5	136	38	<5	<5	<5	175	64
30-34	<5	<5	<5	47	8	<5	<5	<5	54	16	<5	<5	<5	62	29
35-39	<5	<5	<5	28	8	<5	<5	<5	24	11	<5	<5	<5	31	15
40-44	<5	<5	<5	8	<5	<5	<5	<5	11	<5	<5	<5	<5	19	10
45-49	<5	<5	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5	6	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

SULLIVAN COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	45	<5	<5	<5	<5	48	<5	<5	<5	<5	40	<5
Gender															
Male	<5	<5	<5	<5	<5	<5	<5	<5	10	<5	<5	<5	<5	10	<5
Female	<5	<5	<5	42	<5	<5	<5	<5	38	<5	<5	<5	<5	30	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	30	<5	<5	<5	<5	30	<5	<5	<5	<5	27	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	14	<5	<5	<5	<5	18	<5	<5	<5	<5	11	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	15	<5	<5	<5	<5	22	<5	<5	<5	<5	15	<5
20-24	<5	<5	<5	23	<5	<5	<5	<5	15	<5	<5	<5	<5	13	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	8	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

SWITZERLAND COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	21	<5	<5	<5	<5	16	<5	<5	<5	<5	19	5
Gender															
Male	<5	<5	<5	4	<5	<5	<5	<5	<5	<5	<5	<5	<5	9	<5
Female	<5	<5	<5	17	<5	<5	<5	<5	13	<5	<5	<5	<5	10	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	20	<5	<5	<5	<5	15	<5	<5	<5	<5	6	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	13	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	<5	<5
20-24	<5	<5	<5	10	<5	<5	<5	<5	7	<5	<5	<5	<5	5	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
30-34	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

TIPPECANOE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	836	175	<5	<5	<5	834	156	6	5	10	1140	238
Gender															
Male	<5	<5	<5	226	73	<5	<5	<5	244	63	5	<5	10	361	123
Female	<5	<5	<5	808	102	<5	<5	<5	590	93	<5	<5	<5	779	115
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	435	88	<5	<5	<5	471	63	<5	<5	<5	437	87
Black	<5	<5	<5	176	57	<5	<5	<5	197	75	<5	<5	<5	200	67
Hispanic	<5	<5	<5	70	11	<5	<5	<5	62	10	<5	<5	<5	56	7
Unknown	<5	<5	<5	155	19	<5	<5	<5	104	8	<5	<5	<5	447	77
Age Group															
14 or less	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	<5
15-19	<5	<5	<5	203	35	<5	<5	<5	205	30	<5	<5	<5	286	44
20-24	<5	<5	<5	391	62	<5	<5	<5	180	68	<5	<5	<5	541	90
25-29	<5	<5	<5	149	48	<5	<5	<5	134	31	<5	<5	<5	184	45
30-34	<5	<5	<5	47	9	<5	<5	<5	65	10	<5	<5	<5	61	30
35-39	<5	<5	<5	24	8	<5	<5	<5	26	9	<5	<5	<5	29	15
40-44	<5	<5	<5	10	<5	<5	<5	<5	8	<5	<5	<5	<5	14	<5
45-49	<5	<5	<5	5	5	<5	<5	<5	6	<5	<5	<5	<5	6	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

TIPTON COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	21	3	<5	<5	<5	18	5	<5	<5	<5	33	<5
Gender															
Male	<5	<5	<5	12	<5	<5	<5	<5	6	<5	<5	<5	<5	8	<5
Female	<5	<5	<5	9	<5	<5	<5	<5	12	<5	<5	<5	<5	25	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	19	<5	<5	<5	<5	16	5	<5	<5	<5	27	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5	12	<5
20-24	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

UNION COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	8	<5	<5	<5	<5	11	<5	<5	<5	<5	8	<5
Gender															
Male	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Female	<5	<5	<5	5	<5	<5	<5	<5	10	<5	<5	<5	<5	6	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	8	<5	<5	<5	<5	11	<5	<5	<5	<5	8	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
20-24	<5	<5	<5	<5	<5	<5	<5	<5	8	<5	<5	<5	<5	<5	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

VANDERBURGH COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	918	309	<5	<5	<5	1087	377	<5	<5	<5	1048	484
Gender															
Male	<5	<5	<5	278	126	<5	<5	<5	334	157	<5	<5	<5	325	226
Female	<5	<5	<5	640	183	<5	<5	<5	753	220	<5	<5	<5	723	258
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	518	116	<5	<5	<5	641	175	<5	<5	<5	601	201
Black	<5	<5	<5	339	176	<5	<5	<5	340	176	<5	<5	<5	360	256
Hispanic	<5	<5	<5	17	<5	<5	<5	<5	39	5	<5	<5	<5	25	8
Unknown	<5	<5	<5	44	14	<5	<5	<5	67	21	<5	<5	<5	62	19
Age Group															
14 or less	<5	<5	<5	10	<5	<5	<5	<5	12	2	<5	<5	<5	<5	<5
15-19	<5	<5	<5	301	78	<5	<5	<5	329	45	<5	<5	<5	322	94
20-24	<5	<5	<5	370	116	<5	<5	<5	438	83	<5	<5	<5	411	167
25-29	<5	<5	<5	145	57	<5	<5	<5	168	26	<5	<5	<5	185	114
30-34	<5	<5	<5	53	26	<5	<5	<5	85	8	<5	<5	<5	72	51
35-39	<5	<5	<5	20	15	<5	<5	<5	12	7	<5	<5	<5	34	32
40-44	<5	<5	<5	14	7	<5	<5	<5	16	4	<5	<5	<5	12	9
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	0	<5	<5	<5	5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	0	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	0	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	0	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

VERMILLION COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	27	6	<5	<5	<5	26	<5	<5	<5	<5	32	<5
Gender															
Male	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	<5
Female	<5	<5	<5	22	<5	<5	<5	<5	23	<5	<5	<5	<5	25	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	17	<5	<5	<5	<5	14	<5	<5	<5	<5	13	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	10	<5	<5	<5	<5	12	<5	<5	<5	<5	19	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	5	<5	<5	<5	<5	9	<5	<5	<5	<5	9	<5
20-24	<5	<5	<5	9	<5	<5	<5	<5	8	<5	<5	<5	<5	10	<5
25-29	<5	<5	<5	7	<5	<5	<5	<5	6	<5	<5	<5	<5	6	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

VIGO COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	453	142	<5	<5	<5	424	81	<5	<5	<5	427	55
Gender															
Male	<5	<5	<5	112	64	<5	<5	<5	93	44	<5	<5	<5	118	33
Female	<5	<5	<5	341	78	<5	<5	<5	331	37	<5	<5	<5	308	22
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	260	73	<5	<5	<5	227	34	<5	<5	<5	175	17
Black	<5	<5	<5	116	49	<5	<5	<5	92	31	<5	<5	<5	117	20
Hispanic	<5	<5	<5	6	<5	<5	<5	<5	8	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	71	19	<5	<5	<5	97	15	<5	<5	<5	131	18
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	161	52	<5	<5	<5	134	22	<5	<5	<5	133	16
20-24	<5	<5	<5	204	57	<5	<5	<5	193	34	<5	<5	<5	201	22
25-29	<5	<5	<5	49	17	<5	<5	<5	64	15	<5	<5	<5	53	11
30-34	<5	<5	<5	20	9	<5	<5	<5	19	<5	<5	<5	<5	19	<5
35-39	<5	<5	<5	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	11	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

WABASH COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	61	5	<5	<5	<5	59	<5	<5	<5	<5	79	13
Gender															
Male	<5	<5	<5	14	<5	<5	<5	<5	11	<5	<5	<5	<5	20	6
Female	<5	<5	<5	47	<5	<5	<5	<5	48	<5	<5	<5	<5	59	7
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race0															
White	<5	<5	<5	53	5	<5	<5	<5	49	<5	<5	<5	<5	73	12
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	5	<5	<5	<5	<5	7	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	14	<5	<5	<5	<5	8	<5	<5	<5	<5	26	6
20-24	<5	<5	<5	32	<5	<5	<5	<5	31	<5	<5	<5	<5	30	<5
25-29	<5	<5	<5	10	<5	<5	<5	<5	16	<5	<5	<5	<5	13	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

WARREN COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	19	<5	<5	<5	<5	20	<5	<5	<5	<5	13	<5
Gender															
Male	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Female	<5	<5	<5	16	<5	<5	<5	<5	16	<5	<5	<5	<5	11	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	15	<5	<5	<5	<5	18	<5	<5	<5	<5	8	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	8	<5	<5	<5	<5	6	<5	<5	<5	<5	<5	<5
20-24	<5	<5	<5	8	<5	<5	<5	<5	7	<5	<5	<5	<5	6	<5
25-29	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

WARRICK COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	90	18	<5	<5	<5	134	23	<5	<5	<5	128	19
Gender															
Male	<5	<5	<5	26	7	<5	<5	<5	34	7	<5	<5	<5	41	7
Female	<5	<5	<5	64	11	<5	<5	<5	100	16	<5	<5	<5	87	12
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	83	13	<5	<5	<5	116	20	<5	<5	<5	113	15
Black	<5	<5	<5	<5	<5	<5	<5	<5	8	<5	<5	<5	<5	6	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	7	<5	<5	<5	<5	7	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	30	<5	<5	<5	<5	40	7	<5	<5	<5	43	<5
20-24	<5	<5	<5	39	5	<5	<5	<5	61	9	<5	<5	<5	59	9
25-29	<5	<5	<5	11	6	<5	<5	<5	16	<5	<5	<5	<5	16	<5
30-34	<5	<5	<5	7	<5	<5	<5	<5	7	<5	<5	<5	<5	6	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

WASHINGTON COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	51	5	<5	<5	<5	70	11	<5	<5	<5	60	6
Gender															
Male	<5	<5	<5	5	<5	<5	<5	<5	13	8	<5	<5	<5	13	<5
Female	<5	<5	<5	46	<5	<5	<5	<5	57	<5	<5	<5	<5	47	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	48	5	<5	<5	<5	65	11	<5	<5	<5	49	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	10	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	51	<5	<5	<5	<5	24	<5	<5	<5	<5	18	<5
20-24	<5	<5	<5	22	<5	<5	<5	<5	33	<5	<5	<5	<5	23	<5
25-29	<5	<5	<5	9	<5	<5	<5	<5	8	<5	<5	<5	<5	14	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

WAYNE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	273	65	<5	<5	<5	285	113	<5	<5	<5	237	86
Gender															
Male	<5	<5	<5	51	23	<5	<5	<5	60	54	<5	<5	<5	48	45
Female	<5	<5	<5	222	42	<5	<5	<5	225	59	<5	<5	<5	189	41
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	205	41	<5	<5	<5	223	90	<5	<5	<5	186	63
Black	<5	<5	<5	50	22	<5	<5	<5	41	20	<5	<5	<5	41	21
Hispanic	<5	<5	<5	7	<5	<5	<5	<5	12	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	11	<5	<5	<5	<5	9	<5	<5	<5	<5	6	<5
Age Group															
14 or less	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	91	16	<5	<5	<5	83	17	<5	<5	<5	72	22
20-24	<5	<5	<5	109	29	<5	<5	<5	116	31	<5	<5	<5	83	25
25-29	<5	<5	<5	47	7	<5	<5	<5	48	20	<5	<5	<5	39	15
30-34	<5	<5	<5	10	5	<5	<5	<5	23	21	<5	<5	<5	23	7
35-39	<5	<5	<5	5	<5	<5	<5	<5	5	6	<5	<5	<5	7	5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

WELLS COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	71	12	<5	<5	<5	55	6	<5	<5	<5	70	15
Gender															
Male	<5	<5	<5	17	<5	<5	<5	<5	11	<5	<5	<5	<5	19	5
Female	<5	<5	<5	54	10	<5	<5	<5	44	<5	<5	<5	<5	51	10
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	65	8	<5	<5	<5	49	<5	<5	<5	<5	65	12
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	19	<5	<5	<5	<5	15	<5	<5	<5	<5	21	7
20-24	<5	<5	<5	36	7	<5	<5	<5	20	<5	<5	<5	<5	30	<5
25-29	<5	<5	<5	9	<5	<5	<5	<5	16	<5	<5	<5	<5	8	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

WHITE COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	57	<5	<5	<5	<5	57	<5	<5	<5	<5	72	6
Gender															
Male	<5	<5	<5	13	<5	<5	<5	<5	15	<5	<5	<5	<5	17	<5
Female	<5	<5	<5	44	<5	<5	<5	<5	42	<5	<5	<5	<5	55	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	37	<5	<5	<5	<5	41	<5	<5	<5	<5	31	<5
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	8	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	16	<5	<5	<5	<5	8	<5	<5	<5	<5	40	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	9	<5	<5	<5	<5	16	<5	<5	<5	<5	19	<5
20-24	<5	<5	<5	31	<5	<5	<5	<5	27	<5	<5	<5	<5	28	<5
25-29	<5	<5	<5	13	<5	<5	<5	<5	8	<5	<5	<5	<5	11	<5
30-34	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting

WHITLEY COUNTY STD MORBIDITY

	YEAR 2013					YEAR 2014					YEAR 2015*				
	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea	Syphilis Primary	Syphilis Secondary	Syphilis Early Latent	Chlamydia	Gonorrhea
	<5	<5	<5	82	19	<5	<5	<5	48	5	<5	<5	<5	67	9
Gender															
Male	<5	<5	<5	23	8	<5	<5	<5	18	<5	<5	<5	<5	23	6
Female	<5	<5	<5	59	11	<5	<5	<5	30	<5	<5	<5	<5	44	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Race															
White	<5	<5	<5	76	16	<5	<5	<5	33	<5	<5	<5	<5	42	9
Black	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Hispanic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Unknown	<5	<5	<5	<5	<5	<5	<5	<5	12	<5	<5	<5	<5	21	<5
Age Group															
14 or less	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
15-19	<5	<5	<5	30	6	<5	<5	<5	11	<5	<5	<5	<5	20	<5
20-24	<5	<5	<5	37	7	<5	<5	<5	26	<5	<5	<5	<5	32	<5
25-29	<5	<5	<5	8	<5	<5	<5	<5	8	<5	<5	<5	<5	9	<5
30-34	<5	<5	<5	7	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
35-39	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
40-44	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
45-49	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
50-54	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
55-59	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
60+	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

*2015 data is provisional and subject to change

Data Source: CDC NETSS transmission by year

Dates: ISDH uses the CDC MMWR calendar for reporting