


Figure 28

General Fertility Rates

Indiana Counties, 2008



GFR Significantly Lower Not Significantly Different Significantly Higher


SOURCE: ISDH, ERC, DAT, Table 31

This figure was run on August 9, 2011.

Figure 29

Low Birthweight Infants (under 2,500 Grams)

Indiana Counties, 2008



LBW Significantly Lower Not Significantly Different Significantly Higher

(A lower percentage is better)

SOURCE: ISDH, ERC, DAT, Table 32

This figure was run on August 9, 2011.

Very Low Birthweight Infants (under 1,500 Grams)


Indiana Counties, 2008



VLB Not Significantly Different Significantly Higher

(A lower percentage is better)

Preterm Infants Indiana Counties, 2008



PRE Significantly Lower Not Significantly Different Significantly Higher


(A lower percentage is better)

SOURCE: ISDH, ERC, DAT, Table 32

This figure was run on August 9, 2011.

Prenatal Care (First Trimester)

Indiana Counties, 2008



PNC Significantly Lower Not Significantly Different Significantly Higher

(A higher percentage is better)

SOURCE: ISDH, ERC, DAT, Table 32

This figure was run on August 9, 2011.

[Return to Table of Contents](#)

Indiana Natality Report - 2008
Figure 33


Alcohol Use During Pregnancy
Indiana Counties, 2008

Please note: Because of certificate revisions, these data are no longer collected.
Please see [Preface](#) for details.

Figure 34

Smoking During Pregnancy

Indiana Counties, 2008



SMK Significantly Lower Not Significantly Different Significantly Higher


(A lower percentage is better)

SOURCE: ISDH, ERC, DAT, Table 32

This figure was run on August 9, 2011.

Live Births to Unmarried Parents

Indiana Counties, 2008



UNM Significantly Lower Not Significantly Different Significantly Higher

SOURCE: ISDH, ERC, DAT, Table 32

This figure was run on August 9, 2011.