

ORIGINAL

sed
[Signature]
SA
APed
gub

STATE OF INDIANA
INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

APPROVED: JUN 28 2017

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

IT IS SO ORDERED.

ATTERHOLT, FREEMAN HUSTON, WEBER AND ZIEGNER CONCUR:

APPROVED: JUN 28 2017

I hereby certify that the above is a true and correct copy of the Order as approved.

Mary M. Becerra

Mary M. Becerra
Secretary of the Commission

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ask Howell Mechanical**
Other Party: **Northern Indiana Public Service Company**
Case Number: **13405**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **5/20/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Southeastern Indiana Natural Gas Company**
Other Party: **Town of Boswell**
Case Number: **13426**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **7/20/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Trademark Utilities**
Other Party: **Indiana Natural Gas Corporation**
Case Number: **13709**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/30/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Haiderer Homes**
Other Party: **Indiana Natural Gas Corporation**
Case Number: **13710**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/30/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mark Parker**
Other Party: **Midwest Natural Gas Corporation**
Case Number: **13966**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/30/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Benchmark Property Services**
Other Party: **Citizens Gas**
Case Number: **13967**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/12/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Gas**
Other Party: **Citizens Energy Group**
Case Number: **13970**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/6/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions*):
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Darrell Ball**
Other Party: **Citizens Gas**
Case Number: **13971**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/4/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mission Mechanical**
Other Party: **Citizens Gas**
Case Number: **13973**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wilson Water & Sewer Service, Inc.**
Other Party: **Citizens Gas**
Case Number: **13974**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/31/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Post Road Christian Church**
Other Party: **Citizens Gas**
Case Number: **13976**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/29/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Indianapolis Concrete**
Other Party: **Citizens Gas**
Case Number: **13977**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/29/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|---|--|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED:



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Satisfaction Lawns, LLC**
Other Party: **Citizens Gas**
Case Number: **13980**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/6/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Warren**

Additional Information: removing locate marks

APPROVED: 
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Milestone Contractors, LP**
Case Number: **14188**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/29/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hayden's Septic & Sewer Service**
Other Party: **Vectren Energy Delivery**
Case Number: **14190**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/30/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Henry's Mobile Home Services**
Other Party: **Vectren Energy Delivery**
Case Number: **14191**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/30/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hittle Landscaping**
Other Party: **Vectren Energy Delivery**
Case Number: **14192**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/30/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 1,000 no ticket escalation
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jeff Hudson**
Other Party: **Vectren Energy Delivery**
Case Number: **14193**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/30/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **McKibben Builders**
Other Party: **Vectren Energy Delivery**
Case Number: **14194**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/30/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **William Pinkston**
Other Party: **Vectren Energy Delivery**
Case Number: **14195**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/30/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Town of Prince's Lakes**
Case Number: **14196**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/31/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Schmitt Backhoe Service**
Other Party: **Vectren Energy Delivery**
Case Number: **14197**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/31/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Vectren Energy**
Case Number: **14198**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/31/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Reynolds Construction**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14581**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/5/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Calumet Civil Contractors, Inc.**
Other Party: **Citizens Gas**
Case Number: **14652**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/21/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- Other _____

Abstentions: **Warren**

Additional Information: _____

APPROVED: 
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **C L Builders**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14705**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/15/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **E & B Paving, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14706**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/15/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Indiana American Water Co. DBA Indiana American**
Case Number: **14707**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/15/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Infrasource Underground Construction**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14708**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/15/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Phend & Brown, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14709**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/15/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Selge Construction Co., Inc.**
Case Number: **14710**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/15/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Weigand Construction**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14711**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/15/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: Completed 12/15/16

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Addison Underground Utilities LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14712**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/14/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000 + \$1000 no ticket escalation
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bontrager Builders**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14713**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/14/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **City of Columbia City**
Case Number: **14714**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/14/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO - Electric**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14715**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/14/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Selge Construction Co., Inc.**
Case Number: **14716**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/14/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Fritchas Construction Co., Inc.**
Case Number: **14717**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/13/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Walsh & Kelly**
Case Number: **14720**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/13/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Beer & Slabaugh, Inc.**
Case Number: **14721**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/12/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Emcor Hyre Electric Co. of Indiana, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14722**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/12/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **David Venrely**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14723**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/12/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Shana Hernandez**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14724**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/12/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rex Construction**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14725**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/12/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Esteban Menchata**
Case Number: **14729**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/11/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Casey Lantz**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14730**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/11/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: *B Warren*
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Adams Landscape & Lawncare Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14731**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/9/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Don's Excavating, Inc.**
Case Number: **14732**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/9/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Genovese Excavating LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14733**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/9/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input checked="" type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Henderson Construction**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14734**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/9/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Monarch Development Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14735**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/9/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nellie Hernandez**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14738**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/8/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Maple City Undergrounds**
Case Number: **14739**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/8/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **S A T Team Six LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14742**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/6/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Cark Witmer**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14743**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/5/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **John Schrock**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14744**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/3/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lisa & Jay Miller**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14745**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/3/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bergstrom Home Improvement**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14746**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/2/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **City of Elkhart**
Case Number: **14747**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/2/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dennie Bills**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14749**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/2/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input checked="" type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Betty Possehn**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14753**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/1/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **John Williams**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14754**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Jim Foust Contracting**
Case Number: **14755**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Adam Gerstbauer**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14763**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/31/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northeastern REMC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14764**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/30/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,000
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City of Auburn**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14765**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/30/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jason Szabo DBA Machining Solutions**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14769**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/29/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Construction Services of Indiana**
Case Number: **14799**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **8/19/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Weber Concrete**
Other Party: **Vectren Energy Delivery**
Case Number: **14838**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,500 + \$1,000 no ticket escalation
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kirby Plumbing**
Other Party: **Vectren Energy Delivery**
Case Number: **14839**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/1/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter** (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Axis Earth Services**
Case Number: **14840**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Ed Patton Construction, Inc.**
Case Number: **14841**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/2/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Larry Chandler**
Other Party: **Vectren Energy Delivery**
Case Number: **14843**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/2/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **William Robertson**
Other Party: **Vectren Energy Delivery**
Case Number: **14844**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/2/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mike Archer**
Other Party: **Vectren Energy Delivery**
Case Number: **14845**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/3/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **C C T Underground**
Other Party: **Vectren Energy Delivery**
Case Number: **14846**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/4/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kyle Wethington**
Other Party: **Vectren Energy Delivery**
Case Number: **14847**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/4/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Terrell Excavating**
Case Number: **14848**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/6/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Circle City Outdoors**
Other Party: **Vectren Energy Delivery**
Case Number: **14849**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/6/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Peercy's Construction, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **14851**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/7/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Q C Communications**
Case Number: **14853**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/7/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **R T Moore, Co.**
Other Party: **Vectren Energy Delivery**
Case Number: **14854**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/8/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,500
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Direct Line Communications**
Other Party: **Vectren Energy Delivery**
Case Number: **14856**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/8/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Watson Excavating, Inc.**
Case Number: **14857**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/8/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Shirley & Larry Todd Harding**
Other Party: **Vectren Energy Delivery**
Case Number: **14858**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/8/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kevin Huntley Excavating, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **14859**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/9/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 1,000 no ticket escalation
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Tammie Mundy**
Other Party: **Vectren Energy Delivery**
Case Number: **14860**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/9/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Custom Living**
Other Party: **Vectren Energy Delivery**
Case Number: **14861**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/9/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Krempp Construction**
Other Party: **Vectren Energy Delivery**
Case Number: **14862**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/12/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Snedegar Construction, Inc.**
Case Number: **14863**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/12/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **G L S, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **14865**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/13/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ely Concrete, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **14866**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/13/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 1,000 no ticket escalation
- Other _____

Abstentions: _____

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lawyer Excavating** *Excavation*
Other Party: **Vectren Energy Delivery**
Case Number: **14867**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/13/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Environmental Construction, Inc.**
Case Number: **14868**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/13/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Frontier Communications**
Case Number: **14869**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/13/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gerry's Demolition Services LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **14870**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/13/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,000 + \$1,000 no ticket escalation
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Rieth-Riley Construction Co., Inc.**
Case Number: **14872**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/14/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **H B Plumbing**
Case Number: **14873**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/14/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Brian Dryden**
Other Party: **Vectren Energy Delivery**
Case Number: **14875**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/14/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **B & A Construction**
Other Party: **Vectren Energy Delivery**
Case Number: **14876**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/14/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **International, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **14878**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/15/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: completed 3/23/17

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **B-Mac Wireless, Inc.**
Case Number: **14879**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/16/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Petry Excavating, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **14880**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/16/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Schutt-Lookabill Co., Inc.**
Case Number: **14882**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/16/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Chuck Moore**
Other Party: **Vectren Energy Delivery**
Case Number: **14883**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/17/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **Snedegar Construction, Inc.**
Case Number: **14884**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/19/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wagner Investment Properties**
Other Party: **Vectren Energy Delivery**
Case Number: **14886**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/19/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Swinney Development, Inc.**
Other Party: **Vectren Energy Delivery**
Case Number: **14887**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/19/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|---|--|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Elevation Excavation**
Other Party: **Vectren Energy Delivery**
Case Number: **14888**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/19/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren Energy Delivery**
Other Party: **J D L Warm Construction LLC**
Case Number: **14891**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/20/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Allied Electric**
Other Party: **Vectren Energy Delivery**
Case Number: **14892**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/20/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Thomas Enterprises**
Other Party: **Vectren Energy Delivery**
Case Number: **14893**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/21/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions:

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipeline, LLC**
Other Party: **Vectren Energy Delivery**
Case Number: **14895**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/21/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other _____

Abstentions: **Miller**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **City of Delphi**
Case Number: **14969**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/21/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dowty Farms, LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14970**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/21/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Eicher ~~Excavation LP~~ Excavating, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14971**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/21/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lowell Troyer**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14972**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/21/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mark Miller**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14973**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/21/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Beer & Slabaugh, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14975**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/20/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Concrete Construction, Inc.**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14976**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/20/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **David Haab**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14978**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/20/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **L A Brown Co.**
Case Number: **14980**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/20/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Sapphire Enterprises Group, LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14981**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/20/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **T K Electric, LLC**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14982**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/20/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **B & D Sewer & Backhoe Service**
Case Number: **14983**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/19/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Grimmer Construction Co.**
Case Number: **14984**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/19/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mitsch Farm Drainage & Bulldozing**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14985**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/19/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mitre Kutanovski**
Other Party: **Northern Indiana Public Service Company**
Case Number: **14987**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/16/2016**


The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-16(h)

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- | | | |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing | <input type="checkbox"/> White Lining |
| <input type="checkbox"/> Demolitions | | |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED: 
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Phend & Brown, Inc.**
Case Number: **14988**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/16/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Public Service Company**
Other Party: **Polyvinyl Sales, Inc.**
Case Number: **14989**
Date of Advisory Meeting: **4/11/2017**
Date of Damage: **9/16/2016**

The IURC Pipeline Safety Division finds the following violation(s):
IC 8-1-26-18(f)



The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
 - Clearance Zone
 - Damaging Lines
 - Dig Tickets
 - Demolitions
 - Failure to Plan
 - Potholing
 - Probing
 - Self-Repair
 - Using Stakes or Post Hole Diggers
 - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Abstentions: **Selking**

Additional Information: _____

APPROVED:

Ben Warren
Chairman