

ORIGINAL

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER )  
APPROVING ADVISORY COMMITTEE ) APPROVED: MAY 03 2017  
RECOMMENDATIONS PURSUANT TO )  
INDIANA CODE CHAPTER 8-1-26. )

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.


Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

**IT IS SO ORDERED.**

**ATTERHOLT, HUSTON, AND ZIEGNER CONCUR;**  
**FREEMAN AND WEBER ABSENT**

APPROVED: MAY 03 2017

**I hereby certify that the above is a true and correct copy of the Order as approved.**

  
Mary M. Becerra  
Secretary of the Commission

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Blankenberger Brothers, Inc.**  
Case Number: **2933**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **5/08/2012**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or <sup>750</sup>~~\$5,000~~ civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: Training completed 5/7/13.

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Concreteplus Foundations LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **11008**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/21/2015**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of <sup>3000</sup>~~\$1,500~~, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Infrasource Underground Construction**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **12298**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **4/11/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,500
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **L & S Underground, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **12854**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **4/8/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Blankenberger Brothers, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **13292**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **5/5/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Lawrenceburg Conservancy District**  
Other Party: **Sycamore Gas Company**  
Case Number: **13371**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/29/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:                     *Ben Warren*                      
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Pahl's Lawn Care, Inc.**  
Other Party: **Indiana Natural Gas Corporation**  
Case Number: **13491**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/2/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Gas**  
Other Party: **Citizens Energy Group**  
Case Number: **13494**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/28/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:  \_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Kline Excavating, Inc.**  
Case Number: **13549**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/23/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Town of New Whiteland**  
Other Party: **Vectren Energy Delivery**  
Case Number: **13590**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/7/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(prior)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Lewen Line Construction**  
Other Party: **Vectren Energy Delivery**  
Case Number: **13601**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/9/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Blankenberger Brothers, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **13605**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/10/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **C C & T Construction, Inc.**  
Case Number: **13613**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/14/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: City of Greenfield  
Other Party: Vectren Energy Delivery  
Case Number: 13619  
Date of Advisory Meeting: 2/28/2017  
Date of Damage: 6/16/2016

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: City of Loogootee  
Other Party: Vectren Energy Delivery  
Case Number: 13620  
Date of Advisory Meeting: 2/28/2017  
Date of Damage: 6/16/2016


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Good Shepherd Fence Co.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **13627**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/20/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Robinson Trenching & Boring**  
Case Number: **13629**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/20/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Doug Wilcox**  
Other Party: **Vectren Energy Delivery**  
Case Number: **13633**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/20/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Town of Sellersburg**  
Case Number: **13637**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/21/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Hummel Electric, Inc.**  
Case Number: **13638**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/22/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **City of Terre Haute**  
Case Number: **13647**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/24/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **William Byrley (Trust of Mary Wayne Eble)**  
Other Party: **Vectren Energy Delivery**  
Case Number: **13648**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/25/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Jonathan Araujo**  
Other Party: **Vectren Energy Delivery**  
Case Number: **13650**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/26/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |   |  |
|--|---|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing                  | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing                    | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |   |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Karman Arbuckle**  
Other Party: **Vectren Energy Delivery**  
Case Number: **13652**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/26/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Mt. Carmel Stabilization Group, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **13655**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/27/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Duke Energy Indiana**  
Case Number: **13657**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/28/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Schneider Plumbing**  
Other Party: **Vectren Energy Delivery**  
Case Number: **13660**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/28/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Dale Jefferies**  
Other Party: **Vectren Energy Delivery**  
Case Number: **13661**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/28/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **North Lawrence Water Corp.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **13667**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/29/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Gehring Underground, Inc.**  
Case Number: **13669**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/29/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Pour Boys Concrete**  
Other Party: **Vectren Energy Delivery**  
Case Number: **13672**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/30/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **BeBout Excavating**  
Other Party: **Vectren Energy Delivery**  
Case Number: **13673**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **6/29/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Wright Excavating & Trucking, Inc.**  
Other Party: **Indiana Natural Gas Corporation**  
Case Number: **13691**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/23/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Exceptional Excavating, LLC**  
Other Party: **Citizens Gas**  
Case Number: **13693**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/24/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:  \_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **A C Electric**  
Other Party: **Citizens Gas**  
Case Number: **13694**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/22/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Dan Meiners  
Vice Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **The Hoosier Workshop**  
Other Party: **Citizens Gas**  
Case Number: **13695**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/21/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
Dan Meiners  
Vice Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Howard Jay Kern**  
Other Party: **Citizens Gas**  
Case Number: **13696**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/20/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: Concealed damage

---

---

APPROVED:   
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Midwest Underground, Inc.**  
Other Party: **Citizens Gas**  
Case Number: **13699**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/18/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:  \_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Jennings Design, LLC**  
Other Party: **Citizens Gas**  
Case Number: **13704**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:  \_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Uessler Construction**  
Other Party: **Indiana Utilities Corporation**  
Case Number: **13707**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/24/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Midwest Trenchless Services**  
Case Number: **13721**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/13/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Midwest Trenchless Services**  
Case Number: **13722**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/13/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: S & S Directional Boring, LTD  
Other Party: Northern Indiana Public Service Company  
Case Number: 13723  
Date of Advisory Meeting: 2/28/2017  
Date of Damage: 7/13/2016

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Meade Electric Company, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **13736**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/11/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **R T Boring, Inc.**  
Case Number: **13737**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/11/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rieth-Riley Construction Co., Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **13738**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/11/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Terry Keefer**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **13744**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/10/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **City of Elkhart**  
Case Number: **13748**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/8/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Amanda Coffield**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **13759**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/6/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Heads Up Irrigation & Lighting, LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **13984**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/31/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Adam Grapengeter**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **13986**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/30/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Ross Kline**  
Case Number: **13987**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/30/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Pro Electric**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **13989**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/30/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: Crosby Excavating, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 13990  
Date of Advisory Meeting: 2/28/2017  
Date of Damage: 7/29/2016

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: Selking

Additional Information: Ritter + Warren abstain. Penalty has no precedent, was a compromise penalty between recommendations of \$5000 or no penalty.

APPROVED: J  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Glover Cable Construction LLC**  
Case Number: **13991**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/29/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Michael Hutchison**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **13992**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/29/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **New Horizon Drilling Solution, Inc.**  
Case Number: **13995**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/29/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Area Plumbing & Sewer Co., Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **13997**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/28/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **GeoForce Utility Technologies**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **13999**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/28/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: Completed training 2/21/17.

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **GeoForce Utility Technologies**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14000**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/28/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: Completed 2/21/17

---

---

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Key Concrete, Inc.**  
Case Number: **14002**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/28/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Saint Joseph County Highway Department**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14063**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/28/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Concrete Guys, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14004**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/28/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of ~~\$1,500~~ <sup>3,000</sup>, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: Failed to take training in Case 8058

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Beall Construction, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14040**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/8/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **3D Co., Inc.**  
Case Number: **14041**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/9/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **3D Co., Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14043**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/28/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Geswein Construction**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14053**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/8/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Brady S. Posey**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14054**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/7/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Calumet Civil Contractors, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14057**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/6/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,000
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Calumet Civil Contractors, Inc.**  
Case Number: **14058**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/28/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Extreme Builders**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14064**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/11/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **George Adams**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14066**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/31/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **International, Inc.**  
Case Number: **14070**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/29/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Lykins Contracting Co.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14079**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/27/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Milestone Contractors, LP**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14086**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/13/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,500
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Milestone Contractors, LP**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14087**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/28/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,000
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Miller Pipeline, LLC**  
Case Number: **14089**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/11/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: ~~Selking~~ & Miller

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **P P M I Construction Co.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14094**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/27/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Schmitt Backhoe Service**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14100**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/7/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Stabilization Services, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14102**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Failure to Plan
  - Self-Repair
  - Damaging Lines
  - Potholing
  - Using Stakes or Post Hole Diggers
  - Dig Tickets
  - Probing
  - White Lining
  - Demolitions
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: Terry Newcom  
Other Party: Vectren Energy Delivery  
Case Number: 14106  
Date of Advisory Meeting: 2/28/2017  
Date of Damage: 7/1/2016


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Hagerman Construction**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14107**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/8/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Whalen Construction Co., Inc.**  
Case Number: **14113**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **7/11/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **A-1 Septic Service & Excavating, Inc.**  
Case Number: **14116**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **E & B Paving, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14118**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Indiana Foundation Service**  
Case Number: **14119**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/1/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **J P Excavating, Inc.**  
Case Number: **14120**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Michael S. Evans**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14121**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Pyramid Technologies, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14122**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/1/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Beldon Fence Co., Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14123**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/2/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: City of Evansville  
Other Party: Vectren Energy Delivery  
Case Number: 14124  
Date of Advisory Meeting: 2/28/2017  
Date of Damage: 8/2/2016


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(out)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 5,000
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Crider & Crider Construction**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14165**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/20/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: Training Completed 9/9/16

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Joink LLC**  
Case Number: **14168**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/22/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Minnesota Limited, LLC**  
Case Number: **14169**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/22/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Scotty Jennings**  
Case Number: **14170**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/22/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Superior Construction**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14171**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/22/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 4,000 (\$3,000 + \$1,000 no ticket escalation)
- Other \_\_\_\_\_


Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Yardberry Landscape Co.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14173**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/22/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(out)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: Training completed 2/2/17

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **A B C Cutting Contractors, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14174**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/23/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:  \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **International, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14175**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/23/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Wooten Concrete, LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14176**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/23/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Terrell Contracting, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **14178**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/24/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Black Excavating**  
Case Number: **14180**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/25/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **James Lindsey (Contractor)**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14592**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/2/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **All Seasons Underground Construction, Inc.**  
Case Number: **14593**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/2/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **City of Portage**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14594**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/2/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 3,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Elmer's Service, LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14595**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/2/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Meade Electric Company, Inc.**  
Case Number: **14597**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/2/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Niblock Excavating, Inc.**  
Case Number: **14601**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/2/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **City of Portage**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14604**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/1/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ 1,000 penalty escalation
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Herd Agri-Enterprises, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14605**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/1/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Ironclad Excavating, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14606**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Kline Trucking & Excavating, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14607**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/1/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |   |  |
|--|---|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing                  | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing                    | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |   |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Pulver Asphalt Paving, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14608**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/1/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rosa Medina**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14772**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/26/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:  \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Earl Miller**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14774**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/26/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **V & H Excavating Co Inc**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14777**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/25/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **S/T Bancroft Electric, Inc.**  
Case Number: **14778**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/25/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Adrian Kaser**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14779**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/25/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **City of Goshen**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14782**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/24/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Shane Bagley**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14783**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/23/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:                     *B Warren*                      
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **David Roti**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14784**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/23/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Indiana American Water Co. DBA Indiana American**  
Case Number: **14785**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/23/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **A & R Wastewater Management**  
Case Number: **14787**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/23/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **De Boer Egolf Corp.**  
Case Number: **14788**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/23/2016**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Dyer Construction Co., Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14792**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/22/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Greg Ritchie**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14793**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/21/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Walter Monterroso**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14796**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/20/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **City of Hammond**  
Case Number: **14798**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/19/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rogers Electric**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **14802**  
Date of Advisory Meeting: **2/28/2017**  
Date of Damage: **8/18/2016**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$1,500, can mitigate \$1,500 by completing training and corrective action plan
- Civil penalty of \$ \_\_\_\_\_
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman