

ORIGINAL

*Handwritten signatures and initials: "Duo SNK"*

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER )  
APPROVING ADVISORY COMMITTEE )  
RECOMMENDATIONS PURSUANT TO )  
INDIANA CODE CHAPTER 8-1-26. )

APPROVED: DEC 11 2019

ORDER OF THE COMMISSION

Ind. Code ch. 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Ind. Code ch. 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is directed to prepare and send notice to the parties advising them of the determination.

Any approved civil penalties are due within 90 days of the date of this Order unless payment arrangements are made with the Secretary of the Commission.

Any approved trainings must be completed no later than 180 days from the date of this Order or the alternative civil penalty noted in the attached recommendation is due.

IT IS SO ORDERED.

HUSTON, FREEMAN, KREVDA, OBER, AND ZIEGNER CONCUR

APPROVED: DEC 11 2019

I hereby certify that the above is a true and correct copy of the Order as approved.

*Handwritten signature of Mary M. Becerra*

Mary M. Becerra  
Secretary of the Commission

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Gerasimos Group LLC**  
Other Party: **Citizens Gas**  
Case Number: **19864**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/5/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Terry Sharp**  
Other Party: **Indiana Natural Gas Corporation**  
Case Number: **19892**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/11/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rieth-Riley Construction Co., Inc.**  
Other Party: **Citizens Gas**  
Case Number: **19907**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/15/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-19(c)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 1,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rieth-Riley Construction Co., Inc.**  
Other Party: **Citizens Gas**  
Case Number: **19908**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/15/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-19(c)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rieth-Riley Construction Co., Inc.**  
Other Party: **Citizens Gas**  
Case Number: **19909**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/15/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-19(c)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rieth-Riley Construction Co., Inc.**  
Other Party: **Citizens Gas**  
Case Number: **19910**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/15/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-19(c)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rieth-Riley Construction Co., Inc.**  
Other Party: **Citizens Gas**  
Case Number: **19911**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/15/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-19(c)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rieth-Riley Construction Co., Inc.**  
Other Party: **Citizens Gas**  
Case Number: **19912**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/15/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-19(c)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Aaron Manning**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19930**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/2/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Ronnie Updegraff Heating & Cooling**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19931**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Miller Pipeline, LLC**  
Case Number: **19932**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions: **Miller**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **A & B Boring, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19933**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/7/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Koberstein Contracting, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19934**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Cary Nelson**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19935**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Payton & Son Concrete, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19936**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/8/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 4,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Premier Homes of Southern Indiana, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19938**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/12/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **CTS I LLC**  
Case Number: **19940**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/13/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Mullins Supply**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19941**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/13/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **White Construction, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19942**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/13/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 4,500
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Primetech Communications, Inc.**  
Case Number: **19943**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/14/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Milestone Contractors, LP**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19944**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/15/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Payton & Son Concrete, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19945**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/15/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 4,500
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **White Construction, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19946**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/15/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Town of Salem**  
Other Party: **Midwest Natural Gas Corporation**  
Case Number: **19948**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/26/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Nexgen Directional LLC**  
Other Party: **Citizens Gas**  
Case Number: **19950**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/29/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 3,500
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Greenwald Enterprises, Inc.**  
Other Party: **Citizens Gas**  
Case Number: **19951**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/28/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 3,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Nexgen Directional LLC**  
Other Party: **Citizens Gas**  
Case Number: **19952**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/28/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 3,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Tru Bore**  
Other Party: **Citizens Gas**  
Case Number: **19953**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/26/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **McGhee Concrete**  
Other Party: **Citizens Gas**  
Case Number: **19955**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/26/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(3)(b)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **B G W Construction**  
Other Party: **Citizens Gas**  
Case Number: **19960**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/15/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **J S Concrete Specialists LLC**  
Other Party: **Citizens Gas**  
Case Number: **19962**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/11/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Exceptional Excavating, LLC**  
Other Party: **Citizens Gas**  
Case Number: **19963**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/5/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$<sup>3,000</sup>1,500; can mitigate \$<sup>3,000</sup>1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: attempted self repair; failed to  
train in Case 15714

APPROVED:

  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **F & K Construction**  
Case Number: **19966**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **WBNCI Demolition & Construction**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **19967**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Badger Daylighting Corp.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **19968**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/5/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: Completed 5/16/19

---

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **CenturyLink, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **19969**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/6/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **S/T Bancroft Electric, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **19970**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 3,500
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **J & L Excavating, LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **19971**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/6/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **F & K Construction**  
Case Number: **19972**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/7/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Infrasource Construction, LLC**  
Case Number: **19973**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Rex Construction**  
Case Number: **19974**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/8/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **MRR 2036 S Michigan LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **19975**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:



Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Crosby Excavating, Inc.**  
Case Number: **19976**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/8/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Rex Construction**  
Case Number: **19977**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/11/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Fort Wayne City Utilities**  
Case Number: **19978**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/11/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Hasse Construction Co.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **19981**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/14/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(out)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Adam Dorn**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19983**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/19/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **White Construction, Inc.**  
Case Number: **19984**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/20/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Premier Homes of Southern Indiana, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19985**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/20/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 3,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Joe Bush**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19986**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/21/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Calumet Civil Contractors, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19987**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Internattional Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19988**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 4,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **C S Construction**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19990**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/22/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(out)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Stacys Excavating**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19991**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Terry Moore & Amber Whitt**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19992**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/23/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Steve Thomas**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19993**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/23/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Van Hoy & Sons Contracting, Inc.**  
Case Number: **19994**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/26/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Calumet Civil Contractors, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19995**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/27/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(prior)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Delmolino Plumbing**  
Case Number: **19996**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/27/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Dave O'Mara Contractor, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **19998**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/27/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Milestone Contractors, LP**  
Case Number: **19999**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/27/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Brown's Construction Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20000**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/27/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Fite Plumbing**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20001**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/28/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Bardon Properties LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20002**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/28/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: \_\_\_\_\_

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **J & K Underground Utilities, LLC**  
Case Number: **20003**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/28/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Miller Pipeline, LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20004**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/29/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Miller**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Primetech Communications, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20005**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/29/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Directional Technology Solutions LLP**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20006**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/31/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **James Griffis**  
Other Party: **Midwest Natural Gas Corporation**  
Case Number: **20007**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/9/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Bill Mehling**  
Other Party: **Community Natural Gas Inc**  
Case Number: **20008**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/9/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **E & B Paving, Inc.**  
Other Party: **Community Natural Gas Inc**  
Case Number: **20009**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/5/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Steven Nelson**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20012**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/16/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Matthew Bontrager**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20013**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/18/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Redman Excavating LLC**  
Case Number: **20016**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/19/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Infrasource Construction, LLC**  
Case Number: **20017**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/20/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **L G S Plumbing, Inc.**  
Case Number: **20019**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/21/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Meade Electric Company, Inc.**  
Case Number: **20020**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/21/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Potawatomi Zoological Society, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20021**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/21/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Todd Perkins**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20022**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/22/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rinehart Excavating, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20023**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/22/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Verlyn Watson**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20024**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/23/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Dimension Fence, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20026**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/25/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Gatlin Plumbing & Heating, Inc.**  
Case Number: **20027**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/25/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Miller Pipeline, LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20028**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/25/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Prestige Construction LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20029**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/25/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 1,500
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: Reckless - damaged multiple utilities, continued excavating after. Util. company had to make them stop. Squeezed off gas line. Poor safety culture. Threat to their own & the public's safety.

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **The Robert Henry Corp.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20030**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/26/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Dimension Fence, Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20031**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/26/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Indiana American Water Co. DBA Indiana American**  
Case Number: **20032**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/26/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **William Hilton**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20034**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/27/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Founders Contracting, Inc.**  
Case Number: **20035**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/28/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: Cedar Lake Ministries, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 20037  
Date of Advisory Meeting: 9/17/2019  
Date of Damage: 3/28/2019


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Surveying & Mapping, LLC**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20038**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/29/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: Reduced from training: In business 25 yrs & 1st violation, All 8 employees took all 4 online training modules, updated internal procedures. Already sufficiently trained.

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Dutch Barn Landscaping**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20039**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/29/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Thomas Bell**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20040**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **3/31/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Excel Excavating, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20046**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 3,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Van Hoy & Sons Contracting, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20047**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/1/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: Completed 5/28/19

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **City of Frankfort**  
Case Number: **20048**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/1/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Baldwin Excavating**  
Case Number: **20050**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/1/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Helebo Trenching, Inc.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20051**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/1/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Lazer Excavating Company**  
Case Number: **20052**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/1/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **A & L Flatworks**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20053**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Indiana Municipal Power Agency**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20054**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |   |  |
|---|---|--|
| <input type="checkbox"/> Clearance Zone | <input checked="" type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines | <input type="checkbox"/> Potholing                  | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets    | <input type="checkbox"/> Probing                    | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions    |   |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Shane Hayden**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20055**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/2/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
\_\_\_\_\_  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **J & K Underground Utilities, LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20056**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/3/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Johnson County REMC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20057**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/3/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Plant Brothers Excavating**  
Case Number: **20058**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/4/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Guardian Private Utility Locating LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20059**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/4/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **David Lane**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20060**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/5/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Stephen Schortemeyer**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20062**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Jim Johnson**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20063**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **W R Johnson Excavation LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20065**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **D R Watson Co.**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20067**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/8/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(prior)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren Energy Delivery**  
Other Party: **Veltor Underground**  
Case Number: **20068**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/9/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Swift Construction & Irrigation LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20069**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/9/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Downs Decks**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20071**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/10/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **J & I Construction Company LLC**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20072**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/10/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Steve Cooper Construction**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20075**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/11/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(out)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Fiber 1 Communications**  
Other Party: **Vectren Energy Delivery**  
Case Number: **20076**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/11/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions:

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Energy Group - Gas**  
Other Party: **Citizens Gas**  
Case Number: **20090**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Adrian Abando**  
Other Party: **Citizens Gas**  
Case Number: **20091**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/8/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Robinson Trenching & Boring**  
Other Party: **Citizens Gas**  
Case Number: **20092**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: \_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **City of Indianapolis**  
Other Party: **Citizens Gas**  
Case Number: **20095**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 3,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Warren**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Scott Sontag  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO - Gas**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20096**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/1/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ 5,000
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Brooks Construction Co., Inc.**  
Case Number: **20097**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/1/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:



Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Steven Stevens**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20098**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/1/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **John Hamilton**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20099**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/2/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)(expire)**


The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **R & R Fencing**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20100**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/3/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Jason Oyler**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20101**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/3/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Ziese & Sons Excavating, Inc.**  
Case Number: **20103**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/4/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **Areawide Excavating Inc.**  
Case Number: **20105**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/5/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Adam Newport**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20106**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/5/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED: Ben Warren  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Jammie Pleasant**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20108**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Clearance Zone         | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines         | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input checked="" type="checkbox"/> Dig Tickets | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions            |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_


Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Evans Landscaping**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20109**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/6/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> Clearance Zone | <input type="checkbox"/> Failure to Plan | <input type="checkbox"/> Self-Repair                       |
| <input type="checkbox"/> Damaging Lines            | <input type="checkbox"/> Potholing       | <input type="checkbox"/> Using Stakes or Post Hole Diggers |
| <input type="checkbox"/> Dig Tickets               | <input type="checkbox"/> Probing         | <input type="checkbox"/> White Lining                      |
| <input type="checkbox"/> Demolitions               |  |  |
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Ann Kingsberry**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20110**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/6/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-16(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Northern Indiana Public Service Company**  
Other Party: **John Burns Construction Company**  
Case Number: **20113**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/8/2019**


The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-18(h)**

The Advisory Committee recommends the following penalty:

- Warning letter (*Special instructions:*)
  - Clearance Zone
  - Damaging Lines
  - Dig Tickets
  - Demolitions
  - Failure to Plan
  - Potholing
  - Probing
  - Self-Repair
  - Using Stakes or Post Hole Diggers
  - White Lining
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

APPROVED:   
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Regional Plumbing Services Inc.**  
Other Party: **Northern Indiana Public Service Company**  
Case Number: **20114**  
Date of Advisory Meeting: **9/17/2019**  
Date of Damage: **4/9/2019**

The IURC Pipeline Safety Division finds the following violation(s):  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:


- Warning letter (*Special instructions:*)
  - Clearance Zone                       Failure to Plan                       Self-Repair
  - Damaging Lines                       Potholing                       Using Stakes or Post Hole Diggers
  - Dig Tickets                       Probing                       White Lining
  - Demolitions
  
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,000
- Civil penalty of \$1,500; can mitigate \$1,500 by completing training
- Civil penalty of \$ \_\_\_\_\_
- No ticket escalation* - additional civil penalty of \$1,000
- Other \_\_\_\_\_

Abstentions: **Selking**

Additional Information: \_\_\_\_\_

---

---

APPROVED:   
Ben Warren  
Chairman