

# TITLE 170 INDIANA UTILITY REGULATORY COMMISSION

LSA Document #26-166  
IURC RM # 26-07

## RULEMAKING DOCKET

### CONTACT INFORMATION:

Beth Heline  
General Counsel  
Indiana Utility Regulatory Commission  
101 West Washington Street, Suite 1500E  
Indianapolis, Indiana 46204  
(317) 232-2092  
bheline@urc.in.gov

**Subject Matter:** Amends 170 IAC 5-3

Tab	Rulemaking Action	Date	Information
	Rule Development Documents	N/A	<a href="https://www.in.gov/iurc/rulemakings/rulemakings-pending-and-effective/rm-26-07-amending-170-iac-5-3-pipeline-safety/iurc-rm-26-07-notices-and-documents/">https://www.in.gov/iurc/rulemakings/rulemakings-pending-and-effective/rm-26-07-amending-170-iac-5-3-pipeline-safety/iurc-rm-26-07-notices-and-documents/</a>
	Comments May Be Inspected at This Location	N/A	<a href="https://www.in.gov/iurc/rulemakings/rulemakings-pending-and-effective/rm-26-07-amending-170-iac-5-3-pipeline-safety/rm-26-07-comments/">https://www.in.gov/iurc/rulemakings/rulemakings-pending-and-effective/rm-26-07-amending-170-iac-5-3-pipeline-safety/rm-26-07-comments/</a>
	Rule CD and Rule Signature Page	N/A	Supporting documentation will be in binder to the Indiana Office of Attorney General.
<b>Office of Management and Budget and State Budget Agency Approval</b>			
1	Submission of Regulatory Analysis	4/9/26	and Supporting documentation will be in binder to the Indiana Office of Attorney General.
2	Regulatory Analysis Approved	5/19/26	and Supporting documentation will be in binder to the Indiana Office of Attorney General.
<b>Notices And Dates</b>			
3	Proposed Rule Approved at Conference	5/27/26	
4	LSA Authorization to Proceed	5/28/26	and Supporting documentation will be in binder to the Indiana Office of Attorney General.
5	Notice of First Comment Period and Proposed Rule Publication	6/10/26	

6	Notice Of First Public Hearing Published	6/10/26	
7	Regulatory Analysis Published	6/10/26	
	Deadline For Public Comments	7/15/26	Comments may be submitted via email to <a href="mailto:urccomments@urc.in.gov">urccomments@urc.in.gov</a> or by mail to: Indiana Utility Regulatory Commission 101 West Washington Street, Suite 1500E Indianapolis, Indiana 46204
	Public Hearing Date and Location	7/13/26	IURC Hearing Room 222, 101 W. Washington Street, Indianapolis, Indiana
8	Summary of Public Hearing		Supporting documentation will be in binder to the Indiana Office of Attorney General.
	Copies of Public Written Comments		
	Summaries of Written and Oral Public Comments		
	IURC Response to Public Comments		
9	Small Business Impact Statement and Small Business Ombudsman Comments		
<b>Relevant Findings</b>			
	Description Of Relevant Scientific / Technical Findings Related to The Proposed Rule	N/A	
<b>Final Rule</b>			
10	Adoption of Final Rule by Commission		
11	List of All Changes from Proposed Rule to Final Rule		Supporting documentation will be in binder to the Indiana Office of Attorney General.
<b>Materials Incorporated by Reference</b>			
	Materials Incorporated by Reference	N/A	Supporting documentation will be in binder to the Indiana Office of Attorney General.
<b>Docket</b>			

12	Copy of Rulemaking Docket Webpage	N/A	<a href="https://www.in.gov/iurc/rulemakings/rulemakings-pending-and-effective/rm-26-07-amending-170-iac-5-3-pipeline-safety/">https://www.in.gov/iurc/rulemakings/rulemakings-pending-and-effective/rm-26-07-amending-170-iac-5-3-pipeline-safety/</a>
<b>Pre-250<sup>th</sup> Day Notice</b>			
	Pre-250 <sup>th</sup> Day Notice		Supporting documentation will be in binder to the Indiana Office of Attorney General
<b>Estimated Timetable for Action*</b>			
	Submitted to Indiana Office of Attorney General		
	250 <sup>th</sup> Day after Publication of Notice of First Comment Period <i>Pre-250<sup>th</sup> Day Notice published</i>		
	Deadline For Attorney General Action		
	Recall Notice, If Applicable		
	Submitted To Governor		
	Deadlines For Governor's Action (May Be Extended Additional 15 Days)		
	Final Rule Filed with the Publisher		
	Final Rule Published in Indiana Register		
	Effective Date of Rule (30 Days After Publisher Filing Date)		
	One-Year Requirement		

\* If substantive comments are made in the first comment period, a second comment period will be required, which could add 45 days to this estimated timeline.

**ADDITIONAL CONTACT:**

General Counsel  
Indiana Utility Regulatory Commission  
101 West Washington Street, Suite 1500E  
Indianapolis, Indiana 46204  
(317) 232-2092  
bheline@urc.in.gov