

**ORIGINAL**

Commissioner	Yes	No	Not Participating
Zay	√		
Deig	√		
Swinger	√		
Veleta	√		
Ziegner	√		

**STATE OF INDIANA**

**INDIANA UTILITY REGULATORY COMMISSION**

**IN THE MATTER OF AN ORDER** )  
**APPROVING ADVISORY COMMITTEE** )  
**RECOMMENDATIONS PURSUANT TO** )  
**INDIANA CODE CHAPTER 8-1-26.** )

**APPROVED: FEB 18 2026**

**ORDER OF THE COMMISSION**

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division (“Division”) of the Indiana Utility Regulatory Commission (“Commission”) investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission’s Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission’s Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

**IT IS SO ORDERED.**

**ZAY, DEIG, SWINGER, VELETA, AND ZIEGNER CONCUR:**

**APPROVED: FEB 18 2026**

**I hereby certify that the above is a true and correct copy of the Order as approved.**

---

**Dana Kosco**  
**Secretary of the Commission**



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Richmond Guttering Company  
Case Number: 34819  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/1/2025  
Damage Location: 13108 Harrison Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Ladd's AG Services LLC  
Case Number: 34909  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/14/2025  
Damage Location: 4334 West State Road 18, Delphi

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Milenium, Inc.  
Case Number: 34421  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 5/12/2025  
Damage Location: 5575 West Wilmens Trail, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Wissco Irrigation, Inc.  
Case Number: 34797  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/25/2025  
Damage Location: 1939 Somersworth Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(no-response)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Brooks Construction Company, Inc.  
Case Number: 34803  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/26/2025  
Damage Location: 236 North Westchester Drive Lot 74, Columbia City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Northern Indiana Public Service Company  
Other Party: Rex Construction Company, Inc.  
Case Number: 34914  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/15/2025  
Damage Location: 4201 Virginia Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Derry Electric, Inc.  
Case Number: 34678  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/6/2025  
Damage Location: 12027 Rampart Drive, Cromwell

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fountaintown Gas Company, Inc  
Other Party: Providence Directional Boring, LLC dba Modus Utility  
Case Number: 34436  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/2/2025  
Damage Location: 204 W Pearl St., St. Paul

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Verita Telecommunications Corp.  
Case Number: 34794  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/24/2025  
Damage Location: 258 East Maple Grove Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Low Voltage Industries, Inc.  
Case Number: 35004  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/18/2025  
Damage Location: 4732 North 525 West, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: A M P P Construction Inc.  
Case Number: 35045  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/29/2025  
Damage Location: 4317 Hessen Cassell Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: Jeffrey Lux  
Case Number: 35053  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/29/2025  
Damage Location: 37 West Lincoln Drive, Schererville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company  
Other Party: American Electric Power DBA Indiana Michigan Power  
Case Number: 35055  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/30/2025  
Damage Location: South Harrison and Paulding Road, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: Town of Edinburgh  
Case Number: 35077  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/4/2025  
Damage Location: State Road 252, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ohio Valley Gas Corp  
Other Party: Schroering Plumbing Heating & Cooling  
Case Number: 35120  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/5/2025  
Damage Location: 4098 S St Anthony Rd, St. Anthony

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ohio Valley Gas Corp  
Other Party: E & B Paving  
Case Number: 35121  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/8/2025  
Damage Location: 8 River Rd, Tell City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Aurora Utilities  
Other Party: Southeastern Indiana REMC  
Case Number: 35261  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 9/18/2025  
Damage Location: 10367 Randall Ave, Aurora

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: AmeriFence, Inc.  
Other Party: Citizens Gas  
Case Number: 34485  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/4/2025  
Damage Location: 5919 W Mooresville Rd, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Bobby Luttrell & Sons L.L.C.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35213  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/20/2025  
Damage Location: West County Road 200 North, Rockport

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bobby Luttrell & Sons L.L.C.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35235  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/26/2025  
Damage Location: 4067 West County Road 200 North, Rockport

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Key Concrete, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34807  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/27/2025  
Damage Location: 1611 Lofton Way, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Key Concrete, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34531  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 5/31/2025  
Damage Location: 2533 Westmore Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Key Concrete, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34808  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/27/2025  
Damage Location: 1607 Lofton Way, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Odin Electric LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34742  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/25/2025  
Damage Location: 40 Sterling Lane, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michiana Contracting Co.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34799  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/25/2025  
Damage Location: 216 Adams Street, Decatur

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indy Decorative Concrete, LLC  
Other Party: Citizens Gas  
Case Number: 34919  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/17/2025  
Damage Location: 7149 Glen Park Ln, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Odin Electric LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34741  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/25/2025  
Damage Location: 34 Sterling Lane, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kylie Sempsrott  
Other Party: Citizens Gas  
Case Number: 35197  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 9/8/2025  
Damage Location: 1833 NOWLAND AVE, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Schneck Excavating, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34913  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/15/2025  
Damage Location: 13991 Elderflower Cove, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Baseline N X C LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34891  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/8/2025  
Damage Location: 16469 US Highway 6, Walkerton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Crown Point  
Other Party: Northern Indiana Public Service Company  
Case Number: 35014  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/22/2025  
Damage Location: 532 Sheridan Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Creekside Outdoor Living, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35052  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/29/2025  
Damage Location: 3813 Kingsway Drive, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cornerstone Concrete Plus LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35012  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/21/2025  
Damage Location: 763 East Shore Drive, Culver

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J R Nisley  
Other Party: Northern Indiana Public Service Company  
Case Number: 34993  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/16/2025  
Damage Location: 2245 South 1000 West, Shipshewana

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Panscape Corp.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35027  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/23/2025  
Damage Location: 7432 Main Street, Leiters Ford

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Plant Center  
Other Party: Northern Indiana Public Service Company  
Case Number: 35040  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/25/2025  
Damage Location: 6560 West South Lake Gage Drive, Angola

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S E Construction, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35003  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/18/2025  
Damage Location: 12303 Page Road, Grabill

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michelle Hall  
Other Party: Northern Indiana Public Service Company  
Case Number: 34998  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/17/2025  
Damage Location: 471 East Main Street, Peru

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Omid Shahab  
Other Party: Northern Indiana Public Service Company  
Case Number: 35015  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/22/2025  
Damage Location: 5550 Morehouse Court, Portage

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: A-1 Asphalt, LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34684  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/9/2025  
Damage Location: 1628 Sunnyslope Drive, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sanchez Brothers Fencing LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35049  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/29/2025  
Damage Location: 7501 West 82nd Court, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ley Excavating LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35060  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/23/2025  
Damage Location: 6132 Landsdowne Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Earth, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34682  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/9/2025  
Damage Location: 446 South Phillipa Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D C Construction Services, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34183  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 4/1/2025  
Damage Location: 639 Frederick Crossing, Roanoke

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bancroft Utilities, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34996  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/17/2025  
Damage Location: 129 Grissom Drive, Walkerton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Weihe Construction Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35091  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/7/2025  
Damage Location: 421 West Monroe Street, Fortville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crider & Crider Construction  
Other Party: Citizens Gas  
Case Number: 35195  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 9/5/2025  
Damage Location: 16900 Towne Road, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cobalt Civil, LLC  
Other Party: Ohio Valley Gas Corp  
Case Number: 35125  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/1/2025  
Damage Location: 447 East South Street, Winchester

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: E & B Paving  
Other Party: Ohio Valley Gas Corp  
Case Number: 35122  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/15/2025  
Damage Location: 215 Main Street, Troy

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Faller Mechanical  
Other Party: Ohio Valley Gas Corp  
Case Number: 35124  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/26/2025  
Damage Location: 903 E Arch St, Portland

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K N S Home Improvement  
 Other Party: Citizens Gas  
 Case Number: 34381  
 Date of Advisory Meeting: 12/11/2025  
 Date of Damage: 5/29/2025  
 Damage Location: 2018 Yandes Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vincennes Water Utilities  
Other Party: CenterPoint Energy Indiana  
Case Number: 35362  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 9/13/2025  
Damage Location: 2520 Sugarloaf Drive, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Miller Pipeline, LLC  
Case Number: 35224  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/19/2025  
Damage Location: 1026 Berryman Pike, Tipton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: CenterPoint Energy Indiana  
Other Party: American Electric Power DBA Indiana Michigan Power  
Case Number: 35348  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 9/8/2025  
Damage Location: 6621 South County Road 800 West, Daleville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Q C Communications, Inc.  
Case Number: 35355  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 9/10/2025  
Damage Location: 3850 North State Road 39, Lebanon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: G T Excavating LLC  
Case Number: 34355  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 5/14/2025  
Damage Location: 1251 North Dan Jones Road, Avon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Dave O'Mara Contractor, Inc.  
Case Number: 34823  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/3/2025  
Damage Location: 307 West Harrison Avenue, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Hartford City Water Resource Recovery Facility  
Case Number: 34947  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/21/2025  
Damage Location: 402 West Perkins Street, Hartford City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Intren, LLC  
Case Number: 34950  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/21/2025  
Damage Location: 3311 South Walnut Street Pike, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Heiny Directional Drilling & Excavating Services Inc  
Case Number: 35080  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/1/2025  
Damage Location: 4255 West 116th Street, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Blackstone Utilities  
Case Number: 35092  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/7/2025  
Damage Location: 3400 West Riggin Road, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Lykins Contracting LLC  
Case Number: 35216  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/21/2025  
Damage Location: 3339 South State Road 3, New Castle

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Arthur Burton  
Case Number: 35365  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 9/13/2025  
Damage Location: 820 Roosevelt Avenue, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: R & A Specialist  
Case Number: 35371  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 9/12/2025  
Damage Location: 1051 East 430 South, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(locator-error)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Sub-Surface of Indiana, Inc.  
Case Number: 34830  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/8/2025  
Damage Location: 402 South Main Street, Brooklyn

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(no-response)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: The Hydaker-Wheatlake Company  
Case Number: 34945  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/21/2025  
Damage Location: 4380 North Castlewood Court, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana  
Other Party: Wabash Utilities, Inc.  
Case Number: 35075  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/4/2025  
Damage Location: 512 Manilla Street, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-18(j)(records)**

The Advisory Committee recommends the following civil penalty:

**\$1,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Rodriguez Landscaping & Construction Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 34430  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 5/14/2025  
Damage Location: 11325 North Cedar Point High Road, Syracuse

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C & E Excavating  
Other Party: Northern Indiana Public Service Company  
Case Number: 34396  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 5/5/2025  
Damage Location: 1656 West Indiana Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Woodruff & Sons, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34676  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/5/2025  
Damage Location: 1739 Virginia Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Carlisle Utility Contractors, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34671  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/3/2025  
Damage Location: 18526 Cline Avenue, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Crawford Excavating LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34666  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/2/2025  
Damage Location: 901 Hickory Lane, Ossian

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Custom Concrete Co., Inc.  
Other Party: Citizens Gas  
Case Number: 34924  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/22/2025  
Damage Location: 1111 Kessler Blvd W Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pulver Asphalt Paving, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34505  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 5/22/2025  
Damage Location: 1601 Edgewood Drive, Kendallville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Longevity Construction Inc.  
Other Party: Citizens Gas  
Case Number: 34611  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/2/2025  
Damage Location: 4614 Lois Lane, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Walkerton  
Other Party: Northern Indiana Public Service Company  
Case Number: 34294  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 4/24/2025  
Damage Location: 201 Lawrence Street, Walkerton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Modus Utility Group  
Other Party: CenterPoint Energy Indiana  
Case Number: 34737  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/23/2025  
Damage Location: 833 North Michigan Avenue, Greensburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Beal Excavating & Total Construction  
Other Party: Sycamore Gas Company  
Case Number: 35126  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/20/2025  
Damage Location: 1398 Oberting Road, Greendale

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Korbin Basinger  
Other Party: Indiana Natural Gas Corporation  
Case Number: 35257  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 9/12/2025  
Damage Location: 1495 S CR 200 East, Paoli

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: TNT Commercial Construction  
Other Party: Town of Osgood  
Case Number: 35118  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/23/2025  
Damage Location: 539 Leslie Street, Osgood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Triple H Excavating  
Other Party: Midwest Natural Gas Corporation  
Case Number: 35256  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 9/11/2025  
Damage Location: 12501 West State Road 54, Linton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Austin Egloff  
Other Party: Community Natural Gas Inc  
Case Number: 35260  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 9/12/2025  
Damage Location: 2247 E 1600 N, Lincoln City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brock Schmitt  
Other Party: CenterPoint Energy Indiana  
Case Number: 35227  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/24/2025  
Damage Location: 5877 Lisa Lane, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Daniel Lintzenich  
Other Party: CenterPoint Energy Indiana  
Case Number: 34968  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/26/2025  
Damage Location: 11701 Winery Road, Wadesville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Frank Hitchcock  
Other Party: CenterPoint Energy Indiana  
Case Number: 35076  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/4/2025  
Damage Location: 1333 South 24th Street, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joe Schadenfroh  
Other Party: Indiana Natural Gas Corporation  
Case Number: 34989  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/25/2025  
Damage Location: 2291 N Greasy Creek Rd, Nashville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Josh Barker  
Other Party: CenterPoint Energy Indiana  
Case Number: 34956  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/22/2025  
Damage Location: 3502 Seilo Ridge North, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Kirk Rheinhardt  
Other Party: CenterPoint Energy Indiana  
Case Number: 35085  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/6/2025  
Damage Location: 11401 Upper Mount Vernon Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Michelle Shepherd  
Other Party: Midwest Natural Gas Corporation  
Case Number: 35127  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/29/2025  
Damage Location: 540 South Elm Street, Scottsburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ryan Sutton  
Other Party: CenterPoint Energy Indiana  
Case Number: 34578  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/13/2025  
Damage Location: 3465 West Pin Oak Court, Madison

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34542  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/4/2025  
Damage Location: 500 North Jackson Street, Greencastle

The IURC Pipeline Safety Division finds the following violation(s):

### IC 8-1-26-16(i)

The Advisory Committee recommends the following civil penalty:

**\$6,000 and an additional \$1,500 for a total of \$7,500, respondent can complete training instead of paying the additional \$1,500.**

Abstentions:

Additional Information: **\$5,000 penalty escalated by an additional \$1000 for failure to obtain an 811 ticket, and an additional \$1,500, of which \$1,500 can be mitigated by completing training.**

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: M & M Underground Construction, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34553  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/9/2025  
Damage Location: 341 Springfield Circle, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: S & S Fiberoptics Corp  
Other Party: CenterPoint Energy Indiana  
Case Number: 34744  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/26/2025  
Damage Location: 1063 East Crown Pointe Boulevard, Greensburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Koberstein Contracting, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34754  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/30/2025  
Damage Location: 301 North Woods Avenue, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$4,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Setser Cable Construction LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34446  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 5/19/2025  
Damage Location: North 19th Street & East Haythorne Avenue, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$4,500**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Baumgartner & Co Asphalt Services  
Other Party: Citizens Gas  
Case Number: 34929  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/30/2025  
Damage Location: 8530 E 33Rd St, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CBEX, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34554  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/9/2025  
Damage Location: 2491 Creek Bank Drive, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Providence Directional Boring, LLC dba Modus  
Utility

Other Party: CenterPoint Energy Indiana

Case Number: 34730

Date of Advisory Meeting: 12/11/2025

Date of Damage: 6/20/2025

Damage Location: 1216 North Broadway Street, Greensburg

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Healthy Spaces System LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34822  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/2/2025  
Damage Location: 6800 Holly Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Mooresville  
Other Party: CenterPoint Energy Indiana  
Case Number: 34941  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/17/2025  
Damage Location: 133 East Washington Street, Mooresville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(3)(b)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Precision Fiber Solutions LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34748  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/25/2025  
Damage Location: 2440 North Main Street, Seelyville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Acculevel, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34811  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/28/2025  
Damage Location: 11731 Indigo Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gariup Construction Co Inc  
Other Party: Northern Indiana Public Service Company  
Case Number: 34006  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 3/3/2025  
Damage Location: 2051 East Commercial Avenue Building High School,  
Lowell

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K & K Excavating, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35082  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/5/2025  
Damage Location: 303 North Stockwell Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Unique Lawn Care & Landscaping LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 35079  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/4/2025  
Damage Location: 103 Terrylyn Drive, Tipton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Vondersaar Homes, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35109  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/14/2025  
Damage Location: 89 South Byron Street, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Debbie Daniels  
Other Party: CenterPoint Energy Indiana  
Case Number: 35230  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/25/2025  
Damage Location: 749 West Lakeview Drive, Princes Lakes

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(expire)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K & K Fence Company Select, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34858  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/15/2025  
Damage Location: 11400 Johnson Farm Way, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hanka LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34955  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/22/2025  
Damage Location: 5 Ivy Court, Clarksville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: T & T Pools  
Other Party: Indiana Utilities Corporation  
Case Number: 35129  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/26/2025  
Damage Location: 1491 North Point Drive NE, New Salisbury

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(out)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Danny Huston  
Other Party: CenterPoint Energy Indiana  
Case Number: 35218  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/20/2025  
Damage Location: 520 South Butterfield Road, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Atlas Excavating, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34939  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/17/2025  
Damage Location: 46 West Tipton Street, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwest Paving LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34977  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/30/2025  
Damage Location: 407 South East Street, Tipton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nobis Technology LLC  
Other Party: Citizens Gas  
Case Number: 34931  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/30/2025  
Damage Location: 9180 Bainbridge Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Flynn & Sons Excavating & Paving, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 35084  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/6/2025  
Damage Location: 5065 South Bridle Path Trail, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ragle, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34944  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/19/2025  
Damage Location: 305 South Boehne Camp Road, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$4,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Yarberry Landscape Excavating  
Other Party: CenterPoint Energy Indiana  
Case Number: 34978  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/30/2025  
Damage Location: 28 Outer Drive, Martinsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$4,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## **Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee**

Respondent: Blankenberger Brothers, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34942  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/18/2025  
Damage Location: 1930 West Indiana Street, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hughes Paving Company, Inc.  
Other Party: Indiana Natural Gas Corporation  
Case Number: 34935  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/11/2025  
Damage Location: 567 S Summit Street, French Lick

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rams Underground Group LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34965  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/24/2025  
Damage Location: 606 Wyandotte Avenue, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J M G Excavating  
Other Party: CenterPoint Energy Indiana  
Case Number: 34828  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/7/2025  
Damage Location: 2868 Old Meyers Road, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Swinney Brothers Excavating, Inc.  
Other Party: Citizens Gas  
Case Number: 35067  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/18/2025  
Damage Location: 9150 Rockville Road, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miguel Diaz  
Other Party: Northern Indiana Public Service Company  
Case Number: 34704  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/13/2025  
Damage Location: 1613 Kentucky Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$100**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: T C R Construction LLC  
Other Party: Citizens Gas  
Case Number: 34587  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/19/2025  
Damage Location: 5348 W Vermont, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions: **Warren**

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Deérons Corporation  
Other Party: Citizens Gas  
Case Number: 35189  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/27/2025  
Damage Location: 8116 Sand Ridge Circle, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jack Earley  
Other Party: Northern Indiana Public Service Company  
Case Number: 34806  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/26/2025  
Damage Location: 219 Twilight Drive, Michigan City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M C Concrete  
Other Party: Citizens Gas  
Case Number: 34589  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/23/2025  
Damage Location: 5611 Lawrence Village Pky, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Republic Services - Findlay  
Other Party: Citizens Gas  
Case Number: 34926  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/23/2025  
Damage Location: 2730 Cargo Dr, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Warren**

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sudhoff Concrete LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35057  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/31/2025  
Damage Location: 1345 Haupstrasse Street, Berne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Andrew Hamilton  
Other Party: Northern Indiana Public Service Company  
Case Number: 34788  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/22/2025  
Damage Location: 501 South Chestnut Street, Osceola

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cody Chayhitz  
Other Party: Northern Indiana Public Service Company  
Case Number: 34775  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/17/2025  
Damage Location: 2052 Heritage Court, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cristian Wilches Vaca  
Other Party: Northern Indiana Public Service Company  
Case Number: 34872  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/3/2025  
Damage Location: 838 Walnut Street, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Donald Glorioso  
Other Party: Northern Indiana Public Service Company  
Case Number: 35007  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/20/2025  
Damage Location: 904 North County Line Road, Westville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Schlesinger  
Other Party: Northern Indiana Public Service Company  
Case Number: 34995  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/17/2025  
Damage Location: 669 Tippecanoe Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: JR Greer  
Other Party: Northern Indiana Public Service Company  
Case Number: 34706  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/14/2025  
Damage Location: 227 Adams Avenue, Peru

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miguel Diaz  
Other Party: Northern Indiana Public Service Company  
Case Number: 34703  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/13/2025  
Damage Location: 1605 Kentucky Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rafael Munoz  
Other Party: Northern Indiana Public Service Company  
Case Number: 35011  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/21/2025  
Damage Location: 502 West Battell Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milenium, Inc.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34752  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/27/2025  
Damage Location: 2500 Lafayette Avenue, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)(prior)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Harbor Belt Railroad Co.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34892  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/8/2025  
Damage Location: 3300 Dickey Road, East Chicago

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Solid Solutions Home Services  
Other Party: Ohio Valley Gas Corp  
Case Number: 35123  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/18/2025  
Damage Location: 1019 14th St, Tell City

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Fort Wayne  
Other Party: Northern Indiana Public Service Company  
Case Number: 34771  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/17/2025  
Damage Location: 224 McKinnie, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$3,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: NIPSCO - Gas  
Other Party: Northern Indiana Public Service Company  
Case Number: 35024  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/23/2025  
Damage Location: 600 East Reg Station, Walton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: American Utility Corp, Inc.  
Other Party: Citizens Gas  
Case Number: 35062  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 8/7/2025  
Damage Location: 8111 BEL MOORE BLVD, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Warren**

Additional Information:

APPROVED:  Jeremy Comeau for Scott Sontag, Vice Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eicher Excavating, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35047  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/29/2025  
Damage Location: 15906 Canyon Run, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ritchie Installation and Communications LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35044  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/28/2025  
Damage Location: 7150 South 600 West, North Judson

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Litmon Investments  
Other Party: Ohio Valley Gas Corp  
Case Number: 34764  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/18/2025  
Damage Location: 8150 E Main St, Dugger

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hagerman Construction Corp.  
Other Party: CenterPoint Energy Indiana  
Case Number: 34981  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/30/2025  
Damage Location: 2003 Pleasant Street, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Josie's Concrete LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34966  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/25/2025  
Damage Location: 1194 Parkland Trail, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000**

Abstentions:

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brothers Concrete Construction, LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34963  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/23/2025  
Damage Location: 13400 Allisonville Road, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brown's Grading & Excavating LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34559  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/10/2025  
Damage Location: 6995 East US Highway 36, Avon

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CAT General Contracting LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34679  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/7/2025  
Damage Location: 4753 East Elmer Girtz Drive, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D & B Outdoor Services LLP  
Other Party: Northern Indiana Public Service Company  
Case Number: 34864  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/1/2025  
Damage Location: 4120 Indiana Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D & D Contracting LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34940  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/17/2025  
Damage Location: 1931 South Riley Highway, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Groundzilla Communications LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35001  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/18/2025  
Damage Location: 3030 North 150 East, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J & J Revolution LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 35019  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/22/2025  
Damage Location: 163 Pembroke Drive, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: K Graber Construction  
Other Party: CenterPoint Energy Indiana  
Case Number: 34974  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/28/2025  
Damage Location: 1820 Nantucket Drive, Cicero

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Madison Construction and Remodel LLC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34979  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/30/2025  
Damage Location: 1156 Debby Lane, Madison

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Streamlinefencing2023 LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34707  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/14/2025  
Damage Location: 625 South Connecticut Street, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ultimate Remodeling  
Other Party: Northern Indiana Public Service Company  
Case Number: 35046  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/29/2025  
Damage Location: 5821 Le Steele Boulevard, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Willis Craft Fencing  
Other Party: CenterPoint Energy Indiana  
Case Number: 34573  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/12/2025  
Damage Location: 6236 Fairview Drive, Mccordsville

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Wiltjer Excavating, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 35026  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/23/2025  
Damage Location: 58 Shore Drive, Portage

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-16(i)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Fairmount  
Other Party: CenterPoint Energy Indiana  
Case Number: 35353  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 9/10/2025  
Damage Location: 721 North Main Street, Fairmount

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Fleming Excavating, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34870  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/2/2025  
Damage Location: 11409 Arcola Road, Arcola

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Niblock Excavating, Inc.  
Other Party: Northern Indiana Public Service Company  
Case Number: 34901  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/10/2025  
Damage Location: Johnston Street and Hackett Road (Intersection),  
Goshen

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$5,000**

Abstentions: **Smith**

Additional Information:

APPROVED: \_\_\_\_\_

Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S A R Excavating  
Other Party: Northern Indiana Public Service Company  
Case Number: 34904  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/11/2025  
Damage Location: 57640 Hawthorne Street, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Hal Williams  
Other Party: Northern Indiana Public Service Company  
Case Number: 34812  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/29/2025  
Damage Location: 4208 Fairfield Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ideal Custom Renovations LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34769  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/16/2025  
Damage Location: 2501 Valley Creek, New Haven

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Reynoso General Contractor & More LLC  
Other Party: Northern Indiana Public Service Company  
Case Number: 34768  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/16/2025  
Damage Location: 22241 Farmwood Drive, Bristol

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Training or \$5,000 if respondent fails to complete training**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jesse Gerber  
Other Party: Northern Indiana Public Service Company  
Case Number: 34776  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 6/18/2025  
Damage Location: 508 South Scott Street, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following civil penalty:

**Warning letter**

Abstentions: **Smith**

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman



## Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Johnson County REMC  
Other Party: CenterPoint Energy Indiana  
Case Number: 34824  
Date of Advisory Meeting: 12/11/2025  
Date of Damage: 7/3/2025  
Damage Location: 4506 South Morgantown Road, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following civil penalty:

**\$1,500, respondent can complete training instead of paying \$1,500**

Abstentions:

Additional Information:

APPROVED:  Jeremy Comeau for Ben Warren, Chairman