

ORIGINAL

Commissioner	Yes	No	Not Participating
Huston	√		
Bennett	√		
Freeman	√		
Veleta	√		
Ziegner	√		

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

APPROVED: MAY 21 2025

ORDER OF THE COMMISSION

Pursuant to Indiana Code chapter 8-1-26, the Pipeline Safety Division (“Division”) of the Indiana Utility Regulatory Commission (“Commission”) investigates excavation damage cases and makes findings violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those findings and recommends civil penalties in each case.

Attached to this order are the cases received, with Division findings of violations and Advisory Committee recommendations, that are ripe for Commission action.

The Commission hereby UPHOLDS the findings of violations by the Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Office of General Counsel is directed to prepare and send notice to the parties advising them of the determination.

Civil penalties approved by the Commission are due within 90 days of the date of this Order unless payment arrangements are made with the Commission’s Office of General Counsel.

Trainings approved by the Commission must be completed no later than 90 days from the date of this Order unless otherwise agreed in writing by the Commission’s Office of General Counsel for good cause shown. Failure to complete the training results in the alternative civil penalty noted in the attached recommendation becoming due.

IT IS SO ORDERED.

HUSTON, BENNETT, FREEMAN, VELETA, AND ZIEGNER CONCUR:

APPROVED: MAY 21 2025

**I hereby certify that the above is a true
and correct copy of the Order as approved.**

Dana Kosco
Secretary of the Commission



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D C Construction Services, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33465
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/16/2024
Damage Location: 520 South Union Street, Russiaville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D C Construction Services, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33470
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/17/2024
Damage Location: 410 South Union Street, Russiaville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Miller Pipeline, LLC
Case Number: 33423
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/18/2024
Damage Location: 3973 South 600 West, New Palestine

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: J & J Electric of Indiana, Inc.
Case Number: 33714
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/11/2024
Damage Location: 106 West Vine Street, Attica

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: M U D D Construction LLC
Case Number: 33756
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/23/2024
Damage Location: 12645 Fuller Court, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Milenium, Inc.
Case Number: 33757
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/26/2024
Damage Location: 12269 North Earls Lane, Camby

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Lidester's Backhoe Dozing Dump Truck Service, Inc.
Case Number: 33758
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/23/2024
Damage Location: 824 West Boone Street, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Dunkley Farms & Excavating
Case Number: 33760
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/30/2024
Damage Location: 11369 Indiana Avenue, Saint Bernice

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Lazer Excavating Company
Case Number: 33761
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/30/2024
Damage Location: 12018 Water Bluff Place, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Milenium, Inc.
Case Number: 33764
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/26/2024
Damage Location: 11727 Eden Estates Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Stonewall Contracting LLC
Case Number: 33211
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/30/2024
Damage Location: 3309 East 116th Street, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Ashraf Ali
Case Number: 33448
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/28/2024
Damage Location: 406 South Washington Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: All Pro Drilling, LLC
Case Number: 33750
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/18/2024
Damage Location: 4641 Chelmsford Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Robinson Excavation LLC
Case Number: 33754
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/19/2024
Damage Location: 1436 st Avenue, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pierce Electric Co. Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33462
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/16/2024
Damage Location: 1440 Stanley Drive, Plymouth

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rex Construction Company, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33400
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/11/2024
Damage Location: 2616 Monroe Street, Gary

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Conexco Inc.
Other Party: Citizens Gas
Case Number: 33347
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/17/2024
Damage Location: 6421 Lakeview Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Calumet Civil Contractors, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33555
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/12/2024
Damage Location: 55 South Adams Street, Brownsburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: CenterPoint Energy Indiana
Case Number: 31617
Date of Advisory Meeting: 3/13/2025
Date of Damage: 1/11/2024
Damage Location: 207 Linden Lane, Chesterfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33046
Date of Advisory Meeting: 3/13/2025
Date of Damage: 8/29/2024
Damage Location: 6521 Fairview Avenue, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33375
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/4/2024
Damage Location: 418 Merrillville Road, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Rieth-Riley Construction Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33559
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/1/2024
Damage Location: 2678 Scott Street, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Niemeyer Builders, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33405
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/12/2024
Damage Location: 9534 Hoagland Road, Hoagland

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Surf Air Wireless LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33460
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/16/2024
Damage Location: 202 South Main Street, Churubusco

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: The Concrete Guys, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33506
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/30/2024
Damage Location: 8342 Kannon Drive Lot 374-2, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,000; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: The Concrete Guys, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33510
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/31/2024
Damage Location: 8342 Kannon Drive Lot 374-2, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cano's Services, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33467
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/17/2024
Damage Location: 611 North Spring Street, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Frankfort
Other Party: CenterPoint Energy Indiana
Case Number: 33535
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/6/2024
Damage Location: 651 South East Street, Frankfort

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Griffen Plumbing & Heating
Other Party: Northern Indiana Public Service Company
Case Number: 33466
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/17/2024
Damage Location: 12 Malcolm Drive Apartment C, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M & M Underground Construction, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33566
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/4/2024
Damage Location: 426 South High Street, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwest Trenchless Services, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33487
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/23/2024
Damage Location: 802 Larch Lane, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Whispering Pines LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33445
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/24/2024
Damage Location: 1300 Mill Street, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Watson Excavating, Inc. (Anderson)
Other Party: CenterPoint Energy Indiana
Case Number: 33433
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/21/2024
Damage Location: 2038 Van Buskirk Road, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S L B Pipe Solutions LLC
Other Party: Citizens Gas
Case Number: 33520
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/7/2024
Damage Location: 1223 South Biltmore Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bio Town A G Inc
Other Party: CenterPoint Energy Indiana
Case Number: 33538
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/11/2024
Damage Location: 4618 Penelope Court, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J L P Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33267
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/25/2024
Damage Location: 877 West 500 South, Wabash

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Koetter Construction Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33696
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/5/2024
Damage Location: 51 Clark, Charlestown

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: M Kable
Other Party: Northern Indiana Public Service Company
Case Number: 33390
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/8/2024
Damage Location: 330 West South Street, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: South Land Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33480
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/21/2024
Damage Location: 13511 West 165th Avenue, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Josh Clarke
Other Party: CenterPoint Energy Indiana
Case Number: 33691
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/2/2024
Damage Location: 1213 West Memorial Drive, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Manuel Desantiago
Other Party: CenterPoint Energy Indiana
Case Number: 32985
Date of Advisory Meeting: 3/13/2025
Date of Damage: 8/27/2024
Damage Location: 309 East Hillside Drive, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Franz Nursery, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33264
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/24/2024
Damage Location: 316 Lane 130 Lake George, Fremont

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tactical Boring Solutions
Other Party: CenterPoint Energy Indiana
Case Number: 33425
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/18/2024
Damage Location: 925 East Atwater Avenue, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gough, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33385
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/8/2024
Damage Location: 17997 Holtz Road, Lowell

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brooks Construction Company, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33033
Date of Advisory Meeting: 3/13/2025
Date of Damage: 8/26/2024
Damage Location: 215 North Lake Street, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Daniel Kempf
Other Party: CenterPoint Energy Indiana
Case Number: 33428
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/19/2024
Damage Location: 7566 Arbor Ridge Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: New Innovations
Other Party: Northern Indiana Public Service Company
Case Number: 33137
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/5/2024
Damage Location: 3601 Rush Place, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Anthony Brandl
Other Party: Northern Indiana Public Service Company
Case Number: 33391
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/8/2024
Damage Location: 1409 North Jay Street, Kokomo

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chris McPherson
Other Party: Northern Indiana Public Service Company
Case Number: 33025
Date of Advisory Meeting: 3/13/2025
Date of Damage: 8/24/2024
Damage Location: 311 North Liberty Street, Albion

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Clint Schumacher
Other Party: Northern Indiana Public Service Company
Case Number: 33021
Date of Advisory Meeting: 3/13/2025
Date of Damage: 8/23/2024
Damage Location: 118 Beechwood Place, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tom Williams
Other Party: CenterPoint Energy Indiana
Case Number: 33193
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/20/2024
Damage Location: 583 North 350 East, Princeton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Douglas Jackson
Other Party: CenterPoint Energy Indiana
Case Number: 33442
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/27/2024
Damage Location: 625 25th Street, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Veterinary Enterprises P C
Other Party: Northern Indiana Public Service Company
Case Number: 33475
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/19/2024
Damage Location: 318 East Main Street, Berne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Lantech Communications
Case Number: 33249
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/19/2024
Damage Location: 3248 May Street, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Fiberwizard Installation LLC
Case Number: 33278
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/30/2024
Damage Location: 340 East Levi Lee Road, Lot 185, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Infinite Energy Services
Case Number: 33366
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/3/2024
Damage Location: 709 Bryce Road, Lot 14, Kingsford Heights

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Ashraf Ali
Case Number: 33659
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/12/2024
Damage Location: 1008 North Saint Peter Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Key Concrete, Inc.
Case Number: 33660
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/12/2024
Damage Location: 641 Growth Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Griffs Underground LLC
Case Number: 33665
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/18/2024
Damage Location: 8436 Fantasia Way, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: City of Fort Wayne
Case Number: 33668
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/20/2024
Damage Location: 2529 Springfield Avenue, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Stonewall Contracting LLC
Case Number: 33684
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/27/2024
Damage Location: 2648 North State Road 25, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Milenium
Case Number: 33138
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/6/2024
Damage Location: 1508 Shore Drive, Walkerton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Brothers Cable LLC
Case Number: 33505
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/30/2024
Damage Location: 25721 Homewood Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Geiger Excavating, Inc.
Case Number: 33663
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/18/2024
Damage Location: 4216 Werling Drive, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Northern Indiana Public Service Company
Other Party: Hasse Construction Co., Inc.
Case Number: 33683
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/26/2024
Damage Location: 1505 Summer Street, Hammond

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)(records)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Boettcher Sewer & Excavating Contractor, LTD
Other Party: Northern Indiana Public Service Company
Case Number: 33493
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/24/2024
Damage Location: 302 West 8th Street, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Schneck Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33479
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/21/2024
Damage Location: 619 Sandringham Pass, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jim Biggerstaff Excavating, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33441
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/25/2024
Damage Location: 748 Madelyn Drive, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Verita Telecommunications Corp.
Other Party: Northern Indiana Public Service Company
Case Number: 33491
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/24/2024
Damage Location: 22831 County Road 6, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Advent Construction
Other Party: Northern Indiana Public Service Company
Case Number: 33501
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/29/2024
Damage Location: 2611 High Street Road, Logansport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Noble REMC
Other Party: Northern Indiana Public Service Company
Case Number: 33477
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/21/2024
Damage Location: 855 West US Highway 6, Lot 7, Ligonier

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Force Construction
Other Party: CenterPoint Energy Indiana
Case Number: 33177
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/17/2024
Damage Location: 6350 Inwood Drive, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jirk Swope Enterprises Inc
Other Party: CenterPoint Energy Indiana
Case Number: 32978
Date of Advisory Meeting: 3/13/2025
Date of Damage: 8/26/2024
Damage Location: 219 South Kenmore Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brown's Construction Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33446
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/25/2024
Damage Location: 1377 Berry Road, Greenwood

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D R Watson Co Inc.
Other Party: Citizens Gas
Case Number: 33521
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/14/2024
Damage Location: 924 East 24th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$3,500; no ticket escalation - additional \$1,000

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cassady Electric
Other Party: CenterPoint Energy Indiana
Case Number: 33334
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/15/2024
Damage Location: 4755 West State Road 48, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chimal Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33331
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/14/2024
Damage Location: 2749 Pearson Parkway, Plainfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joseph Hall
Other Party: CenterPoint Energy Indiana
Case Number: 33333
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/14/2024
Damage Location: 1004 North 9th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: L G Enterprises
Other Party: CenterPoint Energy Indiana
Case Number: 33316
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/10/2024
Damage Location: 336 West 9th Street, Rushville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Manchester Rental LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33190
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/16/2024
Damage Location: 390 Frontage Road, Huntington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Roger Todd
Other Party: CenterPoint Energy Indiana
Case Number: 33426
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/19/2024
Damage Location: 5924 South Fiscus Avenue, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Travis Industries Inc
Other Party: Citizens Gas
Case Number: 33522
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/6/2024
Damage Location: 1481 West 10th Street, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dustin Elmore
Other Party: Community Natural Gas Inc
Case Number: 33412
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/18/2024
Damage Location: 262 North West Street, Spencer

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jesus Pozez
Other Party: Citizens Gas
Case Number: 33519
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/7/2024
Damage Location: 5467 East 37th, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Sean Cowart
Other Party: CenterPoint Energy Indiana
Case Number: 33299
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/5/2024
Damage Location: 1705 East 32nd Street, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Thomas Rumfelt
Other Party: CenterPoint Energy Indiana
Case Number: 33424
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/18/2024
Damage Location: 919 East County Road 400 South, Muncie

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joe Clark Excavating
Other Party: Midwest Natural Gas Corporation
Case Number: 33655
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/9/2024
Damage Location: 14647 W 150 N, Linton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(expire)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: T S W Utility Solutions, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33717
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/13/2024
Damage Location: 1224 161st Street & Oak Road, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: The Hydaker-Wheatlake Company
Other Party: CenterPoint Energy Indiana
Case Number: 33189
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/19/2024
Damage Location: 1199 North Summit Drive, Vincennes

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Warrick County Stormwater Department
Other Party: CenterPoint Energy Indiana
Case Number: 33097
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/10/2024
Damage Location: 2633 Conestoga Court, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Underground Construction, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33329
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/14/2024
Damage Location: 2903 Fairlawn Drive, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dennis Zigler Masonry & Concrete
Other Party: CenterPoint Energy Indiana
Case Number: 33173
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/16/2024
Damage Location: 2500 North 9th Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Grandview Landscape & Irrigation Co
Other Party: CenterPoint Energy Indiana
Case Number: 33310
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/8/2024
Damage Location: 8250 Courtney Drive, Fishers

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Joe Clark Excavating
Other Party: CenterPoint Energy Indiana
Case Number: 33315
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/10/2024
Damage Location: 510 Range Street, Lot 1, Westport

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robertson Paving, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33321
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/3/2024
Damage Location: 1024 Plum Street, Edinburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: F A Wilhelm Construction, Co., Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33507
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/30/2024
Damage Location: 705 Glasgow, Fort Wayne

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: The Snider Group, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33456
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/29/2024
Damage Location: 15461 Frankel Lane, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: 4 Seasons Landscape Lawn Care & Snow Removal
LLC

Other Party: Northern Indiana Public Service Company

Case Number: 33574

Date of Advisory Meeting: 3/13/2025

Date of Damage: 11/5/2024

Damage Location: 56851 County Road 35, Middlebury

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Boulevard Development Group
Other Party: CenterPoint Energy Indiana
Case Number: 33766
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/27/2024
Damage Location: 603 York Circle, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

A handwritten signature in black ink, appearing to read "James R. Surd".

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brawley Property Services LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33762
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/30/2024
Damage Location: 431 East 10th Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Dutcher Trenching
Other Party: CenterPoint Energy Indiana
Case Number: 33548
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/14/2024
Damage Location: 1882 North State Road 47, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Everdry of Northern Kentucky
Other Party: CenterPoint Energy Indiana
Case Number: 33450
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/29/2024
Damage Location: 2707 Klerner Courth, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Heck of a Deck LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33744
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/11/2024
Damage Location: 4828 Snowberry Bay Court, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Nick's Underground Inc
Other Party: Northern Indiana Public Service Company
Case Number: 33464
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/16/2024
Damage Location: 604 Franklin Street, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Robbins & Sons
Other Party: Midwest Natural Gas Corporation
Case Number: 33614
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/4/2024
Damage Location: 1400 Buckeye St., North Vernon

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Stocker's Landscaping LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33630
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/18/2024
Damage Location: 9 Victoria Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: The Estates at Eagle's Pointe, LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33567
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/4/2024
Damage Location: 2687 Capehart Avenue, Peru

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Adam Neuenschwander
Other Party: Northern Indiana Public Service Company
Case Number: 33485
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/22/2024
Damage Location: 3350 East 200 South, Bluffton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Eric Rozman
Other Party: CenterPoint Energy Indiana
Case Number: 33759
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/28/2024
Damage Location: 7277 South Ellenwood Street, Terre Haute

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Jeff Atton
Other Party: CenterPoint Energy Indiana
Case Number: 33524
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/2/2024
Damage Location: 730 Strawberry Lane, Jeffersonville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mitchell Donoghue
Other Party: CenterPoint Energy Indiana
Case Number: 33447
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/27/2024
Damage Location: 2515 Union Street, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Baldwin Excavating
Other Party: Citizens Gas
Case Number: 33517
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/6/2024
Damage Location: 11455 Kylemore Drive, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: P & C Contracting LLC
Other Party: Indiana Natural Gas Corporation
Case Number: 33511
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/18/2024
Damage Location: 1150 East Livonia Road, Paoli

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Indiana Earthworks, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33530
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/7/2024
Damage Location: 209 South Lincoln Street, Frankton

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lawyer Excavation
Other Party: CenterPoint Energy Indiana
Case Number: 33693
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/3/2024
Damage Location: 8005 Highway 311, Sellersburg

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Parish Piping Solutions Inc
Other Party: CenterPoint Energy Indiana
Case Number: 33528
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/6/2024
Damage Location: 2070 Royal Drive, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: United Construction Services LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33751
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/17/2024
Damage Location: 1420 South 10th Street, Noblesville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Absolute Comfort LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33718
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/13/2024
Damage Location: 3731 South Madison Avenue, Anderson

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ash Excavating
Other Party: CenterPoint Energy Indiana
Case Number: 33536
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/11/2024
Damage Location: 4300 Elmscott Ridge, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Walsh Construction Company
Other Party: Citizens Gas
Case Number: 33620
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/20/2024
Damage Location: 2041 West Epler Avenue, Indianapolis

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Warren**

Additional Information:

APPROVED:  James R. Surd for Scott Sontag, Vice Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: R T Moore, Co., Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33183
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/18/2024
Damage Location: 14871 Amber Light Drive, Westfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Concrete Charlie
Other Party: Northern Indiana Public Service Company
Case Number: 33591
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/8/2024
Damage Location: 611 West Mishawaka Avenue, Mishawaka

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Burns Rent-Alls, Inc
Other Party: Northern Indiana Public Service Company
Case Number: 33568
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/4/2024
Damage Location: 59250 Skyview Drive, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(other)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Josh Landstrom
Other Party: Ohio Valley Gas Corp
Case Number: 33743
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/17/2024
Damage Location: 3736 Serenity Parkway, Connersville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Paul Frey Construction LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33434
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/21/2024
Damage Location: 9823 North State Road 9, Hope

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Singh Construction Corporation
Other Party: CenterPoint Energy Indiana
Case Number: 32963
Date of Advisory Meeting: 3/13/2025
Date of Damage: 8/21/2024
Damage Location: 3163 North 600 West, Greenfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Brad Skiles
Other Party: Northern Indiana Public Service Company
Case Number: 33265
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/25/2024
Damage Location: 1501 Jefferson Street, Rochester

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Cook Construction Services LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33195
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/22/2024
Damage Location: 2877 State Route 261, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: D & D Fencing
Other Party: Northern Indiana Public Service Company
Case Number: 33381
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/7/2024
Damage Location: 1333 West Beardsley Avenue, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J V C Construction
Other Party: Midwest Natural Gas Corporation
Case Number: 33411
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/1/2024
Damage Location: 1406 South Iron Mountain Road, Bloomfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Merrel Bierman Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33284
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/1/2024
Damage Location: 3000 Technology Avenue, New Albany

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwestern Electric LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33554
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/6/2024
Damage Location: 1834 South US Highway 231, Crawfordsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: T & R Contractors, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33104
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/10/2024
Damage Location: 11410 River Drive East, Carmel

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Tactical Boring Solutions
Other Party: CenterPoint Energy Indiana
Case Number: 33529
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/6/2024
Damage Location: 115 North Rogers Street, Bloomington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(out)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Seymour
Other Party: CenterPoint Energy Indiana
Case Number: 33102
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/10/2024
Damage Location: 111 Church Avenue, Seymour

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Elkhart
Other Party: Northern Indiana Public Service Company
Case Number: 33395
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/10/2024
Damage Location: 612 Vistula Street, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Niblock Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33044
Date of Advisory Meeting: 3/13/2025
Date of Damage: 8/29/2024
Damage Location: 914 South 10th Street, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Niblock Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33483
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/22/2024
Damage Location: 1908 Reliance Road, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: C B S Service LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33252
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/20/2024
Damage Location: 3200 Elkhart Road, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Derry Electric, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33017
Date of Advisory Meeting: 3/13/2025
Date of Damage: 8/22/2024
Damage Location: 215 South Ohio Street, Culver

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Midwestern Electric LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33293
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/3/2024
Damage Location: 2220 West Lowell Road, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Meade Industries, Inc. - Electric
Other Party: Northern Indiana Public Service Company
Case Number: 33018
Date of Advisory Meeting: 3/13/2025
Date of Damage: 8/23/2024
Damage Location: 11113 Alabama Place, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ziese & Sons Excavating, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33006
Date of Advisory Meeting: 3/13/2025
Date of Damage: 8/19/2024
Damage Location: Green Place and East 109th Avenue, Winfield

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Clarkco, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33463
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/16/2024
Damage Location: 1614 South Arnold Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Outdoor Environments Group LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33444
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/24/2024
Damage Location: 11425 East 550 South, Zionsville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)(prior)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Craig Excavating LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33384
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/7/2024
Damage Location: 755 Chapman Lake Drive, Warsaw

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500; no ticket escalation - additional \$1,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bailey Asphalt Maintenance LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33266
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/25/2024
Damage Location: 54515 State Road 933, Notre Dame

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Chemo Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33358
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/1/2024
Damage Location: 256 Erie Street, Valparaiso

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Corcoran Construction LLC
Other Party: Northern Indiana Public Service Company
Case Number: 33274
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/26/2024
Damage Location: 505 West Woodland Avenue, Kouts

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J M H Construction
Other Party: Northern Indiana Public Service Company
Case Number: 33461
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/16/2024
Damage Location: 18369 Victoria Drive, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Pro Trim Enterprises
Other Party: Northern Indiana Public Service Company
Case Number: 33393
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/9/2024
Damage Location: 706 Rogers Avenue, Apartment Rear, Beverly Shores

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Aaron Tester
Other Party: Northern Indiana Public Service Company
Case Number: 33257
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/21/2024
Damage Location: 6889 South State Road 10, Knox

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Adrienne Bundy
Other Party: Northern Indiana Public Service Company
Case Number: 33256
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/20/2024
Damage Location: 8021 Jefferson Avenue, Munster

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Arlin Schlabach
Other Party: Northern Indiana Public Service Company
Case Number: 33504
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/30/2024
Damage Location: 12263 County Road 36, Goshen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Carl Muffley
Other Party: Northern Indiana Public Service Company
Case Number: 33404
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/12/2024
Damage Location: 30291 North Shore Drive, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: _____

A handwritten signature in black ink, appearing to read "James R. Surd".

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Erin O'Leary
Other Party: Northern Indiana Public Service Company
Case Number: 33495
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/26/2024
Damage Location: 9110 East 124th Court, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: John Webb
Other Party: Northern Indiana Public Service Company
Case Number: 31553
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/15/2023
Damage Location: 1207 Jackson Street, Hobart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Lester Karn
Other Party: Northern Indiana Public Service Company
Case Number: 33369
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/3/2024
Damage Location: 611 South Brookfield Street, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Louis Roman
Other Party: Northern Indiana Public Service Company
Case Number: 33496
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/27/2024
Damage Location: 5454 North 150 East, LaPorte

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Stan Hueni
Other Party: Northern Indiana Public Service Company
Case Number: 33388
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/8/2024
Damage Location: 521 West South Street, Bremen

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Thomas Lawler
Other Party: Northern Indiana Public Service Company
Case Number: 33399
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/10/2024
Damage Location: 46 Aspen Road, Portage

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Warning letter

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Forte Waterproofing
Other Party: Northern Indiana Public Service Company
Case Number: 33241
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/18/2024
Damage Location: 54662 Irish Crossings, South Bend

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Mattingly Concrete, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33203
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/25/2024
Damage Location: 103 East Washington Street, Shelbyville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$3,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: City of Evansville (Water & Sewer Departments)
Other Party: CenterPoint Energy Indiana
Case Number: 33180
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/17/2024
Damage Location: 1229 South Roosevelt Drive, Evansville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Gough, Inc.
Other Party: Northern Indiana Public Service Company
Case Number: 33674
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/22/2024
Damage Location: 18011 Colorado Street, Hebron

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Milestone Contractors, L.P.
Other Party: Northern Indiana Public Service Company
Case Number: 33410
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/15/2024
Damage Location: 517 Beechwood Drive, Monticello

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Miller Pipeline, LLC
Other Party: CenterPoint Energy Indiana
Case Number: 33541
Date of Advisory Meeting: 3/13/2025
Date of Damage: 11/12/2024
Damage Location: 4834 Peerless Road, Bedford

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

\$5,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Aeromet Industries Inc
Other Party: Northern Indiana Public Service Company
Case Number: 33499
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/29/2024
Damage Location: 739 South Arbogast Street, Griffith

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Bohs Well Drilling
Other Party: Northern Indiana Public Service Company
Case Number: 33386
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/8/2024
Damage Location: 59443 County Road 113, Elkhart

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Caremore Home Improvements
Other Party: CenterPoint Energy Indiana
Case Number: 33719
Date of Advisory Meeting: 3/13/2025
Date of Damage: 12/13/2024
Damage Location: 1520 California Street, Columbus

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: S D Fox
Other Party: CenterPoint Energy Indiana
Case Number: 33443
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/24/2024
Damage Location: 640 West National Avenue, Brazil

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED: _____

James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Ace Metals
Other Party: CenterPoint Energy Indiana
Case Number: 33430
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/21/2024
Damage Location: 3831 North 75 West, Franklin

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Apple Grove Landscaping
Other Party: Northern Indiana Public Service Company
Case Number: 33481
Date of Advisory Meeting: 3/13/2025
Date of Damage: 10/21/2024
Damage Location: 681 Eleanor Rose Court, Lot 212, Crown Point

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions: **Smith**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman

Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Town of Montezuma
Other Party: Town of Montezuma
Case Number: 32943
Date of Advisory Meeting: 3/13/2025
Date of Damage: 9/24/2024
Damage Location: 1184 North Water Street, Montezuma

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(h)

The Advisory Committee recommends the following civil penalty:

Training or \$5,000 if respondent fails to complete training

Abstentions:

Additional Information: **AMENDED FROM PREVIOUS UPPAC
RECOMMENDATION OF \$1000 DUE TO THIS BEING A FIRST DAMAGE**

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Atlas Excavating, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33797
Date of Advisory Meeting: 3/13/2025
Date of Damage: 1/10/2025
Damage Location: 135 South Chauncey Avenue, West Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-16(i)(prior)

The Advisory Committee recommends the following civil penalty:

\$4,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: Ace Home Improvements. Inc.
Case Number: 33794
Date of Advisory Meeting: 3/13/2025
Date of Damage: 1/3/2025
Damage Location: 4544 Stonegate Drive, Newburgh

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Community Natural Gas Inc
Other Party: Snedegar Construction, Inc.
Case Number: 33807
Date of Advisory Meeting: 3/13/2025
Date of Damage: 1/16/2025
Damage Location: 15 North Myra Street, Worthington

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(locator-error)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: CenterPoint Energy Indiana
Other Party: P E Industries LLC
Case Number: 33798
Date of Advisory Meeting: 3/13/2025
Date of Damage: 1/14/2025
Damage Location: 4224 Old Romney Road, Lafayette

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: Aurora Utilities
Other Party: R P Comm, Inc.
Case Number: 33806
Date of Advisory Meeting: 3/13/2025
Date of Damage: 2/1/2025
Damage Location: 209-211 Springdale Road, Aurora

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-18(j)(no-response)

The Advisory Committee recommends the following civil penalty:

\$1,000

Abstentions:

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman



Recommendation to IURC from the Indiana Underground Plant Protection Advisory Committee

Respondent: J D H Contracting, Inc.
Other Party: CenterPoint Energy Indiana
Case Number: 33792
Date of Advisory Meeting: 3/13/2025
Date of Damage: 1/3/2025
Damage Location: 3617 Planck Circle, Danville

The IURC Pipeline Safety Division finds the following violation(s):

IC 8-1-26-20(a)(3)(b)

The Advisory Committee recommends the following civil penalty:

\$1,500, respondent can complete training instead of paying \$1,500

Abstentions: **Sontag**

Additional Information:

APPROVED:  James R. Surd for Ben Warren, Chairman